

SIGCHI Conference Proceedings Format

Thomas Nyegaard-Signori
sfq340@alumni.ku.dk

Tobias Carlos Tvarn
e-mail address

Tor-Salve Dalsgaard
e-mail address

Enes Golic
e-mail address

ABSTRACT

Every submission should begin with an abstract of about 150 words, followed by a set of Author Keywords and ACM Classification Keywords. The abstract and keywords should be placed in the left column of the first page under the left half of the title. The abstract should be a concise statement of the problem, approach, and conclusions of the work described. It should clearly state the paper's contribution to the field of HCI.

ACM Classification Keywords

H.5.m. Information Interfaces and Presentation (e.g. HCI): Miscellaneous; See <http://acm.org/about/class/1998/> for the full list of ACM classifiers. This section is required.

Author Keywords

Authors' choice; of terms; separated; by semicolons; include commas, within terms only; required.

INTRODUCTION

- Teknologi
- Hvorfor er teknologien mobile?
- Hvorfor er vores tilgangsvinkel relevant/app ide fed?
- Hvad var vores allerførste tanker? (måske andet afsnit?)

This report focuses on an application for the newly released Microsoft HoloLens. The HoloLens was released around march 2017, and the fact that the product is in its infant stage and is based on a very new technology opens up possibilities and removes any preconceived notions about which applications and uses the HoloLens might have.

The technology is relevant with regards to mobile computing in one very apparent way, in that it is a wearable, computing unit. Other than that, it offers alternate reality (AR) possibilities because of its partly see-through screens. Since the HoloLens is still a new technology, the mobility and computing power of the product will most likely increase, making it

resemble a ubiquitous computer more and more. One of the possible end goals for the HoloLens might be integration into wearable lenses or implanted directly into the eyes.

The application this report will cover revolves around LEGO. LEGO is a way for kids and adults to build constructions, vehicles and scenery, all in a very physical and three-dimensional way. This, then, seemed like a natural choice for an AR application, since the application layer between the user and the world could expand naturally on the possibilities and limitations of the physical, "real-world" LEGO.

The application in itself should be a sort of digital playground in which a user could interact with LEGO in ways they would find natural. Sticking pieces together the way they do in real life, stacking and constructing, all interactions that the user knows well from having played around with real LEGO.

SKETCHING

The structure can look like this:

- Present the chosen design challenges and some of the initial concerns in the beginning phase
- Each challenge is outlined with:
 - Sketches
 - Design thoughts for the sketch - what was the thought behind this sketch?
 - summary of the group discussion for this case - what worked, what didn't and why?
- Conclude what the final sketches are - what do they accomplish, and what do they lack(maybe reference what might be discussed in future work)?

How do we access the application? (Menu)

The menu is an essential part of any application. It outlines the possibilities for the user in a simple fashion. The menu is something every user has experience with, as it is the first thing a user is met with when running an application. This means that the menu has to contain certain classic elements.

A user needs a way to close the application. On mobile phones nowadays this can be done with 'return' buttons on the phone, but all applications generally have a built in exit function.

The user also needs to have some sort of options menu, and guidelines. This is a must for this application. Stacking LEGO

Paste the appropriate copyright statement here. ACM now supports three different copyright statements:

- ACM copyright: ACM holds the copyright on the work. This is the historical approach.
- License: The author(s) retain copyright, but ACM receives an exclusive publication license.
- Open Access: The author(s) wish to pay for the work to be open access. The additional fee must be paid to ACM.

This text field is large enough to hold the appropriate release statement assuming it is single spaced.

Every submission will be assigned their own unique DOI string to be included here.

seems simple and intuitive, but all the operations and possibilities is something that can confuse a potential user.

Lastly the menu needs to have an easy access to the LEGO session itself. It shouldn't be complicated for the user to start a new LEGO session, meaning that this action should be as intuitive as it gets.

Insert sketch 1:

The main menu screen

The initial ideas for the main menu were generated following the 'x plus x' sketch generation principle outlined in the course. In the case of the sketching done for the main menu, a '5 plus 5' scheme was used. One common theme in the sketching of the main menu was separation of the design of the menu and the interaction with the menu, and the difficulties with making that separation. In quite a few of the earlier sketches, what was being sketched was more a way of interacting with the menu rather than the design of the menu itself.

It became apparent that the menu had to use the gestures given from Hololens, i.e., the bloom gesture. Since a fixed main menu screen could lead to different problems, such as blocking precious field of view, and a menu screen fixed to the world could be forgotten and overlooked, a gesture-activated main menu was the preferred interaction.

The generator board

After discussing menus in the context of the Hololens, it became apparent that there was a need for a menu that could be placed and interacted with in the real world. Using the tracking capabilities of the Hololens, different designs of the so called 'generator board' came up. The main purpose of the generator board is to generate blocks that the user can then drag out of the predefined spawning space.

The idea came up that a menu with the same look and functionality of a tablet device could make interaction natural for the user. Having the ability to pick up, move and place the menu on a surface like a table or the floor seemed like a natural way of approaching the problem. The idea can be seen in a very early sketch in figure (HVILKEN FIGUR?):

HOLOTOOLKIT

The main package (?) used for developing for the Hololens in this project was the HoloToolkit-Unity. This package comes with some premade functionality to ease the interaction with the Hololens and is an open source toolkit made by Microsoft to speed up any development for their new platform (quote dem måske?).

The toolkit contains seven feature areas, of those spatial mapping and input were of most interest to us. We used the spatial mapping part of the toolkit to be able to "digitize" the world and make our application able to track surfaces so as to place our generator board on real world surfaces instead of having it float in mid air. This connection between the




Figure 1. Skriv lidt lækert her.

Figure 2. Insert a caption below each figure. Do not alter the Caption style. One-line captions should be centered; multi-line should be justified.

real-world and digital playground created in our application was essential, both to the experience but also to be able to call our application alternate reality. (SKRIV MERE TEKNISK NÅR VI VED HVAD FUCK DER FOREGÅR).

The input part of the toolkit allows us to track the gaze and the users interaction with the objects in the application, be it buttons, bricks or the generator board. This tracking is done by shooting a ray from the users gaze (the middle of the screen on the Hololens in our case) and checking whether any colliders, object hitboxes, were hit. This raycasting, as its called, is intuitive since it uses the line of sight from the user to any object in the gameworld, so whatever you can see, you can interact with.

More specifically, the orientation and position of the Hololens with regards to the objects in the gameworld is maintained by a GazeManager from the HoloToolkit and the cursor is then placed on the vector originating from the users gaze by a CursorManager.

First Page Copyright Notice

This template include a sample ACM copyright notice at the bottom of page 1, column 1. Upon acceptance, you will be provided with the appropriate copyright statement and unique DOI string for publication. Accepted papers will be distributed in the conference publications. They will also be placed in the ACM Digital Library, where they will remain accessible to thousands of researchers and practitioners worldwide. See http://acm.org/publications/policies/copyright_policy for the ACM's copyright and permissions policy.

References and Citations

Use a numbered list of references at the end of the article, ordered alphabetically by last name of first author, and referenced by numbers in brackets [?, ?, ?]. Your references should be published materials accessible to the public. Internal technical reports may be cited only if they are easily accessible (i.e., you provide the address for obtaining the report within

Name	Test Conditions		
	First	Second	Final
Marsden	223.0	44	432,321
Nass	22.2	16	234,333
Borriello	22.9	11	93,123
Karat	34.9	2200	103,322

Table 1. Table captions should be placed below the table. We recommend table lines be 1 point, 25% black. Minimize use of table grid lines.

your citation) and may be obtained by any reader for a nominal fee. Proprietary information may not be cited. Private communications should be acknowledged in the main text, not referenced (e.g., “[Borriello, personal communication]”).

References should be in ACM citation format: http://acm.org/publications/submissions/latex_style. This includes citations to internet resources [?, ?, ?, ?] according to ACM format, although it is often appropriate to include URLs directly in the text, as above.

QUOTATIONS

Quotations may be italicized when “*placed inline*” (Anab, 23F).

Longer quotes, when placed in their own paragraph, need not be italicized or in quotation marks when indented (Ramon, 39M).

- Write in a straightforward style.
- Try to avoid long or complex sentence structures.
- Briefly define or explain all technical terms that may be unfamiliar to readers.
- Explain all acronyms the first time they are used in your text—e.g., “Digital Signal Processing (DSP)”.
- Explain local references (e.g., not everyone knows all city names in a particular country).
- Explain “insider” comments. Ensure that your whole audience understands any reference whose meaning you do not describe (e.g., do not assume that everyone has used a Macintosh or a particular application).
- Explain colloquial language and puns. Understanding phrases like “red herring” may require a local knowledge of English. Humor and irony are difficult to translate.
- Use unambiguous forms for culturally localized concepts, such as times, dates, currencies, and numbers (e.g., “1–5–97” or “5/1/97” may mean 5 January or 1 May, and “seven o’clock” may mean 7:00 am or 19:00). For currencies, indicate equivalences: “Participants were paid ₩ 25,000, or roughly US \$22.”
- Be careful with the use of gender-specific pronouns (he, she) and other gendered words (chairman, manpower, man-months). Use inclusive language that is gender-neutral (e.g., she or he, they, s/he, chair, staff, staff-hours, person-years). See the *Guidelines for Bias-Free Writing* for further

advice and examples regarding gender and other personal attributes [?]. Be particularly aware of considerations around writing about people with disabilities.

- If possible, use the full (extended) alphabetic character set for names of persons, institutions, and places (e.g., Grøn-bæk, Lafrenière, Sánchez, Nguyễn, Universität, Weißenbach, Züllighoven, Århus, etc.). These characters are already included in most versions and variants of Times, Helvetica, and Arial fonts.

CONCLUSION

ACKNOWLEDGMENTS

REFERENCES FORMAT

Your references should be published materials accessible to the public. Internal technical reports may be cited only if they are easily accessible and may be obtained by any reader for a nominal fee. Proprietary information may not be cited. Private communications should be acknowledged in the main text, not referenced (e.g., [Golovchinsky, personal communication]). References must be the same font size as other body text. References should be in alphabetical order by last name of first author. Use a numbered list of references at the end of the article, ordered alphabetically by last name of first author, and referenced by numbers in brackets. For papers from conference proceedings, include the title of the paper and the name of the conference. Do not include the location of the conference or the exact date; do include the page numbers if available.

References should be in ACM citation format: http://www.acm.org/publications/submissions/latex_style. This includes citations to Internet resources [?, ?, ?] according to ACM format, although it is often appropriate to include URLs directly in the text, as above. Example reference formatting for individual journal articles [?], articles in conference proceedings [?], books [?], theses [?], book chapters [?], an entire journal issue [?], websites [?, ?], tweets [?], patents [?], and online videos [?] is given here. See the examples of citations at the end of this document and in the accompanying BibTeX document. This formatting is a edited version of the format automatically generated by the ACM Digital Library (<http://dl.acm.org>) as “ACM Ref.” DOI and/or URL links are optional but encouraged as are full first names. Note that the Hyperlink style used throughout this document uses blue links; however, URLs in the references section may optionally appear in black.

Figure 3. In this image, the map maximizes use of space. You can make figures as wide as you need, up to a maximum of the full width of both columns. Note that \LaTeX tends to render large figures on a dedicated page. Image:  ayman on Flickr.