

MSc THESIS · ARTEFACT PRESENTATION AND DEFENCE



Measuring Technical Debt in Mission-Critical Trading Systems

A Service-Level Quantitative Framework

Tobias Zeier

Student ID: 12696372

Supervisor: Dr Zahid Ullah

Co-Supervisor: Douglas J. Millward

University of Essex

Computing Department

Enterprise IT Management

13 August 2026

Debt that source-code tools cannot see

In mission-critical trading IT, technical debt accumulates **outside source code**: in infrastructure-lifecycle exposure, patch delay and operational instability.

- Dominant tools (SonarQube, SQALE, CAST) operationalise debt from source-code rule violations. They are inapplicable where code is vendor-hosted or outsourced.
- Even with code access, three tools on the same codebase can return substantially divergent estimates (Amanatidis *et al.*, 2020).
- Infrastructure, platform and vulnerability debt stay largely invisible to static analysis.

The gap: *no quantitative, service-level way to prioritise debt where source code cannot be reached.*

4.9_x

higher odds of compromise at just one month of patch delay (Tizio, Armellini and Massacci, 2023)

84%

fewer incidents after targeted architectural-debt repayment (de Toledo *et al.*, 2021)

16%

drop in return on assets per 10% rise in debt; more than doubling within six years (Banker, Liang and Ramasubbu, 2021)

Four fields meet — none joins them up

Across 44 prioritisation studies, Lenarduzzi *et al.* (2021) find quantitative multi-criteria approaches uncommon and industrial validation rare.

	Service-level operational indicators	Multi-criteria prioritisation	Live operational data (ITSM/CMDB)	Regulated trading-IT context
Static-analysis tools (Biazotto <i>et al.</i> , 2024; Amanatidis <i>et al.</i> , 2020)	—	—	—	—
TD prioritisation (Lenarduzzi <i>et al.</i> , 2021; Alfayez <i>et al.</i> , 2023)	—	✓	—	—
DORA metrics as proxies (Forsgren, Humble, and Kim, 2018; Nord, Ozkaya and Woody, 2021)	~	—	~	—
TD in financial services (Haki <i>et al.</i> , 2023; Rolland and Lyytinen, 2021)	~	—	—	✓
TOPSIS / MCDM in IT (Albarak <i>et al.</i> , 2022; Khan and Purohit, 2022)	—	✓	—	—
This thesis: TOPSIS on live ITSM / CMDB data	✓	✓	✓	✓

✓ addressed ~ partial — not addressed

What the study set out to answer

Aim: Develop a service-level quantitative framework that prioritises technical debt in mission-critical trading systems from operational service-management data, not source-code analysis.

RQ1

PRIMARY

How can technical debt in mission-critical trading systems be prioritised quantitatively, at the service level, using operational data?

RQ2

To what extent do operational service-management metrics serve as valid proxies for technical-debt severity in vendor-dominated enterprise IT?

RQ3

How stable are the resulting service rankings when the criterion weights are perturbed?

A Design-Science artefact, evaluated on real data

Paradigm — Pragmatism

A knowledge claim is judged by whether the artefact works in the context it was built for. Debt is treated as a construct with no single true measurement.

Strategy — Design Science Research

Hevner *et al.* (2004) seven guidelines; Peffers *et al.* (2007) six-step process. The contribution is a functional artefact, evaluated analytically.

Case — Embedded single-organization

Trading-IT division of a systemically important Swiss financial institution. Unit of analysis: the IT service (a CMDB configuration item). Cross-sectional, Jan 2024 – Dec 2025.

Ethics & governance


Anonymised at source; no personal data; Head-of-Trading-IT authorisation. nFADP + FINMA 2023/1; BCS Code of Conduct. Scores describe services, not teams.

Five operational indicators, mapped to debt dimensions



Excluded on data availability: documentation completeness, test-coverage ratio and architectural coupling. All need source repositories or CI/CD artefacts unavailable for vendor-managed components.

TOPSIS — one procedure from data to ranked priority



Absolute-mode variant fixed bounds → rank-reversal-proof (García-Cascales and Lamata, 2012; Yang, 2020)

Why TOPSIS


- Integrates normalisation, weighting and ranking in one procedure (Hwang and Yoon, 1981).
- Handles mixed cost & benefit criteria directly, well suited to a ranked service portfolio.
- Robust to rank reversal among methods that exhibit it (Zanakis *et al.*, 1998).

Two transparent weightings

Equal (baseline): $w_j = 0.20$ each, the standard default without empirically justified weights.

Differential: MTTR & patch recency = 0.30; others = $0.1\bar{3}$. A practitioner judgement, stated as an explicit assumption and stress-tested in Chapter 5.

One consistent ranking — and it is not the obvious one



What the ranking says

SVC-06 is top priority under both weightings and both years, worst or near-worst on four of five indicators.

SVC-03 is the invariant lowest, the well-maintained reference service.

Size-normalisation matters. On a raw cumulative measure, SVC-01's large estate would top the list. Per-component intensity correctly subordinates it to compact SVC-06, about half out of support, and for far longer.

Before the order is trusted, it is tested on five fronts



1 Stability

Order survives weight change ($\tau = 0.867$, 2025) and holds across years; the bottom rank never moves.



2 Convergent validity

SAW and VIKOR reproduce the order, absolute-mode agrees perfectly ($\tau = 1.000$, 2025 equal).



3 Discriminant value

Diverges from an incident-only ranking ($\tau = 0.733$) → it catches debt a single signal misses.



4 Structural rigour


Absolute-mode order holds under every one of six leave-one-out removals, in both years.



5 Weight-space


20,000 Monte-Carlo weightings, the acid test for RQ3 (next slide).

Multi-criteria design changes the answer ($\tau = 0.733$)



Front 3: two pairs swap, but SVC-01's rise is the telling one.

20,000 weightings: what is settled vs. what is judgement



96.4%

of weightings put SVC-03 at the lowest priority, deprioritise with confidence.

65.1%

put SVC-06 top. Only SVC-04 or SVC-01 ever reach #1. A stable three-service cluster.

The boundary: both ends are act-on-able; ordering within the top cluster is a managerial judgement, not a settled result. Reproducible from seed 50 (≤ 0.011 on reseed).

Answering the three research questions

RQ1

Yes — the framework itself.

Five operational indicators feed a TOPSIS model that orders services by debt priority with no recourse to source code. Its multi-criteria form is not decorative: it diverges from an incident-only view.

RQ2

Valid — to a bounded extent.

The composite behaves as an instrument should: differentiated profiles, no single indicator reproducing the order. Criterion validity is not claimed; the proxy link remains a proposition that survived every test this design allows.

RQ3

Stable at the extremes.

Two weightings agree in 2025 ($\tau = 0.867$); across 20,000 draws SVC-03 is last in 96.4% and SVC-06 first in 65.1%. The top is a stable cluster; its internal order is a managerial call.

What it adds — and where it stops

Contributions

Empirical: to current knowledge, the first TOPSIS on live ITSM/CMDB records for TD prioritisation in financial trading IT.

Conceptual: an operationally-defined indicator set with an explicit literature-to-dimension mapping.

Methodological: the methods diverge on whether a single-dimension extreme should top the list. A compensatory choice; absolute-mode also adds rank-stability.

Practical: turns routine data into an auditable priority ordering; portfolio oversight; FINMA 2023/1 relevance.

Limitations — held in view

- Six-service demonstration set limits the power of the Kendall's τ tests.
- The same dataset builds and evaluates the framework → robustness & method-independence, not criterion validity.
- Cross-sectional snapshot; a service mid-remediation can look worse than it is.
- CFR shares its incident numerator with incident frequency; recording practices vary across teams.
- The single top rank stays weight-dependent within the SVC-06 / SVC-04 / SVC-01 cluster, a compensability judgement.

A personal reflection

The hard part was definitional

I expected the difficulty to be computational. It was deciding what an incident count or a derived change failure rate can legitimately mean.

Disagreement taught the most

I expected the other methods to just confirm the order. Their split over SVC-06 forced an explicit stance: are debt dimensions compensatory?

Design Science set the standard of proof

It held the line between what the artefact demonstrates and what it merely suggests. Operational data can prioritise debt where source code cannot reach.

Where it goes next

1

External validation

Replicate at two or three further regulated institutions; compare weights and dimension mappings to test the proxy proposition beyond one case.

2

Longitudinal evaluation

A lagged design tracking whether high-priority services later generate predicted consequences, the route to criterion validity.

3

Portfolio-wide deployment

Replace the demonstration set with a live ranking; larger n also strengthens the stability tests.

4

Externally-anchored bounds

Derive absolute-mode bounds from regulatory / cross-industry end-of-support benchmarks, comparable across organisations.

The framework does not measure technical debt. It orders services by the operational shadow debt casts: reproducibly, defensibly, from data the organisation already holds.

Thank you, I welcome your questions. Tobias Zeier · Enterprise IT Management · University of Essex

References

- Albarak, M. *et al.* (2022) 'Managing Technical Debt in Database Normalization', *IEEE Transactions on Software Engineering*, 48(3), pp. 755–772. Available at: <https://doi.org/10.1109/TSE.2020.3001339>.
- Alfayez, R. *et al.* (2023) 'How SonarQube-identified technical debt is prioritized: An exploratory case study', *Information and Software Technology*, 156, p. 107147. Available at: <https://doi.org/10.1016/j.infsof.2023.107147>.
- Amanatidis, T. *et al.* (2020) 'Evaluating the agreement among technical debt measurement tools: Building an empirical benchmark of technical debt liabilities', *Empirical Software Engineering*, 25(5), pp. 4161–4204. Available at: <https://doi.org/10.1007/s10664-020-09869-w>.
- Banker, R., Liang, Y. and Ramasubbu, N. (2021) 'Technical Debt and Firm Performance', *Management Science*, 67(5), pp. 3174–3194. Available at: <https://doi.org/10.1287/mnsc.2019.3542>.
- Biazotto, J.P. *et al.* (2024) 'Technical debt management automation: State of the art and future perspectives', *Information and Software Technology*, 167, p. 107375. Available at: <https://doi.org/10.1016/j.infsof.2023.107375>.
- Code of Conduct for BCS Members (2022). Swindon, UK: BCS, The Chartered Institute for IT, pp. 1–5. Available at: <https://www.bcs.org/media/2211/bcs-code-of-conduct.pdf> (Accessed: 15 April 2026).
- de Toledo, S.S. *et al.* (2021) 'Reducing Incidents in Microservices by Repaying Architectural Technical Debt', *2021 47th Euromicro Conference on Software Engineering and Advanced Applications (SEAA)*, pp. 196–205. Available at: <https://doi.org/10.1109/SEAA53835.2021.00033>.
- Federal Act on Data Protection (2023). Available at: <https://www.fedlex.admin.ch/eli/cc/2022/491/en> (Accessed: 15 April 2026).
- FINMA (2022) *Operational risks and resilience – banks*. Circular 2023/1. FINMA, pp. 1–15. Available at: <https://www.finma.ch/en/~media/finma/dokumente/dokumentencenter/myfinma/rundschreiben/finma-rs-2023-01-20221207.pdf> (Accessed: 29 March 2026).
- Forsgren, N., Humble, J. and Kim, G. (2018) *Accelerate: The Science of Lean Software and DevOps: Building and Scaling High Performing Technology Organizations*. Portland, OR: IT Revolution Press.
- García-Cascales, M.S. and Lamata, M.T. (2012) 'On rank reversal and TOPSIS method', *Mathematical and Computer Modelling*, 56(5), pp. 123–132. Available at: <https://doi.org/10.1016/j.mcm.2011.12.022>.
- Haki, K. *et al.* (2023) 'Digital nudging for technical debt management at Credit Suisse', *European Journal of Information Systems*, 32(1), pp. 64–80. Available at: <https://doi.org/10.1080/0960085X.2022.2088413>.
- Hevner, A.R. *et al.* (2004) 'Design Science in Information Systems Research', *MIS Quarterly*, 28(1), pp. 75–105. Available at: <https://doi.org/10.2307/25148625>.
- Hwang, C.-L. and Yoon, K. (1981) *Multiple Attribute Decision Making*. Edited by M. Beckmann and H.P. Kunzi. Berlin, Heidelberg: Springer (Lecture Notes in Economics and Mathematical Systems). Available at: <https://doi.org/10.1007/978-3-642-48318-9>.
- Khan, S. and Purohit, L. (2022) 'An Integrated Methodology of Ranking Based on PROMETHEE-CRITIC and TOPSIS-CRITIC In Web Service Domain', *2022 IEEE 11th International Conference on Communication Systems and Network Technologies (CSNT)*, pp. 335–340. Available at: <https://doi.org/10.1109/CSNT54456.2022.9787620>.
- Lenarduzzi, V. *et al.* (2021) 'A systematic literature review on Technical Debt prioritization: Strategies, processes, factors, and tools', *Journal of Systems and Software*, 171, p. 110827. Available at: <https://doi.org/10.1016/j.jss.2020.110827>.
- Nord, R.L., Ozkaya, I. and Woody, C. (2021) *Examples of Technical Debt's Cybersecurity Impact*. Pittsburgh, PA, USA: Carnegie Mellon University, pp. 1–21. Available at: <https://apps.dtic.mil/sti/trecms/pdf/AD1144728.pdf> (Accessed: 27 April 2026).
- Peppers, K. *et al.* (2007) 'A Design Science Research Methodology for Information Systems Research', *Journal of Management Information Systems*, 24(3), pp. 45–77. Available at: <https://doi.org/10.2753/MIS0742-1222240302>.
- Rolland, K.-H. and Lyytinen, K. (2021) 'Exploring the Tensions Between Management of Architectural Debt and Digital Innovation: The Case of a Financial Organization', *Proceedings of the 54th Hawaii International Conference on System Sciences. Hawaii International Conference on System Sciences*, pp. 6722–6732. Available at: <https://doi.org/10.24251/HICSS.2021.807>.
- Tizio, G.D., Armellini, M. and Massacci, F. (2023) 'Software Updates Strategies: A Quantitative Evaluation Against Advanced Persistent Threats', *IEEE Transactions on Software Engineering*, 49(3), pp. 1359–1373. Available at: <https://doi.org/10.1109/TSE.2022.3176674>.
- Yang, W. (2020) 'Ingenious Solution for the Rank Reversal Problem of TOPSIS Method', *Mathematical Problems in Engineering*, 2020(1), p. 9676518. Available at: <https://doi.org/10.1155/2020/9676518>.
- Zanakis, S.H. *et al.* (1998) 'Multi-attribute decision making: A simulation comparison of select methods', *European Journal of Operational Research*, 107(3), pp. 507–529. Available at: [https://doi.org/10.1016/S0377-2217\(97\)00147-1](https://doi.org/10.1016/S0377-2217(97)00147-1).