plotKMZ60TransferCurves

Plot NXP KMZ60 characterization field transfer curves.

Contents

- Syntax
- Description
- Examples
- Input Arguments
- Output Arguments
- Requirements
- See Also

Syntax

plotKMZ60TransferCurves()

Description

plotKMZ60TransferCurves() plot characterization field of KMZ 60 sensor.

Examples

plotKMZ60TransferCurves();

Input Arguments

None

Output Arguments

None

Requirements

- Other m-files: none
- Subfunctions: none
- MAT-files required: data/NXP_KMZ60_Characterization_2020-12-03_16-53-16-721.mat, data/config.mat

See Also

plotKMZ60CharField

Created on December 05. 2020 by Tobias Wulf. Copyright Tobias Wulf 2020.

```
function plotKMZ60TransferCurves()
       % load dataset path and dataset content into function workspace
      load('config.mat', 'PathVariables');
      load(PathVariables.kmz60DatasetPath, 'Data', 'Info');
      close all;
   catch ME
      rethrow(ME)
   end
   % load needed data from dataset in to local variables for better handling %%
   % get from user which field to investigate and limits for plateau
   fields = Info.SensorOutput.CosinusBridge.Determination;
   nFields = length(fields);
   fprintf('Choose 1 of %d fields ...\n', nFields);
   for i = 1:nFields
      fprintf('%s\t:\t(%d)\n', fields{i}, i);
```

```
end
iField = input('Choice: ');
field = fields{iField};
pl = input('Plateu limit in kA/m: ');
Vcos = Data.SensorOutput.CosinusBridge.(field);
Vsin = Data.SensorOutput.SinusBridge.(field);
gain = Info.SensorOutput.BridgeGain;
HxScale = Data.MagneticField.hx;
HyScale = Data.MagneticField.hy;
Hmin = Info.MagneticField.MinAmplitude;
Hmax = Info.MagneticField.MaxAmplitude;
% get unit strings from
kApm = Info.Units.MagneticFieldStrength;
mV = Info.Units.SensorOutputVoltage;
% get dataset infos and format strings to place in figures
% subtitle string for all figures
infoStr = join([Info.SensorManufacturer, Info.Sensor, Info.SensorTechnology, ...
       Info.SensorType, "Sensor Characterization Dataset."]);
dateStr = join(["Created on", Info.Created, "by", 'Thorben Sch\"uthe', ...
        "and updated on", Info.Edited, "by", Info.Editor + "."]);
% clear dataset all loaded
clear Data Info;
fName = sprintf("kmz60_transfer_curves_%s", field);
fPath = fullfile(PathVariables.saveFiguresPath, fName);
fSvgPath = fullfile(PathVariables.saveImagesPath, 'svg', fName);
fEpsPath = fullfile(PathVariables.saveImagesPath, 'eps', fName);
fPdfPath = fullfile(PathVariables.saveImagesPath, 'pdf', fName);
0,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,0
Hslice = 128; % hit ca. 0 kA/m
Hlims = [-pl pl];
mVpVlims = [-8 8];
fig = figure('Name', 'Transfer Curves', ...
   'NumberTitle', 'off', ...
   'WindowStyle', 'normal', ...
       'MenuBar', 'none', ...
'ToolBar', 'none', ...
'Units', 'centimeters',
        'OuterPosition', [0 0 33 30], ...
        'PaperType', 'a4', ...
'PaperUnits', 'centimeters', ...
        'PaperOrientation', 'landscape', ...
'PaperPositionMode', 'auto', ...
        'DoubleBuffer', 'on', ...
'RendererMode', 'manual', ...
        'Renderer', 'painters');
tdl = tiledlayout(fig, 2, 2, ...
         'Padding', 'compact', ...
        'TileSpacing' , 'compact');
title(tdl, sprintf('Transfer Curves: %s', field), ...
        'FontWeight', 'normal', ...
        'FontSize', 18, ...
        'FontName', 'Times', ...
        'Interpreter', 'latex');
subtitle(tdl, [infoStr; dateStr], ...
        'FontWeight', 'normal', ...
```

```
'FontSize', 14, ...
    'FontName', 'Times', ...
    'Interpreter', 'latex');
% set colormap
colormap('jet');
nexttile(1);
im = imagesc(HxScale, HyScale, Vcos);
set(gca, 'YDir', 'normal');
set(im, 'AlphaData', ~isnan(Vcos));
yticks(xticks);
axis square xy;
grid on;
% plot lines for slice to investigate
hold on;
yline(HyScale(Hslice), 'k:', 'LineWidth', 3);
hold off;
xlabel(sprintf('$H_x$ in %s', kApm), ...
    'FontWeight', 'normal', ...
   'FontSize', 12, ...
   'FontName', 'Times', ...
   'Interpreter', 'latex');
ylabel(sprintf('$H_y$ in %s', kApm), ...
    'FontWeight', 'normal', ...
    'FontSize', 12, ...
   'FontName', 'Times', ...
   'Interpreter', 'latex');
title('$V_{cos}(H_x,H_y)$', ...
    'FontWeight', 'normal', ...
   'FontSize', 12, ...
'FontName', 'Times',
   'Interpreter', 'latex');
nexttile(2):
im = imagesc(HxScale, HyScale, Vsin);
set(gca, 'YDir', 'normal');
set(im, 'AlphaData', ~isnan(Vsin));
yticks(xticks);
axis square xy;
grid on;
% plot lines for slice to investigate
hold on;
xline(HxScale(Hslice), 'k:', 'LineWidth', 3);
hold off;
xlabel(sprintf('$H x$ in %s', kApm), ...
    'FontWeight', 'normal', ...
    'FontSize', 12, ...
   'FontName', 'Times', ...
   'Interpreter', 'latex');
ylabel(sprintf('\$H\_y\$ in \$s', kApm), \dots
   'FontWeight', 'normal', ...
    'FontSize', 12, ...
   'FontName', 'Times', ...
'Interpreter', 'latex');
title('$V_{sin}(H_x,H_y)$', ...
   'FontWeight', 'normal', ...
   'FontSize', 12, ...
   'FontName', 'Times', ...
```

```
'Interpreter', 'latex');
cb = colorbar:
cb.Label.String = sprintf('$V {out}(H x, H y)$ in %s, Gain $ = %.1f$', mV, gain);
cb.Label.Interpreter = 'latex';
cb.Label.FontSize = 12;
nexttile([1 2]);
% slices
p = plot(HxScale, Vcos(Hslice,:), HyScale, Vsin(:, Hslice)', 'LineWidth', 1.2);
% plateau limits
if pl > 0
   hold on;
   xline(Hlims(1), 'k-.', 'LineWidth', 1.5);
xline(Hlims(2), 'k-.', 'LineWidth', 1.5);
   hold off;
   text(Hlims(1)+0.5, 4, ...
      sprintf('$%.1f$ %s', Hlims(1), kApm), ...
       'Color', 'k', ...
      'FontSize', 12, ...
      'FontName', 'Times', ...
      'Interpreter', 'latex');
   text(Hlims(2)+0.5, 4, ...
      sprintf('$%.1f$ %s', Hlims(2), kApm), ...
       'Color', 'k', ...
      'FontSize', 12, ...
      'FontName', 'Times', ...
      'Interpreter', 'latex');
legend(p, \{sprintf('$V_{cos}(H_x,H_y)$ $H_y \land 0$ %s', kApm), ...
         sprintf('$V {sin}(H_x,H_y)$ $H_x \\approx 0$ %s', kApm)},...
       'FontWeight', 'normal', ...
      'FontSize', 9, ...
      'FontName', 'Times', ...
      'Interpreter', 'latex', ...
'Location', 'SouthEast');
ylabel(sprintf('$V_{out}$ in %s', mV), ...
    'FontWeight', 'normal', ...
   'FontSize', 12, ...
   'FontName', 'Times', ...
'Interpreter', 'latex');
xlabel(sprintf('$H$ in %s', kApm), ...
   'FontWeight', 'normal', ...
'FontSize', 12, ...
   'FontName', 'Times', ...
   'Interpreter', 'latex');
\label{title('$V_{out}(H_x,H_y)$, Cosinus and Sinus Transfer Curves', ...}
   'FontWeight', 'normal', ...
   'FontSize', 12, ...
   'FontName', 'Times', ...
   'Interpreter', 'latex');
grid on;
ylim(mVpVlims);
xlim([Hmin Hmax])
yesno = input('Save? [y/n]: ', 's');
```

```
if strcmp(yesno, 'y')
        savefig(fig, fPath);
        print(fig, fSvgPath, '-dsvg');
        print(fig, fEpsPath, '-depsc', '-tiff', '-loose');
        print(fig, fPdfPath, '-dpdf', '-loose', '-fillpage');
end
    close(fig)
```

Published with MATLAB® R2020b