

Chapter 220 Loading Space Regulations

220.5 Regulations Applying to Loading Spaces

220.5.1 General

(1) Application of This Section

The regulations in Section 220.5 apply to all **loading spaces** and **driveways** leading to a **loading space**.

(2) Requirement to Provide Loading Spaces

A **loading space** must be provided and maintained for each use on a **lot**, in compliance with the regulations in Chapter 220.

220.5.1.10 Interpretation

(1) Loading Space Requirement Calculation

The calculation of required **loading spaces** is based on the total **gross floor area** on the **lot**.

(2) Loading Space Calculation for Multi-unit Industrial Buildings

If a **lot** in the Employment Industrial Zone category has a **building** with more than one industrial unit, the calculation of the required **loading spaces** is based upon the **interior floor area** of each industrial unit and not on the total **gross floor area** of the entire **building**.

(3) Industrial Unit - Definition

For the purpose of calculating required **loading spaces** in Chapter 220, an "industrial unit", means the portion of a **building** used by or under the control of an individual owner or tenant.

(4) Loading Space Calculation - Gross Floor Area Exclusion

The **interior floor area** of an "industrial unit" in a **building** that is used exclusively for heating, cooling, ventilation, electrical, emergency stairwells, elevator shafts, atriums, storage in a **basement**, **parking space**, **loading space**, or a **drive aisle** used to access a **parking space** or **loading space**, is not included as **gross floor area** for the purpose of calculating **loading space** requirements. [By-law: 451-2022]

(5) Required Loading Space

If one or more off **street loading spaces** is required to be provided on a **lot**, that **loading space** must be available for the use for which it is required.

(6) Loading Space Demarcation

Loading spaces inside a **building** must be clearly marked and identified.

(7) Minimum Loading Space Dimensions

If a **loading space** is required by this By-law for a **building** located in Policy Area 1 (PA1) that does not have a **dwelling unit**, despite the dimension requirements of Regulation 220.5.1(8), the **loading space** must have a minimum vertical clearance of 4.4 metres.

(8) Loading Space Standards

A **loading space** is subject to the following:

(A) a Type "A" **loading space** must have a:

- (i) minimum length of 17.0 metres;
- (ii) minimum width of 3.5 metres; and
- (iii) minimum vertical clearance of 4.4 metres; and

(B) a Type "B" **loading space** must have a:

- (i) minimum length of 11.0 metres;
- (ii) minimum width of 3.5 metres; and
- (iii) minimum vertical clearance of 4.0 metres; and

- (C) a Type "C" **loading space** must have a:
- (i) minimum length of 6.0 metres;
 - (ii) minimum width of 3.5 metres; and
 - (iii) minimum vertical clearance of 3.0 metres; and

- (D) a Type "G" **loading space** must have a:
- (i) minimum length of 13.0 metres;
 - (ii) minimum width of 4.0 metres; and
 - (iii) minimum vertical clearance of 6.1 metres.

220.5.10 Loading Space Rates

220.5.10.1 General

(1) Loading Space Requirements

Loading spaces must be provided in compliance with regulations 220.5.10.1(2) to (9).

(2) Loading Space Requirements - Building Containing Dwelling Units

A **building** with **dwelling units** must provide **loading spaces** as follows:

Number of Units	Minimum Number of Loading Spaces Required
0 to 30 dwelling units	None required
31 to 399 dwelling units	1 Type "G"
400 dwelling units or more	1 Type "G" and 1 - Type "C"

(3) Loading Space Requirements - Retail Store, Eating Establishment, or Personal Service Shop

A **building** with a **retail store**, **eating establishment**, or **personal service shop** must provide **loading spaces** as follows:

Gross Floor Area	Minimum Number of Loading Spaces Required
0 to 499 square metres	None required
500 to 1,999 square metres	1 Type "B"
2,000 to 4,999 square metres	2 Type "B"
5,000 to 9,999 square metres	3 Type "B"
10,000 to 19,999 square metres	1 Type "A" and 3 Type "B"
20,000 to 29,999 square metres	1 Type "A", 3 Type "B" and 1 Type "C"
30,000 square metres or greater	1 Type "A", 3 Type "B" and 1 Type "C"

(4) Loading Space Requirements - Grocery stores/supermarket

A **building** with a grocery stores or supermarket must provide **loading spaces** as follows:

Gross Floor Area	Minimum Number of Loading Spaces Required
0 to 499 square metres	None required
500 to 999 square metres	1 Type "B"
1,000 to 1,999 square metres	1 Type "A"
2,000 to 4,999 square metres	1 Type "A" and 1 Type "B"
5,000 to 9,999 square metres	1 Type "A" and 2 Type "B"
10,000 to 19,999 square metres	2 Type "A" and 2 Type "B"

20,000 square metres and greater 2 Type "A" and 3 Type "B"

(5) Loading Space Requirements - Office

A **building** with an office must provide **loading spaces** as follows:

Gross Floor Area	Minimum Number of Loading Spaces Required
0 to 499 square metres	None required
500 to 999 square metres	1 Type "B"
1,000 to 1,999 square metres	1 Type "B" and 1 Type "C"
2,000 to 3,999 square metres	1 Type "B" and 2 Type "C"
4,000 to 27,999 square metres	2 Type "B" and 2 Type "C"
28,000 to 51,999 square metres	2 Type "B" and 3 Type "C"
52,000 square metres or greater	2 Type "B" and 3 Type "C" [By-law 451-2022]

(6) Loading Space Requirements - Hotel

A **building** with **hotel** must provide **loading spaces** as follows:

Gross Floor Area	Minimum Number of Loading Spaces Required
0 to 4,999 square metres	1 Type "B"
5,000 to 9,999 square metres.	1 Type "B" and 1 Type "C"
10,000 to 19,999 square metres	2 Type "B" and 1 Type "C"
20,000 to 49,999 square metres	2 Type "B" and 2 Type "C"
50,000 square metres or greater	1 Type "A", 1 Type "B" and 2 Type "C" [By-law 451-2022]

(7) Loading Space Requirements - Manufacturing or Warehouse Use

A **building** with **manufacturing use** or **warehouse** use must provide **loading spaces** as follows:

Gross Floor Area	Minimum Number of Loading Spaces Required
0 to 99 square metres	None
100 to 499 square metres	1 Type "C"
500 to 999 square metres	1 Type "B"
1,000 to 4,999 square metres	1 Type "A"
5,000 to 9,999 square metres	2 Type "A"
10,000 to 14,999 square metres	3 Type "A"
15,000 square metres or greater	3 Type "A" [By-law 451-2022]

(8) Loading Space Requirements - Other Select Uses

A **building** with a **passenger terminal**, **hospital** or any other use similarly involving shipping, loading or unloading of persons, animals or goods, wares or merchandise, must provide **loading spaces** as follows:

Gross Floor Area	Minimum Number of Loading Spaces Required
0 to less than 500 square metres	None
500 to less than 2300 square metres	1 Type "B"
2300 to less than 7500 square metres	2 Type "B"
7500 to less than 14000 square metres	3 Type "B"
14000 to less than 22000 square metres	4 Type "B"
22000 to less than 30000 square metres	5 Type "B"

[By-law: 801-2020]

(9) Shared Loading Space Calculations

The **loading space** requirement for a **building** in Policy Area 1 (PA1) or Policy Area 2 (PA2) and which has two or more of the following uses; Office, **Retail Store**, **Eating Establishment**, **Personal Service Shop**, or **Hotel**, is the total of (A) and (B) below:

- (A) the minimum number of required Type "B" **loading spaces** is the largest number of Type "B" **loading space** required for any one of the uses listed above, plus the Type "B" **loading spaces** required for all other non-residential uses in the **building** and not listed above; plus
- (B) the minimum number of required Type "C" **loading spaces** is the largest number of Type "C" **loading spaces** required for any one of the uses listed above plus the Type "C" **loading spaces** required for all other non-residential uses in the **building** that are not listed above.

(10) Loading Space Not Required

No type "G" **loading space** is required if a **building** has less than 30 **dwelling units** and is on a **lot** with a **lot area** of less than 1,000 square metres.

(11) Loading Space Options

An **apartment building** with 400 **dwelling units** or more, may satisfy the requirement for a Type "C" **loading space** by providing instead one of the following **loading spaces**:

- (A) Type "A";
- (B) Type "B"; or
- (C) a second Type "G".

220.5.10.11 Loading Space Exemptions

(1) Loading Space Requirements For a Lawfully Existing Building

If the **lawful** number of **loading spaces** for a **lawfully existing building** is less than the required number of **loading spaces**, the **lawful** number of **loading spaces** is the minimum number of **loading spaces** for that **lawfully existing building**. [By-law: 420-2023]

(2) Loading Space Exemption for a Non-residential Change of Use

If a **lawfully existing non-residential building** has a change of use to other than a **dwelling unit**, additional **loading spaces** are not required if:

- (A) the first **storey** of the **lawfully existing building** covers at least 75% of the **lot area**; and
- (B) the **lawful** number of **loading spaces** is not reduced.

(3) Loading Space Requirements for the Addition or Extension to a Lawfully Existing Building

Any addition or extension to a **lawfully existing building** referred to in regulation 220.5.10.11(1) must provide any additional **loading spaces** required by Clause 220.5.10.1 or be authorized by a Section 45 Planning Act minor variance

(4) Loading Space Requirements for a Change of Use in a Lawfully Existing Building

If a **lawfully existing mixed use building** referred to in regulation 220.5.10.11(1) changes use:

- (A) the **lawfully existing** number of **loading spaces** may not be reduced; and
- (B) any additional required **loading spaces** required by Clause 220.5.10.1 must be provided or be authorized by a Section 45 Planning Act minor variance.

(5) Transportation Use Along Eglinton Avenue West and Eglinton Avenue East

Regulation 220.5.10.1(8) does not apply to a **transportation use** along Eglinton Avenue West and Eglinton Avenue East. [103-2016] [By-law: 1031-2014]

220.5.20 Access to Loading Space

220.5.20.1 General

(1) Standards for Access to a Loading Space

A **driveway** to a **loading space** must have:

- (A) a minimum width along its entire length of:
 - (i) 3.5 metres for a one-way **driveway**; or
 - (ii) 6.0 metres for a two-way **driveway**; and
- (B) a minimum vertical clearance along its entire length of:
 - (i) 4.4 metres to a Type "A" or Type "G" **loading space**;
 - (ii) 4.0 metres to a Type "B" **loading space**; and
 - (iii) 3.0 metres to a Type "C" **loading space**.

(2) Loading Space Access

The permitted maximum slope of a **driveway** leading to a **loading space** is:

- (A) 8% for a Type "G" **loading space**; and
- (B) 15% in all other cases.

(3) Vehicle Access to Building with Loading Space

If a **loading space** is inside a **building**:

- (A) the **vehicle** entrance and exit for a two-way **driveway** into and out of the **building** must have a minimum width of 5.5 metres; and
- (B) the **vehicle** entrance or exit for a one-way **driveway** into or out of the **building** must have a minimum width of 3.5 metres, if the **vehicle** entrance or exit is 6.0 metres or more away from the **lot line** abutting a **street**.

220.5.200 Loading Exemptions

220.5.200.40 Commercial Residential Zone Category

(1) Loading Space Exemption- SS2 Area

If a **lot** in the CR zone is subject to Development Standard Set 2 (SS2), the **loading space** requirements for any non-residential uses do not apply to a **lot** that has **lot area** of less than 1,000 square metres.

220.5.200.50 Commercial Residential Employment Zone Category

(1) Exemption for Existing Loading Spaces

In the CRE zone, the number of **loading spaces** for a **lawfully existing building** is the lesser of the **loading spaces**:

- (A) that were **lawful** on the **lot** on January 1, 1997;
- (B) required by a building permit issued before January 1, 1997; or
- (C) permitted by regulation 220.5.10.11(1).

220.20 Regulations Applying to Loading Spaces in Heritage Buildings

220.20.1 General

(1) Loading Requirements for Heritage Sites Designated Under the Ontario Heritage Act

The number of **loading spaces** required for a designated **heritage site**, is the lesser of the requirements of Clause 220.5.10.1 or the number of **loading spaces** that existed on July 20, 1993. [By-law: 1124-2018]

(2) Loading Requirements for Additions or Alterations to Heritage Sites Designated Under the Ontario Heritage Act

For a **building** on a **heritage site**, if floor area is added through an addition, alteration or extension, or if existing floor area is replaced, **loading spaces** must be provided in compliance with this By-law for that added or replaced floor area.