









DRAWING STANDARD BS 8888:2020	DRAWN BY TT	UNCONTROLLED IF PRINTED BREAK ALL SHARP EDGES	 LEEDS UNIVERSITY ROCKETS ASSOCIATION			
TOLERANCE STANDARD ISO 2768-mk	DRAWN DATE 17/09/23	MATERIAL AISI 304				
UNSPECIFIED FINISHES Ra 1.6/	SIGNOFF BY TT	DESCRIPTION BASEPLATE	ALL DIMENSIONS IN MM UNLESS STATED OTHERWISE			
UNSPECIFIED THREADS BS 3643/2:1981 6H/6g	SIGNOFF DATE 17/09/23	DRAWING # LP-0057	MASS (g) 10893.84		SCALE 1:2	SHEET 1 OF 1





SECTION A-A


DRAWING STANDARD BS 8888:2020	DRAWN BY TT	UNCONTROLLED IF PRINTED BREAK ALL SHARP EDGES	 LEEDS UNIVERSITY ROCKETRY ASSOCIATION			
TOLERANCE STANDARD ISO 2768-mk	DRAWN DATE 17/09/23	MATERIAL AISI 304				
UNSPECIFIED FINISHES Ra 1.6/	SIGNOFF BY TT	DESCRIPTION LAUNCH ROD SUPPORT RING	ALL DIMENSIONS IN MM UNLESS STATED OTHERWISE			
UNSPECIFIED THREADS BS 3643/2:1981 6H/6g	SIGNOFF DATE 17/09/23	DRAWING # LP-0064	MASS (g) 1765.83		SCALE 1:2	SHEET 1 OF 1











DRAWING STANDARD BS 8888:2020	DRAWN BY TT	UNCONTROLLED IF PRINTED		 LEEDS UNIVERSITY ROCKETRY ASSOCIATION				
TOLERANCE STANDARD ISO 2768-mk		BREAK ALL SHARP EDGES						
UNSPECIFIED FINISHES Ra 1.6/ 	DRAWN DATE 17/09/23	MATERIAL AISI 304		ALL DIMENSIONS IN MM UNLESS STATED OTHERWISE				
UNSPECIFIED THREADS BS 3643/2:1981 6H/6g	SIGNOFF BY TT	DESCRIPTION RIVNUT CLEARANCE WASHER						
	SIGNOFF DATE 17/09/23	DRAWING # LP-0070		MASS (g) 400.53		SCALE 1:2	SHEET 1 OF 1	A3








DRAWING STANDARD BS 8888:2020	DRAWN BY NS	UNCONTROLLED IF PRINTED		 LURA LEEDS UNIVERSITY ROCKETRY ASSOCIATION				
		BREAK ALL SHARP EDGES						
TOLERANCE STANDARD ISO 2768-mk	DRAWN DATE 19/08/23	MATERIAL PET		ALL DIMENSIONS IN MM UNLESS STATED OTHERWISE				
UNSPECIFIED FINISHES Ra 1.6 	SIGNOFF BY TT	DESCRIPTION 0.5DEG ADJUST BLOCK						
UNSPECIFIED THREADS BS 3643/2:1981 6H/6g	SIGNOFF DATE 17/09/23	DRAWING # LP-0052		MASS (g) 23.74		SCALE 1:1	SHEET 1 OF 1	A3















DRAWING STANDARD BS 8888:2020	DRAWN BY NS	UNCONTROLLED IF PRINTED		 LURA LEEDS UNIVERSITY ROCKETRY ASSOCIATION				
		BREAK ALL SHARP EDGES						
TOLERANCE STANDARD ISO 2768-mk	DRAWN DATE 19/08/23	MATERIAL PET		ALL DIMENSIONS IN MM UNLESS STATED OTHERWISE				
UNSPECIFIED FINISHES Ra 1.6 		DESCRIPTION 4DEG ADJUST BLOCK						
UNSPECIFIED THREADS BS 3643/2:1981 6H/6g	SIGNOFF BY TT	DRAWING # LP-0055		MASS (g) 189.89		SCALE 1:1	SHEET 1 OF 1	A3
	SIGNOFF DATE 17/09/23							











DRAWING STANDARD BS 8888:2020	DRAWN BY MM	UNCONTROLLED IF PRINTED	 LEEDS UNIVERSITY ROCKETRY ASSOCIATION			
TOLERANCE STANDARD ISO 2768-mk	DRAWN DATE 19/08/23	BREAK ALL SHARP EDGES				
UNSPECIFIED FINISHES Ra 1.6	SIGNOFF BY TT	MATERIAL 6061 ALLOY	ALL DIMENSIONS IN MM UNLESS STATED OTHERWISE			
UNSPECIFIED THREADS BS 3643/2:1981 6H/6g	SIGNOFF DATE 17/09/23	DESCRIPTION LAUNCH ROD	MASS (g) 2998.59		SCALE 1:2	SHEET 1 OF 1
		DRAWING # LP-0061				A3





DRAWING STANDARD BS 8888:2020	DRAWN BY MM	UNCONTROLLED IF PRINTED		 LURA LEEDS UNIVERSITY ROCKETRY ASSOCIATION				
TOLERANCE STANDARD ISO 2768-mk		BREAK ALL SHARP EDGES						
UNSPECIFIED FINISHES Ra 1.6/ 	DRAWN DATE 18/08/23	MATERIAL GALVANIZED STEEL		ALL DIMENSIONS IN MM UNLESS STATED OTHERWISE				
	SIGNOFF BY TT	DESCRIPTION LEG						
UNSPECIFIED THREADS BS 3643/2:1981 6H/6g	SIGNOFF DATE 17/09/23	DRAWING # LP-0065		MASS (g) 1300.39		SCALE 1:3	SHEET 1 OF 1	A3





DRAWING STANDARD BS 8888:2020	DRAWN BY SEB	UNCONTROLLED IF PRINTED	 LEEDS UNIVERSITY ROCKETRY ASSOCIATION			
TOLERANCE STANDARD ISO 2768-mk	DRAWN DATE 18/08/23	BREAK ALL SHARP EDGES				
UNSPECIFIED FINISHES Ra 1.6	SIGNOFF BY TT	MATERIAL AISI 304	ALL DIMENSIONS IN MM UNLESS STATED OTHERWISE			
UNSPECIFIED THREADS BS 3643/2:1981 6H/6g	SIGNOFF DATE 17/09/23	DESCRIPTION LEG SLEEVE	MASS (g) 388.40		SCALE 1:1	SHEET 1 OF 1
		DRAWING # LP-0068				A3




DRAWING STANDARD BS 8888:2020	DRAWN BY SB	UNCONTROLLED IF PRINTED BREAK ALL SHARP EDGES	 LEEDS UNIVERSITY ROCKETRY ASSOCIATION			
TOLERANCE STANDARD ISO 2768-mk	DRAWN DATE 18/08/23	MATERIAL AISI 304				
UNSPECIFIED FINISHES Ra 1.6/	SIGNOFF BY TT	DESCRIPTION BASEFRAME SIDEARM	ALL DIMENSIONS IN MM UNLESS STATED OTHERWISE			
UNSPECIFIED THREADS BS 3643/2:1981 6H/6g	SIGNOFF DATE 17/09/23	DRAWING # LP-0056	MASS (g) 3568.05		SCALE 1:5	SHEET 1 OF 1








DRAWING STANDARD BS 8888:2020	DRAWN BY NS	UNCONTROLLED IF PRINTED		 LURA LEEDS UNIVERSITY ROCKETRY ASSOCIATION				
		BREAK ALL SHARP EDGES						
TOLERANCE STANDARD ISO 2768-mk	DRAWN DATE 19/08/23	MATERIAL 6061 ALLOY		ALL DIMENSIONS IN MM UNLESS STATED OTHERWISE				
UNSPECIFIED FINISHES Ra 1.6 	SIGNOFF BY TT	DESCRIPTION LAUNCH ROD CONNECTOR PIN						
UNSPECIFIED THREADS BS 3643/2:1981 6H/6g	SIGNOFF DATE 17/09/23	DRAWING # LP-0063		MASS (g) 305.69		SCALE 1:2	SHEET 1 OF 1	A3







ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	LP-0068	LEG SLEEVE	1
2	LP-0067	LEG BRACKET VEE	2
3	LP-0066	LEG BRACKET RIB	1





DRAWING STANDARD BS 8888:2020	DRAWN BY TT	UNCONTROLLED IF PRINTED	 LEEDS UNIVERSITY ROCKETRY ASSOCIATION			
TOLERANCE STANDARD ISO 2768-mk	DRAWN DATE 17/09/23	BREAK ALL SHARP EDGES				
UNSPECIFIED FINISHES Ra 1.6/	SIGNOFF BY TT	MATERIAL N/A	ALL DIMENSIONS IN MM UNLESS STATED OTHERWISE			
UNSPECIFIED THREADS BS 3643/2:1981 6H/6g	SIGNOFF DATE 17/09/23	DESCRIPTION LEG BRACKET	MASS (g) 1035.55	SCALE 1:2	SHEET 1 OF 1	2
DRAWING # LA-0052						




ITEM NO.	PART #	DESCRIPTION	QTY.
1	LP-0060	JACK PIPE MODIFIED	1
2	LP-0059	JACK PIPE FLANGE	1

DRAWING STANDARD BS 8888:2020	DRAWN BY NS	UNCONTROLLED IF PRINTED	 LEEDS UNIVERSITY ROCKETRY ASSOCIATION			
TOLERANCE STANDARD ISO 2768-mk	DRAWN DATE 22/08/23	BREAK ALL SHARP EDGES				
UNSPECIFIED FINISHES Ra 1.6	SIGNOFF BY TT	MATERIAL N/A	ALL DIMENSIONS IN MM UNLESS STATED OTHERWISE			
UNSPECIFIED THREADS BS 3643/2:1981 6H/6g	SIGNOFF DATE 17/09/23	DESCRIPTION JACK PIPE ASSEMBLY	MASS (g) 872.54		SCALE 1:5	SHEET 1 OF 1
		DRAWING # LA-0049				A3










ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	LA-0052	LEG BRACKET	3
2	ACCU-HPN-M8-A2		12
3	ACCU-SEBF-M8-55-A2		12
4	LA-0046	BASEFRAME SIDEARM ASSEMBLY	3

DRAWING STANDARD BS 8888:2020	DRAWN BY NS	UNCONTROLLED IF PRINTED		
	TOLERANCE STANDARD ISO 2768-mk	DRAWN DATE 10/09/23	BREAK ALL SHARP EDGES	
	UNSPECIFIED FINISHES Ra 1.6/	SIGNOFF BY TT	MATERIAL N/A	
	UNSPECIFIED THREADS BS 3643/2:1981 6H/6g	SIGNOFF DATE 17/09/23	DESCRIPTION BASEFRAME	
		DRAWING # LA-0045	ALL DIMENSIONS IN MM UNLESS STATED OTHERWISE	
		MASS (g) 14298.19	SCALE 1:5	SHEET 1 OF 1




DRAWING STANDARD BS 8888:2020	DRAWN BY NS	UNCONTROLLED IF PRINTED	 LEEDS UNIVERSITY ROCKETRY ASSOCIATION			
TOLERANCE STANDARD ISO 2768-mk	DRAWN DATE 04/09/23	BREAK ALL SHARP EDGES				
UNSPECIFIED FINISHES Ra 1.6	SIGNOFF BY TT	MATERIAL N/A	ALL DIMENSIONS IN MM UNLESS STATED OTHERWISE			
UNSPECIFIED THREADS BS 3643/2:1981 6H/6g	SIGNOFF DATE 17/09/23	DESCRIPTION LEG ASSEMBLY	MASS (g) 4921.08		SCALE 1:10	SHEET 1 OF 1
		DRAWING # LA-0051				A3




ITEM NO.	PART #	DESCRIPTION	QTY.
1	LA-0045	-	1
2	LA-0051	LEG ASSEMBLY	3
3	SCAFFOLDING_DIRECT-JACKCOLLAR		3

NOTES:
1. USE JACKNUTS AND SPIRIT LEVEL TO LEVEL THE BASEFRAME

DRAWING STANDARD BS 8888:2020	DRAWN BY TT	UNCONTROLLED IF PRINTED BREAK ALL SHARP EDGES					
TOLERANCE STANDARD ISO 2768-mk	DRAWN DATE 17/09/23	MATERIAL N/A					
UNSPECIFIED FINISHES Ra 1.6/	SIGNOFF BY TT	DESCRIPTION STILTED BASEFRAME	ALL DIMENSIONS IN MM UNLESS STATED OTHERWISE				
UNSPECIFIED THREADS BS 3643/2:1981 6H/6g	SIGNOFF DATE 17/09/23	DRAWING # LA-0053	MASS (g) 31723.44		SCALE 1:8	SHEET 1 OF 1	




ITEM NO.	PART #	DESCRIPTION	QTY.
1	LA-0053	STILTED BASEFRAME	1
2	LA-0047	BASEPLATE AXEL ASSEMBLY	1
3	LP-0070	RIVNUT CLEARANCE WASHER	1
4	LP-0055	4DEG ADJUST BLOCK	2
5	LP-0054	2DEG ADJUST BLOCK	2
6	LP-0053	1DEG ADJUST BLOCK	2
7	LP-0052	0.5DEG ADJUST BLOCK	2
8	LP-0069	LEVEL ADJUST BLOCK	2
9	ACCU-SSK-M8-100-A2		4
10	ACCU-SEBF-M8-55-A2		4
11	ACCU-HPN-M8-A2		4



DETAIL A
SCALE 1 : 2


DRAWING STANDARD BS 8888:2020	DRAWN BY TT	UNCONTROLLED IF PRINTED BREAK ALL SHARP EDGES	 LEEDS UNIVERSITY ROCKETRY ASSOCIATION
TOLERANCE STANDARD ISO 2768-mk	DRAWN DATE 16/09/23	MATERIAL N/A	
UNSPECIFIED FINISHES Ra 1.6/	SIGNOFF BY TT	DESCRIPTION AXELED BASEFRAME	ALL DIMENSIONS IN MM UNLESS STATED OTHERWISE
UNSPECIFIED THREADS BS 3643/2:1981 6H/6g	SIGNOFF DATE 16/09/23	DRAWING # LA-0044	MASS (g) 39693.87




SCALE
1:10


SHEET
1 OF 1

2





ITEM NO.	PART #	DESCRIPTION	QTY.
1	LA-0044	AXELED BASEFRAME	1
2	LP-0057	BASEPLATE	1
3	ACCU-HPN-M10-A2	18-8 STAINLESS STEEL HEX NUT	2
4	91287A171	18-8 STAINLESS STEEL HEX HEAD SCREW	2
5	ACCU-SEBF-M8-16-A2		2
6	ACCU-HYW-M8-20-A2		2

DRAWING STANDARD BS 8888:2020	DRAWN BY TT	UNCONTROLLED IF PRINTED BREAK ALL SHARP EDGES	 LEEDS UNIVERSITY ROCKETRY ASSOCIATION				
TOLERANCE STANDARD ISO 2768-mk	DRAWN DATE 16/09/23	MATERIAL N/A					
UNSPECIFIED FINISHES Ra 1.6/	SIGNOFF BY TT	DESCRIPTION FULL BASEFRAME	ALL DIMENSIONS IN MM UNLESS STATED OTHERWISE				
UNSPECIFIED THREADS BS 3643/2:1981 6H/6g	SIGNOFF DATE 16/09/23	DRAWING # LA-0048	MASS (g) 50695.19		SCALE 1:10	SHEET 1 OF 1	2





ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	LA-0050	LAUNCH ROD SUPPORT RING	1
2	LP-0061	LAUNCH ROD	4
3	LP-0063	LAUNCH ROD CONNECTOR PIN	4
4	ACCU-SEBF-M10-25-A2	18-8 STAINLESS STEEL HEX HEAD SCREW	8

DRAWING STANDARD BS 8888:2020	DRAWN BY NS	UNCONTROLLED IF PRINTED BREAK ALL SHARP EDGES	 LEEDS UNIVERSITY ROCKETRY ASSOCIATION			
TOLERANCE STANDARD ISO 2768-mk	DRAWN DATE 10/09/23	MATERIAL N/A				
UNSPECIFIED FINISHES Ra 1.6/	SIGNOFF BY TT	DESCRIPTION ASSEMBLED LAUNCH RODS	ALL DIMENSIONS IN MM UNLESS STATED OTHERWISE			
UNSPECIFIED THREADS BS 3643/2:1981 6H/6g	SIGNOFF DATE 16/09/23	DRAWING # LA-0043	MASS (g) 17078.14		SCALE 1:2	SHEET 1 OF 1




ITEM NO.	PART #	DESCRIPTION	QTY.
1	LA-0043	ASSEMBLED LAUNCH RODS	2
2	LP-0063	LAUNCH ROD CONNECTOR PIN	4
3	LP-0062	Launch Rod Support	4
4	ACCU-SEBF-M10-25-A2	18-8 STAINLESS STEEL HEX HEAD SCREW	24

DRAWING STANDARD BS 8888:2020	DRAWN BY NS	UNCONTROLLED IF PRINTED BREAK ALL SHARP EDGES	 LEEDS UNIVERSITY ROCKETRY ASSOCIATION			
TOLERANCE STANDARD ISO 2768-mk	DRAWN DATE 10/09/23	MATERIAL N/A				
UNSPECIFIED FINISHES Ra 1.6/	SIGNOFF BY TT	DESCRIPTION LAUNCH RAIL ASSEMBLY	ALL DIMENSIONS IN MM UNLESS STATED OTHERWISE			
UNSPECIFIED THREADS BS 3643/2:1981 6H/6g	SIGNOFF DATE 16/09/23	DRAWING # LA-0042	MASS (g) 37613.64		SCALE 1:50	SHEET 1 OF 1



ITEM NO.	PART #	DESCRIPTION	QTY.
1	LA-0048	FULL BASEFRAME	1
2	LA-0042	LAUNCH RAIL ASSEMBLY	1
3	ACCU-SEBF-M10-25-A2	18-8 STAINLESS STEEL HEX HEAD SCREW	8
4	ACCU-HPN-M10-A2	18-8 STAINLESS STEEL HEX NUT	8
5	SECUREFIX_DIRECT-SFRL505T12I-2		2

NOTES:
1. LAUNCH RAIL SUPPORTED WITH RATCHET STRAP GUY LINES. NOT SHOWN.
2. ASSEMBLY CAN PIVOT ABOUT BASEFRAME AXEL. HORIZONTAL LAUNCH RAIL INSTALLATION MY BE PREFERRED

DRAWING STANDARD BS 8888:2020	DRAWN BY TT	UNCONTROLLED IF PRINTED BREAK ALL SHARP EDGES	 LEEDS UNIVERSITY ROCKETRY ASSOCIATION			
TOLERANCE STANDARD ISO 2768-mk	DRAWN DATE 16/09/23	MATERIAL N/A				
UNSPECIFIED FINISHES Ra 1.6/	SIGNOFF BY TT	DESCRIPTION SENTINEL	ALL DIMENSIONS IN MM UNLESS STATED OTHERWISE			
UNSPECIFIED THREADS BS 3643/2:1981 6H/6g	SIGNOFF DATE 16/09/23	DRAWING # LA-0041	MASS (g) 88627.76		SCALE 1:20	SHEET 1 OF 1