

# API Documentation

---

An Application Programming Interface ([API](#)) is a set of abstracted rules that defines an interface to an application which enables it to communicate with other systems. Data can be sent to and received from the application through pre-defined commands. In our case we will be working with a web-based API and the commands to the application will be communicated through Uniform Resource Locators ([URLs](#)).

## What is a URL?

A URL is a type of Unified Resource Identifier which describes a certain location of a specific resource over the internet.

### A Typical URL Example

```
http://www.youtube.com/watch?v=V8cnP-RtRHU
```

The above URL consists of different parts. It describes which protocol should be used for communication (in this case HTTP), which top domain it belongs to (com), and after the question mark it also has a parameter called v. In this case, the parameter is telling YouTube which video we would like to watch. Parameters are always given last in the URL in the format `param=value`. If multiple parameters are sent they are separated with an ampersand (&). The order of the parameters in a URL is not important.

## How to Make Requests

When a URL corresponding to our application's location with correct parameters is requested, the application will send back text formatted as a JSON-object ([JavaScript Object Notation](#)). This object can then be handled and read using JavaScript.

### Request Example

```
http://pub.jamaica-inn.net/fpdb/api.php?username=jorass&password=jorass&action=iou_get
```

By requesting the above URL you might receive the below response.

### Response Example

```
{"type":"iou_get","payload":[{"user_id":"2","first_name":"Jory","last_name":"Assies","assets":"-55"}]}
```

## What if something goes wrong?

If the location is correct but parameters are missing or faulty, an error-object will be sent as text formatted as a JSON-object.

### Error Example

```
{"type":"error","payload":[{"code":1,"msg":"Username not found"}]}
```

#### TIP

If you want to make sure you have got the correct parameters, you can always test your URL directly in a web browser to see if you get any results.

## Application Functionality

All requests should be made to the following address:

```
http://pub.jamaica-inn.net/fpdb/api.php?username=User&password=Password
```

Username and password are required with every request. To this URL you add the parameter action. The value of this parameter tells the application which functionality you would like to use in the application. The actions are defined below. With some of them, additional parameters are required and these are specified with the action name.

So for example, if you wish to let your user buy a beer through our system, you would request the following URL:

```
http://pub.jamaica-inn.net/fpdb/api.php?username=jorass&password=jorass&action=purchases_append&beer_id=2259
```

### Action Descriptions

#### **inventory\_get**

Role: admin

Gives a list of all drinks available in the system.

#### **purchases\_get**

Role: user

Gives a list of all purchases made by the specified user.

#### **purchases\_get\_all**

Role: admin

Gives a list of all purchases made by all users.

#### **purchases\_append**

Role: user

Additional parameter: **beer\_id**

Adds a purchase of one beer to the system for the specified user. The id of the beer purchased beer is a required additional parameter.

#### **payments\_get**

Role: user

Returns a list of payments made by the specified user.

#### **payments\_get\_all**

Role: admin

Returns a list of payments made by all users.

#### **payments\_append**

Role: user

Additional parameter: **amount**

Adds a payment of specified amount to the system for the specified user. The amount is a required additional parameter.

#### **iou\_get**

Role: user

Returns the total amount that the specified user has at his disposal for buying beer. A negative balance means that the user has a debt.

**iou\_get\_all**

Role: admin

Returns all users and amounts they have at their disposal. For users with a negative balance it means that they have a debt.

**beer\_data\_get**

Role: user

Additional parameter: **beer\_id**

Returns all information available in the system for a specified beer. This includes name, price, alcohol volume, etc. The id of the beer for inquiry is a required additional parameter.

**user\_edit**

Role: admin

Additional parameters:

**new\_username, new\_password, first\_name, last\_name, email, phone**

Updates user information. All user information is required as additional parameters.

**inventory\_append**

Additional parameters:

**beer\_id, amount, price**

Updates the number of bottles available in stock and the price for a particular beer. The id of the beer to be updated is required along with its price and current amount of available bottles.

## User Lists

The following users are available through the system.

### Administrators

First Name	Last Name	User Name & Password
Ervin	Todd	ervtod
Hiram	Christopherson	hirchr
Jory	Assies	jorass
Saša	Krüger	saskru
Svetlana	Torres	svetor

### Users

First Name	Last Name	User Name & Password
Aamu	Stankic	aamsta
Andrea	Darzi	anddar
Ângela	Ková?	ankov
Aquilina	Lyndon	aqulyn
Aubrey	Blackwood	aubbla
Bento	Faucher	benfau
Branko	Tamás	bratam
Cezar	Newman	ceznew
Danna	Schermer	dansch
Dido	Waters	didwat
Domen	Olhouser	domolh
Edric	Augustin	edraug

Einarr	Yamauchi	einyam
Elektra	Pickle	elepik
Eulàlia	Coughlan	eulcou
Eustachius	Gorski	eusgor
Felix	Bartoš	felbar
Felicia	Franklin	felfra
Ferdinánd	Crncevic	fercrn
Giacinta	Mikkelsen	giamik
Golnar	Langley	gollan
Hyrarn	Lapointe	hyrlap
Jacob	Abbatelli	jacabb
Jancsi	Heiman	janhei
Jeanne	Atses	jeaats
Jerry	Shizuka	jershi
Jove	Sitz	jovsit
Karme	Blythe	karbly
Katrien	Fabre	katfab
Kaye	Wang	kaywan
Kenan	Olguin	kenolg
Krystyna	Santiago	krysan
Lara	Schenck	larsch
Lasse	Nicholson	lasnic
Liam	Traverso	liatra
Livianus	Zhao	livzha
Maiken	Honda	maihon
Mariana	Pugliese	marpug
Marin	Stieber	marsti
Molle	Babi?	molbab
Muhammed	Toft	muhtof
Nika	Proulx	nikpro
Oliver	Slusarski	olislu
Oluwakanyinsola	Braun	olubra
Oluwatoyin	Drake	oludra
Orabela	Panders	orapan
Paula	Aafjes	pauaaf
Pompeius	Graner	pomgra
Prabhakar	Bartos	prabar
Régulo	Westerberg	rewes
Schwanhild	Joubert	schjou
Sharma	Pet?fi	shapet
S?d?ka	Van	sivan
Stefan	Bernard	steber
Sulis?aw	Pender	sulpen
Sulayman	Street	sulstr
Symeonu	Zimmermann	symzim
Teodora	Jensen	teojen

Tófa	Heinrich	tohei
Valeria	Pagani	valpag
Yevpraksiya	Owens	yevowe
Zuleika	Gorecki	zulgor