



7. Hafta

SANAL SİBER GÜVENLİK ORTAMI LABORATUVAR VE KURULUMLARI

Sanallaştırma (Virtualization)

Birden fazla işletim sisteminin aynı fiziksel ekipman kaynaklarını paylaşarak çalışmasını ifade eder.

Türleri;

- Sunucu Sanallaştırma (Server Virtualization)
- Depolama Sanallaştırma (Storage Virtualization)
- Ağ Sanallaştırma (Network Virtualization)
- Masaüstü ve Dizüstü Sanallaştırma (Desktop & Laptop Virtualization)
- Uygulama Sanallaştırma (Application Virtualization)

Sanallaştırma Yazılımları

- VMware (VMware)
- VirtualBox (Oracle)
- Hyper-V (Microsoft)
- XenServer (Citrix)
- Xen Project
- OpenVZ



https://my.vmware.com/en/web/vmware/free#desktop_end_user_computing/vmware_workstation_player/14_0



VirtualBox


<https://www.virtualbox.org/wiki/Downloads>



Laboratuvar Ortamı

Sanallaştırma yazılımı ile oluşturulan sanal makinaların oluşturduğu ortamdır. Bir Siber Güvenlik Sanal Laboratuvar ortamında bulunabilen sistemler;

- Linux İşletim Sistemleri (Dağıtımları)
 - **Kali**, Debian, Fedora, Ubuntu, Suse, vb..
- Zafiyet Çatı Sistemleri (Vulnerable)
 - **Metasploitable**, Holynix, Kiopritx, Hack2net, vb..
- Microsoft İşletim Sistemleri
 - Windows 7-8-10, 2008-2012-2016 vb..
- Veritabanı Sistemleri
 - MySQL, Ms SQL, Oracle, Postgresql , Nosql , vb..
- Ağ ve Güvenlik Sistemleri
 - Firewall(Checkpoint, Pfsense), IPS/IDS(Suricata, Snort), Roter(Cisco, Juniper), GNS3, vb..
- Kurumsal Uygulama Sunucu Mimarileri
 - Sharepoint, Weblogic, SAP, Apache tomcat, vb..
- Unix İşletim Sistemleri
 - FreeBSD, OpenBSD, Solaris, vb..
- İstemci Uygulamaları
 - Java, PDF, Flash, Browser(Tarayıcılar), vb..
- İçerik Yönetim Sistemleri
 - Wordpress, Joomla, Drupal, vb..
- Antivirüs Sistemleri
 - Kaspersky, Symantec, Bitdefender, McAfee, vb..
- Ağ Hizmetleri
 - DNS, Eposta, FTP, Web-www, VPN, vb..




Kurulumlar

- Sanallaştırma Yazılımı
 - **VMware** Workstation Player (VMware)
 - veya
 - VirtualBox (Oracle)
- **Kali** Linux Dağıtımı
- Metasploitable2

VMware Workstation Player (14.0.0) Kurulumu

https://my.vmware.com/en/web/vmware/free#desktop_end_user_computing/vmware_workstation_player/14_0 adresinden VMware indirilir.



The screenshot shows the VMware Workstation Player download page. At the top, there is a navigation bar with links for US, Login, and Training. Below this is a blue banner with the text "Download VMware Workstation Player". Under the banner, there are two dropdown menus for "Major Version" and "Minor Version", both set to "14.0 (latest)". Below the dropdowns are three tabs: "Product Downloads", "Drivers & Tools", and "Open Source". The "Product Downloads" tab is active, showing two download options. The first option is "VMware Workstation 14.0.0 Player for Windows 64-bit Operating Systems." with a file size of 90.73 MB and a "Download" button. The second option is "VMware Workstation 14.0.0 Player for Linux 64-bit." with a file size of 110.17 MB and a "Download" button. Both options have a "Show Details" link next to them.

https://my.vmware.com/en/web/vmware/free#desktop_end_user_computing/vmware_workstation_player/14_0

US Login Training

Home > All Downloads > VMware Workstation Player

Download VMware Workstation Player

Major Version: 14.0 (latest) Minor Version: 14.0.0 (latest)

Product Downloads Drivers & Tools Open Source

VMware Workstation 14.0.0 Player for Windows 64-bit Operating Systems.
(exe | 90.73 MB)
[Show Details](#)


Download

VMware Workstation 14.0.0 Player for Linux 64-bit.
(bundle | 110.17 MB)
[Show Details](#)

Download

VMware Workstation Player (14.0.0)

Kurulumu



Kali Linux (2017.2) Kurulumu

www.kali.org adresinden downloads kısmından .iso imaj dosyası indirilir.

Güvenli | <https://www.kali.org/downloads/>

BY OFFENSIVE SECURITY

[Blog](#) [Downloads](#) [Training](#) [Documents](#)

Kali Linux Downloads

Download Kali Linux Images

We generate fresh Kali Linux image files every few months, which we make available for download. This page provides the links to **download Kali Linux** in its latest official release. For a release history, check our [Kali Linux Releases](#) page. Please note: You can find unofficial, untested weekly releases at <http://cdimage.kali.org/kali-weekly/>.

Image Name	Download	Size	Version	sha256sum
Kali 64 bit	HTTP Torrent	2.8G	2017.2	4556775bfb981ae64a3cb19aa0b73e8dcac6e4ba524f31c4bc14c9137b99725d
Kali 32 bit	HTTP Torrent	2.9G	2017.2	7f5000d8f55469264399a8bb7358fc22bec87fb1dc8a51b87f26876634e3effc

Player ▾



Home



Metasploitable2-Linux



Kali 2017.2



Windows 7 x64



Parrot

Welcome to VMware Workstation 14 Player



Create a New Virtual Machine

Create a new virtual machine, which will then be added to the top of your library.



Open a Virtual Machine

Open an existing virtual machine, which will then be added to the top of your library.



Upgrade to VMware Workstation Pro

Get advanced features such as snapshots, virtual network management, and more.



Help

View online help.



This product is not licensed and is authorized for non-commercial use only. For commercial use, purchase a license. [Buy now.](#)

Select a Guest Operating System

Which operating system will be installed on this virtual machine?

Guest operating system

- ☐ Microsoft Windows
- ☒ Linux
- ☐ Novell NetWare
- ☐ Solaris
- ☐ Other

Version

Debian 8.x



Help

< Back

Next >

Cancel

**Specify Disk Capacity**

How large do you want this disk to be?

The virtual machine's hard disk is stored as one or more files on the host computer's physical disk. These file(s) start small and become larger as you add applications, files, and data to your virtual machine.

Maximum disk size (GB): 

Recommended size for Debian 8.x: 20 GB

- ☐ Store virtual disk as a single file
- ☒ Split virtual disk into multiple files

Splitting the disk makes it easier to move the virtual machine to another computer but may reduce performance with very large disks.

Help

< Back

Next >

Cancel

**Ready to Create Virtual Machine**

Click Finish to create the virtual machine. Then you can install Debian 8.x.

The virtual machine will be created with the following settings:

Name:	Kali-kurulum
Location:	C:\Users\ KullanıcıAdı \Belgeler\Virtual Machines\Kali...
Version:	Workstation 14.x
Operating System:	Debian 8.x
Hard Disk:	25 GB, Split
Memory:	512 MB
Network Adapter:	NAT
Other Devices:	CD/DVD, USB Controller, Printer, Sound Card

Customize Hardware...

< Back

Finish

Cancel

Hardware Options

Device	Summary
 Memory	512 MB
 Processors	1
 Hard Disk (SCSI)	25 GB
 CD/DVD (IDE)	Using file D:\Siber Güvenlik\İ...
 Network Adapter	NAT
 USB Controller	Present
 Sound Card	Auto detect
 Printer	Present
 Display	Auto detect

Add...

Remove

Device status

- ☐ Connected
- ☒ Connect at power on

Network connection

- ☒ Bridged: Connected directly to the physical network
- ☐ Replicate physical network connection state
- ☐ NAT: Used to share the host's IP address
- ☐ Host-only: A private network shared with the host
- ☐ Custom: Specific virtual network

VMnet0

- ☐ LAN segment:

 Configure Adapters

LAN Segments...

Advanced...

OK

Cancel

Help



“the quieter you become, the more you are able to hear”

Boot menu

- Live (amd64)
- Live (amd64 failsafe)
- Live (forensic mode)
- Live USB Persistence (check kali.org/prst)
- Live USB Encrypted Persistence (check kali.org/prst)
- Install
- Graphical install
- Install with speech synthesis
- Advanced options



Select a language

Choose the language to be used for the installation process. The selected language will also be the default language for the installed system.

Language:

Slovenian	- Slovenščina
Spanish	- Español
Swedish	- Svenska
Tagalog	- Tagalog
Tajik	- Тоҷикӣ
Tamil	- தமிழ்
Telugu	- తెలుగు
Thai	- ภาษาไทย
Tibetan	- བོད་སྐད་
Turkish	- Türkçe
Ukrainian	- Українська
Uyghur	- ئۇيغۇرچە
Vietnamese	- Tiếng Việt
Welsh	- Cymraeg

Screenshot

Go Back

Continue

VMware Tools enables many features and improves mouse movement, video and performance. Log in to the guest operating system and click "Install Tools".

Install Tools

Remind Me Later

Never Remind Me

Ağı yapılandır

Lütfen bu sistemin makine adını girin.

Makine adı, sisteminizi ağa tanıtan tek bir sözcükten oluşmaktadır. Makine adınızın ne olduğunu bilmiyorsanız, sistem yöneticinize başvurun. Eğer kendi ev ağını kuruyorsanız herhangi bir ad kullanabilirsiniz.

Makine adı:

Ağı yapılandır

Alan adı, size ait internet adresinin bir bölümüdür ve makine adının sağ tarafında yer alır. Bu ad genellikle .com, .net veya .org şeklinde biter. Eğer bir ev ağı ayarlıyorsanız herhangi bir ad seçebilirsiniz; fakat tüm makinelerde aynı alan adını kullandığınızdan emin olun.

Alan adı:

Kullanıcıları ve parolaları oluştur

Sistem yöneticisi 'root' için bir parola girmeniz gerekiyor. Kötü niyetli veya yetersiz kabiliyetleri olan bir kullanıcının root haklarına sahip olması çok kötü sonuçlar yaratabilir. Bu yüzden kolayca tahmin edilemeyecek bir root parolası seçmeye özen göstermelisiniz. Bu parola sözlükte bulunan ya da sizinle olan alâkasından dolayı kolaylıkla bulunabilecek bir sözcük olmamalıdır.

İyi bir parola harfler, rakamlar ve noktalama işaretlerinin uygun bir kombinasyonundan oluşmalı ve düzenli aralıklarla değiştirilmelidir.

root kullanıcısının parolası boş olamaz. Eğer bu alanı boş bırakırsanız root hesabı devre dışı bırakılacak ve sistemde oluşturulacak ilk normal kullanıcı hesabının "sudo" komutuyla root haklarına sahip olması sağlanacaktır.

Parolayı yazarken parolanın görünmeyeceğini unutmayın.

Root parolası:

☐ Parolayı Göster

Lütfen hatasız yazdığınızı doğrulamak için aynı root parolasını tekrar girin.

Doğrulamak için parolayı tekrar girin:

☐ Parolayı Göster

Diskleri bölümler

Kurulum programı disk bölümler konusunda (standart bölümler şemaları kullanarak) size yardım edebilir; ya da tercih ederseniz elle bölümler yapabilirsiniz. Bölümler yardımcısı eşliğinde bölümler yaparsanız işlemin sonunda hâlâ sonuçları gözden geçirme ve değiştirme şansınız olacaktır.

Eğer bütün bir diskin bölümlenmesinde bölümler yardımcısını kullanmayı seçmişseniz bir sonraki adımda hangi diskin kullanılacağı size sorulacaktır.

Bölümler yöntemi:

Yardımcı ile - diskin tamamını kullan

Yardımcı ile - diskin tamamını kullan ve LVM'yi ayarla

Kılavuzla - diskin tamamını şifrelenmiş LVM ile kullan

Elle

Diskleri bölümler

Dikkat! Seçtiğiniz diskteki bütün veriler silinecektir. Fakat bu işlem ancak diskte yapılacak değişiklikleri siz onaylandığınızda gerçekleşecektir.

Bölümlenecek diski seçin:

SCSI1 (0,0,0) (sda) - 26.8 GB VMware, VMware Virtual S

Ekran görüntüsü

Geri dön

Devam

Diskleri bölümler

Bölümlenecek alanı seçin:

SCSI1 (0,0,0) (sda) - VMware, VMware Virtual S: 26.8 GB

Disk birkaç farklı şekilde bölümlenebilir. Emin değilseniz, birinci şemayı seçin.

Bölümleme şeması:

Tüm dosyalar tek bölümde (yeni kullanıcılara önerilir)

Ayrı /home bölümü

Ayrı /home, /var ve /tmp bölümleri

Diskleri bölümlerle

Devam etmeniz halinde aşağıda sıralanan bütün değişiklikler disklere kaydedilecektir. Aksi halde bundan sonraki değişiklikleri elle yapacaksınız.

Şu aygıtların bölümlerle tabloları değiştirilecek:

SCSI1 (0,0,0) (sda)

Aşağıdaki bölümler biçimlenecek:

SCSI1 (0,0,0) (sda) aygıtının 1 numaralı bölümü ext4 türünde

SCSI1 (0,0,0) (sda) aygıtının 5 numaralı bölümü takas türünde

Değişiklikler diske kaydedilsin mi?

☒ Hayır

☐ Evet

Paket yöneticisini yapılandır

Ağ yansısı CD-ROM'dakilere ilave yazılımlar kurmak için kullanılabilir. Ayrıca mevcut yazılımların yeni sürümlerine de erişmeniz mümkün olacaktır.

Bir ağ yansısı kullanılsın mı?

☐ Hayır

☒ Evet

GRUB önyükleyiciyi bir sabit diske kur

Görünen o ki bu yeni kurulum bu bilgisayardaki tek işletim sistemi olacak. Eğer öyleyse önyükleyici GRUB'u birincil sabit diskin ana önyükleme kaydına (MBR) kurmanız uygun olacaktır.

Uyarı: Kurulum programı, bilgisayarınızda bulunan diğer bir işletim sistemini algılamakta başarısız olursa, ana önyükleme kaydının değiştirilmesi bu işletim sisteminin geçici olarak açılmamasına yol açacaktır. Bununla birlikte sisteminizin bu işletim sisteminden açılması için GRUB'u daha sonra elle yapılandırabilirsiniz.

GRUB önyükleyici ana önyükleme kaydına (MBR) kurulsun mu?

- ☐ Hayır
- ☒ Evet

GRUB önyükleyiciyi bir sabit diske kur

Şimdi, önyükleme yapılabilecek bir aygıtı GRUB önyükleyici kurularak yeni kurulan sistem açılabilir hale getirilecek. Bunu yapmanın alışılmış yolu, GRUB'ı birincil sabit diskinizin ana önyükleme kaydına (MBR) kurmaktır. İsterseniz, GRUB'ı diskte başka bir yere, başka bir diske, hatta bir diskete de kurabilirsiniz.

Önyükleyicinin kurulacağı aygıt:

Aygıtı elle gir

/dev/sda

Sistem kur



Sistem kuruluyor...

Veriler diske kopyalanıyor...



Kurulumu bitir

Kurulum bitiriliyor

remove-live-packages çalıştırılıyor...



Kullanıcı Adı:

Sonraki

Parola:

İptal



Giriş



Metasploitable

<https://sourceforge.net/projects/metasploitable/files/Metasploitable2/>

Sourceforge

Search Browse Enterprise Blog

SOLUTION CENTERS Resources Newsletters Cloud Storage Providers Business VoIP Providers

Home / Browse / Security & Utilities / Security / Metasploitable / Files

 **Metasploitable**
Metasploitable is an intentionally vulnerable Linux virtual machine
Brought to you by: rapid7user

Summary Files Reviews Support Wiki

Looking for the latest version? [Download metasploitable-linux-2.0.0.zip \(873.1 MB\)](#)

Home / Metasploitable2

Name ▾	Modified ▾	Size ▾	Downloads / Week ▾
↑ Parent folder			
README.txt	2012-06-13	569 Bytes	207 
metasploitable-linux-2.0.0.zip	2012-05-21	873.1 MB	6,375 
Totals: 2 Items		873.1 MB	6,582

Player ▾



Home



Kali-Linux-2-TR



Metasploitable2-Linux



Puupy



Pardus

Welcome to VMware Workstation 14 Player



Create a New Virtual Machine

Create a new virtual machine, which will then be added to the top of your library.



Open a Virtual Machine

Open an existing virtual machine, which will then be added to the top of your library.



Upgrade to VMware Workstation Pro

Get advanced features such as snapshots, virtual network management, and more.



Help

View online help.

Metasploitable2-L...			Ara: Metasploitable2-Linux		
Ad			Değiştirme tarihi		Tür
Metasploitable.vmx			24.10.2017 23:44		VMware v

İ:

All supported files (*.vmx;*.vmc)

Aç İptal

VMware Workstation 14 Player (Non-commercial use only)



Player ▾



Home



Kali-Linux-2-TR



Metasploitable2-Linux



Puupy



Pardus



Metasploitable2-Linux

State: Powered Off

OS: Ubuntu

Version: Workstation 6.5-7.x virtual machine

RAM: 512 MB



Play virtual machine



Edit virtual machine settings

Login with msfadmin/msfadmin to get started

metasploitable login: msfadmin_

Login with msfadmin/msfadmin to get started

metasploitable login: msfadmin
Password:

Contact: msfdev[at]metasploit.com

Login with msfadmin/msfadmin to get started

metasploitable login: msfadmin

Password:

Last login: Tue Oct 24 16:38:24 EDT 2017 on tty1

Linux metasploitable 2.6.24-16-server #1 SMP Thu Apr 10 13:58:00 UTC 2008 i686

The programs included with the Ubuntu system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by
applicable law.

To access official Ubuntu documentation, please visit:

<http://help.ubuntu.com/>

No mail.

To run a command as administrator (user "root"), use "sudo <command>".

See "man sudo_root" for details.

msfadmin@metasploitable:~\$ _



metasploitable2

Warning: Never expose this VM to an untrusted network!

Contact: [msfdev\[at\]metasploit.com](mailto:msfdev[at]metasploit.com)

Login with msfadmin/msfadmin to get started

- [TWiki](#)
- [phpMyAdmin](#)
- [Mutillidae](#)
- [DVWA](#)
- [WebDAV](#)