

held-out index 3 | terrain k_rail_step_field | episode [0, 3, 0] | q=0.398 | terminal ['time_out']


A Input: base XY [m], DEM height/mask



B q sweep, shared noise




C sampling, q=0.5




E trajectory metrics

```
teacher_progress_m: -0.7291443943977356
generated_progress_m: -0.3388640284538269
enabled_teacher_rms_m: 0.26420390605926514
disabled_teacher_rms_m: 0.2463294416666031
q_effect_rms_m: 0.007930366060463712
sampling_rms_m: 0.05333070447003203
q_sampling_ratio: 0.14870169331665214
```


F time relative to anchor [s]





D enabled / disabled, shared noise



held-out index 53 | terrain k_rail_step_field | episode [0, 3, 0] | q=0.605 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: -0.36891886591911316
generated_progress_m: -0.2094295620918274
enabled_teacher_rms_m: 0.07403446733951569
disabled_teacher_rms_m: 0.06849075108766556
q_effect_rms_m: 0.007930000399937853
sampling_rms_m: 0.07677714992314577
q_sampling_ratio: 0.10328594390226538
```







held-out index 195 | terrain k_rail_step_field | episode [0, 3, 2] | q=0.577 | terminal ['time_out']












E trajectory metrics


```
teacher_progress_m: 0.6691532135009766
generated_progress_m: 0.5803885459899902
enabled_teacher_rms_m: 0.04747460409998894
disabled_teacher_rms_m: 0.04521960765123367
q_effect_rms_m: 0.01398127232096158
sampling_rms_m: 0.13293179337467467
q_sampling_ratio: 0.10517628601876068
```



held-out index 214 | terrain k_rail_step_field | episode [0, 3, 3] | q=0.204 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.5092118978500366
generated_progress_m: 0.4795171022415161
enabled_teacher_rms_m: 0.19675955176353455
disabled_teacher_rms_m: 0.18628449738025665
q_effect_rms_m: 0.023067392525263 13
sampling_rms_m: 0.1355359505063721
q_sampling_ratio: 0.17019390382464347
```






held-out index 217 | terrain k_rail_step_field | episode [0, 3, 3] | q=0.204 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.08901641517877579
generated_progress_m: 0.11850260943174362
enabled_teacher_rms_m: 0.12562021613121033
disabled_teacher_rms_m: 0.12033893913030624
q_effect_rms_m: 0.015250764321535826
sampling_rms_m: 0.09760586571480546
q_sampling_ratio: 0.1562484407043428
```






held-out index 245 | terrain k_rail_step_field | episode [0, 3, 3] | q=0.148 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.2481144368648529
generated_progress_m: 0.2532590627670288
enabled_teacher_rms_m: 0.25553956627845764
disabled_teacher_rms_m: 0.2606750428676605
q_effect_rms_m: 0.018893151078373194
sampling_rms_m: 0.10956419059740645
q_sampling_ratio: 0.17243910601955767
```






held-out index 250 | terrain k_rail_step_field | episode [0, 3, 3] | q=0.091 | terminal ['time_out']









E trajectory metrics


```
teacher_progress_m: 0.6584680676460266
generated_progress_m: 0.5828756093978882
enabled_teacher_rms_m: 0.22417637705802917
disabled_teacher_rms_m: 0.20399141311645508
q_effect_rms_m: 0.014560508367139846
sampling_rms_m: 0.13357903316084827
q_sampling_ratio: 0.1090029477126617
```






held-out index 259 | terrain k_rail_step_field | episode [0, 3, 3] | q=0.477 | terminal ['time_out']


A Input: base XY [m], DEM height/mask




B q sweep, shared noise



C sampling, q=0.5




D enabled / disabled, shared noise



E trajectory metrics


```
teacher_progress_m: -0.045338522642850876
generated_progress_m: 0.01628512516617775
enabled_teacher_rms_m: 0.027311393991112 71
disabled_teacher_rms_m: 0.018682239577174187
q_effect_rms_m: 0.011917257856111974
sampling_rms_m: 0.09220390700336013
q_sampling_ratio: 0.12924894663821218
```

F time relative to anchor [s]




held-out index 262 | terrain k_rail_step_field | episode [0, 3, 3] | q=0.351 | terminal ['time_out']


A Input: base XY [m], DEM height/mask




B q sweep, shared noise



C sampling, q=0.5




D enabled / disabled, shared noise




E trajectory metrics


```
teacher_progress_m: 0.018500467762351036
generated_progress_m: 0.06495252251625061
enabled_teacher_rms_m: 0.03420332446694374
disabled_teacher_rms_m: 0.031970348209142685
q_effect_rms_m: 0.013444360345602036
sampling_rms_m: 0.0942226325028709
q_sampling_ratio: 0.14268716537072337
```


F time relative to anchor [s]



held-out index 285 | terrain k_rail_step_field | episode [0, 3, 4] | q=0.658 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.12624816596508026
generated_progress_m: 0.13953955471515656
enabled_teacher_rms_m: 0.04660695791244507
disabled_teacher_rms_m: 0.042017821222543716
q_effect_rms_m: 0.01595554081723094
sampling_rms_m: 0.10058254189789295
q_sampling_ratio: 0.15863131430331434
```






held-out index 314 | terrain k_rail_step_field | episode [0, 3, 4] | q=0.717 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.0033408794552087784
generated_progress_m: 0.04501143842935562
enabled_teacher_rms_m: 0.054394397884607315
disabled_teacher_rms_m: 0.0496816523373127
q_effect_rms_m: 0.012962446897290647
sampling_rms_m: 0.09399844453270946
q_sampling_ratio: 0.13790065316219133
```






held-out index 321 | terrain k_rail_step_field | episode [0, 3, 4] | q=0.959 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.022854730486869812
generated_progress_m: 0.05015186965465546
enabled_teacher_rms_m: 0.025918206200003624
disabled_teacher_rms_m: 0.031399693340063095
q_effect_rms_m: 0.013416707166470587
sampling_rms_m: 0.09474827362490552
q_sampling_ratio: 0.1416037111109137
```






held-out index 344 | terrain k_rail_step_field | episode [0, 3, 4] | q=0.586 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.6445550918579102
generated_progress_m: 0.5669724941253662
enabled_teacher_rms_m: 0.05859606713056564
disabled_teacher_rms_m: 0.028660541400313377
q_effect_rms_m: 0.014900283422321081
sampling_rms_m: 0.13453058592442954
q_sampling_ratio: 0.11075758958405996
```






held-out index 348 | terrain k_rail_step_field | episode [0, 3, 5] | q=0.936 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.09619153290987015
generated_progress_m: 0.10529503971338272
enabled_teacher_rms_m: 0.040340326726436615
disabled_teacher_rms_m: 0.035790689289569855
q_effect_rms_m: 0.015134515590034425
sampling_rms_m: 0.09897523972072772
q_sampling_ratio: 0.15291213876054807
```






held-out index 351 | terrain k_rail_step_field | episode [0, 3, 5] | q=0.936 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.037810131907463074
generated_progress_m: 0.06215934082865715
enabled_teacher_rms_m: 0.036864086985588074
disabled_teacher_rms_m: 0.031069548800587654
q_effect_rms_m: 0.013463093317113817
sampling_rms_m: 0.09613063519022294
q_sampling_ratio: 0.1400499777253432
```






held-out index 367 | terrain k_rail_step_field | episode [0, 3, 5] | q=0.358 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.018958499655127525
generated_progress_m: 0.06480246782302856
enabled_teacher_rms_m: 0.022490540519356728
disabled_teacher_rms_m: 0.018472177907824516
q_effect_rms_m: 0.013500984525308013
sampling_rms_m: 0.09412355574646167
q_sampling_ratio: 0.1434389555115755
```






held-out index 404 | terrain k_rail_step_field | episode [0, 3, 5] | q=0.775 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.12799158692359924
generated_progress_m: 0.13480745255947113
enabled_teacher_rms_m: 0.04793865606188774
disabled_teacher_rms_m: 0.03674999251961708
q_effect_rms_m: 0.01594349229708314
sampling_rms_m: 0.0986223951248186
q_sampling_ratio: 0.16166198637646872
```






held-out index 445 | terrain k_rail_step_field | episode [0, 3, 6] | q=0.937 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.08088022470474243
generated_progress_m: 0.09174255281686783
enabled_teacher_rms_m: 0.021698014810681343
disabled_teacher_rms_m: 0.015383860096335411
q_effect_rms_m: 0.014992773300036788
sampling_rms_m: 0.09744556075228113
q_sampling_ratio: 0.15385794062133115
```






held-out index 453 | terrain k_rail_step_field | episode [0, 3, 6] | q=0.941 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.05705270171165466
generated_progress_m: 0.07485516369342804
enabled_teacher_rms_m: 0.015466669574379921
disabled_teacher_rms_m: 0.017796337604522705
q_effect_rms_m: 0.014222120633348823
sampling_rms_m: 0.09655902707683188
q_sampling_ratio: 0.14728939451753487
```






held-out index 476 | terrain k_rail_step_field | episode [0, 3, 6] | q=0.774 | terminal ['time_out']









E trajectory metrics


```
teacher_progress_m: -0.34246912598609924
generated_progress_m: -0.19056731462478638
enabled_teacher_rms_m: 0.07912814617156982
disabled_teacher_rms_m: 0.061522647738456726
q_effect_rms_m: 0.008280020323581994
sampling_rms_m: 0.08173283555411867
q_sampling_ratio: 0.10130592273529347
```






held-out index 493 | terrain k_rail_step_field | episode [0, 3, 7] | q=0.930 | terminal ['time_out']


A Input: base XY [m], DEM height/mask



B q sweep, shared noise




C sampling, q=0.5




E trajectory metrics

```
teacher_progress_m: -0.0002766307443380356
generated_progress_m: 0.03400219604372978
enabled_teacher_rms_m: 0.02605130895972252
disabled_teacher_rms_m: 0.021089782938361168
q_effect_rms_m: 0.012842362630181015
sampling_rms_m: 0.09383490947740418
q_sampling_ratio: 0.13686124600859242
```


F time relative to anchor [s]





D enabled / disabled, shared noise



held-out index 540 | terrain k_rail_step_field | episode [0, 3, 7] | q=0.954 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: -0.07820744812488556
generated_progress_m: -0.021173851564526558
enabled_teacher_rms_m: 0.0284776221960783
disabled_teacher_rms_m: 0.027497611939907074
q_effect_rms_m: 0.011623229482211173
sampling_rms_m: 0.09036782370614153
q_sampling_ratio: 0.12862132787448372
```






held-out index 555 | terrain k_rail_step_field | episode [0, 3, 8] | q=0.237 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: -0.058343179523944855
generated_progress_m: 0.009276239201426506
enabled_teacher_rms_m: 0.04766840487718582
disabled_teacher_rms_m: 0.04224066808819771
q_effect_rms_m: 0.0118494430789724
sampling_rms_m: 0.09102554047214133
q_sampling_ratio: 0.13017712410726043
```






held-out index 560 | terrain k_rail_step_field | episode [0, 3, 8] | q=0.230 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: -0.24918921291828156
generated_progress_m: -0.12523512542247772
enabled_teacher_rms_m: 0.06640618294477463
disabled_teacher_rms_m: 0.055763330310583115
q_effect_rms_m: 0.009156493062619 12
sampling_rms_m: 0.08267730634127345
q_sampling_ratio: 0.1107497748514346
```






held-out index 584 | terrain k_rail_step_field | episode [0, 3, 8] | q=0.190 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.5158015489578247
generated_progress_m: 0.47860538959503174
enabled_teacher_rms_m: 0.09982720762491226
disabled_teacher_rms_m: 0.07901627570390701
q_effect_rms_m: 0.021544117364101112
sampling_rms_m: 0.13702367113104888
q_sampling_ratio: 0.1572291647586672
```






held-out index 606 | terrain k_rail_step_field | episode [0, 3, 8] | q=0.118 | terminal ['time_out']









E trajectory metrics


```
teacher_progress_m: 0.6116271615028381
generated_progress_m: 0.5488042235374451
enabled_teacher_rms_m: 0.164559096097946 17
disabled_teacher_rms_m: 0.14144767820835114
q_effect_rms_m: 0.01721419155364856
sampling_rms_m: 0.13637366598205908
q_sampling_ratio: 0.12622812058094274
```






held-out index 607 | terrain k_rail_step_field | episode [0, 3, 8] | q=0.162 | terminal ['time_out']


A Input: base XY [m], DEM height/mask



B q sweep, shared noise




C sampling, q=0.5




E trajectory metrics

```
teacher_progress_m: 0.5494941473007202
generated_progress_m: 0.5062237977981567
enabled_teacher_rms_m: 0.1971249282360077
disabled_teacher_rms_m: 0.1793982833623886
q_effect_rms_m: 0.02043167396914214
sampling_rms_m: 0.13743731446032012
q_sampling_ratio: 0.14866176663427907
```


F time relative to anchor [s]





D enabled / disabled, shared noise



held-out index 633 | terrain boxes | episode [0, 19, 0] | q=0.756 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.35697346925735474
generated_progress_m: 0.3253360390663147
enabled_teacher_rms_m: 0.13697783648967743
disabled_teacher_rms_m: 0.11737912893295288
q_effect_rms_m: 0.02159649634268135
sampling_rms_m: 0.11990434649799551
q_sampling_ratio: 0.1801143742778531
```






held-out index 636 | terrain boxes | episode [0, 19, 0] | q=0.921 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.1221526488661766
generated_progress_m: 0.12367922067642212
enabled_teacher_rms_m: 0.05957036465406418
disabled_teacher_rms_m: 0.04831118509173393
q_effect_rms_m: 0.015919739729724824
sampling_rms_m: 0.09886265532778842
q_sampling_ratio: 0.16102885034739794
```






held-out index 641 | terrain boxes | episode [0, 19, 0] | q=0.578 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.2811550796031952
generated_progress_m: 0.27310091257095337
enabled_teacher_rms_m: 0.048989418894052505
disabled_teacher_rms_m: 0.05112115293741226
q_effect_rms_m: 0.019726057187654078
sampling_rms_m: 0.11291232984513044
q_sampling_ratio: 0.1747024192549225
```






held-out index 701 | terrain boxes | episode [0, 19, 1] | q=0.811 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.7872481942176819
generated_progress_m: 0.6234140396118164
enabled_teacher_rms_m: 0.10567287355661392
disabled_teacher_rms_m: 0.060154542326927185
q_effect_rms_m: 0.010784017940750346
sampling_rms_m: 0.12528605586183922
q_sampling_ratio: 0.08607516508175944
```






held-out index 716 | terrain boxes | episode [0, 19, 1] | q=0.981 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: -0.0032673273235559464
generated_progress_m: 0.03193971514701843
enabled_teacher_rms_m: 0.02749221958220005
disabled_teacher_rms_m: 0.021281665191054344
q_effect_rms_m: 0.012792356545105577
sampling_rms_m: 0.09369503174509321
q_sampling_ratio: 0.1365318556047718
```






held-out index 722 | terrain boxes | episode [0, 19, 1] | q=0.692 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: -0.762172281742096
generated_progress_m: -0.35623347759246826
enabled_teacher_rms_m: 0.23351100087165833
disabled_teacher_rms_m: 0.2209995836019516
q_effect_rms_m: 0.007941694289911538
sampling_rms_m: 0.04880042094737291
q_sampling_ratio: 0.1627382333131097
```






held-out index 767 | terrain boxes | episode [0, 19, 2] | q=0.621 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: -0.8319821357727051
generated_progress_m: -0.3636961281299591
enabled_teacher_rms_m: 0.35378509759902954
disabled_teacher_rms_m: 0.3442363739013672
q_effect_rms_m: 0.007996029686182737
sampling_rms_m: 0.04619664934995983
q_sampling_ratio: 0.17308678873243197
```






held-out index 791 | terrain boxes | episode [0, 19, 2] | q=0.904 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.23215258121490479
generated_progress_m: 0.20974621176719666
enabled_teacher_rms_m: 0.03089560754597187
disabled_teacher_rms_m: 0.03787774592638016
q_effect_rms_m: 0.018480191007256508
sampling_rms_m: 0.10691041752163853
q_sampling_ratio: 0.1728567845459601
```






held-out index 830 | terrain boxes | episode [0, 19, 3] | q=0.886 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.3583934009075165
generated_progress_m: 0.31973546743392944
enabled_teacher_rms_m: 0.07273252308368683
disabled_teacher_rms_m: 0.08687137812376022
q_effect_rms_m: 0.022492832853458822
sampling_rms_m: 0.1206853933898466
q_sampling_ratio: 0.18637576778492873
```






held-out index 909 | terrain boxes | episode [0, 19, 4] | q=0.184 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: -0.6149570941925049
generated_progress_m: -0.30950015783309937
enabled_teacher_rms_m: 0.21477515995502472
disabled_teacher_rms_m: 0.19323380291461945
q_effect_rms_m: 0.008474936475977302
sampling_rms_m: 0.05960820625270052
q_sampling_ratio: 0.14217734450939545
```






held-out index 1040 | terrain boxes | episode [0, 19, 6] | q=0.285 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.3861152231693268
generated_progress_m: 0.37842807173728943
enabled_teacher_rms_m: 0.074620857834815 98
disabled_teacher_rms_m: 0.07769617438316345
q_effect_rms_m: 0.0228321646573022
sampling_rms_m: 0.12383330493633236
q_sampling_ratio: 0.18437822255524172
```






held-out index 1068 | terrain boxes | episode [0, 19, 6] | q=0.055 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.8690237998962402
generated_progress_m: 0.6535941362380981
enabled_teacher_rms_m: 0.21703584492206573
disabled_teacher_rms_m: 0.22851072251796722
q_effect_rms_m: 0.010214176931185648
sampling_rms_m: 0.12374680409474033
q_sampling_ratio: 0.08254093514500538
```






held-out index 1069 | terrain boxes | episode [0, 19, 6] | q=0.055 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 1.1352159976959229
generated_progress_m: 0.649811327457428
enabled_teacher_rms_m: 0.24268533289432526
disabled_teacher_rms_m: 0.22284317016601562
q_effect_rms_m: 0.010272319079376757
sampling_rms_m: 0.12368420804185527
q_sampling_ratio: 0.08305279422495522
```







held-out index 1077 | terrain boxes | episode [0, 19, 6] | q=0.106 | terminal ['time_out']












E trajectory metrics


```
teacher_progress_m: 1.0746408700942993
generated_progress_m: 0.6472621560096741
enabled_teacher_rms_m: 0.4431171417236328
disabled_teacher_rms_m: 0.41037583351135254
q_effect_rms_m: 0.010255129600409418
sampling_rms_m: 0.12383690955383438
q_sampling_ratio: 0.08281157562278561
```




held-out index 1110 | terrain boxes | episode [0, 19, 7] | q=0.955 | terminal ['time_out']












E trajectory metrics


```
teacher_progress_m: -0.057171449065208435
generated_progress_m: -0.0062056174501776695
enabled_teacher_rms_m: 0.06748772412538528
disabled_teacher_rms_m: 0.06319998949766159
q_effect_rms_m: 0.011781128239817917
sampling_rms_m: 0.0914311995729804
q_sampling_ratio: 0.1288523862187132
```



held-out index 1111 | terrain boxes | episode [0, 19, 7] | q=0.952 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: -0.020271223038434982
generated_progress_m: 0.019690487533807755
enabled_teacher_rms_m: 0.05140873044729233
disabled_teacher_rms_m: 0.04762663692235947
q_effect_rms_m: 0.01248999428935349
sampling_rms_m: 0.09307871333190373
q_sampling_ratio: 0.13418744030996838
```






held-out index 1161 | terrain boxes | episode [0, 19, 7] | q=0.760 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.9607205390930176
generated_progress_m: 0.645285964012146
enabled_teacher_rms_m: 0.1580914705991745
disabled_teacher_rms_m: 0.12378992885351181
q_effect_rms_m: 0.01020763925043866
sampling_rms_m: 0.12360041801418577
q_sampling_ratio: 0.08258579877348891
```






held-out index 1163 | terrain boxes | episode [0, 19, 7] | q=0.756 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 1.2065755128860474
generated_progress_m: 0.6409820318222046
enabled_teacher_rms_m: 0.3589189648628235
disabled_teacher_rms_m: 0.3158210217952728
q_effect_rms_m: 0.010252189968014136
sampling_rms_m: 0.12380946254623788
q_sampling_ratio: 0.08280619071571653
```







held-out index 1231 | terrain boxes | episode [0, 19, 8] | q=0.876 | terminal ['time_out']












E trajectory metrics


```
teacher_progress_m: 0.36326393485069275
generated_progress_m: 0.3177061975002289
enabled_teacher_rms_m: 0.0872996523976326
disabled_teacher_rms_m: 0.06193973869085312
q_effect_rms_m: 0.02152654970996082
sampling_rms_m: 0.12039046362042427
q_sampling_ratio: 0.1788061035949764
```



held-out index 1296 | terrain pyramid_stairs | episode [0, 25, 0] | q=0.056 | terminal ['time_out']









E trajectory metrics


```
teacher_progress_m: 1.1397778987884521
generated_progress_m: 0.6526895761489868
enabled_teacher_rms_m: 0.3164118528366089
disabled_teacher_rms_m: 0.28230807185173035
q_effect_rms_m: 0.010216360911726952
sampling_rms_m: 0.12379333456712109
q_sampling_ratio: 0.08252755245224945
```





F time relative to anchor [s]



held-out index 1297 | terrain pyramid_stairs | episode [0, 25, 0] | q=0.025 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 1.1052038669586182
generated_progress_m: 0.6489593386650085
enabled_teacher_rms_m: 0.32833507657051086
disabled_teacher_rms_m: 0.2932150363922119
q_effect_rms_m: 0.010311915830243379
sampling_rms_m: 0.12375787805233683
q_sampling_ratio: 0.08332330832209729
```






held-out index 1302 | terrain pyramid_stairs | episode [0, 25, 0] | q=0.025 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.9597856402397156
generated_progress_m: 0.6373680830001831
enabled_teacher_rms_m: 0.25829288363456726
disabled_teacher_rms_m: 0.21785563230514526
q_effect_rms_m: 0.01069648054544814
sampling_rms_m: 0.12503486179879733
q_sampling_ratio: 0.08554798551031809
```






held-out index 1330 | terrain pyramid_stairs | episode [0, 25, 1] | q=0.801 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: -0.3601166307926178
generated_progress_m: -0.20684964954853058
enabled_teacher_rms_m: 0.13580964505672455
disabled_teacher_rms_m: 0.12429934740066528
q_effect_rms_m: 0.00809468369698152
sampling_rms_m: 0.07935410318896174
q_sampling_ratio: 0.10200712214850537
```







held-out index 1454 | terrain pyramid_stairs | episode [0, 25, 3] | q=0.131 | terminal ['time_out']












E trajectory metrics


```
teacher_progress_m: 0.994929850101471
generated_progress_m: 0.6526211500167847
enabled_teacher_rms_m: 0.2307942658662796
disabled_teacher_rms_m: 0.22855828702449799
q_effect_rms_m: 0.010240614385111257
sampling_rms_m: 0.12377867009490728
q_sampling_ratio: 0.08273327203515167
```



held-out index 1456 | terrain pyramid_stairs | episode [0, 25, 3] | q=0.131 | terminal ['time_out']









E trajectory metrics

```
teacher_progress_m: 1.330973505973816
generated_progress_m: 0.6521925330162048
enabled_teacher_rms_m: 0.4469538629055023
disabled_teacher_rms_m: 0.41300708055496216
q_effect_rms_m: 0.010294867301126942
sampling_rms_m: 0.12376646351601396
q_sampling_ratio: 0.08317978076342873
```




F time relative to anchor [s]




held-out index 1504 | terrain pyramid_stairs | episode [0, 25, 3] | q=0.304 | terminal ['time_out']


A Input: base XY [m], DEM height/mask



B q sweep, shared noise




C sampling, q=0.5




E trajectory metrics

```
teacher_progress_m: 0.10347338020801544
generated_progress_m: 0.13535872101783752
enabled_teacher_rms_m: 0.1527058333158493
disabled_teacher_rms_m: 0.15174803137779236
q_effect_rms_m: 0.015355322510004044
sampling_rms_m: 0.10071488270269972
q_sampling_ratio: 0.152463291401842
```


D enabled / disabled, shared noise





F time relative to anchor [s]



held-out index 1521 | terrain pyramid_stairs | episode [0, 25, 4] | q=0.329 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.3686034381389618
generated_progress_m: 0.35761573910713196
enabled_teacher_rms_m: 0.07886604964733124
disabled_teacher_rms_m: 0.07454731315374374
q_effect_rms_m: 0.022482639644294977
sampling_rms_m: 0.1223532251481499
q_sampling_ratio: 0.1837519167727058
```






held-out index 1532 | terrain pyramid_stairs | episode [0, 25, 4] | q=0.240 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.24290388822555542
generated_progress_m: 0.2439679503440857
enabled_teacher_rms_m: 0.061856985092163086
disabled_teacher_rms_m: 0.06738413870334625
q_effect_rms_m: 0.018832391710020602
sampling_rms_m: 0.1084555062864508
q_sampling_ratio: 0.17364163752350956
```






held-out index 1663 | terrain pyramid_stairs | episode [0, 25, 6] | q=0.247 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: -0.8702257871627808
generated_progress_m: -0.3567236065864563
enabled_teacher_rms_m: 0.30364125967025757
disabled_teacher_rms_m: 0.2897658944129944
q_effect_rms_m: 0.007939473376609385
sampling_rms_m: 0.046278257022744844
q_sampling_ratio: 0.17155947279317998
```






held-out index 1700 | terrain pyramid_stairs | episode [0, 25, 6] | q=0.363 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.3576169013977051
generated_progress_m: 0.34720999002456665
enabled_teacher_rms_m: 0.13092875480651855
disabled_teacher_rms_m: 0.1242670938372612
q_effect_rms_m: 0.022501326981000602
sampling_rms_m: 0.12074790030185666
q_sampling_ratio: 0.18634963361474383
```






held-out index 1705 | terrain pyramid_stairs | episode [0, 25, 6] | q=0.512 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: -0.06576339155435562
generated_progress_m: 0.0021779481321573257
enabled_teacher_rms_m: 0.033501867204904556
disabled_teacher_rms_m: 0.024416198953986168
q_effect_rms_m: 0.011659274401608855
sampling_rms_m: 0.09137565828859806
q_sampling_ratio: 0.12759715902439314
```






held-out index 1725 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.344 | terminal ['tilt_over']










E trajectory metrics


```
teacher_progress_m: 0.2502381205558777
generated_progress_m: 0.2516377568244934
enabled_teacher_rms_m: 0.042185064405202866
disabled_teacher_rms_m: 0.04555796459317207
q_effect_rms_m: 0.018982429057359695
sampling_rms_m: 0.10973308581326689
q_sampling_ratio: 0.17298728926353305
```







held-out index 1726 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.341 | terminal ['tilt_over']












E trajectory metrics


```
teacher_progress_m: 0.3206145763397217
generated_progress_m: 0.31369370222091675
enabled_teacher_rms_m: 0.053700078278779984
disabled_teacher_rms_m: 0.058485645800828934
q_effect_rms_m: 0.02184746554121375
sampling_rms_m: 0.11678786469357354
q_sampling_ratio: 0.1870696548698518
```



held-out index 1727 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.340 | terminal ['tilt_over']










E trajectory metrics


```
teacher_progress_m: 0.3798254430294037
generated_progress_m: 0.36784887313842773
enabled_teacher_rms_m: 0.052061565220355 99
disabled_teacher_rms_m: 0.058940231800079346
q_effect_rms_m: 0.022137128747999668
sampling_rms_m: 0.12354292946734599
q_sampling_ratio: 0.1791857198420311
```






held-out index 1728 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.340 | terminal ['tilt_over']










E trajectory metrics


```
teacher_progress_m: 0.4505278766155243
generated_progress_m: 0.4329529404640198
enabled_teacher_rms_m: 0.0410383902490139
disabled_teacher_rms_m: 0.04925914853811264
q_effect_rms_m: 0.025300783570855856
sampling_rms_m: 0.1304347879652466
q_sampling_ratio: 0.19397266607737396
```






held-out index 1729 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.335 | terminal ['tilt_over']










E trajectory metrics


```
teacher_progress_m: 0.52424556016922
generated_progress_m: 0.4918194115161896
enabled_teacher_rms_m: 0.02862059511244297
disabled_teacher_rms_m: 0.03422052413225174
q_effect_rms_m: 0.02287329128012061
sampling_rms_m: 0.13620071485638618
q_sampling_ratio: 0.16793811474659912
```






held-out index 1730 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.262 | terminal ['tilt_over']










E trajectory metrics


```
teacher_progress_m: 0.6640353202819824
generated_progress_m: 0.5841124653816223
enabled_teacher_rms_m: 0.03140871971845627
disabled_teacher_rms_m: 0.031176621094346046
q_effect_rms_m: 0.014434415410505608
sampling_rms_m: 0.13325396153543675
q_sampling_ratio: 0.10832259877442373
```






held-out index 1731 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.230 | terminal ['tilt_over']










E trajectory metrics


```
teacher_progress_m: 0.7870339751243591
generated_progress_m: 0.6467854976654053
enabled_teacher_rms_m: 0.05663371458649635
disabled_teacher_rms_m: 0.038071051239967346
q_effect_rms_m: 0.010536158719332889
sampling_rms_m: 0.12465732664402042
q_sampling_ratio: 0.08452097444236575
```






held-out index 1732 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.184 | terminal ['tilt_over']










E trajectory metrics


```
teacher_progress_m: 0.8554121851921082
generated_progress_m: 0.6536531448364258
enabled_teacher_rms_m: 0.08761286735534668
disabled_teacher_rms_m: 0.06085752323269844
q_effect_rms_m: 0.010198738891631365
sampling_rms_m: 0.12377295283866781
q_sampling_ratio: 0.08239876853325895
```






held-out index 1733 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.160 | terminal ['tilt_over']










E trajectory metrics


```
teacher_progress_m: 0.9201207160949707
generated_progress_m: 0.6540268063545227
enabled_teacher_rms_m: 0.12720826268196106
disabled_teacher_rms_m: 0.09683755785226822
q_effect_rms_m: 0.01028184880851768
sampling_rms_m: 0.12379937898367643
q_sampling_ratio: 0.08305250715250674
```






held-out index 1734 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.159 | terminal ['tilt_over']










E trajectory metrics


```
teacher_progress_m: 0.9941486120223999
generated_progress_m: 0.6547127962112427
enabled_teacher_rms_m: 0.17259441316127777
disabled_teacher_rms_m: 0.14169026911258698
q_effect_rms_m: 0.010374486533692107
sampling_rms_m: 0.12383414658584765
q_sampling_ratio: 0.08377726838453257
```






held-out index 1735 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.159 | terminal ['tilt_over']










E trajectory metrics


```
teacher_progress_m: 1.0823607444763184
generated_progress_m: 0.6549631953239441
enabled_teacher_rms_m: 0.23499150574207306
disabled_teacher_rms_m: 0.2036362886428833
q_effect_rms_m: 0.01037527940934524
sampling_rms_m: 0.12388145843786853
q_sampling_ratio: 0.08375167309278049
```







held-out index 1736 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.159 | terminal ['tilt_over']












E trajectory metrics


```
teacher_progress_m: 1.1631348133087158
generated_progress_m: 0.6558716893196106
enabled_teacher_rms_m: 0.3008810579776764
disabled_teacher_rms_m: 0.27067601680755615
q_effect_rms_m: 0.010544571821810678
sampling_rms_m: 0.12394089477935008
q_sampling_ratio: 0.08507742210981294
```



held-out index 1737 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.159 | terminal ['tilt_over']










E trajectory metrics


```
teacher_progress_m: 1.2555965185165405
generated_progress_m: 0.6551289558410645
enabled_teacher_rms_m: 0.3686455190181732
disabled_teacher_rms_m: 0.33723780512809753
q_effect_rms_m: 0.010396381578175351
sampling_rms_m: 0.12387936229684524
q_sampling_ratio: 0.08392343474664553
```






held-out index 1738 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.157 | terminal ['tilt_over']










E trajectory metrics


```
teacher_progress_m: 1.2660834789276123
generated_progress_m: 0.6557132601737976
enabled_teacher_rms_m: 0.38118836283683777
disabled_teacher_rms_m: 0.3507157564163208
q_effect_rms_m: 0.010532075742958114
sampling_rms_m: 0.12392961938998528
q_sampling_ratio: 0.08498433058053277
```






held-out index 1739 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.157 | terminal ['tilt_over']










E trajectory metrics


```
teacher_progress_m: 1.2640386819839478
generated_progress_m: 0.6556952595710754
enabled_teacher_rms_m: 0.3861425817012787
disabled_teacher_rms_m: 0.35570028424263
q_effect_rms_m: 0.010502231190912426
sampling_rms_m: 0.12392370243157659
q_sampling_ratio: 0.08474755825433107
```






held-out index 1740 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.157 | terminal ['tilt_over']










E trajectory metrics


```
teacher_progress_m: 1.2884893417358398
generated_progress_m: 0.6560856103897095
enabled_teacher_rms_m: 0.3992435932159424
disabled_teacher_rms_m: 0.3693997859954834
q_effect_rms_m: 0.010586589458398521
sampling_rms_m: 0.12396151226546083
q_sampling_ratio: 0.08540222900578669
```






held-out index 1741 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.169 | terminal ['tilt_over']









E trajectory metrics


```
teacher_progress_m: 1.3056122064590454
generated_progress_m: 0.6562126278877258
enabled_teacher_rms_m: 0.41457831859588623
disabled_teacher_rms_m: 0.38499993085861206
q_effect_rms_m: 0.010593412211164832
sampling_rms_m: 0.12395782036972898
q_sampling_ratio: 0.08545981350404405
```





F time relative to anchor [s]



held-out index 1742 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.171 | terminal ['tilt_over']









E trajectory metrics


```
teacher_progress_m: 1.3188819885253906
generated_progress_m: 0.6557548642158508
enabled_teacher_rms_m: 0.4181858003139496
disabled_teacher_rms_m: 0.3875947594642639
q_effect_rms_m: 0.010508697218028829
sampling_rms_m: 0.12389785556920938
q_sampling_ratio: 0.08481742617537612
```





F time relative to anchor [s]




held-out index 1743 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.184 | terminal ['tilt_over']











E trajectory metrics


```
teacher_progress_m: 1.295059323310852
generated_progress_m: 0.6560216546058655
enabled_teacher_rms_m: 0.4171678423881531
disabled_teacher_rms_m: 0.38714051246643066
q_effect_rms_m: 0.010557867150055245
sampling_rms_m: 0.12394371828330415
q_sampling_ratio: 0.08518275307767205
```


F time relative to anchor [s]



held-out index 1744 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.190 | terminal ['tilt_over']










E trajectory metrics


```
teacher_progress_m: 1.1653310060501099
generated_progress_m: 0.6553528308868408
enabled_teacher_rms_m: 0.3934537470340729
disabled_teacher_rms_m: 0.3627944588661194
q_effect_rms_m: 0.010423667612485588
sampling_rms_m: 0.12387952980186258
q_sampling_ratio: 0.08414358392510514
```






held-out index 1745 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.198 | terminal ['tilt_over']










E trajectory metrics


```
teacher_progress_m: 1.0302987098693848
generated_progress_m: 0.6562681198120117
enabled_teacher_rms_m: 0.34110215306282043
disabled_teacher_rms_m: 0.3132057785987854
q_effect_rms_m: 0.010608233889797702
sampling_rms_m: 0.1239656259172729
q_sampling_ratio: 0.08557399530154423
```







held-out index 1746 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.208 | terminal ['tilt_over']












E trajectory metrics


```
teacher_progress_m: 0.9071192741394043
generated_progress_m: 0.6537024974822998
enabled_teacher_rms_m: 0.2893780469894409
disabled_teacher_rms_m: 0.260858952999115
q_effect_rms_m: 0.010337724641431123
sampling_rms_m: 0.12381186442715782
q_sampling_ratio: 0.08349542823913383
```



held-out index 1747 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.208 | terminal ['tilt_over']










E trajectory metrics


```
teacher_progress_m: 0.7659553289413452
generated_progress_m: 0.6393613815307617
enabled_teacher_rms_m: 0.24086283147335052
disabled_teacher_rms_m: 0.2178499549627304
q_effect_rms_m: 0.011144430318381637
sampling_rms_m: 0.12614986500037567
q_sampling_ratio: 0.08834278434105695
```






held-out index 1748 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.213 | terminal ['tilt_over']










E trajectory metrics


```
teacher_progress_m: 0.6349509358406067
generated_progress_m: 0.5697340965270996
enabled_teacher_rms_m: 0.19301363825798035
disabled_teacher_rms_m: 0.17700688540935516
q_effect_rms_m: 0.0159070307854563
sampling_rms_m: 0.13517528719135694
q_sampling_ratio: 0.11767706298961272
```






held-out index 1749 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.209 | terminal ['tilt_over']










E trajectory metrics


```
teacher_progress_m: 0.5958824753761292
generated_progress_m: 0.5398118495941162
enabled_teacher_rms_m: 0.1253369301557541
disabled_teacher_rms_m: 0.1135244369506836
q_effect_rms_m: 0.018052689207252115
sampling_rms_m: 0.1364444707121168
q_sampling_ratio: 0.13230795731797262
```






held-out index 1750 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.183 | terminal ['tilt_over']










E trajectory metrics


```
teacher_progress_m: 0.5873338580131531
generated_progress_m: 0.5286625623703003
enabled_teacher_rms_m: 0.07215949892997742
disabled_teacher_rms_m: 0.0788411870598793
q_effect_rms_m: 0.018706983188167214
sampling_rms_m: 0.13685347246272223
q_sampling_ratio: 0.13669352228722473
```






held-out index 1751 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.181 | terminal ['tilt_over']










E trajectory metrics


```
teacher_progress_m: 0.6120164394378662
generated_progress_m: 0.5381960868835449
enabled_teacher_rms_m: 0.1057867482304573
disabled_teacher_rms_m: 0.1211346983909607
q_effect_rms_m: 0.01673074357677251
sampling_rms_m: 0.13591653627476522
q_sampling_ratio: 0.12309571767595733
```






held-out index 1752 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.181 | terminal ['tilt_over']










E trajectory metrics


```
teacher_progress_m: 0.7650964856147766
generated_progress_m: 0.620418906211853
enabled_teacher_rms_m: 0.121516153216362
disabled_teacher_rms_m: 0.1237407699227333
q_effect_rms_m: 0.010945033718599007
sampling_rms_m: 0.12721343631190912
q_sampling_ratio: 0.08603677438414094
```






held-out index 1753 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.181 | terminal ['tilt_over']










E trajectory metrics


```
teacher_progress_m: 0.8841693997383118
generated_progress_m: 0.6342819929122925
enabled_teacher_rms_m: 0.14241242408752441
disabled_teacher_rms_m: 0.11767175048589706
q_effect_rms_m: 0.010740168712800369
sampling_rms_m: 0.1253816248582942
q_sampling_ratio: 0.08565983033749054
```






held-out index 1754 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.177 | terminal ['tilt_over']










E trajectory metrics


```
teacher_progress_m: 0.9755640625953674
generated_progress_m: 0.6473809480667114
enabled_teacher_rms_m: 0.18367473781108856
disabled_teacher_rms_m: 0.14945653080940247
q_effect_rms_m: 0.010285894823027775
sampling_rms_m: 0.12385529412754945
q_sampling_ratio: 0.08304767991939924
```






held-out index 1755 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.157 | terminal ['tilt_over']










E trajectory metrics


```
teacher_progress_m: 1.1268763542175293
generated_progress_m: 0.6471859812736511
enabled_teacher_rms_m: 0.2872346043586731
disabled_teacher_rms_m: 0.2494828701019287
q_effect_rms_m: 0.010274574917275459
sampling_rms_m: 0.1238499130787594
q_sampling_ratio: 0.08295988799557404
```






held-out index 1756 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.157 | terminal ['tilt_over']










E trajectory metrics


```
teacher_progress_m: 1.2060167789459229
generated_progress_m: 0.6450949907302856
enabled_teacher_rms_m: 0.38223502039909363
disabled_teacher_rms_m: 0.34381046891212463
q_effect_rms_m: 0.010218864772468805
sampling_rms_m: 0.12401337682136468
q_sampling_ratio: 0.08240131052304615
```






held-out index 1757 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.157 | terminal ['tilt_over']










E trajectory metrics


```
teacher_progress_m: 1.1926445960998535
generated_progress_m: 0.645091712474823
enabled_teacher_rms_m: 0.39433711767196655
disabled_teacher_rms_m: 0.35637348890304565
q_effect_rms_m: 0.010235730354906991
sampling_rms_m: 0.12402299552091531
q_sampling_ratio: 0.08253090736855193
```






held-out index 1758 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.157 | terminal ['tilt_over']










E trajectory metrics


```
teacher_progress_m: 1.1359034776687622
generated_progress_m: 0.6460494995117188
enabled_teacher_rms_m: 0.35675010085105896
disabled_teacher_rms_m: 0.31911492347717285
q_effect_rms_m: 0.010232457221718505
sampling_rms_m: 0.1239055906023298
q_sampling_ratio: 0.08258269196713795
```






held-out index 1759 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.156 | terminal ['tilt_over']










E trajectory metrics


```
teacher_progress_m: 1.134143590927124
generated_progress_m: 0.6472862362861633
enabled_teacher_rms_m: 0.32366397976875305
disabled_teacher_rms_m: 0.28640156984329224
q_effect_rms_m: 0.010296220192685723
sampling_rms_m: 0.12385471444576979
q_sampling_ratio: 0.08313143539799576
```






held-out index 1760 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.149 | terminal ['tilt_over']










E trajectory metrics


```
teacher_progress_m: 1.0671817064285278
generated_progress_m: 0.6504393815994263
enabled_teacher_rms_m: 0.27579253911972046
disabled_teacher_rms_m: 0.23972541093826294
q_effect_rms_m: 0.010243498312775046
sampling_rms_m: 0.12362601953957762
q_sampling_ratio: 0.08285875700702063
```






held-out index 1761 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.093 | terminal ['tilt_over']










E trajectory metrics


```
teacher_progress_m: 1.0407685041427612
generated_progress_m: 0.6477342844009399
enabled_teacher_rms_m: 0.25452157855033875
disabled_teacher_rms_m: 0.21744315326213837
q_effect_rms_m: 0.010316319181583822
sampling_rms_m: 0.12381901977849859
q_sampling_ratio: 0.08331772614610272
```






held-out index 1762 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.093 | terminal ['tilt_over']










E trajectory metrics


```
teacher_progress_m: 1.0301513671875
generated_progress_m: 0.6392416954040527
enabled_teacher_rms_m: 0.27450183033943176
disabled_teacher_rms_m: 0.23461505770683289
q_effect_rms_m: 0.010629530472215265
sampling_rms_m: 0.12477564226303782
q_sampling_ratio: 0.08518914653075717
```






held-out index 1763 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.093 | terminal ['tilt_over']










E trajectory metrics


```
teacher_progress_m: 0.9011889100074768
generated_progress_m: 0.6318405270576477
enabled_teacher_rms_m: 0.22790126502513885
disabled_teacher_rms_m: 0.18743546307086945
q_effect_rms_m: 0.010789999330881983
sampling_rms_m: 0.12563156948557921
q_sampling_ratio: 0.08588605057680608
```






held-out index 1764 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.093 | terminal ['tilt_over']










E trajectory metrics


```
teacher_progress_m: 0.7947005033493042
generated_progress_m: 0.6237185001373291
enabled_teacher_rms_m: 0.21457219123840332
disabled_teacher_rms_m: 0.1755504012107849
q_effect_rms_m: 0.01030955626629293
sampling_rms_m: 0.12592323350587062
q_sampling_ratio: 0.08187175614270016
```






held-out index 1765 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.093 | terminal ['tilt_over']










E trajectory metrics


```
teacher_progress_m: 0.695917546749115
generated_progress_m: 0.5803676843643188
enabled_teacher_rms_m: 0.22097575664520264
disabled_teacher_rms_m: 0.1860312968492508
q_effect_rms_m: 0.012827793398173526
sampling_rms_m: 0.1315110478816288
q_sampling_ratio: 0.09754156479476643
```






held-out index 1766 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.093 | terminal ['tilt_over']










E trajectory metrics


```
teacher_progress_m: 0.6229647397994995
generated_progress_m: 0.5328415036201477
enabled_teacher_rms_m: 0.22688554227352142
disabled_teacher_rms_m: 0.19266396760940552
q_effect_rms_m: 0.01617629488464445
sampling_rms_m: 0.1366010337535824
q_sampling_ratio: 0.11842000342270631
```







held-out index 1767 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.093 | terminal ['tilt_over']












E trajectory metrics


```
teacher_progress_m: 0.4732460379600525
generated_progress_m: 0.4240601062774658
enabled_teacher_rms_m: 0.20322985947132111
disabled_teacher_rms_m: 0.1730460673570633
q_effect_rms_m: 0.021393147180788222
sampling_rms_m: 0.13140091339924506
q_sampling_ratio: 0.16280820754866326
```




held-out index 1768 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.097 | terminal ['tilt_over']











E trajectory metrics

```
teacher_progress_m: 0.36889511346817017
generated_progress_m: 0.3255530595779419
enabled_teacher_rms_m: 0.23301470279693604
disabled_teacher_rms_m: 0.19803109765052795
q_effect_rms_m: 0.019727379665710032
sampling_rms_m: 0.11974279143448387
q_sampling_ratio: 0.16474795208447834
```




held-out index 1769 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.187 | terminal ['tilt_over']


A Input: base XY [m], DEM height/mask



B q sweep, shared noise




C sampling, q=0.5




E trajectory metrics

```
teacher_progress_m: 0.3443850874900818
generated_progress_m: 0.3210691809654236
enabled_teacher_rms_m: 0.13289585709571838
disabled_teacher_rms_m: 0.1122366338968277
q_effect_rms_m: 0.020517603727057576
sampling_rms_m: 0.11806704396648067
q_sampling_ratio: 0.1737792616615568
```


D enabled / disabled, shared noise





F time relative to anchor [s]



held-out index 1770 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.270 | terminal ['tilt_over']










E trajectory metrics


```
teacher_progress_m: 0.268370658159256
generated_progress_m: 0.2575574815273285
enabled_teacher_rms_m: 0.07999484241008759
disabled_teacher_rms_m: 0.06545568257570267
q_effect_rms_m: 0.019607898429967463
sampling_rms_m: 0.11013258394918271
q_sampling_ratio: 0.17803903011133312
```






held-out index 1771 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.261 | terminal ['tilt_over']










E trajectory metrics


```
teacher_progress_m: 0.31143489480018616
generated_progress_m: 0.29682719707489014
enabled_teacher_rms_m: 0.07675929367542267
disabled_teacher_rms_m: 0.07260370999574661
q_effect_rms_m: 0.020137740997597575
sampling_rms_m: 0.11472927100424256
q_sampling_ratio: 0.17552400378150146
```






held-out index 1772 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.127 | terminal ['tilt_over']










E trajectory metrics


```
teacher_progress_m: 0.43033692240715027
generated_progress_m: 0.4155277609825134
enabled_teacher_rms_m: 0.0741162821650505
disabled_teacher_rms_m: 0.07571394741535187
q_effect_rms_m: 0.024010576424188912
sampling_rms_m: 0.128223350936813
q_sampling_ratio: 0.1872558800621351
```






held-out index 1773 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.115 | terminal ['tilt_over']










E trajectory metrics


```
teacher_progress_m: 0.5092227458953857
generated_progress_m: 0.4911689758300781
enabled_teacher_rms_m: 0.08537101000547409
disabled_teacher_rms_m: 0.08355718106031418
q_effect_rms_m: 0.022727652918547392
sampling_rms_m: 0.13588302582502365
q_sampling_ratio: 0.16725895512375294
```






held-out index 1774 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.115 | terminal ['tilt_over']










E trajectory metrics


```
teacher_progress_m: 0.5679218769073486
generated_progress_m: 0.5341930389404297
enabled_teacher_rms_m: 0.09540814906358719
disabled_teacher_rms_m: 0.09717114269733429
q_effect_rms_m: 0.019975160248577595
sampling_rms_m: 0.1370190287541066
q_sampling_ratio: 0.1457838406111087
```






held-out index 1775 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.115 | terminal ['tilt_over']









E trajectory metrics


```
teacher_progress_m: 0.6862425208091736
generated_progress_m: 0.605214536190033
enabled_teacher_rms_m: 0.09393736720085144
disabled_teacher_rms_m: 0.09702058881521225
q_effect_rms_m: 0.014206692983862013
sampling_rms_m: 0.1319095835621868
q_sampling_ratio: 0.10770023375264831
```






held-out index 1776 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.115 | terminal ['tilt_over']


A Input: base XY [m], DEM height/mask




B q sweep, shared noise



C sampling, q=0.5




D enabled / disabled, shared noise




E trajectory metrics


```
teacher_progress_m: 0.8501301407814026
generated_progress_m: 0.6569258570671082
enabled_teacher_rms_m: 0.10839687287807465
disabled_teacher_rms_m: 0.0908939391374588
q_effect_rms_m: 0.010773485730169341
sampling_rms_m: 0.12410390257303204
q_sampling_ratio: 0.08681020908129311
```


F time relative to anchor [s]



held-out index 1777 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.115 | terminal ['tilt_over']










E trajectory metrics


```
teacher_progress_m: 0.9078266620635986
generated_progress_m: 0.6560804843902588
enabled_teacher_rms_m: 0.1443382054567337
disabled_teacher_rms_m: 0.11809643357992172
q_effect_rms_m: 0.0105438512400724
sampling_rms_m: 0.1239243671298027
q_sampling_ratio: 0.08508295409754565
```






held-out index 1778 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.115 | terminal ['tilt_over']










E trajectory metrics


```
teacher_progress_m: 0.9677405953407288
generated_progress_m: 0.6483687162399292
enabled_teacher_rms_m: 0.2173970639705658
disabled_teacher_rms_m: 0.1811273992061615
q_effect_rms_m: 0.010324731527362019
sampling_rms_m: 0.1237733546378357
q_sampling_ratio: 0.08341643124703593
```






held-out index 1779 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.115 | terminal ['tilt_over']










E trajectory metrics


```
teacher_progress_m: 0.9594173431396484
generated_progress_m: 0.6488742232322693
enabled_teacher_rms_m: 0.22883528470993042
disabled_teacher_rms_m: 0.19382621347904205
q_effect_rms_m: 0.010274359083268791
sampling_rms_m: 0.12374330032616854
q_sampling_ratio: 0.08302961902735051
```






held-out index 1780 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.152 | terminal ['tilt_over']










E trajectory metrics


```
teacher_progress_m: 0.9386622905731201
generated_progress_m: 0.6557414531707764
enabled_teacher_rms_m: 0.20717781782150269
disabled_teacher_rms_m: 0.17975769937038422
q_effect_rms_m: 0.01047238043975085
sampling_rms_m: 0.12388682099325317
q_sampling_ratio: 0.08453183604026107
```






held-out index 1781 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.169 | terminal ['tilt_over']










E trajectory metrics


```
teacher_progress_m: 0.9164220690727234
generated_progress_m: 0.6517170071601868
enabled_teacher_rms_m: 0.19288752973079681
disabled_teacher_rms_m: 0.15866698324680328
q_effect_rms_m: 0.010236966249067336
sampling_rms_m: 0.12366815057716199
q_sampling_ratio: 0.08277770955004331
```






held-out index 1782 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.179 | terminal ['tilt_over']










E trajectory metrics


```
teacher_progress_m: 0.8719452619552612
generated_progress_m: 0.6486924290657043
enabled_teacher_rms_m: 0.189095601439476
disabled_teacher_rms_m: 0.154582217335701
q_effect_rms_m: 0.010333658079616725
sampling_rms_m: 0.12375806338552918
q_sampling_ratio: 0.08349886703887306
```






held-out index 1783 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.205 | terminal ['tilt_over']










E trajectory metrics


```
teacher_progress_m: 0.6755074858665466
generated_progress_m: 0.586807906627655
enabled_teacher_rms_m: 0.1757512092590332
disabled_teacher_rms_m: 0.1474204957485199
q_effect_rms_m: 0.01380702477763407
sampling_rms_m: 0.13254341669380665
q_sampling_ratio: 0.10416982692946702
```

held-out index 1784 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.205 | terminal ['tilt_over']










E trajectory metrics


```
teacher_progress_m: 0.4644744098186493
generated_progress_m: 0.4409218430519104
enabled_teacher_rms_m: 0.18852967023849487
disabled_teacher_rms_m: 0.17789052426815033
q_effect_rms_m: 0.024338091374374926
sampling_rms_m: 0.13280049126063073
q_sampling_ratio: 0.18326808239443657
```






held-out index 1785 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.205 | terminal ['tilt_over']










E trajectory metrics


```
teacher_progress_m: 0.29321184754371643
generated_progress_m: 0.28658246994018555
enabled_teacher_rms_m: 0.20632816851139069
disabled_teacher_rms_m: 0.19757333397865295
q_effect_rms_m: 0.020100335706956685
sampling_rms_m: 0.11312265441353832
q_sampling_ratio: 0.17768620981502634
```






held-out index 1786 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.205 | terminal ['tilt_over']










E trajectory metrics


```
teacher_progress_m: 0.12996771931648254
generated_progress_m: 0.15271970629692078
enabled_teacher_rms_m: 0.20931147038936615
disabled_teacher_rms_m: 0.2051008641719818
q_effect_rms_m: 0.016204689745791256
sampling_rms_m: 0.10058447372700487
q_sampling_ratio: 0.16110527942684488
```






held-out index 1787 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.287 | terminal ['tilt_over']










E trajectory metrics


```
teacher_progress_m: -0.10476227104663849
generated_progress_m: -0.021763280034065247
enabled_teacher_rms_m: 0.20861153304576874
disabled_teacher_rms_m: 0.20942437648773193
q_effect_rms_m: 0.011416903347708285
sampling_rms_m: 0.09050666886780943
q_sampling_ratio: 0.12614433268319017
```






held-out index 1788 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.291 | terminal ['tilt_over']










E trajectory metrics


```
teacher_progress_m: -0.383760929107666
generated_progress_m: -0.2110818326473236
enabled_teacher_rms_m: 0.15980714559555054
disabled_teacher_rms_m: 0.16251620650291443
q_effect_rms_m: 0.007756647013593465
sampling_rms_m: 0.07816037615495068
q_sampling_ratio: 0.09924014436952219
```







held-out index 1789 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.291 | terminal ['tilt_over']











E trajectory metrics

```
teacher_progress_m: -0.6120616793632507
generated_progress_m: -0.3109213709831238
enabled_teacher_rms_m: 0.144122496247291 56
disabled_teacher_rms_m: 0.12922003865242004
q_effect_rms_m: 0.008242001757025719
sampling_rms_m: 0.06052485258052392
q_sampling_ratio: 0.13617549495160414
```




held-out index 1790 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.196 | terminal ['tilt_over']


A Input: base XY [m], DEM height/mask




B q sweep, shared noise



C sampling, q=0.5




D enabled / disabled, shared noise



E trajectory metrics


```
teacher_progress_m: -0.8182560205459595
generated_progress_m: -0.34913069009780884
enabled_teacher_rms_m: 0.24266131222248077
disabled_teacher_rms_m: 0.22172364592552185
q_effect_rms_m: 0.006918168539414182
sampling_rms_m: 0.04928179870226553
q_sampling_ratio: 0.14037978973150075
```

F time relative to anchor [s]




held-out index 1791 | terrain pyramid_stairs | episode [0, 25, 7] | q=0.007 | terminal ['tilt_over']


A Input: base XY [m], DEM height/mask



B q sweep, shared noise




C sampling, q=0.5




E trajectory metrics

```
teacher_progress_m: -0.7986422181129456
generated_progress_m: -0.3450881838798523
enabled_teacher_rms_m: 0.288491815328598
disabled_teacher_rms_m: 0.26487085223197937
q_effect_rms_m: 0.007698032044572756
sampling_rms_m: 0.05069231085612306
q_sampling_ratio: 0.15185798229679484
```


D enabled / disabled, shared noise





F time relative to anchor [s]



held-out index 1859 | terrain pyramid_stairs | episode [0, 25, 8] | q=0.669 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.6019561886787415
generated_progress_m: 0.5386788845062256
enabled_teacher_rms_m: 0.1125631332397461
disabled_teacher_rms_m: 0.12724682688713074
q_effect_rms_m: 0.017892086529172957
sampling_rms_m: 0.13647022337785789
q_sampling_ratio: 0.13110615697926617
```






held-out index 1893 | terrain pyramid_stairs | episode [0, 41, 0] | q=0.091 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.09377126395702362
generated_progress_m: 0.12145622074604034
enabled_teacher_rms_m: 0.3792443573474884
disabled_teacher_rms_m: 0.38940855860710144
q_effect_rms_m: 0.015552993514575064
sampling_rms_m: 0.09635925785239254
q_sampling_ratio: 0.16140632318276923
```






held-out index 1964 | terrain pyramid_stairs | episode [0, 41, 1] | q=0.527 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: -0.08022289723157883
generated_progress_m: -0.008383797481656075
enabled_teacher_rms_m: 0.03362651169300079
disabled_teacher_rms_m: 0.023905755952000618
q_effect_rms_m: 0.011490930570289493
sampling_rms_m: 0.09070560429245234
q_sampling_ratio: 0.12668379930792942
```






held-out index 1979 | terrain pyramid_stairs | episode [0, 41, 1] | q=0.363 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: -0.012840213254094124
generated_progress_m: 0.042703431099653244
enabled_teacher_rms_m: 0.059141531586647034
disabled_teacher_rms_m: 0.05476008728146553
q_effect_rms_m: 0.012586274184286594
sampling_rms_m: 0.09353976616902011
q_sampling_ratio: 0.13455533084767432
```






held-out index 2000 | terrain pyramid_stairs | episode [0, 41, 2] | q=0.092 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.8034342527389526
generated_progress_m: 0.6541067361831665
enabled_teacher_rms_m: 0.18246152997016907
disabled_teacher_rms_m: 0.15794792771339417
q_effect_rms_m: 0.010201573109952733
sampling_rms_m: 0.12373341979192835
q_sampling_ratio: 0.08244800092899578
```






held-out index 2043 | terrain pyramid_stairs | episode [0, 41, 2] | q=0.081 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.5424455404281616
generated_progress_m: 0.5019146203994751
enabled_teacher_rms_m: 0.07324520498514175
disabled_teacher_rms_m: 0.08563350141048431
q_effect_rms_m: 0.020774491364136338
sampling_rms_m: 0.13731450999953917
q_sampling_ratio: 0.15129130464221194
```






held-out index 2068 | terrain pyramid_stairs | episode [0, 41, 3] | q=0.354 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.1026022657752037
generated_progress_m: 0.12834030389785767
enabled_teacher_rms_m: 0.0485302172601223
disabled_teacher_rms_m: 0.05003935098648071
q_effect_rms_m: 0.015603102394379675
sampling_rms_m: 0.0978311418688723
q_sampling_ratio: 0.15949013878723045
```







held-out index 2196 | terrain pyramid_stairs | episode [0, 41, 4] | q=0.231 | terminal ['time_out']












E trajectory metrics


```
teacher_progress_m: 0.6434276700019836
generated_progress_m: 0.5759619474411011
enabled_teacher_rms_m: 0.18690188229084015
disabled_teacher_rms_m: 0.18385392427444458
q_effect_rms_m: 0.01552749692928046
sampling_rms_m: 0.13464514033070632
q_sampling_ratio: 0.11532162906988598
```




held-out index 2215 | terrain pyramid_stairs | episode [0, 41, 5] | q=0.374 | terminal ['time_out']












E trajectory metrics


```
teacher_progress_m: -0.007041512988507748
generated_progress_m: 0.04703472554683685
enabled_teacher_rms_m: 0.057166725397109985
disabled_teacher_rms_m: 0.052199918776750565
q_effect_rms_m: 0.01272170851007104
sampling_rms_m: 0.09355884457805327
q_sampling_ratio: 0.13597547690381862
```



held-out index 2275 | terrain pyramid_stairs | episode [0, 41, 6] | q=0.869 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.37971925735473633
generated_progress_m: 0.34204891324043274
enabled_teacher_rms_m: 0.07649774104356766
disabled_teacher_rms_m: 0.09037591516971588
q_effect_rms_m: 0.022424605092965066
sampling_rms_m: 0.12369634104626519
q_sampling_ratio: 0.18128753771769016
```







held-out index 2326 | terrain pyramid_stairs | episode [0, 41, 6] | q=0.579 | terminal ['time_out']












E trajectory metrics


```
teacher_progress_m: 0.2945355474948883
generated_progress_m: 0.2641787528991699
enabled_teacher_rms_m: 0.11686296761035919
disabled_teacher_rms_m: 0.13743659853935242
q_effect_rms_m: 0.018266215920448303
sampling_rms_m: 0.11201473272272519
q_sampling_ratio: 0.16306976302539988
```



held-out index 2484 | terrain boxes | episode [0, 57, 0] | q=0.774 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.36457401514053345
generated_progress_m: 0.33992841839790344
enabled_teacher_rms_m: 0.12086876481771469
disabled_teacher_rms_m: 0.12997448444366455
q_effect_rms_m: 0.022583183483220637
sampling_rms_m: 0.12227687332779169
q_sampling_ratio: 0.18468891842434623
```







held-out index 2520 | terrain boxes | episode [0, 57, 0] | q=0.585 | terminal ['time_out']












E trajectory metrics


```
teacher_progress_m: 0.48511064052581787
generated_progress_m: 0.4460873603820801
enabled_teacher_rms_m: 0.13026024401187897
disabled_teacher_rms_m: 0.1468031108379364
q_effect_rms_m: 0.023534431005828083
sampling_rms_m: 0.13484533556870051
q_sampling_ratio: 0.1745290699642914
```



held-out index 2538 | terrain boxes | episode [0, 57, 0] | q=0.972 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: -0.014432486146688461
generated_progress_m: 0.023944340646266937
enabled_teacher_rms_m: 0.041369736194610596
disabled_teacher_rms_m: 0.04586510360240936
q_effect_rms_m: 0.01264410512521863
sampling_rms_m: 0.09333570447883435
q_sampling_ratio: 0.13546911330257244
```






held-out index 2569 | terrain boxes | episode [0, 57, 1] | q=0.980 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: -0.013274580240249634
generated_progress_m: 0.02387062832713127
enabled_teacher_rms_m: 0.01821182854473591
disabled_teacher_rms_m: 0.01742558740079403
q_effect_rms_m: 0.01270640327129513
sampling_rms_m: 0.09311316721141338
q_sampling_ratio: 0.13646193821809594
```






held-out index 2575 | terrain boxes | episode [0, 57, 1] | q=0.982 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: -0.006055872887372971
generated_progress_m: 0.02818230353295803
enabled_teacher_rms_m: 0.028314435854554176
disabled_teacher_rms_m: 0.027014946565032005
q_effect_rms_m: 0.013051485992036 76
sampling_rms_m: 0.09313930757343769
q_sampling_ratio: 0.14012865601073998
```






held-out index 2605 | terrain boxes | episode [0, 57, 1] | q=0.327 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 1.0047770738601685
generated_progress_m: 0.648662805557251
enabled_teacher_rms_m: 0.2626933753490448
disabled_teacher_rms_m: 0.2282228022813797
q_effect_rms_m: 0.010263848467729986
sampling_rms_m: 0.1236989057755896
q_sampling_ratio: 0.08297444834597255
```






held-out index 2622 | terrain boxes | episode [0, 57, 2] | q=0.999 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.015355565585196018
generated_progress_m: 0.044946935027837775
enabled_teacher_rms_m: 0.013624439015984535
disabled_teacher_rms_m: 0.012268519960343838
q_effect_rms_m: 0.013299658661708236
sampling_rms_m: 0.09430006944707461
q_sampling_ratio: 0.14103551290778843
```






held-out index 2626 | terrain boxes | episode [0, 57, 2] | q=0.627 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.36195844411849976
generated_progress_m: 0.3393639922142029
enabled_teacher_rms_m: 0.12480878084897995
disabled_teacher_rms_m: 0.13117706775665283
q_effect_rms_m: 0.022262152400799096
sampling_rms_m: 0.12227302882820368
q_sampling_ratio: 0.18206919885887438
```






held-out index 2634 | terrain boxes | episode [0, 57, 2] | q=0.478 | terminal ['time_out']









E trajectory metrics


```
teacher_progress_m: 1.2319896221160889
generated_progress_m: 0.6521103978157043
enabled_teacher_rms_m: 0.5013893246650696
disabled_teacher_rms_m: 0.4691305458545685
q_effect_rms_m: 0.01032155760913156
sampling_rms_m: 0.12383597277637039
q_sampling_ratio: 0.08334862138783194
```





F time relative to anchor [s]



held-out index 2663 | terrain boxes | episode [0, 57, 2] | q=0.924 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.1592348963022232
generated_progress_m: 0.15413615107536316
enabled_teacher_rms_m: 0.018423274159431458
disabled_teacher_rms_m: 0.011860132217407227
q_effect_rms_m: 0.016622212948277593
sampling_rms_m: 0.10169149203492063
q_sampling_ratio: 0.16345726290031778
```






held-out index 2686 | terrain boxes | episode [0, 57, 2] | q=0.771 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: -0.2714134156703949
generated_progress_m: -0.14628176391124725
enabled_teacher_rms_m: 0.11333025991916656
disabled_teacher_rms_m: 0.10532531887292862
q_effect_rms_m: 0.008987498935312033
sampling_rms_m: 0.0816071629524231
q_sampling_ratio: 0.11013125086276723
```






held-out index 2707 | terrain boxes | episode [0, 57, 3] | q=0.790 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.803747296333313
generated_progress_m: 0.649181604385376
enabled_teacher_rms_m: 0.06967078149318695
disabled_teacher_rms_m: 0.04621286317706108
q_effect_rms_m: 0.010356641927501187
sampling_rms_m: 0.12385974944170032
q_sampling_ratio: 0.08361587984945801
```






held-out index 2833 | terrain boxes | episode [0, 57, 5] | q=0.597 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: -0.011319629848003387
generated_progress_m: 0.03973795473575592
enabled_teacher_rms_m: 0.12324149161577225
disabled_teacher_rms_m: 0.12034039944410324
q_effect_rms_m: 0.012729839771054685
sampling_rms_m: 0.09331170615873166
q_sampling_ratio: 0.13642275224718403
```






held-out index 2925 | terrain boxes | episode [0, 57, 6] | q=0.453 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: -0.083293117582798
generated_progress_m: -0.011708037927746773
enabled_teacher_rms_m: 0.037344612181186676
disabled_teacher_rms_m: 0.029376087710261345
q_effect_rms_m: 0.011733998020645231
sampling_rms_m: 0.09005484743309873
q_sampling_ratio: 0.13029834989573832
```






held-out index 2944 | terrain boxes | episode [0, 57, 6] | q=0.177 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.38139232993125916
generated_progress_m: 0.37541699409484863
enabled_teacher_rms_m: 0.05580023303627968
disabled_teacher_rms_m: 0.05821026489138603
q_effect_rms_m: 0.022584780119359493
sampling_rms_m: 0.12384515455258745
q_sampling_ratio: 0.18236305005998024
```






held-out index 2956 | terrain boxes | episode [0, 57, 6] | q=0.095 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 1.0008742809295654
generated_progress_m: 0.6548550128936768
enabled_teacher_rms_m: 0.21728016436100006
disabled_teacher_rms_m: 0.1853913962841034
q_effect_rms_m: 0.010327166615752503
sampling_rms_m: 0.12380461793925081
q_sampling_ratio: 0.08341503562346841
```






held-out index 2986 | terrain boxes | episode [0, 57, 7] | q=0.662 | terminal ['time_out']









E trajectory metrics


```
teacher_progress_m: 1.343057632446289
generated_progress_m: 0.6456558108329773
enabled_teacher_rms_m: 0.4992011785507202
disabled_teacher_rms_m: 0.45962369441986084
q_effect_rms_m: 0.01023732649628073
sampling_rms_m: 0.12368336000612803
q_sampling_ratio: 0.08277044297449156
```





F time relative to anchor [s]



held-out index 3019 | terrain boxes | episode [0, 57, 7] | q=0.923 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: -0.045872583985328674
generated_progress_m: 0.003905576653778553
enabled_teacher_rms_m: 0.021781353279948235
disabled_teacher_rms_m: 0.019539373769760l3
q_effect_rms_m: 0.0119227230316028
sampling_rms_m: 0.09199391731194087
q_sampling_ratio: 0.1296033844408887
```






held-out index 3073 | terrain boxes | episode [0, 57, 8] | q=0.233 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.8247227072715759
generated_progress_m: 0.6514431834220886
enabled_teacher_rms_m: 0.16330525279045105
disabled_teacher_rms_m: 0.13075338304042816
q_effect_rms_m: 0.01022715141880326
sampling_rms_m: 0.12374186728681837
q_sampling_ratio: 0.0826490794348366
```






held-out index 3095 | terrain boxes | episode [0, 57, 8] | q=0.372 | terminal ['time_out']









E trajectory metrics


```
teacher_progress_m: -0.2824741303920746
generated_progress_m: -0.1467454731464386
enabled_teacher_rms_m: 0.12663915753364563
disabled_teacher_rms_m: 0.11752011626958847
q_effect_rms_m: 0.009112901927437633
sampling_rms_m: 0.08082320201875907
q_sampling_ratio: 0.11275106281142545
```






held-out index 3119 | terrain random_rough | episode [0, 65, 0] | q=0.136 | terminal ['time_out']


A Input: base XY [m], DEM height/mask



B q sweep, shared noise




C sampling, q=0.5




E trajectory metrics

```
teacher_progress_m: -0.8271289467811584
generated_progress_m: -0.3520788252353668
enabled_teacher_rms_m: 0.28568753600120544
disabled_teacher_rms_m: 0.2667939066886902
q_effect_rms_m: 0.0072218552231788635
sampling_rms_m: 0.047388493815170865
q_sampling_ratio: 0.1523968086292473
```


F time relative to anchor [s]





D enabled / disabled, shared noise




held-out index 3150 | terrain random_rough | episode [0, 65, 0] | q=0.275 | terminal ['time_out']












E trajectory metrics


```
teacher_progress_m: 0.3700861930847168
generated_progress_m: 0.35828182101249695
enabled_teacher_rms_m: 0.10098440945148468
disabled_teacher_rms_m: 0.09512505680322647
q_effect_rms_m: 0.02243207360152155
sampling_rms_m: 0.12233679635184151
q_sampling_ratio: 0.18336325840188544
```



held-out index 3192 | terrain random_rough | episode [0, 65, 1] | q=0.374 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: -0.1493765115737915
generated_progress_m: -0.058150842785835266
enabled_teacher_rms_m: 0.06111208721995354
disabled_teacher_rms_m: 0.0555272251367569
q_effect_rms_m: 0.011456008767709136
sampling_rms_m: 0.08521754427679948
q_sampling_ratio: 0.13443251462983122
```






held-out index 3227 | terrain random_rough | episode [0, 65, 1] | q=0.112 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.8237380981445312
generated_progress_m: 0.631217896938324
enabled_teacher_rms_m: 0.2476692795753479
disabled_teacher_rms_m: 0.21211302280426025
q_effect_rms_m: 0.010739919234765694
sampling_rms_m: 0.1256783182865807
q_sampling_ratio: 0.0854556249732413
```






held-out index 3287 | terrain random_rough | episode [0, 65, 2] | q=0.826 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: -0.7613940238952637
generated_progress_m: -0.3594111204147339
enabled_teacher_rms_m: 0.25188013911247253
disabled_teacher_rms_m: 0.24028021097183228
q_effect_rms_m: 0.00762918998952955
sampling_rms_m: 0.04896447751005845
q_sampling_ratio: 0.15581070967135993
```






held-out index 3309 | terrain random_rough | episode [0, 65, 2] | q=0.550 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.36541736125946045
generated_progress_m: 0.34453463554382324
enabled_teacher_rms_m: 0.21172544360160828
disabled_teacher_rms_m: 0.19992488622665405
q_effect_rms_m: 0.022297085146419704
sampling_rms_m: 0.12144552410713264
q_sampling_ratio: 0.18359742205690865
```






held-out index 3329 | terrain random_rough | episode [0, 65, 3] | q=0.876 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.00221802294254303
generated_progress_m: 0.03602434694766998
enabled_teacher_rms_m: 0.061641354113817215
disabled_teacher_rms_m: 0.06851889938116074
q_effect_rms_m: 0.013193031074479222
sampling_rms_m: 0.0934231486171484
q_sampling_ratio: 0.14121800934525086
```






held-out index 3347 | terrain random_rough | episode [0, 65, 3] | q=0.769 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.36220401525497437
generated_progress_m: 0.3341727554798126
enabled_teacher_rms_m: 0.07719410210847855
disabled_teacher_rms_m: 0.0650515928864479
q_effect_rms_m: 0.02237746468745172
sampling_rms_m: 0.12123057512300354
q_sampling_ratio: 0.18458598142215352
```






held-out index 3377 | terrain random_rough | episode [0, 65, 3] | q=0.618 | terminal ['time_out']









E trajectory metrics


```
teacher_progress_m: -0.25993990898132324
generated_progress_m: -0.13874799013137817
enabled_teacher_rms_m: 0.2230015993118286
disabled_teacher_rms_m: 0.22440962493419647
q_effect_rms_m: 0.009027128631714731
sampling_rms_m: 0.08263535132365567
q_sampling_ratio: 0.10924051858094508
```






held-out index 3381 | terrain random_rough | episode [0, 65, 4] | q=0.155 | terminal ['time_out']


A Input: base XY [m], DEM height/mask



B q sweep, shared noise




C sampling, q=0.5




E trajectory metrics

```
teacher_progress_m: 0.05188387632369995
generated_progress_m: 0.09611286222934723
enabled_teacher_rms_m: 0.1605931520462036
disabled_teacher_rms_m: 0.16259367763996124
q_effect_rms_m: 0.013833471108227968
sampling_rms_m: 0.09739107611988272
q_sampling_ratio: 0.14204043798838176
```


D enabled / disabled, shared noise





F time relative to anchor [s]




held-out index 3386 | terrain random_rough | episode [0, 65, 4] | q=0.151 | terminal ['time_out']












E trajectory metrics


```
teacher_progress_m: -0.5341902375221252
generated_progress_m: -0.28205329179763794
enabled_teacher_rms_m: 0.20478077232837677
disabled_teacher_rms_m: 0.1806025356054306
q_effect_rms_m: 0.008217574504669756
sampling_rms_m: 0.06729355627404791
q_sampling_ratio: 0.12211532514650147
```



held-out index 3414 | terrain random_rough | episode [0, 65, 4] | q=0.492 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: -0.028702570125460625
generated_progress_m: 0.02707454189658165
enabled_teacher_rms_m: 0.026742510497570038
disabled_teacher_rms_m: 0.020347295328974724
q_effect_rms_m: 0.012401302345097065
sampling_rms_m: 0.09261446805404765
q_sampling_ratio: 0.13390243021057957
```






held-out index 3439 | terrain random_rough | episode [0, 65, 4] | q=0.211 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.3593002259731293
generated_progress_m: 0.34526777267456055
enabled_teacher_rms_m: 0.0450979545712471
disabled_teacher_rms_m: 0.053273916244506836
q_effect_rms_m: 0.022273092530667782
sampling_rms_m: 0.12044034233050686
q_sampling_ratio: 0.184930498366959
```







held-out index 3440 | terrain random_rough | episode [0, 65, 4] | q=0.209 | terminal ['time_out']












E trajectory metrics


```
teacher_progress_m: 0.36071619391441345
generated_progress_m: 0.34759920835494995
enabled_teacher_rms_m: 0.054236382246017456
disabled_teacher_rms_m: 0.06324005126953125
q_effect_rms_m: 0.022405454074032605
sampling_rms_m: 0.1207459747259106
q_sampling_ratio: 0.1855586003996593
```



held-out index 3449 | terrain random_rough | episode [0, 65, 5] | q=0.850 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: -0.5862324237823486
generated_progress_m: -0.3139583468437195
enabled_teacher_rms_m: 0.181202694773674
disabled_teacher_rms_m: 0.1631264090538025
q_effect_rms_m: 0.00824377971002832
sampling_rms_m: 0.06255400919222406
q_sampling_ratio: 0.13178659236206214
```






held-out index 3486 | terrain random_rough | episode [0, 65, 5] | q=0.829 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.287873238325119
generated_progress_m: 0.255980521440506
enabled_teacher_rms_m: 0.066162109375
disabled_teacher_rms_m: 0.07813013345003128
q_effect_rms_m: 0.019671900547109544
sampling_rms_m: 0.11215875843273741
q_sampling_ratio: 0.17539335154915214
```






held-out index 3560 | terrain random_rough | episode [0, 65, 6] | q=0.827 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.5533486008644104
generated_progress_m: 0.49318140745162964
enabled_teacher_rms_m: 0.07146383821964264
disabled_teacher_rms_m: 0.08431792259216309
q_effect_rms_m: 0.02108253468759358
sampling_rms_m: 0.13682638481259346
q_sampling_ratio: 0.15408237757995014
```






held-out index 3566 | terrain random_rough | episode [0, 65, 6] | q=0.689 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.7763835191726685
generated_progress_m: 0.6412220001220703
enabled_teacher_rms_m: 0.128616064786911
disabled_teacher_rms_m: 0.09918712079524994
q_effect_rms_m: 0.011196430888958275
sampling_rms_m: 0.12538235701088393
q_sampling_ratio: 0.08929829647393181
```






held-out index 3586 | terrain random_rough | episode [0, 65, 7] | q=0.702 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: -0.020905829966068268
generated_progress_m: 0.027637772262096405
enabled_teacher_rms_m: 0.15504305064678192
disabled_teacher_rms_m: 0.15780505537986755
q_effect_rms_m: 0.012491272878833115
sampling_rms_m: 0.09298422294003623
q_sampling_ratio: 0.13433755194027377
```






held-out index 3595 | terrain random_rough | episode [0, 65, 7] | q=0.781 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.19018074870109558
generated_progress_m: 0.1903076469898224
enabled_teacher_rms_m: 0.1090303584933281
disabled_teacher_rms_m: 0.10099829733371735
q_effect_rms_m: 0.017381135723553598
sampling_rms_m: 0.10495361353137664
q_sampling_ratio: 0.16560778746657812
```






held-out index 3600 | terrain random_rough | episode [0, 65, 7] | q=0.884 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.0026716534048318863
generated_progress_m: 0.0376964695751667
enabled_teacher_rms_m: 0.023822249844670296
disabled_teacher_rms_m: 0.026180081069469452
q_effect_rms_m: 0.012932192883454263
sampling_rms_m: 0.09397062206906932
q_sampling_ratio: 0.13761953043099975
```






held-out index 3602 | terrain random_rough | episode [0, 65, 7] | q=0.871 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.08370940387248993
generated_progress_m: 0.09675931930541992
enabled_teacher_rms_m: 0.016199691221117973
disabled_teacher_rms_m: 0.024082323536276817
q_effect_rms_m: 0.0149302182253450 16
sampling_rms_m: 0.09811076282390527
q_sampling_ratio: 0.15217716992112898
```






held-out index 3606 | terrain random_rough | episode [0, 65, 7] | q=0.871 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.09210050851106644
generated_progress_m: 0.10329262912273407
enabled_teacher_rms_m: 0.03764034062623978
disabled_teacher_rms_m: 0.03138843923807144
q_effect_rms_m: 0.015133632230572402
sampling_rms_m: 0.09857287111559085
q_sampling_ratio: 0.15352735554213537
```







held-out index 3607 | terrain random_rough | episode [0, 65, 7] | q=0.872 | terminal ['time_out']












E trajectory metrics


```
teacher_progress_m: 0.10935872048139572
generated_progress_m: 0.11647053807973862
enabled_teacher_rms_m: 0.04435485228896141
disabled_teacher_rms_m: 0.03704332932829857
q_effect_rms_m: 0.01568911352660507
sampling_rms_m: 0.09946591925940343
q_sampling_ratio: 0.1577335598305631
```



held-out index 3632 | terrain random_rough | episode [0, 65, 7] | q=0.948 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: -0.007795950397849083
generated_progress_m: 0.027352839708328247
enabled_teacher_rms_m: 0.044385604560375214
disabled_teacher_rms_m: 0.036798827350139 62
q_effect_rms_m: 0.012901142938062549
sampling_rms_m: 0.0931531750996198
q_sampling_ratio: 0.13849386158084057
```






held-out index 3662 | terrain random_rough | episode [0, 65, 8] | q=0.956 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.02435184083878994
generated_progress_m: 0.051522236317396164
enabled_teacher_rms_m: 0.029411686584353447
disabled_teacher_rms_m: 0.022653158754110336
q_effect_rms_m: 0.013432669686153531
sampling_rms_m: 0.09482406279338258
q_sampling_ratio: 0.14165887107603395
```






held-out index 3665 | terrain random_rough | episode [0, 65, 8] | q=0.958 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: -0.014373652637004852
generated_progress_m: 0.023778729140758514
enabled_teacher_rms_m: 0.018074894323945045
disabled_teacher_rms_m: 0.01480090245604515
q_effect_rms_m: 0.012635118095204234
sampling_rms_m: 0.09326829042817865
q_sampling_ratio: 0.13547067322879602
```







held-out index 3674 | terrain random_rough | episode [0, 65, 8] | q=0.929 | terminal ['time_out']












E trajectory metrics


```
teacher_progress_m: 0.15226395428180695
generated_progress_m: 0.14571452140808105
enabled_teacher_rms_m: 0.03237788379192352
disabled_teacher_rms_m: 0.04251719266176224
q_effect_rms_m: 0.01647527061868459
sampling_rms_m: 0.10110732247786862
q_sampling_ratio: 0.16294834256233875
```



held-out index 3691 | terrain random_rough | episode [0, 65, 8] | q=0.984 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.02668881230056286
generated_progress_m: 0.054594557732343674
enabled_teacher_rms_m: 0.02580511011183262
disabled_teacher_rms_m: 0.024078115820884705
q_effect_rms_m: 0.013192242477089167
sampling_rms_m: 0.09573740778224808
q_sampling_ratio: 0.13779611107807027
```







held-out index 3703 | terrain random_rough | episode [0, 65, 8] | q=0.779 | terminal ['time_out']












E trajectory metrics


```
teacher_progress_m: -0.7612334489822388
generated_progress_m: -0.35588228702545166
enabled_teacher_rms_m: 0.2332642823457718
disabled_teacher_rms_m: 0.21976235508918762
q_effect_rms_m: 0.0074592261225916445
sampling_rms_m: 0.049019754731229374
q_sampling_ratio: 0.152167756927587
```




held-out index 3723 | terrain random_rough | episode [0, 65, 8] | q=0.847 | terminal ['time_out']












E trajectory metrics


```
teacher_progress_m: 0.3563484251499176
generated_progress_m: 0.31859639286994934
enabled_teacher_rms_m: 0.12114054709672928
disabled_teacher_rms_m: 0.10382296144962311
q_effect_rms_m: 0.02264388115145266
sampling_rms_m: 0.12086172308772802
q_sampling_ratio: 0.18735361844060835
```



held-out index 3776 | terrain pyramid_stairs_inv | episode [0, 66, 0] | q=0.117 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.357323557138443
generated_progress_m: 0.35159826278686523
enabled_teacher_rms_m: 0.035077936947345734
disabled_teacher_rms_m: 0.04279822111129761
q_effect_rms_m: 0.022616428672336042
sampling_rms_m: 0.121164756161826
q_sampling_ratio: 0.18665847552344222
```






held-out index 3809 | terrain pyramid_stairs_inv | episode [0, 66, 1] | q=0.644 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: -0.35552340745925903
generated_progress_m: -0.2017383724451065
enabled_teacher_rms_m: 0.10703317075967789
disabled_teacher_rms_m: 0.10309495776891708
q_effect_rms_m: 0.008405553991906345
sampling_rms_m: 0.07559525294761572
q_sampling_ratio: 0.11119155851930325
```






held-out index 3822 | terrain pyramid_stairs_inv | episode [0, 66, 1] | q=0.944 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.0245942622423172
generated_progress_m: 0.051310811191797256
enabled_teacher_rms_m: 0.013503046706318855
disabled_teacher_rms_m: 0.01336679793894291
q_effect_rms_m: 0.01349578460212797
sampling_rms_m: 0.09472682380250522
q_sampling_ratio: 0.14247057021847542
```






held-out index 3867 | terrain pyramid_stairs_inv | episode [0, 66, 2] | q=0.392 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.019391275942325592
generated_progress_m: 0.06518326699733734
enabled_teacher_rms_m: 0.05127323418855667
disabled_teacher_rms_m: 0.04878838360309601
q_effect_rms_m: 0.013536905404180288
sampling_rms_m: 0.09414743405899831
q_sampling_ratio: 0.14378411413419157
```






held-out index 3868 | terrain pyramid_stairs_inv | episode [0, 66, 2] | q=0.392 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.07184773683547974
generated_progress_m: 0.10548035055398941
enabled_teacher_rms_m: 0.052835576236248016
disabled_teacher_rms_m: 0.0529201477766037
q_effect_rms_m: 0.014806525083258748
sampling_rms_m: 0.09692257083952427
q_sampling_ratio: 0.1527665326559906
```






held-out index 3933 | terrain pyramid_stairs_inv | episode [0, 66, 3] | q=0.903 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.2626165747642517
generated_progress_m: 0.2366914004087448
enabled_teacher_rms_m: 0.05123661831021309
disabled_teacher_rms_m: 0.03115650825202465
q_effect_rms_m: 0.01956668810453266
sampling_rms_m: 0.11009732886616673
q_sampling_ratio: 0.17772173317953735
```






held-out index 3944 | terrain pyramid_stairs_inv | episode [0, 66, 3] | q=0.942 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.006337638944387436
generated_progress_m: 0.03870098292827606
enabled_teacher_rms_m: 0.017729710787534714
disabled_teacher_rms_m: 0.0208553746342659
q_effect_rms_m: 0.013016036595217884
sampling_rms_m: 0.09410132268177611
q_sampling_ratio: 0.1383193798373527
```






held-out index 4019 | terrain pyramid_stairs_inv | episode [0, 66, 4] | q=0.999 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.023724254220724106
generated_progress_m: 0.05080796033143997
enabled_teacher_rms_m: 0.02580236829817295
disabled_teacher_rms_m: 0.03202817216515541
q_effect_rms_m: 0.013428486767224967
sampling_rms_m: 0.09478108558271613
q_sampling_ratio: 0.1416789719664672
```






held-out index 4052 | terrain pyramid_stairs_inv | episode [0, 66, 4] | q=0.975 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: -0.00430170027539134
generated_progress_m: 0.031301096081733704
enabled_teacher_rms_m: 0.016489917412400246
disabled_teacher_rms_m: 0.014384252019226551
q_effect_rms_m: 0.012764573097229004
sampling_rms_m: 0.09378081573439496
q_sampling_ratio: 0.13611070662235114
```






held-out index 4148 | terrain pyramid_stairs_inv | episode [0, 66, 6] | q=0.878 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: -0.3512164056301117
generated_progress_m: -0.20195412635803223
enabled_teacher_rms_m: 0.11216749250888824
disabled_teacher_rms_m: 0.11146310716867447
q_effect_rms_m: 0.008175727329216897
sampling_rms_m: 0.07972838450223207
q_sampling_ratio: 0.10254475090973417
```






held-out index 4154 | terrain pyramid_stairs_inv | episode [0, 66, 6] | q=0.871 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: -0.7689518332481384
generated_progress_m: -0.36126142740249634
enabled_teacher_rms_m: 0.24768498539924622
disabled_teacher_rms_m: 0.23662082850933075
q_effect_rms_m: 0.007794953999109566
sampling_rms_m: 0.048394456738606095
q_sampling_ratio: 0.16107121609428535
```






held-out index 4165 | terrain pyramid_stairs_inv | episode [0, 66, 6] | q=0.653 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: -0.38256457448005676
generated_progress_m: -0.217507004737854
enabled_teacher_rms_m: 0.16550497710704803
disabled_teacher_rms_m: 0.15630616247653 96
q_effect_rms_m: 0.007687280711252242
sampling_rms_m: 0.07692425604909658
q_sampling_ratio: 0.09993311740767265
```






held-out index 4193 | terrain pyramid_stairs_inv | episode [0, 66, 6] | q=0.705 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.11624472588300705
generated_progress_m: 0.12896983325481415
enabled_teacher_rms_m: 0.14888188242912292
disabled_teacher_rms_m: 0.1570352017879486
q_effect_rms_m: 0.015941455028951168
sampling_rms_m: 0.09908153209835291
q_sampling_ratio: 0.16089229436951927
```







held-out index 4230 | terrain pyramid_stairs_inv | episode [0, 66, 7] | q=0.939 | terminal ['time_out']












E trajectory metrics


```
teacher_progress_m: 0.16670724749565125
generated_progress_m: 0.15788275003433228
enabled_teacher_rms_m: 0.06203436106443405
disabled_teacher_rms_m: 0.0489441454410553
q_effect_rms_m: 0.01675712561700493
sampling_rms_m: 0.10244442136692149
q_sampling_ratio: 0.1635728465582966
```



held-out index 4302 | terrain pyramid_stairs_inv | episode [0, 66, 8] | q=0.799 | terminal ['time_out']









E trajectory metrics


```
teacher_progress_m: 0.3574881851673126
generated_progress_m: 0.3245934844017029
enabled_teacher_rms_m: 0.11581967025995255
disabled_teacher_rms_m: 0.09625829756259918
q_effect_rms_m: 0.02149157167878002
sampling_rms_m: 0.11983597371727228
q_sampling_ratio: 0.17934157008215956
```






held-out index 4347 | terrain k_rail_step_field | episode [0, 70, 0] | q=0.743 | terminal ['time_out']


A Input: base XY [m], DEM height/mask




B q sweep, shared noise



C sampling, q=0.5




D enabled / disabled, shared noise




E trajectory metrics


```
teacher_progress_m: 0.2195357382297516
generated_progress_m: 0.21383433043956757
enabled_teacher_rms_m: 0.18933089077472687
disabled_teacher_rms_m: 0.17876408994197845
q_effect_rms_m: 0.018024894408881664
sampling_rms_m: 0.10727672837674618
q_sampling_ratio: 0.16802240972133176
```


F time relative to anchor [s]



held-out index 4354 | terrain k_rail_step_field | episode [0, 70, 0] | q=0.646 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.150261789560318
generated_progress_m: 0.15811872482299805
enabled_teacher_rms_m: 0.0929747074842453
disabled_teacher_rms_m: 0.10096059739589691
q_effect_rms_m: 0.016494725132361054
sampling_rms_m: 0.10202957024531704
q_sampling_ratio: 0.1616661237786418
```






held-out index 4406 | terrain k_rail_step_field | episode [0, 70, 0] | q=0.709 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.45251980423927307
generated_progress_m: 0.4162839353084564
enabled_teacher_rms_m: 0.12818528711795807
disabled_teacher_rms_m: 0.11290431022644043
q_effect_rms_m: 0.02516927313990891
sampling_rms_m: 0.13095494639128447
q_sampling_ratio: 0.1921979568813295
```






held-out index 4407 | terrain k_rail_step_field | episode [0, 70, 0] | q=0.709 | terminal ['time_out']









E trajectory metrics


```
teacher_progress_m: 0.3606277406215668
generated_progress_m: 0.3334580659866333
enabled_teacher_rms_m: 0.1483982503414154
disabled_teacher_rms_m: 0.13516484200954437
q_effect_rms_m: 0.022499844897538424
sampling_rms_m: 0.12131546597395625
q_sampling_ratio: 0.18546559349958433
```






held-out index 4425 | terrain k_rail_step_field | episode [0, 70, 1] | q=0.635 | terminal ['time_out']


A Input: base XY [m], DEM height/mask



B q sweep, shared noise




C sampling, q=0.5




E trajectory metrics

```
teacher_progress_m: 1.0068637132644653
generated_progress_m: 0.6504473090171814
enabled_teacher_rms_m: 0.22531165182590485
disabled_teacher_rms_m: 0.19474801421165466
q_effect_rms_m: 0.01106544426875189
sampling_rms_m: 0.12418307450466923
q_sampling_ratio: 0.08910589718356372
```


F time relative to anchor [s]





D enabled / disabled, shared noise



held-out index 4466 | terrain k_rail_step_field | episode [0, 70, 1] | q=0.871 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.487065851688385
generated_progress_m: 0.4325833320617676
enabled_teacher_rms_m: 0.025791799649596214
disabled_teacher_rms_m: 0.019980844110250473
q_effect_rms_m: 0.02360663190484047
sampling_rms_m: 0.13490025379828044
q_sampling_ratio: 0.17499323566981592
```






held-out index 4473 | terrain k_rail_step_field | episode [0, 70, 1] | q=0.877 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.1546698659658432
generated_progress_m: 0.15039262175559998
enabled_teacher_rms_m: 0.11891671270132065
disabled_teacher_rms_m: 0.10668671131134033
q_effect_rms_m: 0.016522382153198123
sampling_rms_m: 0.10135863056140286
q_sampling_ratio: 0.1630091296782951
```






held-out index 4479 | terrain k_rail_step_field | episode [0, 70, 1] | q=0.904 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.013449307531118393
generated_progress_m: 0.044852934777736664
enabled_teacher_rms_m: 0.04005115106701851
disabled_teacher_rms_m: 0.04528653621673584
q_effect_rms_m: 0.013322758139111102
sampling_rms_m: 0.09406603247459445
q_sampling_ratio: 0.14163197690632204
```






held-out index 4480 | terrain k_rail_step_field | episode [0, 70, 1] | q=0.904 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.06391717493534088
generated_progress_m: 0.08072002232074738
enabled_teacher_rms_m: 0.04418858140707016
disabled_teacher_rms_m: 0.052434727549552 92
q_effect_rms_m: 0.014522226294502616
sampling_rms_m: 0.09632268800799336
q_sampling_ratio: 0.1507664143809762
```






held-out index 4494 | terrain k_rail_step_field | episode [0, 70, 2] | q=0.958 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.0922592505812645
generated_progress_m: 0.10174915939569473
enabled_teacher_rms_m: 0.03770960494875908
disabled_teacher_rms_m: 0.03165018931031227
q_effect_rms_m: 0.015059401746839285
sampling_rms_m: 0.09869798645377159
q_sampling_ratio: 0.15258063804465602
```






held-out index 4504 | terrain k_rail_step_field | episode [0, 70, 2] | q=0.927 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.010605191811919212
generated_progress_m: 0.04361443594098091
enabled_teacher_rms_m: 0.03300641477108002
disabled_teacher_rms_m: 0.029242046177387238
q_effect_rms_m: 0.012819549068808556
sampling_rms_m: 0.09483633203698057
q_sampling_ratio: 0.13517550493000602
```






held-out index 4510 | terrain k_rail_step_field | episode [0, 70, 2] | q=0.751 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.17014764249324799
generated_progress_m: 0.16925372183322906
enabled_teacher_rms_m: 0.06625201553106308
disabled_teacher_rms_m: 0.07774752378463745
q_effect_rms_m: 0.016782604972831905
sampling_rms_m: 0.10188607099865164
q_sampling_ratio: 0.16471932628606323
```






held-out index 4512 | terrain k_rail_step_field | episode [0, 70, 2] | q=0.751 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.3647041618824005
generated_progress_m: 0.33127036690711975
enabled_teacher_rms_m: 0.05905546993017197
disabled_teacher_rms_m: 0.06948968768119812
q_effect_rms_m: 0.02166891284286976
sampling_rms_m: 0.12072468163179499
q_sampling_ratio: 0.17949032915207014
```






held-out index 4549 | terrain k_rail_step_field | episode [0, 70, 2] | q=0.766 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.30410075187683105
generated_progress_m: 0.26725560426712036
enabled_teacher_rms_m: 0.08741289377212524
disabled_teacher_rms_m: 0.09490446001291275
q_effect_rms_m: 0.0194872337160632
sampling_rms_m: 0.11315481444554669
q_sampling_ratio: 0.17221745103422897
```






held-out index 4552 | terrain k_rail_step_field | episode [0, 70, 3] | q=0.624 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: -0.4577677547931671
generated_progress_m: -0.2588323652744293
enabled_teacher_rms_m: 0.18274396657943726
disabled_teacher_rms_m: 0.17055369913578033
q_effect_rms_m: 0.008627632458228618
sampling_rms_m: 0.07207637586231742
q_sampling_ratio: 0.11970125238690406
```







held-out index 4558 | terrain k_rail_step_field | episode [0, 70, 3] | q=0.521 | terminal ['time_out']












E trajectory metrics


```
teacher_progress_m: 0.19622570276260376
generated_progress_m: 0.1996123194694519
enabled_teacher_rms_m: 0.03747523948550224
disabled_teacher_rms_m: 0.037352707237005234
q_effect_rms_m: 0.01756681047845632
sampling_rms_m: 0.10427365119435958
q_sampling_ratio: 0.16846835492230802
```



held-out index 4564 | terrain k_rail_step_field | episode [0, 70, 3] | q=0.936 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.11109651625156403
generated_progress_m: 0.11413639038801193
enabled_teacher_rms_m: 0.03187999129295349
disabled_teacher_rms_m: 0.02081024833023548
q_effect_rms_m: 0.01579523936379701
sampling_rms_m: 0.0986954238531845
q_sampling_ratio: 0.16004024044005724
```






held-out index 4617 | terrain k_rail_step_field | episode [0, 70, 3] | q=0.979 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.03837531432509422
generated_progress_m: 0.06055959314107895
enabled_teacher_rms_m: 0.023627996444702l5
disabled_teacher_rms_m: 0.015697890892624855
q_effect_rms_m: 0.01385961554478854
sampling_rms_m: 0.09543516260704824
q_sampling_ratio: 0.1452254616241934
```






held-out index 4619 | terrain k_rail_step_field | episode [0, 70, 3] | q=0.981 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.014081582427024841
generated_progress_m: 0.04329422116279602
enabled_teacher_rms_m: 0.026403715834021 57
disabled_teacher_rms_m: 0.01931908167898655
q_effect_rms_m: 0.013359679491259158
sampling_rms_m: 0.09408550190606288
q_sampling_ratio: 0.14199509191753867
```






held-out index 4643 | terrain k_rail_step_field | episode [0, 70, 4] | q=0.903 | terminal ['time_out']









E trajectory metrics


```
teacher_progress_m: 0.17921900749206543
generated_progress_m: 0.1687595397233963
enabled_teacher_rms_m: 0.04118502140045166
disabled_teacher_rms_m: 0.025127088651061058
q_effect_rms_m: 0.016991337877698243
sampling_rms_m: 0.10278799797275237
q_sampling_ratio: 0.16530468744222845
```






held-out index 4712 | terrain k_rail_step_field | episode [0, 70, 5] | q=0.804 | terminal ['time_out']


A Input: base XY [m], DEM height/mask




B q sweep, shared noise



C sampling, q=0.5




D enabled / disabled, shared noise




E trajectory metrics


```
teacher_progress_m: -0.3525888919830322
generated_progress_m: -0.2012375295162201
enabled_teacher_rms_m: 0.11925165355205536
disabled_teacher_rms_m: 0.10201025009155273
q_effect_rms_m: 0.00817665649810806
sampling_rms_m: 0.08171390156660761
q_sampling_ratio: 0.10006444853747444
```


F time relative to anchor [s]



held-out index 4795 | terrain k_rail_step_field | episode [0, 70, 6] | q=0.432 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.0854363963007927
generated_progress_m: 0.11212923377752304
enabled_teacher_rms_m: 0.06533367931842804
disabled_teacher_rms_m: 0.062144577503204346
q_effect_rms_m: 0.015056092874146998
sampling_rms_m: 0.0980715530791453
q_sampling_ratio: 0.15352150956553623
```






held-out index 4805 | terrain k_rail_step_field | episode [0, 70, 6] | q=0.822 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.020760895684361458
generated_progress_m: 0.04937659204006195
enabled_teacher_rms_m: 0.024840356782078743
disabled_teacher_rms_m: 0.018712887540459633
q_effect_rms_m: 0.01363647764082998
sampling_rms_m: 0.09406363950776202
q_sampling_ratio: 0.14497076354040836
```






held-out index 4819 | terrain k_rail_step_field | episode [0, 70, 6] | q=0.509 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: -0.7200012803077698
generated_progress_m: -0.34284737706184387
enabled_teacher_rms_m: 0.18487393856048584
disabled_teacher_rms_m: 0.17064331471920013
q_effect_rms_m: 0.007511234347475693
sampling_rms_m: 0.05171162921137044
q_sampling_ratio: 0.14525232451628328
```






held-out index 4827 | terrain k_rail_step_field | episode [0, 70, 6] | q=0.495 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: -0.35996678471565247
generated_progress_m: -0.19878019392490387
enabled_teacher_rms_m: 0.19936859607696533
disabled_teacher_rms_m: 0.18742460012435913
q_effect_rms_m: 0.008238861977588385
sampling_rms_m: 0.07871518789657525
q_sampling_ratio: 0.10466673837345744
```






held-out index 4843 | terrain k_rail_step_field | episode [0, 70, 7] | q=0.777 | terminal ['time_out']









E trajectory metrics


```
teacher_progress_m: 0.5524243712425232
generated_progress_m: 0.49780988693237305
enabled_teacher_rms_m: 0.05097290128469467
disabled_teacher_rms_m: 0.05761602893471718
q_effect_rms_m: 0.020706946263089776
sampling_rms_m: 0.1370219520426222
q_sampling_ratio: 0.15112137839525633
```






held-out index 4885 | terrain k_rail_step_field | episode [0, 70, 7] | q=0.353 | terminal ['time_out']


A Input: base XY [m], DEM height/mask



B q sweep, shared noise




C sampling, q=0.5




E trajectory metrics

```
teacher_progress_m: 0.027817830443382263
generated_progress_m: 0.06837025284767151
enabled_teacher_rms_m: 0.23755839467048645
disabled_teacher_rms_m: 0.2283763289451599
q_effect_rms_m: 0.014008224243298173
sampling_rms_m: 0.09357518343521017
q_sampling_ratio: 0.1497002060700979
```


D enabled / disabled, shared noise





F time relative to anchor [s]



held-out index 4906 | terrain k_rail_step_field | episode [0, 70, 8] | q=0.422 | terminal ['time_out']









E trajectory metrics


```
teacher_progress_m: 0.014534561894834042
generated_progress_m: 0.05771666020154953
enabled_teacher_rms_m: 0.024364439770579338
disabled_teacher_rms_m: 0.01717880368232727
q_effect_rms_m: 0.013405248173512518
sampling_rms_m: 0.09404093279902424
q_sampling_ratio: 0.14254695029621833
```






held-out index 4925 | terrain k_rail_step_field | episode [0, 70, 8] | q=0.199 | terminal ['time_out']


A Input: base XY [m], DEM height/mask



B q sweep, shared noise




C sampling, q=0.5




E trajectory metrics

```
teacher_progress_m: 0.21688084304332733
generated_progress_m: 0.22627410292625427
enabled_teacher_rms_m: 0.050495218485593796
disabled_teacher_rms_m: 0.05521771311759949
q_effect_rms_m: 0.01802647882141173
sampling_rms_m: 0.10638200425143753
q_sampling_ratio: 0.16945045309360338
```


F time relative to anchor [s]





D enabled / disabled, shared noise



held-out index 4953 | terrain k_rail_step_field | episode [0, 70, 8] | q=0.166 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.1304682344198227
generated_progress_m: 0.15524984896183014
enabled_teacher_rms_m: 0.0888717845082283
disabled_teacher_rms_m: 0.08361157774925232
q_effect_rms_m: 0.016188511275686324
sampling_rms_m: 0.09999560511537961
q_sampling_ratio: 0.1618922277334815
```






held-out index 4973 | terrain pyramid_stairs_inv | episode [0, 85, 0] | q=0.347 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.3643310070037842
generated_progress_m: 0.3557029366493225
enabled_teacher_rms_m: 0.167505696415901l8
disabled_teacher_rms_m: 0.16677166521549225
q_effect_rms_m: 0.022316980524919927
sampling_rms_m: 0.12236951544348683
q_sampling_ratio: 0.18237369367721687
```






held-out index 5015 | terrain pyramid_stairs_inv | episode [0, 85, 0] | q=0.897 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.09967254847288132
generated_progress_m: 0.10779827833175659
enabled_teacher_rms_m: 0.01429736241698265
disabled_teacher_rms_m: 0.01839977689087391
q_effect_rms_m: 0.01558486302383244
sampling_rms_m: 0.0980797644172396
q_sampling_ratio: 0.15889988231958957
```





held-out index 5030 | terrain pyramid_stairs_inv | episode [0, 85, 0] | q=0.961 | terminal ['time_out']












E trajectory metrics


```
teacher_progress_m: 0.061387110501527786
generated_progress_m: 0.0773291066288948
enabled_teacher_rms_m: 0.021276991814374924
disabled_teacher_rms_m: 0.026966437697410583
q_effect_rms_m: 0.014390551019459963
sampling_rms_m: 0.09651352904204812
q_sampling_ratio: 0.1491039770516569
```




held-out index 5042 | terrain pyramid_stairs_inv | episode [0, 85, 1] | q=0.057 | terminal ['time_out']











E trajectory metrics

```
teacher_progress_m: -0.7953939437866211
generated_progress_m: -0.35292527079582214
enabled_teacher_rms_m: 0.33036839962005615
disabled_teacher_rms_m: 0.3168165683746338
q_effect_rms_m: 0.008096697594737634
sampling_rms_m: 0.046439607228551595
q_sampling_ratio: 0.17434896800246177
```




held-out index 5051 | terrain pyramid_stairs_inv | episode [0, 85, 1] | q=0.060 | terminal ['time_out']


A Input: base XY [m], DEM height/mask




B q sweep, shared noise



C sampling, q=0.5




D enabled / disabled, shared noise




E trajectory metrics


```
teacher_progress_m: -0.6167722344398499
generated_progress_m: -0.3088356852531433
enabled_teacher_rms_m: 0.2430877983570099
disabled_teacher_rms_m: 0.21598373353481293
q_effect_rms_m: 0.00807129920576699
sampling_rms_m: 0.06111703207716346
q_sampling_ratio: 0.13206300979367833
```


F time relative to anchor [s]




held-out index 5100 | terrain pyramid_stairs_inv | episode [0, 85, 1] | q=0.169 | terminal ['time_out']












E trajectory metrics


```
teacher_progress_m: 0.1677849441766739
generated_progress_m: 0.18519461154937744
enabled_teacher_rms_m: 0.04688878729939461
disabled_teacher_rms_m: 0.042077295482158666
q_effect_rms_m: 0.016778067452833056
sampling_rms_m: 0.10231293006134885
q_sampling_ratio: 0.16398775250374117
```



held-out index 5194 | terrain pyramid_stairs_inv | episode [0, 85, 3] | q=0.812 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.13956286013126373
generated_progress_m: 0.14037612080574036
enabled_teacher_rms_m: 0.02787690982222557
disabled_teacher_rms_m: 0.03659680858254433
q_effect_rms_m: 0.01632874005008489
sampling_rms_m: 0.10129587751414094
q_sampling_ratio: 0.1611984658290303
```






held-out index 5251 | terrain pyramid_stairs_inv | episode [0, 85, 4] | q=0.097 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.7790493965148926
generated_progress_m: 0.6396607160568237
enabled_teacher_rms_m: 0.07655426114797592
disabled_teacher_rms_m: 0.044865548610687256
q_effect_rms_m: 0.010810202831635252
sampling_rms_m: 0.12518482016665594
q_sampling_ratio: 0.08635394305191199
```






held-out index 5265 | terrain pyramid_stairs_inv | episode [0, 85, 4] | q=0.327 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.03616705909371376
generated_progress_m: 0.0745665431022644
enabled_teacher_rms_m: 0.060874294489622116
disabled_teacher_rms_m: 0.05586928129196167
q_effect_rms_m: 0.014131812495179474
sampling_rms_m: 0.0938518854922482
q_sampling_ratio: 0.15057569084583503
```






held-out index 5343 | terrain pyramid_stairs_inv | episode [0, 85, 5] | q=0.894 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: -0.1892249584197998
generated_progress_m: -0.09675832092761993
enabled_teacher_rms_m: 0.06553841382265091
disabled_teacher_rms_m: 0.06200679391622543
q_effect_rms_m: 0.010359978303313255
sampling_rms_m: 0.08563142243240561
q_sampling_ratio: 0.12098337279742202
```






held-out index 5397 | terrain pyramid_stairs_inv | episode [0, 85, 6] | q=0.519 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.022470327094197273
generated_progress_m: 0.0642181932926178
enabled_teacher_rms_m: 0.0298902727663517
disabled_teacher_rms_m: 0.023209935054183006
q_effect_rms_m: 0.013484067865647376
sampling_rms_m: 0.09458875749260187
q_sampling_ratio: 0.14255465684388563
```






held-out index 5461 | terrain pyramid_stairs_inv | episode [0, 85, 7] | q=0.028 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.29962795972824097
generated_progress_m: 0.2877710461616516
enabled_teacher_rms_m: 0.0838397666811943
disabled_teacher_rms_m: 0.08235864341259003
q_effect_rms_m: 0.019975502975285053
sampling_rms_m: 0.1129597896443946
q_sampling_ratio: 0.17683728907577953
```






held-out index 5590 | terrain pyramid_stairs | episode [0, 98, 0] | q=0.850 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: -1.1627684831619263
generated_progress_m: -0.3671167194843292
enabled_teacher_rms_m: 0.48100754618644714
disabled_teacher_rms_m: 0.47176593542099
q_effect_rms_m: 0.007918258605059236
sampling_rms_m: 0.04637637894068446
q_sampling_ratio: 0.17073904401175252
```






held-out index 5593 | terrain pyramid_stairs | episode [0, 98, 0] | q=0.846 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: -0.7205166220664978
generated_progress_m: -0.35002774000167847
enabled_teacher_rms_m: 0.4025307297706604
disabled_teacher_rms_m: 0.39050114154815674
q_effect_rms_m: 0.0075420755601953715
sampling_rms_m: 0.051569763105362654
q_sampling_ratio: 0.1462499555172687
```






held-out index 5611 | terrain pyramid_stairs | episode [0, 98, 0] | q=0.893 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.2681019902229309
generated_progress_m: 0.24319112300872803
enabled_teacher_rms_m: 0.03356199339032173
disabled_teacher_rms_m: 0.04798220843076706
q_effect_rms_m: 0.019380192388780415
sampling_rms_m: 0.1111042547438826
q_sampling_ratio: 0.17443249525822044
```






held-out index 5619 | terrain pyramid_stairs | episode [0, 98, 0] | q=0.884 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.3552857041358948
generated_progress_m: 0.3158048987388611
enabled_teacher_rms_m: 0.10411572456359863
disabled_teacher_rms_m: 0.0839843600988388
q_effect_rms_m: 0.02243304834701121
sampling_rms_m: 0.12009078397282533
q_sampling_ratio: 0.18680074860771545
```






held-out index 5663 | terrain pyramid_stairs | episode [0, 98, 1] | q=0.849 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.9696786403656006
generated_progress_m: 0.6358429193496704
enabled_teacher_rms_m: 0.22512777149677277
disabled_teacher_rms_m: 0.17888431251049042
q_effect_rms_m: 0.010286270728101954
sampling_rms_m: 0.12380786319928509
q_sampling_ratio: 0.08308253177380862
```







held-out index 5665 | terrain pyramid_stairs | episode [0, 98, 1] | q=0.859 | terminal ['time_out']












E trajectory metrics


```
teacher_progress_m: 0.8192397952079773
generated_progress_m: 0.6374445557594299
enabled_teacher_rms_m: 0.18164929747581482
disabled_teacher_rms_m: 0.1399078518152237
q_effect_rms_m: 0.010314335901057348
sampling_rms_m: 0.12373899482190609
q_sampling_ratio: 0.08335558177034223
```



held-out index 5679 | terrain pyramid_stairs | episode [0, 98, 1] | q=0.925 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.257356733083725
generated_progress_m: 0.2259044200181961
enabled_teacher_rms_m: 0.052617620676755905
disabled_teacher_rms_m: 0.029828501865267754
q_effect_rms_m: 0.01942545920610428
sampling_rms_m: 0.10899419989436865
q_sampling_ratio: 0.1782247057635213
```






held-out index 5686 | terrain pyramid_stairs | episode [0, 98, 1] | q=0.751 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 1.3950660228729248
generated_progress_m: 0.6452159285545349
enabled_teacher_rms_m: 0.4205721616744995
disabled_teacher_rms_m: 0.3805719316005707
q_effect_rms_m: 0.010248796723317355
sampling_rms_m: 0.12364613251494509
q_sampling_ratio: 0.08288813014089692
```






held-out index 5706 | terrain pyramid_stairs | episode [0, 98, 1] | q=0.936 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: -0.0035453527234494686
generated_progress_m: 0.030876122415065765
enabled_teacher_rms_m: 0.018710579723119736
disabled_teacher_rms_m: 0.014429009519517422
q_effect_rms_m: 0.012863726471550763
sampling_rms_m: 0.09346778744033404
q_sampling_ratio: 0.1376273775578825
```






held-out index 5748 | terrain pyramid_stairs | episode [0, 98, 2] | q=0.759 | terminal ['time_out']









E trajectory metrics


```
teacher_progress_m: 1.2831652164459229
generated_progress_m: 0.6494760513305664
enabled_teacher_rms_m: 0.3732595145702362
disabled_teacher_rms_m: 0.33850371837615967
q_effect_rms_m: 0.010505114652914926
sampling_rms_m: 0.12390403090310949
q_sampling_ratio: 0.08478428487229539
```





F time relative to anchor [s]



held-out index 5749 | terrain pyramid_stairs | episode [0, 98, 2] | q=0.753 | terminal ['time_out']









E trajectory metrics


```
teacher_progress_m: 1.426071286201477
generated_progress_m: 0.6504284143447876
enabled_teacher_rms_m: 0.4944048821926117
disabled_teacher_rms_m: 0.4621824622154236
q_effect_rms_m: 0.01099358091596514
sampling_rms_m: 0.12415406932788235
q_sampling_ratio: 0.08854789033883255
```


F time relative to anchor [s]






held-out index 5780 | terrain pyramid_stairs | episode [0, 98, 2] | q=0.659 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.25705185532569885
generated_progress_m: 0.24326103925704956
enabled_teacher_rms_m: 0.17845097184181213
disabled_teacher_rms_m: 0.1667512208223343
q_effect_rms_m: 0.019243244896642864
sampling_rms_m: 0.10993179639003106
q_sampling_ratio: 0.17504712493161712
```







held-out index 5797 | terrain pyramid_stairs | episode [0, 98, 3] | q=0.213 | terminal ['time_out']












E trajectory metrics


```
teacher_progress_m: -0.28435924649238586
generated_progress_m: -0.14787892997264862
enabled_teacher_rms_m: 0.1329871118068695
disabled_teacher_rms_m: 0.127603679895401
q_effect_rms_m: 0.0091306553804315 63
sampling_rms_m: 0.08080452141751136
q_sampling_ratio: 0.11299683755633053
```



held-out index 5814 | terrain pyramid_stairs | episode [0, 98, 3] | q=0.076 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.9668805599212646
generated_progress_m: 0.6526272296905518
enabled_teacher_rms_m: 0.18618784844875336
disabled_teacher_rms_m: 0.16308854520320892
q_effect_rms_m: 0.010192348388954997
sampling_rms_m: 0.123763406782278
q_sampling_ratio: 0.08235348924165577
```







held-out index 5933 | terrain pyramid_stairs | episode [0, 98, 5] | q=0.753 | terminal ['time_out']












E trajectory metrics


```
teacher_progress_m: 0.7289406657218933
generated_progress_m: 0.6089003086090088
enabled_teacher_rms_m: 0.10457110404968262
disabled_teacher_rms_m: 0.06769949942827225
q_effect_rms_m: 0.011889961257111281
sampling_rms_m: 0.1287957193063838
q_sampling_ratio: 0.09231643195242399
```



held-out index 5951 | terrain pyramid_stairs | episode [0, 98, 5] | q=0.816 | terminal ['time_out']









E trajectory metrics


```
teacher_progress_m: 0.5334290862083435
generated_progress_m: 0.4665212631225586
enabled_teacher_rms_m: 0.1039564460515976
disabled_teacher_rms_m: 0.06830867379903793
q_effect_rms_m: 0.021201175986789167
sampling_rms_m: 0.13753863410758121
q_sampling_ratio: 0.15414705929248823
```






held-out index 5958 | terrain pyramid_stairs | episode [0, 98, 5] | q=0.942 | terminal ['time_out']


A Input: base XY [m], DEM height/mask



B q sweep, shared noise




C sampling, q=0.5




E trajectory metrics

```
teacher_progress_m: 0.13052178919315338
generated_progress_m: 0.12340029329061508
enabled_teacher_rms_m: 0.05434957519173622
disabled_teacher_rms_m: 0.040011852979660034
q_effect_rms_m: 0.016347319702617824
sampling_rms_m: 0.09831105984215226
q_sampling_ratio: 0.16628159363620937
```


F time relative to anchor [s]





D enabled / disabled, shared noise



held-out index 5985 | terrain pyramid_stairs | episode [0, 98, 5] | q=0.594 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.5344651341438293
generated_progress_m: 0.4933210015296936
enabled_teacher_rms_m: 0.23921121656894684
disabled_teacher_rms_m: 0.2255508303642273
q_effect_rms_m: 0.02213848032988608
sampling_rms_m: 0.1364941102053438
q_sampling_ratio: 0.16219366752587797
```






held-out index 6001 | terrain pyramid_stairs | episode [0, 98, 6] | q=0.889 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.18522222340106964
generated_progress_m: 0.1736406683921814
enabled_teacher_rms_m: 0.05226687341928482
disabled_teacher_rms_m: 0.06539472192525864
q_effect_rms_m: 0.017130685155279934
sampling_rms_m: 0.10329298129571336
q_sampling_ratio: 0.16584558738059055
```






held-out index 6006 | terrain pyramid_stairs | episode [0, 98, 6] | q=0.879 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.359133243560791
generated_progress_m: 0.3189193606376648
enabled_teacher_rms_m: 0.10724334418773651
disabled_teacher_rms_m: 0.08626911044120789
q_effect_rms_m: 0.022404441726393998
sampling_rms_m: 0.12061464107994523
q_sampling_ratio: 0.18575225632470266
```






held-out index 6049 | terrain pyramid_stairs | episode [0, 98, 6] | q=0.969 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: -0.014616650529205799
generated_progress_m: 0.02418503537774086
enabled_teacher_rms_m: 0.04237905144691467
disabled_teacher_rms_m: 0.037198167294263 84
q_effect_rms_m: 0.012584852054715157
sampling_rms_m: 0.0934936949717147
q_sampling_ratio: 0.1346064251554347
```






held-out index 6105 | terrain pyramid_stairs | episode [0, 98, 7] | q=0.751 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: 0.5746357440948486
generated_progress_m: 0.5101685523986816
enabled_teacher_rms_m: 0.21010346710681915
disabled_teacher_rms_m: 0.18639235198497772
q_effect_rms_m: 0.019358100253157318
sampling_rms_m: 0.13697516625480993
q_sampling_ratio: 0.14132561969040539
```






held-out index 6142 | terrain pyramid_stairs | episode [0, 98, 8] | q=0.909 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: -0.20638452470302582
generated_progress_m: -0.10730551183223724
enabled_teacher_rms_m: 0.12112057954072952
disabled_teacher_rms_m: 0.12059321254491806
q_effect_rms_m: 0.009901655197609216
sampling_rms_m: 0.085656199870365
q_sampling_ratio: 0.1155976474860514
```






held-out index 6152 | terrain pyramid_stairs | episode [0, 98, 8] | q=0.942 | terminal ['time_out']










E trajectory metrics


```
teacher_progress_m: -0.007209993898868561
generated_progress_m: 0.028653111308813095
enabled_teacher_rms_m: 0.027618857100605965
disabled_teacher_rms_m: 0.031167156994342804
q_effect_rms_m: 0.012769017252139747
sampling_rms_m: 0.09340302606246301
q_sampling_ratio: 0.1367088175879923
```







held-out index 6164 | terrain pyramid_stairs | episode [0, 98, 8] | q=0.962 | terminal ['time_out']












E trajectory metrics


```
teacher_progress_m: 0.014502798207104206
generated_progress_m: 0.04435909911990166
enabled_teacher_rms_m: 0.015289930626749992
disabled_teacher_rms_m: 0.015270546078681946
q_effect_rms_m: 0.013248190865851939
sampling_rms_m: 0.09432915970683098
q_sampling_ratio: 0.14044639968199094
```



held-out index 6165 | terrain pyramid_stairs | episode [0, 98, 8] | q=0.962 | terminal ['time_out']







E trajectory metrics

```
teacher_progress_m: 0.021451275795698166
generated_progress_m: 0.0489836111664772
enabled_teacher_rms_m: 0.013864997774362564
disabled_teacher_rms_m: 0.016327587887644768
q_effect_rms_m: 0.013445131946355104
sampling_rms_m: 0.09449234219001872
q_sampling_ratio: 0.14228805884944318
```

