

Stability Index Changelog

Full version history of PSI methodology decisions, from v1.0 to v3.3.

ump to Version

- Latest
- v3.3
- v3.2
- v3.1
- v3.0
- v2.1
- v2.0
- v1.3
- v1.2
- v1.1
- v1.0

LATEST VERSION

v3.3

May 14, 2026

Active-only PSI universe

PSI eligibility now resolves to active tracked stablecoins plus PSI-only shadow assets, excluding pre-launch and frozen tracked rows from live PSI denominators and repair scopes.

IMPACT SNAPSHOT

- Pre-launch tracked assets no longer enter the PSI-eligible registry before launch
- Frozen tracked archives remain available on readable public detail surfaces but are excluded from live PSI computation
- PSI-only shadow assets remain included for historical continuity and admin replay repairs

v3.3

May 14, 2026

Active-only PSI universe

PSI eligibility now resolves to active tracked stablecoins plus PSI-only shadow assets, excluding pre-launch and frozen tracked rows from live PSI denominators and repair scopes.

- Pre-launch tracked assets no longer enter the PSI-eligible registry before launch
 - PSI-only shadow assets remain included for historical continuity and admin replay repairs
- Frozen tracked archives remain available on readable public detail surfaces but are excluded from live PSI computation

Hide details

IMPACT NOTES

- Pre-launch tracked assets no longer enter the PSI-eligible registry before launch
- PSI-only shadow assets remain included for historical continuity and admin replay repairs
- Frozen tracked archives remain available on readable public detail surfaces but are excluded from live PSI computation

Commit provenance not recorded

v3.2

Mar 23, 2026

Fail-closed depeg input availability

PSI no longer publishes a fresh sample when the active-depeg input query is unavailable, preventing false continuity from an incomplete core dependency.

- The 30-minute cron now returns degraded and skips the sample when ``depeg_events`` cannot be queried
- Public PSI remains anchored to the last valid stored sample instead of silently publishing from partial core inputs
- Only already-open depegs missing a current stablecoins price may use the replay-safe ``price_cache`` fallback; table-level depeg input loss is no longer treated as an empty event set

Details

v3.1

Mar 23, 2026

Open-depeg replay-price fallback

Active depegs now stay in PSI when the current stablecoins snapshot temporarily loses a usable price but a recent replay-safe price-cache entry still exists.

- Severity and breadth now fall back to the last replay-safe positive ``price_cache`` value for already-open depegs when the current stablecoins snapshot price is missing
- Prevents transient contributor/sample omissions during price-validation churn without changing the PSI formula, caps, or bands
- Replay fallback is capped to recent cache entries (6-hour TTL) rather than unbounded historical prices

Details

v3.0

Mar 1, 2026

Reconstructed

DEWS stress breadth component

Added DEWS-derived stress breadth as an explicit PSI component to capture broad non-depeg stress.

- Formula changed to: $100 - \text{severity} - \text{breadth} - \text{stressBreadth} + \text{trend}$
- New stressBreadth cap of 5 points
- Cron now reads latest DEWS bands (ALERT/WARNING/DANGER) to derive stress breadth

Details

v2.1

Feb 27, 2026

Reconstructed

Trend hardening and retention safety

Hardened trend input handling and operationalized rolling retention for PSI samples.

- NaN/Infinity trend values now treated as 0 before clamp
- No formula change, but edge-case score corruption prevented
- Sample retention/pruning standardized to 90 days

Details

v2.0

Feb 26, 2026

Reconstructed

Removed freezes, rebalanced caps

Major methodology revision removing freezes and reallocating penalty capacity.

- Removed freezes component from formula
- Severity cap increased 60 -> 68
- Breadth cap increased 15 -> 17
- Formula became: $100 - \text{severity} - \text{breadth} + \text{trend}$

Details

v1.3

Feb 26, 2026

Reconstructed

Sample architecture and 24h average model

PSI moved to sample-first storage with daily snapshots and 24h average surfaced as the primary displayed signal.

- Introduced `stability_index_samples` table and daily snapshot aggregation
- Historical backfill path adjusted for peak-deviation realism
- API and UI switched to emphasize 24h average PSI

Details

v1.2

Feb 25, 2026

Reconstructed

15-minute chained compute + depeg depreciation/dedup

Operational and methodological upgrade to live 15-minute PSI with chronic-depeg depreciation and per-coin deduplication.

- PSI compute moved to chained 15-minute cron after stablecoin sync
- Active depegs deduped per coin (worst current bps, earliest start for age)
- Introduced chronic-depeg depreciation (grace 30d, decay 120d, floor 25%)

Details

v1.1

Feb 25, 2026

Reconstructed

Current deviation semantics

Severity began using live current deviation rather than event peak deviation for active depegs.

- Live severity became recovery-sensitive instead of peak-anchored
- Backfill behavior later diverged and was subsequently tuned

Details

v1.0

Feb 25, 2026

Reconstructed

Initial PSI release

Launched PSI compute, API, cron persistence, and frontend integration.

- Initial formula: $100 - \text{severity} - \text{breadth} - \text{freezes} + \text{trend}$
- Condition bands introduced
- Initial caps: severity 60, breadth 15, freezes 10

Details

WHITE PAPER [Download Stability Index Changelog v3.3 \(PDF\)](#)

Cite this page

Accessed 2026-05-17. urn:pharos:methodology:psi@v3.3

BibTeX

APA 7

Chicago

URL + URN

```
@misc{methodology_psi_v3-3,  
  author      = {Pharos Watch},  
  title       = {Stability Index Changelog},  
  year        = {2026},  
  month       = {may},  
  howpublished = {\url{https://pharos.watch/methodology/stability-index-changelog/}},  
  version     = {v3.3},  
  note        = {Accessed: 2026-05-17; urn:pharos:methodology:psi@v3.3},  
  urldate     = {2026-05-17}  
}
```