

ump to Version

v3.

May 12, 2026

May 12, 2026

1 / 13

Sovereignty Lattice) above the existing intervention ledger. Event ingestion, status resolution, and the underlying coverage manifest are unchanged.

- Page moved from `/blacklist/` to `/freezewish/` with a 301 redirect; sitemap priority raised to 0.85
- User-facing copy on the surface refers to freeze interventions and issuer freezes; internal data model, table names, cron jobs, and API endpoints continue to use the `blacklist` term
- Primary navigation gains a 7th entry (`FreezeWatch`), replacing the `Blacklist` entry in the TRACK group
- Three new client-side components render above the legacy intervention ledger: Freezable Supply Meter (sovereignty headline), Intervention Seismograph (quarterly cadence), Sovereignty Lattice (issuer × chain coverage grid)

Hide details

IMPACT NOTES

- Page moved from `/blacklist/` to `/freezewish/` with a 301 redirect; sitemap priority raised to 0.85
- User-facing copy on the surface refers to freeze interventions and issuer freezes; internal data model, table names, cron jobs, and API endpoints continue to use the `blacklist` term
- Primary navigation gains a 7th entry (`FreezeWatch`), replacing the `Blacklist` entry in the TRACK group
- Three new client-side components render above the legacy intervention ledger: Freezable Supply Meter (sovereignty headline), Intervention Seismograph (quarterly cadence), Sovereignty Lattice (issuer × chain coverage grid)
- Analytics page identifier changed from `blacklist` to `freezewish` for filter, sort, and search events emitted by the page

Commit provenance not recorded

v3.992

May 11, 2026

Public contract clarification

Clarifies the public blacklist contract without changing event ingestion: `/blacklist` status charts use the five-status model, CSV export covers the currently loaded table page, `/api/blacklist-summary` distinguishes legacy active-state fields from tracked freeze-ledger fields, coverage counts are manifest-derived, and chain identifiers are documented as `chainId` response/join fields rather than the `chain` display-name filter.

- ▮ The blacklist exposure model is documented as Yes, Dilutable, Upstream, Possible, and No
- ▮ Reserve, backing, custody, parent-asset, and CEX/custody-rail exposure resolve to Upstream through the any-reserve policy instead of Possible
- ▮ `/blacklist` CSV export is documented as the current server-returned page after filters, sorting, search, and pagination
- ▮ `/api/blacklist-summary` consumers are directed to `trackedAddressCount`, `trackedFrozenTotal`, and `trackedAmountGapCount`; legacy `active\*` fields remain for local net-active state-machine compatibility

Details

v3.991

May 5, 2026

Public transparency and snapshot semantics

Clarifies public API artifacts, UI provenance, and freeze-ledger snapshot semantics without changing event ingestion. `/api/blacklist` integration examples now use uppercase tracker symbols, frozen totals are labeled as last-known successful snapshots, and Tron missing-balance behavior is documented as provider-missing rather than false zero.

- ▮ OpenAPI/Postman document `/api/blacklist?stablecoin=` as an uppercase blacklist-tracker symbol filter
- ▮ Blacklist UI/CSV surfaces amount source/status plus contract/config/event provenance
- ▮ Public frozen totals are presented as last-known successful freeze-ledger snapshots, with provider failures preserving the previous successful value
- ▮ New freeze-ledger snapshots are described as contract/config scoped, with legacy symbol/chain/address fallback for older rows

Details

v3.99

Apr 21, 2026

Same-run Tron ledger reconciliation

Reapplies the Tron freeze-ledger mirror after current-balance cache writes so newly ingested Tron blacklist rows resolve in the same `sync-blacklist` cycle, and aligns admin recovery guidance away from destructive sync resets for generic amount-gap warnings.

- ▮ Fresh Tron blacklist/unblacklist rows no longer wait for the next 6-hour cron cycle before `current\_balance\_snapshot` amounts appear on matching event rows
- ▮ The admin current-balance backfill action now re-applies the Tron ledger mirror after rebuilding `blacklist\_current\_balances`
- ▮ Blacklist-gap recommendations now prioritize balance backfill, sync-state inspection, and targeted remediation ahead of `reset-blacklist-sync`

Details

v3.98

Apr 20, 2026

USDA destroy-event correction

Narrows Avalon USDe event tracking to the two events its verified contract actually emits: AddedBlackList(address) and RemovedBlackList(address). USDe remains directly freezable and role-burnable, but it no longer subscribes to Tether's DestroyedBlackFunds(address,uint256) topic because the verified USDe ABI/source does not expose that event.

- USDA blacklist/unblacklist event ingestion remains unchanged
- The report-card and blacklistability metadata still mark USDe as directly freezable because isBlackListed gates transfers and manager-controlled add/remove blacklist functions exist
- USDA no longer advertises or scans a non-existent DestroyedBlackFunds event in CONTRACT_CONFIGS
- Role-gated burn(address,uint256) is documented as a privileged destroy capability, but not mapped to blacklist-tracker destroy rows without a dedicated destroy event

Details

v3.97

Apr 19, 2026

Status amount-gap tolerance

Keeps isolated recent blacklist amount gaps below the incident threshold so a single unresolved provider/parser miss among thousands of events remains visible in diagnostics without degrading `/status` or `/admin` health.

- Recent amount gaps now need at least 5 rows in the 24-hour monitoring window before data quality degrades
- The stale threshold remains unchanged at 25 recent gaps or a 2% missing-amount ratio
- The ratio-based degraded threshold remains 1%, so broad amount-attribution failures still surface promptly

Details

v3.96

Apr 18, 2026

Gentle amount-gap recovery acceleration

Unblocks the EVM amount recovery lane by excluding Tron rows that are owned by the separate Tron ledger mirror, and raises the per-run recovery cap from 50 to 100 rows while staying inside the 6-hour sync cadence, D1 batch helper, rate limiters, and 900-subrequest run budget.

- EVM historical amount gaps no longer wait behind recent Tron pending rows in the per-row recovery selection
- The acceleration remains bounded by the existing 7-minute sync runtime budget, 900-subrequest cap, and shared D1 batch chunking
- Amount recovery now processes up to 100 rows per 6-hour sync-blacklist run instead of 50

Details

v3.95

Apr 17, 2026

Tier-1 coverage expansion

Adds eleven new tracked stablecoins across four new event families and six existing families. TUSD joins through a new TRUEUSD_EVENT_FAMILY that discriminates blacklist vs unblacklist via the bool at data slot 0 through the new BlacklistEventDef.eventTypeFromDataBoolIndex extension. JPYC adds CENTRE_BLOCKLISTED_FAMILY (Blocklisted/UnBlocklisted), FRXUSD adds FRAX_FREEZE_FAMILY (AccountFrozen/AccountThawed with non-indexed address), EURCV adds SOCGEN_FREEZE_FAMILY (batch AddressesFrozen/AddressesUnFrozen), NUSD adds NEUTRL_DENYLIST_FAMILY, and FIDD adds FIDELITY_RESTRICTION_FAMILY (TransferRestrictionImposed/Removed). USDA joins through legacy AddedBlackList/RemovedBlackList signatures, while USAT, AEUR, XUSD, and XAUM reuse existing families. Several BSC/Avalanche/Base deployments remain deferred pending block-explorer API access, and apxUSD is intentionally deferred because the verified ABI exposes no direction discriminator.

- Added TUSD on Ethereum (TRUEUSD_EVENT_FAMILY with bool-discriminator Blacklisted(address,bool) + DestroyedBlackFunds)
- Added EURCV on Ethereum (SOCGEN_FREEZE_FAMILY: batch AddressesFrozen(address[]) / AddressesUnFrozen(address[]))
- Added NUSD on Ethereum (NEUTRL_DENYLIST_FAMILY: AddedToDenylist / RemovedFromDenylist)
- Added USDA on Ethereum using legacy AddedBlackList / RemovedBlackList signatures; USAT on Ethereum reusing USDT0 family; AEUR on Ethereum reusing DUAL_INDEX_FREEZE family

Details

v3.94

Apr 17, 2026

Correctness + efficiency + minor coverage gaps

Worker correctness fixes (Gnosis dRPC 9k-block scan cap, dual-index-freeze family split from WLF1 destroy events, TronGrid failure propagation to the circuit breaker, EURC mirror-zero rows locked to permanently_unavailable, address[] expansion capped, Tron maxBlock cursor init), five D1 migrations (derived-row reset, sync_state dedup, EURC mirror-zero stamp, blacklist_events index adjustments, amount-status backfill), summary endpoint rewritten to aggregate in SQL with post-fetch counters inlined, frontend polish (data-driven stats strip, amount-status badge, per-coin stat border, CSV column

split, page-clamp + filter-reset coverage), and minor chain-coverage additions (Polygon USDQ, Arbitrum AID, Polygon TGBP; Base AID plus Base/BSC TGBP remain deferred).

- Gnosis BRZ scans now stay within the dRPC free-tier 10k-block cap and drain the ~12.5M-block backlog that previously masked 2 missed events
- TronGrid outages now throw through the per-config circuit breaker instead of silently returning empty arrays
- FDUSD / EURI / AEUR configs use DUAL_INDEX_FREEZE_EVENT_FAMILY without inheriting WLF1 FrozenAccountDrained / FrozenFundsReallocated topics they cannot emit
- EURC rows flagged as circle_mirror_zero_balance are stamped amount_status='permanently_unavailable' and no longer re-enter the recoverable-pending backfill pool

Details

v3.93

Apr 16, 2026

Backlog-safe scanner guardrails

Keeps EVM sync cursors pinned when the subrequest budget is exhausted before every configured event topic is scanned, marks budget-exhausted runs as degraded, and lowers the duplicate-row check chunk below D1's practical SQL-variable ceiling.

- Partial multi-topic EVM scans no longer advance cursors past unscanned topics
- Duplicate-row checks use smaller D1-safe chunks for high-row event batches
- Runs that skip configs after exhausting the subrequest budget now surface as degraded instead of ok

Details

v3.92

Apr 16, 2026

Amount attribution: Tron ledger mirror + derived-zero recovery

Introduces current_balance_snapshot amount source for Tron freeze-ledger mirroring, widens backfill to include legacy derived-zero EVM rows, and adds provenance badge for snapshot-sourced amounts.

- Tron USDT blacklist/unblacklist rows receive amounts from the freeze-ledger snapshot (~6,921 rows)
- Snapshot badge renders on amounts sourced from current_balance_snapshot
- Legacy derived-zero EVM rows re-enter the backfill pool (~4,381 rows)

Details

v3.91

Apr 16, 2026

Coverage quality + USDP addition

Extends wlfri-freeze family with FrozenAccountDrained/FrozenFundsReallocated destroy events (USD1/U/FDUSD/EURI), adds USDP Paxos coverage on Ethereum, and corrects Arbitrum FDUSD/AUSD/BUIDL startBlocks.

- Added FrozenAccountDrained + FrozenFundsReallocated destroy tracking for USD1/U/FDUSD/EURI
- Added USDP (Pax Dollar) Ethereum coverage via Paxos freeze family (65 existing events)
- Corrected Arbitrum startBlocks for FDUSD/AUSD/BUIDL to actual deployment blocks

[Details](#)

v3.9

Apr 15, 2026

Direct EVM coverage wave

Adds direct EVM blacklist/freeze coverage for FDUSD, BRZ, AUSD, MNEE, EURI, USDQ, USDO, USDX, AID, TGBP, and EURC, plus BUIDL seize-only tracking. Introduces indexed amount-topic parsing, explicit data-slot extraction for omnibus seize events, EURC mirror-zero suppression, and expanded non-USD valuation.

- Added FDUSD Ethereum/BSC/Arbitrum dual-index Freeze/Unfreeze tracking
- Added BRZ Ethereum/Gnosis, AUSD Arbitrum/Base, EURI Ethereum/BSC, USDQ Ethereum, USDO Ethereum/Base, USDX Ethereum, AID Ethereum, TGBP Ethereum/Avalanche, and EURC Ethereum/Base/Avalanche event coverage
- Added MNEE Ethereum freeze/unfreeze plus confiscation/burn tracking with indexed amount extraction
- Extended price-cache USD conversion to EURC, BRZ, EURI, and TGBP

[Details](#)

v3.8

Apr 15, 2026

First-wave CeFi coverage expansion

Expands blacklist/freeze tracking to first-wave centralized issuers with verified event surfaces: USDG, RLUSD, U, USDtb, and A7A5. Adds batch address-array parsing and non-USD A7A5 price-cache valuation while keeping clawback, allowlist/KYC, and non-EVM surfaces out of this release.

- Added USDG Ethereum FreezeAddress/UnfreezeAddress/FrozenAddressWipeAccountPaused/AccountUnpaused coverage using the Paxos pattern
- Added U Ethereum and BSC Freeze/Unfreeze coverage using the dual-indexed address pattern
- Added RLUSD Ethereum AccountsPaused/AccountsUnpaused coverage; clawback remains out of scope until transaction-input classification exists
- Added USDtb Ethereum AccountsBlocked/AccountsUnblocked coverage with one row per address in batch events

Details

v3.7

Apr 8, 2026

Balance recovery accuracy and provider resilience

Remediates 16 audit findings across the balance recovery pipeline, freeze-ledger cache, and aggregation layer. Eliminates silent wrong-data paths, adds Ethereum mainnet dRPC/chain-RPC fallback, and fixes gold stablecoin USD conversion in all enrichment paths.

- Invalid block tags now return null instead of silently querying latest balance (Critical)
- Ethereum mainnet historical balance lookups now fall through dRPC and chain-RPC before Etherscan (Critical)
- Tron REST API returns null for missing token entries instead of false zero (Major)
- PAXG/XAUT events now receive USD conversion in enrichment and backfill paths (Major)

Details

v3.6

Mar 27, 2026

Freeze-ledger quarter attribution for the public chart

The public blacklist chart now buckets the persistent freeze ledger by blacklist quarter instead of summing raw event-time blacklist rows, so the quarterly bars explain the same tracked frozen total shown in the summary cards.

- The `/api/blacklist-summary`` chart now draws from ``blacklist_current_balances`` rather than raw ``blacklist_events`` intake amounts
- Each tracked balance is attributed to the latest recorded blacklist event for the same stablecoin/chain/address identity so re-blacklisted rows follow the active freeze cycle represented in the ledger
- Rows without a local blacklist timestamp fall back to the latest related event timestamp, then snapshot observation time, so tracked ledger value is not silently dropped from the chart

Details

v3.5

Mar 27, 2026

Persistent freeze-ledger snapshots and bootstrap reconciliation

The public frozen-total summary now uses a persistent freeze ledger instead of treating snapshot balances as a live current-state cache. Historical ETH/USDC, ETH/USDT, and TRON/USDT freeze rows were reconciled from the kyc.rip / stables.rip bootstrap so seized-and-burned balances remain visible after later unblacklist or destroy actions.

- Added tracked freeze-ledger metrics (``trackedAddressCount``, ``trackedFrozenTotal``, ``trackedAmountGapCount``) to blacklist summary responses
- Destroy events now persist their seized amount into the freeze ledger so burned balances remain counted
- Snapshot rows are now preserved across later unblacklist events instead of being deleted as if they were only live current balances
- Historical freeze-ledger bootstrap was reconciled against the external kyc.rip / stables.rip dataset for ETH USDC, ETH USDT, and TRON USDT

[Details](#)

v3.4

Mar 27, 2026

Active frozen-total ledger and Tron current-balance separation

Blacklist summary now distinguishes event-time amounts from active frozen balances, adds a dedicated current-balance cache for active blacklist records, and stops treating legacy Tron derived event amounts as authoritative history.

- Added ``blacklist_current_balances`` for current active blacklist balance snapshots
- Active Tron totals now prefer current TRC20 balances for active blacklist rows and destroy-event amounts when funds were seized and burned
- Blacklist summary gained active-record metrics (``activeAddressCount``, ``activeFrozenTotal``, ``activeAmountGapCount``)
- Legacy Tron ``derived`` blacklist/unblacklist event amounts are reset instead of being reused as event-time history

[Details](#)

v3.3

Mar 24, 2026

pyUSD and USD1 blacklist tracking coverage

Extended blacklist tracker to cover pyUSD (PayPal/Paxos) on Ethereum and Arbitrum, and USD1 (World Liberty Financial) on Ethereum, BSC, and Tron. Introduced configurable address topic index for two-indexed-address events.

- Added pyUSD FreezeAddress/UnfreezeAddress/FrozenAddressWipedAddressTopicIndex=2 for dual-indexed events event tracking (Paxos PaxosTokenV2 pattern)
- Added USD1 Freeze/Unfreeze event tracking with
- EVM parser now supports configurable topic index for affected address extraction
- Tron parser extended with tronResultKey for non-standard event parameter names

Details

v3.2

Mar 24, 2026

Provenance-aware rows and explicit amount semantics

Blacklist rows now persist emitting-contract provenance and explicit native/USD amount status fields so reprocessing and public consumers no longer rely on implicit inference.

- Rows now store config/contract provenance plus event signature metadata
- Amount semantics split into token-native and USD-at-event fields with explicit source/status flags
- Gap monitoring now tracks recoverable attribution failures rather than nullable amounts alone

Details

v3.1

Feb 25, 2026

Reconstructed

API-error-aware sync cursor protection

EVM scanning now distinguishes API failure from genuine no-event ranges so cursors do not advance on unreliable reads.

- EVM log fetching differentiates API failures (`null`) from valid empty responses (`[]`)
- On API failure, sync state is held and retried on the next cycle instead of advancing
- Metadata now reports `apiErrors` for operational observability

Details

v3.0

Feb 25, 2026

Reconstructed

Indexer-lag safety margins for cursor advancement

Head advancement added explicit safety buffers to prevent permanently skipping late-indexed explorer events.

- EVM no-event advancement now uses `head - safetyMargin` instead of raw head
- Reduces permanent event loss when explorer indexing lags chain tip
- Tron no-event advancement now uses `now - 15m` instead of wall-clock `now`

[Details](#)

v2.2

Feb 18, 2026

Reconstructed

Precision and integrity hardening

Amount math and log parsing were hardened to reduce silent corruption and improve sync telemetry.

- Token amounts switched to BigInt-safe decimal conversion to avoid large-value precision loss
- Sync now emits structured run metadata (`itemCount`, `contractsSkipped`, budget usage)
- Malformed EVM logs (invalid block/timestamp) are discarded instead of being inserted

[Details](#)

v2.1

Feb 18, 2026

Reconstructed

Pre-block balance sampling and zero-amount recovery

Balance attribution moved to pre-event block semantics, and backfill began explicitly reprocessing suspicious zero blacklist amounts.

- Balance enrichment samples `blockNumber - 1` for blacklist, unblacklist, and destroy
- Reduces same-block ordering artifacts that previously produced false zeros
- Backfill now re-attempts rows with `amount = 0` for blacklist events

[Details](#)

v2.0

Feb 12, 2026

Reconstructed

L2 balance reliability and budgeted full-scan loop

Major tracking architecture shift for L2 correctness and deterministic scan coverage under strict subrequest budgets.

- Introduced shared per-run subrequest budgeting with least-synced-first config ordering
- L2 balance sourcing evolved from Etherscan-only to RPC/dRPC archive-aware historical balance fetches
- Backfill moved ahead of incremental scan and EVM head caching reduced redundant rescans

Details

v1.2

Feb 11, 2026

Reconstructed

Coverage expansion: USDT0 and gold contract families

Expanded event coverage beyond legacy USDT/USDC patterns and fixed multiple cross-chain parsing mismatches.

- Added USDT0 event signatures and indexed-address parsing for upgraded Tether contracts
- Added PAXG and XAUT contract/event support with contract-specific mappings
- Per-contract decimals and Tron `0x`->`41` address normalization improved amount fidelity

Details

v1.1

Feb 11, 2026

Reconstructed

Ingestion-time enrichment and backfill foundation

Blacklist rows began storing balance context during ingestion, with a companion path for retroactive recovery of missing amounts.

- Blacklist/unblacklist rows are enriched with token balances before insert
- Backfill pipeline introduced for historical rows missing amount values
- Set groundwork for later destroy-event amount recovery hardening

Details

v1.0

Feb 9, 2026

Reconstructed

Initial Blacklist Tracker release

Launched multi-chain blacklist event ingestion, persistence schema, public API, and dashboard surface.

- Initial incremental EVM + Tron event sync for major fiat-backed stablecoins
- Introduced `blacklist\_events` and `blacklist\_sync\_state` tables
- Exposed tracker data through `/api/blacklist` and frontend event views

Details

WHITE PAPER [📄 Download Blacklist Tracker Changelog v3.993 \(PDF\)](#)