

XVIII.

Methodus Testaceorum D. D'ARGENTVILLE.

Classis III. Conchæ Multivalves seu Polyvalves.	Familia IV.		Species.	Varietates.
	<i>Pollicipedes.</i>			
	Pollicipedes sunt Conchæ multivalves, planæ, triangulares, multis laminis in acumine desinentibus constantes, pediculo inhærentes, multis cirris insignitæ.			
	1. Pollicipedum congeries.			
	Familia V.			
	<i>Concha Anatifera.</i>			
	Concha Anatifera est multivalvis, plana, triangularis, e quinque testis composita, longo pediculo ligatis, quatuordecim cirris conspicua.	1. Concha Anatifera, adhærens pediculo oblongo & crasso.	1. — 2.	
		2. Concha Anatifera, pediculata, pediculo exiguo Amygdalæformis.		
		3. Concha Anatifera ramosa seu arborescens, elongatior & acutior.		
	Familia VI.			
	<i>Pholades.</i>			
	Pholas est Concha multivalvis, oblonga, duabus aut quinque testis distincta, lævis, aspera, reticulata, accurate clausa, non perfecte clausa.	1. Pholas oblonga & rotunda, duabus valvis constans.	1. — 6.	
		2. Pholas oblonga, irregularis, duabus valvis constans.	2. — 2.	
		3. Pholas oblonga, irregularis, quinque valvis constans.	3. — 1.	