Replit Proof of Use


Kotak · Team T010NG · SDC Hackathon 2026, Domain 1 · Captured 23 October 2026

How Kotak Uses Replit

Replit account	alaskxntxna (display name AlaskanTuna), the team leader's own account
Project	https://replit.com/@alaskxntxna/Kotak
Live deployment	https://kotak-alaskxntxna.replit.app, status Live, sharing Public
Deployment type	Replit Autoscale, region Asia, 2 vCPU / 4 GiB RAM
Source	GitHub repository TolongLabs/sdc-hack, connected through Replit Git (branch `github-main`)
Run configuration	`.replit`: `bun install`, `bun run build`, then `bun run start` on port 5000
Secrets	ANTHROPIC_API_KEY, ELEVENLABS_API_KEY and SESSION_SECRET in Replit Secrets; values stay hidden
Publish history	9 publishes by AlaskanTuna between 22 and 23 October 2026


Handbook 10.6 accepts a live deployment URL or a project link with its history as proof. This document shows both, from the team's own account. The figures follow.

Figure 1




The Kotak project in the AlaskanTuna workspace, with its publish history in the side panel.

Figure 2




Publishing: the deployment is Live at kotak-alaskxntxna.replit.app, published by AlaskanTuna, public, on Autoscale in Asia.

Figure 3




Publishing history: each publish carries its commit and the AlaskanTuna account.

Figure 4




Git settings: the project's remote is the team's GitHub repository, and the GitHub connection is active.

Figure 5




Git history on branch github-main: Replit publishes and the merged pull requests they include.

Figure 6



Secrets: API keys live in Replit Secrets, never in the code. Values stay hidden.

Figure 7



The published app, opened at https://kotak-alaskxntxna.replit.app on 23 October 2026.