RunPod Proof of Use

Kotak · SDC Hackathon 2026, Domain 1 · Batch run of 22 October 2026

What Ran on RunPod

RunPod account	Team account (AlaskanTuna), funded by the SDC RunPod voucher: US$25 credit redeemed 22 Oct 2026
Product	Serverless, queue-based endpoint `kotak-corners-batch`
Endpoint ID	`5yjk19uqmrpbp7`
Endpoint URL	`https://api.runpod.ai/v2/5yjk19uqmrpbp7` (OpenAI-compatible route `/openai/v1`)
Worker image	`runpod/worker-v1-vllm:v2.28.0` (vLLM v0.30.0, CUDA 13.0), the stock RunPod vLLM worker
Model	`Qwen/Qwen3.8-27B-FP8`, open weights under Apache 2.0
GPU	1 × NVIDIA H100 80GB HBM3 (H100 SXM), data centre AP-IN-1; pools 80 GB PRO and 80 GB; max 1 worker
Runtime	1285 s in total: smoke run 502 s (with cold start), full run 783 s
Volume	930 requests, 0 HTTP errors, 7 answers rejected by the validator and regenerated, 0 roles failed
Tokens	1,092,522 prompt, 1,137,450 completion
Cost	About US$1.25: account balance US$25.00 before, US$23.75 after (RunPod console, Billing page, 22 Oct 2026 16:05 MYT)

Workload


Kotak turns any job into six skill corners and asks twelve yes/no questions about them. RunPod generates that content once, ahead of time, for every one of the 923 O*NET occupations. For each occupation, `scripts/corners/run-batch.ts` sends the job's O*NET tasks to the model with a strict JSON schema. The model groups the tasks into six named corners and writes three can-do statements per corner (basic, working, advanced), with learning hours, SDG targets and search-link resources. A validator rejects any answer that drops a task, puts a task in two corners or cites a task the job does not have, and the runner retries it. The result, `data/generated/role-corners.json`, feeds the check-up questions, the Future Skills Radar and the roadmap; `role-corners-run.json` records every run.

There is no custom handler: the stock RunPod vLLM worker serves the model, and the endpoint settings are documented in `runpod/README.md`.


Example Request

```
curl https://api.runpod.ai/v2/5yjk19uqmrpbp7/openai/v1/chat/completions \
  -H "Authorization: Bearer $RUNPOD_API_KEY" \
  -H "Content-Type: application/json" \
  -d '{
    "model": "Qwen/Qwen3.8-27B-FP8",
    "messages": [{"role": "user", "content": "Name one skill of a graphic designer as
JSON."}],
    "temperature": 0,
    "max_tokens": 50,
    "chat_template_kwargs": {"enable_thinking": false},
    "response_format": {"type": "json_schema", "json_schema": {"name": "skill", "schema": {
      "type": "object", "properties": {"skill": {"type": "string"}},
      "required": ["skill"], "additionalProperties": false}}}
  }'
```


RunPod Console Screenshots




Endpoint overview: endpoint ID, worker image, GPU types, a cURL example and 800 completed requests, with the account balance top right. 22 Oct 2026, 16:00 MYT.




Workers tab during the full run: worker 3e599v14mq7d8c on an H100 SXM in AP-IN-1, running for 11 min.



Logs tab during the full run: vLLM serving POST /v1/chat/completions with 200 OK, about 30 jobs in progress.



Metrics tab: 859 requests completed, 0 failed, 0 retried at capture time; 4 cold starts across both runs.



Requests tab: batch jobs in progress on worker 3e599v14mq7d8c.