


Rydberg Atom Quantum Computation





Rydberg Atom Quantum Computation






Rydberg Atom Quantum Computation





Rydberg Atom Quantum Computation



Endres lab (Caltech, cesium atoms) 6100 qubits

Oratomic

THOSE WHO DON'T REMEMBER THE PAST...

Recent advances push Big Tech closer to the Q-Day danger zone

Here's which players are winning the race to transition to post-quantum crypto.

DAN GOODIN – 17 APR 2026 21:00 68

ScienceNews
INDEPENDENT JOURNALISM SINCE 1921

ALL TOPICS HEALTH HUMANS LIFE EARTH PHYSICS SPACE

NEWS QUANTUM PHYSICS

Just 10,000 quantum bits might crack internet encryption schemes

Computers based on atoms could demand a fraction of the qubits previously estimated

NewScientist

Sign in Enter search keywords

News Features Newsletters Podcasts Video Comment Culture Games | This week's magazine

Health Space Physics Technology Environment Mind Humans Life Mathematics Chemistry Earth Society

Technology

Breaking encryption with a quantum computer just got 10 times easier

The commonly used RSA encryption algorithm can now be cracked by a quantum computer with only 100,000 qubits, but the technical challenges to building such a machine remain numerous

By Karmela Padavic-Callaghan

25 February 2026




Figure 3: Cesium D_1 transition hyperfine structure, with frequency splittings between the hyperfine energy levels. The excited-state values are taken from [8, 22], and the ground-state values are exact, as a result of the current definition of the second. The approximate Landé g_F-factors for each level are also given, with the corresponding Zeeman splittings between adjacent magnetic sublevels.