


Ring ID: COS1
Configuration: TRAINING


Total Drill Meter: 148.4080

Burden: 1.000 : COS2

Total Charge Meter: 96.4541

Number of holes: 14

Ring Dump: 0.00

Ring Azimuth: 240.5185

Hole ID	Diameter	Hole Length	Dip	Dump	Offset	Drill Length	Uphole
A	89 mm	12.74	174.18	0.00	L0.70	12.74	N
B	89 mm	6.47	196.63	0.00	L0.70	6.47	N
C	89 mm	3.87	230.02	0.00	L0.70	3.87	N
D	89 mm	4.93	281.26	0.00	L0.70	4.93	Y
E	89 mm	9.59	311.39	0.00	L0.70	9.59	Y
F	89 mm	19.03	327.95	0.00	L0.70	19.03	Y
G	89 mm	17.28	336.79	0.00	L0.70	17.28	Y
H	89 mm	16.05	347.29	0.00	L0.70	16.05	Y
I	89 mm	12.32	358.30	0.00	R0.70	12.32	Y
J	89 mm	7.41	15.86	0.00	R0.70	7.41	Y
K	89 mm	4.69	45.08	0.00	R0.70	4.69	Y
L	89 mm	4.24	94.99	0.00	R0.70	4.24	N
M	89 mm	8.04	132.41	0.00	R0.70	8.04	N
N	89 mm	21.76	150.78	0.00	R0.70	21.76	N
		148.41				148.41	

Print name

Signed

Date

Geotech

Ops Supt

Ring Design Training

Date: 22/06/21

Scale: 1:200

Layout Name: TRAINING - RING SECTION

Document: 4.07 Deswik.UGDB

Ring ID: COS2
Configuration: TRAINING

Total Drill Meter: 166.7649

Burden: 0.646 : COS3


Total Charge Meter: 130.0776

Number of holes: 16

Ring Dump: 0.00

Ring Azimuth: 240.5185

Hole ID	Diameter	Hole Length	Dip	Dump	Offset	Drill Length	Uphole
1	89 mm	20.14	162.00	0.00	L0.70	20.14	N
2	89 mm	12.73	174.11	0.00	L0.70	12.73	N
3	89 mm	7.11	193.85	0.00	L0.70	7.11	N
4	89 mm	4.00	223.52	0.00	L0.70	4.00	N
5	89 mm	3.80	258.65	0.00	L0.70	3.80	N
6	89 mm	5.75	293.82	0.00	L0.70	5.75	Y
7	89 mm	12.07	318.48	0.00	L0.70	12.07	Y
8	89 mm	18.31	331.25	0.00	L0.70	18.31	Y
9	89 mm	16.76	340.68	0.00	L0.70	16.76	Y
10	89 mm	15.82	350.47	0.00	L0.70	15.82	Y
11	89 mm	10.25	5.00	0.00	R0.70	10.25	Y
12	89 mm	6.52	25.89	0.00	R0.70	6.52	Y
13	89 mm	4.16	57.34	0.00	R0.70	4.16	Y
14	89 mm	4.08	90.67	0.00	R0.70	4.08	N
15	89 mm	6.40	124.06	0.00	R0.70	6.40	N
16	89 mm	18.87	146.07	0.00	R0.70	18.87	N
		166.76				166.76	



	Print name	Signed	Date
Geotech			
Ops Supt			

Ring Design Training

 Date: 22/06/21
 Scale: 1:200

Layout Name: TRAINING - RING SECTION

Document: 4.07 Deswik.UG[...]

Ring ID: COS3
Configuration: TRAINING

Total Drill Meter: 149.6588

Burden: 0.354 : COS4


Total Charge Meter: 97.7049

Number of holes: 14

Ring Dump: 0.00

Ring Azimuth: 240.5185

Hole ID	Diameter	Hole Length	Dip	Dump	Offset	Drill Length	Uphole
H1	89 mm	12.68	174.18	0.00	L0.70	12.68	N
H2	89 mm	6.87	196.63	0.00	L0.70	6.87	N
H3	89 mm	3.77	230.02	0.00	L0.70	3.77	N
H4	89 mm	4.55	281.26	0.00	L0.70	4.55	Y
H5	89 mm	8.90	311.39	0.00	L0.70	8.90	Y
H6	89 mm	19.07	327.95	0.00	L0.70	19.07	Y
H7	89 mm	17.31	336.79	0.00	L0.70	17.31	Y
H8	89 mm	16.07	347.29	0.00	L0.70	16.07	Y
H9	89 mm	13.21	358.30	0.00	R0.70	13.21	Y
H10	89 mm	8.22	15.86	0.00	R0.70	8.22	Y
H11	89 mm	4.68	45.08	0.00	R0.70	4.68	Y
H12	89 mm	4.15	94.99	0.00	R0.70	4.15	N
H13	89 mm	8.27	132.41	0.00	R0.70	8.27	N
H14	89 mm	21.90	150.78	0.00	R0.70	21.90	N
		149.66				149.66	



	Print name	Signed	Date
Geotech			
Ops Supt			

Ring Design Training

Date: 22/06/21

Scale: 1:200

Layout Name: TRAINING - RING SECTION

Document: 4.07 Deswik.UGD

Ring ID: COS4
Configuration: TRAINING

Total Drill Meter: 149.9452

Burden: 0.354 : COS5


Total Charge Meter: 97.9914

Number of holes: 14

Ring Dump: 0.00

Ring Azimuth: 240.5185

Hole ID	Diameter	Hole Length	Dip	Dump	Offset	Drill Length	Uphole
H1	89 mm	12.67	174.18	0.00	L0.70	12.67	N
H2	89 mm	6.96	196.63	0.00	L0.70	6.96	N
H3	89 mm	3.74	230.02	0.00	L0.70	3.74	N
H4	89 mm	4.46	281.26	0.00	L0.70	4.46	Y
H5	89 mm	8.75	311.39	0.00	L0.70	8.75	Y
H6	89 mm	19.07	327.95	0.00	L0.70	19.07	Y
H7	89 mm	17.32	336.79	0.00	L0.70	17.32	Y
H8	89 mm	16.07	347.29	0.00	L0.70	16.07	Y
H9	89 mm	13.47	358.30	0.00	R0.70	13.47	Y
H10	89 mm	8.40	15.86	0.00	R0.70	8.40	Y
H11	89 mm	4.66	45.08	0.00	R0.70	4.66	Y
H12	89 mm	4.13	94.99	0.00	R0.70	4.13	N
H13	89 mm	8.32	132.41	0.00	R0.70	8.32	N
H14	89 mm	21.90	150.78	0.00	R0.70	21.90	N
		149.95				149.95	



Print name

Signed

Date

Geotech

Ops Supt

Ring Design Training

Date: 22/06/21

Scale: 1:200

Layout Name: TRAINING - RING SECTION

Document: 4.07 Deswik.UGD

Ring ID: COS5
Configuration: TRAINING

Total Drill Meter: 150.4433

Burden: 0.646 : COS6


Total Charge Meter: 98.4894

Number of holes: 14

Ring Dump: 0.00

Ring Azimuth: 240.5185

Hole ID	Diameter	Hole Length	Dip	Dump	Offset	Drill Length	Uphole
H1	89 mm	12.83	174.18	0.00	L0.70	12.83	N
H2	89 mm	7.09	196.63	0.00	L0.70	7.09	N
H3	89 mm	3.72	230.02	0.00	L0.70	3.72	N
H4	89 mm	4.43	281.26	0.00	L0.70	4.43	Y
H5	89 mm	8.68	311.39	0.00	L0.70	8.68	Y
H6	89 mm	19.09	327.95	0.00	L0.70	19.09	Y
H7	89 mm	17.33	336.79	0.00	L0.70	17.33	Y
H8	89 mm	16.08	347.29	0.00	L0.70	16.08	Y
H9	89 mm	13.57	358.30	0.00	R0.70	13.57	Y
H10	89 mm	8.47	15.86	0.00	R0.70	8.47	Y
H11	89 mm	4.62	45.08	0.00	R0.70	4.62	Y
H12	89 mm	4.10	94.99	0.00	R0.70	4.10	N
H13	89 mm	8.53	132.41	0.00	R0.70	8.53	N
H14	89 mm	21.90	150.78	0.00	R0.70	21.90	N
		150.44				150.44	



Print name

Signed

Date

Geotech

Ops Supt

Ring Design Training

 Date: 22/06/21
 Scale: 1:200

Layout Name: TRAINING - RING SECTION

Document: 4.07 Deswik.UGD

Ring ID: COS6
Configuration: TRAINING

Total Drill Meter: 151.6753

Burden: 2.500 : R2


Total Charge Meter: 99.7214

Number of holes: 14

Ring Dump: 0.00

Ring Azimuth: 240.5185

Hole ID	Diameter	Hole Length	Dip	Dump	Offset	Drill Length	Uphole
H1	89 mm	13.28	174.18	0.00	L0.70	13.28	N
H2	89 mm	7.37	196.63	0.00	L0.70	7.37	N
H3	89 mm	3.68	230.02	0.00	L0.70	3.68	N
H4	89 mm	4.43	281.26	0.00	L0.70	4.43	Y
H5	89 mm	8.62	311.39	0.00	L0.70	8.62	Y
H6	89 mm	19.12	327.95	0.00	L0.70	19.12	Y
H7	89 mm	17.35	336.79	0.00	L0.70	17.35	Y
H8	89 mm	16.09	347.29	0.00	L0.70	16.09	Y
H9	89 mm	13.61	358.30	0.00	R0.70	13.61	Y
H10	89 mm	8.49	15.86	0.00	R0.70	8.49	Y
H11	89 mm	4.53	45.08	0.00	R0.70	4.53	Y
H12	89 mm	4.15	94.99	0.00	R0.70	4.15	N
H13	89 mm	9.04	132.41	0.00	R0.70	9.04	N
H14	89 mm	21.90	150.78	0.00	R0.70	21.90	N
		151.68				151.68	



Print name

Signed

Date

Geotech

Ops Supt

Ring Design Training

Date: 22/06/21

Scale: 1:200

Layout Name: TRAINING - RING SECTION

Document: 4.07 Deswik.UGD

Ring ID: R1
Configuration: TRAINING

Total Drill Meter: 162.3528

Burden: 2.702 : COS1


Total Charge Meter: 123.4852

Number of holes: 16

Ring Dump: 0.00

Ring Azimuth: 60.5185

Hole ID	Diameter	Hole Length	Dip	Dump	Offset	Drill Length	Uphole
A	89 mm	15.83	200.00	0.00	L0.70	15.83	N
B	89 mm	16.45	209.94	0.00	L0.70	16.45	N
C	89 mm	7.73	228.35	0.00	L0.70	7.73	N
D	89 mm	4.51	258.88	0.00	L0.70	4.51	N
E	89 mm	3.36	296.49	0.00	L0.70	3.36	Y
F	89 mm	4.60	334.22	0.00	L0.70	4.60	Y
G	89 mm	10.81	1.57	0.00	L0.70	10.81	Y
H	89 mm	15.92	15.08	0.00	L0.70	15.92	Y
I	89 mm	16.92	24.72	0.00	L0.70	16.92	Y
J	89 mm	18.50	30.00	0.00	R0.70	18.50	Y
K	89 mm	14.45	40.86	0.00	R0.70	14.45	Y
L	89 mm	7.49	60.44	0.00	R0.70	7.49	Y
M	89 mm	4.32	92.26	0.00	R0.70	4.32	N
N	89 mm	3.63	126.14	0.00	R0.70	3.63	N
O	89 mm	5.38	160.10	0.00	R0.70	5.38	N
P	89 mm	12.47	184.51	0.00	R0.70	12.47	N
		162.35				162.35	



Print name

Signed

Date

Geotech

Ops Supt

Ring Design Training

 Date: 22/06/21
 Scale: 1:200

Layout Name: TRAINING - RING SECTION

Document: 4.07 Deswik.UGD

Ring ID: R2
Configuration: TRAINING

Total Drill Meter: 154.5437

Burden: 2.500 : R3


Total Charge Meter: 115.6762

Number of holes: 16

Ring Dump: 0.00

Ring Azimuth: 240.5185

Hole ID	Diameter	Hole Length	Dip	Dump	Offset	Drill Length	Uphole
A	89 mm	15.36	200.00	0.00	L0.70	15.36	N
B	89 mm	12.42	209.94	0.00	L0.70	12.42	N
C	89 mm	8.55	228.35	0.00	L0.70	8.55	N
D	89 mm	4.74	258.88	0.00	L0.70	4.74	N
E	89 mm	5.61	296.49	0.00	L0.70	5.61	Y
F	89 mm	17.89	334.22	0.00	L0.70	17.89	Y
G	89 mm	14.60	1.57	0.00	L0.70	14.60	Y
H	89 mm	9.84	15.08	0.00	L0.70	9.84	Y
I	89 mm	7.85	24.72	0.00	L0.70	7.85	Y
J	89 mm	5.59	30.00	0.00	R0.70	5.59	Y
K	89 mm	4.58	40.86	0.00	R0.70	4.58	Y
L	89 mm	4.20	60.44	0.00	R0.70	4.20	Y
M	89 mm	5.02	92.26	0.00	R0.70	5.02	N
N	89 mm	8.93	126.14	0.00	R0.70	8.93	N
O	89 mm	16.52	160.10	0.00	R0.70	16.52	N
P	89 mm	12.84	184.51	0.00	R0.70	12.84	N
		154.54				154.54	



	Print name	Signed	Date
Geotech			
Ops Supt			

Ring Design Training

Date: 22/06/21
Scale: 1:200

Layout Name: TRAINING - RING SECTION

Document: 4.07 Deswik.UGI

Ring ID: R3
Configuration: TRAINING

Total Drill Meter: 155.9458

Burden: 2.547 : R4


Total Charge Meter: 117.0782

Number of holes: 16

Ring Dump: 0.00

Ring Azimuth: 240.5185

Hole ID	Diameter	Hole Length	Dip	Dump	Offset	Drill Length	Uphole
A	89 mm	14.66	200.00	0.00	L0.70	14.66	N
B	89 mm	11.56	209.94	0.00	L0.70	11.56	N
C	89 mm	7.90	228.35	0.00	L0.70	7.90	N
D	89 mm	4.21	258.88	0.00	L0.70	4.21	N
E	89 mm	5.62	296.49	0.00	L0.70	5.62	Y
F	89 mm	17.94	334.22	0.00	L0.70	17.94	Y
G	89 mm	14.71	1.57	0.00	L0.70	14.71	Y
H	89 mm	9.63	15.08	0.00	L0.70	9.63	Y
I	89 mm	7.82	24.72	0.00	L0.70	7.82	Y
J	89 mm	6.31	30.00	0.00	R0.70	6.31	Y
K	89 mm	5.54	40.86	0.00	R0.70	5.54	Y
L	89 mm	5.07	60.44	0.00	R0.70	5.07	Y
M	89 mm	5.96	92.26	0.00	R0.70	5.96	N
N	89 mm	10.06	126.14	0.00	R0.70	10.06	N
O	89 mm	16.83	160.10	0.00	R0.70	16.83	N
P	89 mm	12.12	184.51	0.00	R0.70	12.12	N
		155.95				155.95	



	Print name	Signed	Date
Geotech			
Ops Supt			

Ring Design Training

 Date: 22/06/21
 Scale: 1:200

Layout Name: TRAINING - RING SECTION

Document: 4.07 Deswik.UGD

Ring ID: R4
Configuration: TRAINING

Total Drill Meter: 181.7122

Burden: 2.500 : R5


Total Charge Meter: 142.8446

Number of holes: 16

Ring Dump: 0.00

Ring Azimuth: 60.5185

Hole ID	Diameter	Hole Length	Dip	Dump	Offset	Drill Length	Uphole
A	89 mm	17.19	200.00	0.00	L0.70	17.19	N
B	89 mm	16.82	209.94	0.00	L0.70	16.82	N
C	89 mm	12.18	228.35	0.00	L0.70	12.18	N
D	89 mm	6.92	258.88	0.00	L0.70	6.92	N
E	89 mm	5.70	296.49	0.00	L0.70	5.70	Y
F	89 mm	7.80	334.22	0.00	L0.70	7.80	Y
G	89 mm	14.08	1.57	0.00	L0.70	14.08	Y
H	89 mm	16.15	15.08	0.00	L0.70	16.15	Y
I	89 mm	17.16	24.72	0.00	L0.70	17.16	Y
J	89 mm	18.79	30.00	0.00	R0.70	18.79	Y
K	89 mm	14.06	40.86	0.00	R0.70	14.06	Y
L	89 mm	7.66	60.44	0.00	R0.70	7.66	Y
M	89 mm	4.19	92.26	0.00	R0.70	4.19	N
N	89 mm	3.77	126.14	0.00	R0.70	3.77	N
O	89 mm	4.95	160.10	0.00	R0.70	4.95	N
P	89 mm	14.31	184.51	0.00	R0.70	14.31	N
		181.71				181.71	



	Print name	Signed	Date
Geotech			
Ops Supt			

Ring Design Training

 Date: 22/06/21
 Scale: 1:200

Layout Name: TRAINING - RING SECTION

Document: 4.07 Deswik.UGDB

Ring ID: R5
Configuration: TRAINING

Total Drill Meter: 182.3633

Burden: 2.500 : R6


Total Charge Meter: 143.4957

Number of holes: 16

Ring Dump: 0.00

Ring Azimuth: 60.5185

Hole ID	Diameter	Hole Length	Dip	Dump	Offset	Drill Length	Uphole
A	89 mm	17.80	200.00	0.00	L0.70	17.80	N
B	89 mm	16.76	209.94	0.00	L0.70	16.76	N
C	89 mm	12.99	228.35	0.00	L0.70	12.99	N
D	89 mm	7.44	258.88	0.00	L0.70	7.44	N
E	89 mm	6.21	296.49	0.00	L0.70	6.21	Y
F	89 mm	8.49	334.22	0.00	L0.70	8.49	Y
G	89 mm	14.45	1.57	0.00	L0.70	14.45	Y
H	89 mm	16.21	15.08	0.00	L0.70	16.21	Y
I	89 mm	17.23	24.72	0.00	L0.70	17.23	Y
J	89 mm	18.82	30.00	0.00	R0.70	18.82	Y
K	89 mm	13.47	40.86	0.00	R0.70	13.47	Y
L	89 mm	7.03	60.44	0.00	R0.70	7.03	Y
M	89 mm	4.77	92.26	0.00	R0.70	4.77	N
N	89 mm	4.11	126.14	0.00	R0.70	4.11	N
O	89 mm	5.04	160.10	0.00	R0.70	5.04	N
P	89 mm	11.54	184.51	0.00	R0.70	11.54	N
		182.36				182.36	



	Print name	Signed	Date
Geotech			
Ops Supt			

Ring Design Training

 Date: 22/06/21
 Scale: 1:200

Layout Name: TRAINING - RING SECTION

Document: 4.07 Deswik.UGD

Ring ID: R6
Configuration: TRAINING

Total Drill Meter: 182.7602

Burden: 2.500 : R7


Total Charge Meter: 144.7252

Number of holes: 16

Ring Dump: 0.00

Ring Azimuth: 60.5185

Hole ID	Diameter	Hole Length	Dip	Dump	Offset	Drill Length	Uphole
A	89 mm	18.50	200.00	0.00	L0.70	18.50	N
B	89 mm	16.75	209.94	0.00	L0.70	16.75	N
C	89 mm	14.44	228.35	0.00	L0.70	14.44	N
D	89 mm	8.35	258.88	0.00	L0.70	8.35	N
E	89 mm	0.67	296.49	0.00	L0.70	0.67	Y
F	89 mm	9.12	334.22	0.00	L0.70	9.12	Y
G	89 mm	14.63	1.57	0.00	L0.70	14.63	Y
H	89 mm	16.27	15.08	0.00	L0.70	16.27	Y
I	89 mm	17.33	24.72	0.00	L0.70	17.33	Y
J	89 mm	18.94	30.00	0.00	R0.70	18.94	Y
K	89 mm	14.32	40.86	0.00	R0.70	14.32	Y
L	89 mm	7.57	60.44	0.00	R0.70	7.57	Y
M	89 mm	4.32	92.26	0.00	R0.70	4.32	N
N	89 mm	3.49	126.14	0.00	R0.70	3.49	N
O	89 mm	5.99	160.10	0.00	R0.70	5.99	N
P	89 mm	12.06	184.51	0.00	R0.70	12.06	N
		182.76				182.76	



Print name

Signed

Date

Geotech

Ops Supt

Ring Design Training

 Date: 22/06/21
 Scale: 1:200

Layout Name: TRAINING - RING SECTION

Document: 4.07 Deswik.UGDB

Ring ID: R7
Configuration: TRAINING

Total Drill Meter: 57.7015

Burden:


Total Charge Meter: 34.5754

Number of holes: 16

Ring Dump: 0.00

Ring Azimuth: 60.5185

Hole ID	Diameter	Hole Length	Dip	Dump	Offset	Drill Length	Uphole
A	89 mm	19.21	200.00	0.00	L0.70	19.21	N
B	89 mm	16.75	209.94	0.00	L0.70	16.75	N
C	89 mm	0.86	228.35	0.00	L0.70	0.86	N
D	89 mm	1.16	258.88	0.00	L0.70	1.16	N
E	89 mm	1.25	296.49	0.00	L0.70	1.25	Y
F	89 mm	1.22	334.22	0.00	L0.70	1.22	Y
G	89 mm	0.55	1.57	0.00	L0.70	0.55	Y
H	89 mm	0.51	15.08	0.00	L0.70	0.51	Y
I	89 mm	0.54	24.72	0.00	L0.70	0.54	Y
J	89 mm	1.23	30.00	0.00	R0.70	1.23	Y
K	89 mm	1.77	40.86	0.00	R0.70	1.77	Y
L	89 mm	3.49	60.44	0.00	R0.70	3.49	Y
M	89 mm	7.51	92.26	0.00	R0.70	7.51	N
N	89 mm	1.60	126.14	0.00	R0.70	1.60	N
O	89 mm	0.03	160.10	0.00	R0.70	0.03	N
P	89 mm	0.02	184.51	0.00	R0.70	0.02	N
		57.70				57.70	



	Print name	Signed	Date
Geotech			
Ops Supt			

Ring Design Training

Date: 22/06/2023

Scale: 1:200

Layout Name: TRAINING - RING SECTION

Document: 4.07 Deswik.UGDB