07/12/2020

User Document

Maxence Bonneau,
Tom Banchereau,
Enzo Lebrun,
Kilian Breton

Summary

How to use our EasySave software ?

When you get to the software there are several options available to you.

0. Exit EasySave.

To quit the application just click on the cross in the top right corner.

1. Create a backup environment.

To create a backup environment, click on the button "add a backup environment".
Then enter the name : **Example: "test".**

Then enter the paths of the source: **Example: "C:\Users\EasySave\Desktop\DirectorySource".**

And destination files: **Example: "C:\Users\EasySave\Desktop\DirectoryDestination".**

Once the backup environment is created you will be redirected to the home page.

2. Delete a backup environment.

To delete the environment simply choose an environment from the list on the left and click on the "delete environment" button.

3. Delete a backup environment.

To run a backup, you have to select the environment from the drop-down list on the left and click on the button to "run a backup". So, choose your environment, once the environment is chosen, 2 options are available:

- Make a full backup.
- Make a differential backup, by the way this option is available once that you have done a full backup on a specific environment.

Once a backup is done, a folder has been created with the date and time.

4. Restore a backup.

If you choose option "restore backup" after selecting an environment, you will see the list of backup. Choose the one you want to restore.

5. Run multiple backups.

When you choose the option to run several backups at the same time you will get to a menu that will show you all the available environments. You click on an environment and select which type of backup you want to run and so on. To finish you click on the button "Run multiple backups".

6. Multiple languages.

You can change language at any time and click on the "France" button to have the software in French or click on the "English" button to have the software in English.

7. Business software.

If you do not want to run a backup while software is running in the background, you must enter the name of the software in the business software part. Now, if it is detected, you will no longer be able to start a backup. If you had scheduled several backups and the software is detected during execution, then the current backup will end and then the program will stop in turn.

8. Files to encrypt.

If you want to encrypt some files you have to go to the "Files to encrypt" part and enter the name of the extensions, example: ".docx or docx".