DESIGN & SUPPLY
DOOR SPECIALISTS

COMPANY BROCHURE
2026

# CERTIFIED STEEL DOORSETS. MADE IN WALES.



SECURITY / FIRE / THERMAL / FLOOD
ACOUSTIC / STOCK / SLIMLINE GLAZING

Since 1986
MERTHYR TYDFIL · SOUTH WALES

ABOUT DESIGN & SUPPLY

# THE DOOR SPECIALISTS. SINCE 1986.

We design, manufacture, finish and install certified steel doorsets and slimline glazing — all from our own factory in Merthyr Tydfil.

Design & Supply was founded in 1986 by Terry Stares, in leased premises with rented equipment. We moved to Merthyr Tydfil in 1990 and to Pant Industrial Estate in 1997, where our steel door business began.

Today we manufacture LPCB-certified LPS 1175 security doorsets from SR1 to SR4, CE-marked fire doorsets tested to EN 1634-1 with certification up to 4 hours, and thermal, flood and acoustic doorsets. Our Slimline division, launched in 2017, fabricates Schüco, Jansen and Forster glazed doors, screens and façades.

Survey, CAD design, fabrication and powder coating all happen in-house, and our accredited fitters install nationwide. In 2026 a management buy-out put the business in the hands of Tom Grother, Damian Regis and Scott Davies.




Members of our management team outside the factory at Pant Industrial Estate, Merthyr Tydfil.

> We're proud to continue the legacy built over nearly four decades and remain committed to investing in the future of the business here in Wales.

**Tom Grother** · Director

## MILESTONES

**1986**
Founded by Terry Stares

**1997**
Steel door business begins at Pant Industrial Estate

**2003**
Fire certification obtained

**2004**
Security certification earned

**2017**
Slimline division launched

**2026**
Management buy-out

WHY DESIGN & SUPPLY

# ONE MANUFACTURER. START TO FINISH.

## 01 MADE IN MERTHYR TYDFIL

Every made-to-order doorset is designed, fabricated and powder coated in-house at our own factory, so quality is controlled at every stage of manufacture.

## 02 INDEPENDENTLY CERTIFIED

LPCB-certified to LPS 1175 SR1–SR4. CE-marked fire doorsets tested to EN 1634-1, certified up to 4 hours. The first steel door manufacturer to join UKTC Ensure.

## 03 IN-HOUSE POWDER COATING

Our own powder-coating plant finishes our made-to-order doorsets in hundreds of RAL and BS colours. Stock doors come etch primed, with powder coating available.

## 04 ONE ACCOUNTABLE PARTNER

Survey, CAD design, fabrication, finishing, installation and aftercare — one manufacturer responsible from first measurement onwards.

## 05 PRICE MATCH. TRADE & PUBLIC.

Every quotation is free and without obligation, and we price match any genuine like-for-like quote from a UK manufacturer.

## 06 FAST WHEN YOU NEED IT

Stock doors are typically delivered in 3–5 working days, subject to availability. Streamline doorsets are prioritised through manufacture.

**1986**
Established

**SR1–SR4**
LPCB-certified LPS 1175 security ratings

**4 hrs**
Fire certification, tested to EN 1634-1

**350+**
RAL & BS powder-coat colours

HOW WE WORK

# FROM SURVEY TO AFTERCARE.

Every stage is handled by our own team — so there's one point of contact and one company accountable for the result.

01

## FREE QUOTE & SITE SURVEY

A free, no-obligation quotation, with site surveys available — we measure each opening and confirm the specification before anything is made.

02

## CAD DESIGN

Our in-house design team details every doorset and issues drawings for your approval before fabrication begins.

03

## FABRICATION

Every doorset is made in Merthyr Tydfil — programmed, punched, bent and welded by our own team.

04

## POWDER COATING

Made-to-order doorsets are finished in our own powder-coating plant, in your choice of RAL or BS colour.

05

## NATIONWIDE INSTALLATION

Accredited fitters install across the UK — standard sizes in as little as 10 days.

06

## HANDOVER & AFTERCARE

O&M documentation at handover, with maintenance and repair services to keep doorsets performing.

## INSTALLED TO DHF TS 005

Where we install, our work follows DHF TS 005, the Door & Hardware Federation's standard for the installation of doors and shutters — including installation records and completion certificates. We are a DHF member.

# DOORSETS FOR EVERY OPENING AND THREAT.



## SECURITY STEEL DOORS

LPCB-certified security, from SR1 to SR4.

P. 06-07



## FIRE RATED STEEL DOORSETS

Certified up to 4 hours. Tested as complete doorsets.

P. 08



## THERMA-LINE THERMAL DOORS

U-values as low as 1.3 W/m²K, without giving up strength.

P. 09



## FLOOD DEFENCE DOORS

Up to 900mm of water protection in a steel doorset.

P. 10



## ACOUSTIC STEEL DOORS

Engineered around your target sound reduction.

P. 11



## STOCK & STREAMLINE DOORS

General purpose doors for programmes that can't wait.

P. 12



## SLIMLINE GLAZING

Schüco, Jansen and Forster systems — security, fire and non-rated.

P. 13-14

## NEED MORE THAN ONE RATING?

SR2 security doorsets are available with an optional EN 1634 fire rating.

Janisol C4 slimline combines security features with EI60–EI90 fire protection.

Louvre and vision panel options on selected doorsets — options may affect ratings.

01



SECURITY RATED

01 · SECURITY RATED

# SECURITY STEEL DOORS

## LPCB-certified security, from SR1 to SR4.

Steel hinged security doorsets, independently tested and certified by the Loss Prevention Certification Board to LPS 1175 Security Ratings 1, 2, 3 and 4. Single and double leaf, outward opening, for internal or external openings — each rating matched to a threat level, from opportunist attack with basic tools (SR1) to sustained, experienced attack (SR4).

### KEY FEATURES

**LPCB CERTIFIED**
LPS 1175 SR1–SR3 (certificate 694b) and SR4 / D10 (certificate 694d)

**ATTACK RESISTANCE**
Tool category A (SR1) through to category D (SR4)

**CONFIGURATION**
Single or double leaf, outward opening, internal or external

**LOCKING**
Manual and electronic options, with access control at SR2 and SR4

**PANELS**
Louvres SR2–SR4 · vision panels SR2 · overpanels SR1–SR3

**FIRE + SECURITY**
SR2 available with an optional EN 1634 fire rating

**FINISH**
Pre-treated, primed and powder coated in-house

DATA SHEETS ↗ SR1 · SR2 · SR3 · SR4 data sheets

01 · SECURITY RATED

# SR1 TO SR4 AT A GLANCE.

| RATING | TESTED RESISTANCE | TYPICAL USE | OPTIONS |
|---|---|---|---|
| **SR1** | Opportunist attack using basic tools (LPS 1175 tool category A). | Certified entry-level protection — the entry point to the range. | Overpanels |
| **SR2** | Determined attack with a wider tool set, including levers and cutting tools (category B). | Our most specified rating — most commercial, education, healthcare and residential-communal projects. | Louvres, vision panels, overpanels, access control, optional EN 1634 fire rating |
| **SR3** | Deliberate forced entry with heavier tools — crowbars, short axes and cordless drills (category C). | Vaults, critical infrastructure and high-value stores. | Louvres, overpanels |
| **SR4** | Sustained, experienced attack with serious cutting and levering tools (category D). | Data centres, utility substations and high-security facilities. | Louvres, access control |

### CHOOSING A RATING


Choose SR2 where a risk assessment anticipates determined attack with a wider tool set, or where an insurer, police adviser or specification calls for certified security beyond entry level. Step up to SR3 for a prepared intruder with serious tools, and to SR4 for sustained, experienced attack. Our team will help you match the rating to the risk.

### CHECK OUR CERTIFICATION

Our security doorsets are listed in the LPCB Red Book — certificates 694b (LPS 1175 Issue 7: SR1, SR2 and SR3) and 694d (LPS 1175 Issue 8: D10 / SR4). Specifiers can check any listing on the Red Book.

02

UKTC ENSURE CERTIFIED



FIRE RATED

02 · FIRE RATED

# FIRE RATED STEEL DOORSETS

## Certified up to 4 hours. Tested as complete doorsets.

Our fire rated steel doorsets are tested as complete assemblies to EN 1634-1, with certification up to 4 hours. They are CE marked and third-party certified under the UKTC Ensure scheme. Built around a dense mineral core, they protect escape routes in warehouses, flat entrances, server rooms, schools, data centres, retail, public buildings and offices.

### KEY FEATURES

**FIRE RATING**
Certification up to 4 hours

**TESTED**
EN 1634-1, as complete doorset assemblies

**CERTIFIED**
CE marked; third-party certified under UKTC Ensure

**CONSTRUCTION**
1.5mm galvanised steel, double-skinned, dense mineral core

**STANDARD SIZES**
Single up to 1250 × 2650mm · double up to 2800 × 2650mm; larger subject to limits

**OPTIONS**
Vision panels, louvres and access control on selected doorsets; louvres rule out a smoke rating

**FIRE + SECURITY**
Optional EN 1634 fire rating on LPS 1175 SR2 doorsets

DATA SHEET ↗ Fire rated doors data sheet

03



THERMAL RATED

03 · THERMAL RATED

# THERMA-LINE THERMAL DOORS

## U-values as low as 1.3 W/m²K, without giving up strength.

Therma-Line is our range of thermally efficient steel doorsets. A double-skinned galvanised steel leaf and frame surrounds a bonded mineral wool core, so thermal performance comes without compromising strength, durability or security. Designed for Part L, Therma-Line suits new-build and refurbishment projects across commercial, industrial and public-sector buildings.

### KEY FEATURES

**U-VALUE**
As low as 1.3 W/m²K at tested sizes (±25%); otherwise estimated

**PART L**
Designed for Part L of the Building Regulations

**INSULATED CORE**
Double-skinned leaf, interlocking edges, bonded mineral wool core

**STEEL**
1.5mm galvanised steel leaf and frame · 54mm leaf

**CONFIGURATION**
Single and double doorsets, inward or outward opening

**SIZE RANGE**
Single up to 1410 × 2950mm · double up to 2820 × 2950mm

**FINISH**
Powder coated in-house, including coastal grades

DATA SHEET ↗ Thermal rated doors data sheet

04



FLOOD DEFENCE



# FLOOD DEFENCE DOORS

## Up to 900mm of water protection in a steel doorset.

Our flood defence doors keep rising water out with steel-lined, high-grade seals, giving up to 900mm of water protection. A 45mm galvanised steel leaf, a minimum of five reinforced fixing points per side and Grade 13 stainless steel hinges provide the strength. Single and double doorsets are manufactured in Merthyr Tydfil and installed UK-wide.

### KEY FEATURES

**FLOOD HEIGHT**
Up to 900mm water protection

**SEALS**
Steel-lined, high-grade seals to prevent water ingress

**CONSTRUCTION**
45mm leaf, 1.5mm galvanised steel, mineral core

**STRENGTH**
Min. 5 reinforced fixing points per side · Grade 13 hinges

**MAXIMUM SIZES**
Single 1408 × 3000mm · double 2800 × 3000mm

**SITE TESTING**
Flood tested on installation; annual retest visits available

**FINISH**
Powder coated in-house

Our flood defence doors are not LPS 1175 rated. Where a certified security rating is needed, specify an LPS 1175 security doorset.

DATA SHEET ↗ Flood rated doors data sheet

05



ACOUSTIC RATED

05 · ACOUSTIC RATED

# ACOUSTIC STEEL DOORS

## Engineered around your target sound reduction.

Our acoustic steel doorsets give an estimated 38–51 dB of sound reduction, adapted to door size and application, with acoustic seals customised to your target rating. A double-skinned galvanised steel leaf is built around a dense mineral core. They suit recording and broadcast studios, police interview rooms, medical centres, offices and residential entrances.

### KEY FEATURES

**SOUND REDUCTION**
38–51 dB (estimated), adapted to size and application

**ACOUSTIC SEALS**
Customised to your target dB rating

**DOOR LEAF**
Double-skinned 1.5mm galvanised steel, 48–55mm thick

**CORE**
Dense mineral core; plasterboard or e-coustiquilt options

**FRAME**
1.5mm galvanised Zintec steel, single or double rebate

**FIXINGS**
Minimum 5 per side, plus 2 on the head for doubles

**FINISH**
Powder coated in-house

ENQUIRE ↗ Specification on request

06



GENERAL PURPOSE



# STOCK & STREAMLINE DOORS

## General purpose doors for programmes that can't wait.

Stock Doors come in two standard structural opening sizes and are typically delivered within 3–5 working days, subject to availability. Streamline doorsets are precision-engineered in galvanised steel for commercial and industrial applications, and prioritised through manufacture to a rapid lead time. Both suit offices, retail, education, healthcare and hospitality.

### KEY FEATURES

**STOCK DELIVERY**
Typically 3–5 working days, subject to availability

**STOCK SIZES**
900 × 2100mm and 1000 × 2100mm structural openings

**READY TO FIT**
Hinges, fixings, threshold, jacking screws and brick fixings included

**STREAMLINE**
Prioritised through manufacture to a rapid lead time

**STREAMLINE SIZES**
Up to 1440 × 3050mm single · 2900 × 3050mm double

**STREAMLINE OPTIONS**
Side, over, louvred and vision panels; open in or out

**FINISH**
Stock: etch primed, powder coat optional · Streamline: galvanised steel

DATA SHEET ↗ Streamline data sheet



07 · SLIMLINE

SCHÜCO JANSEN FORSTER

# SLIMLINE ARCHITECTURAL GLAZING.

**Narrow steel profiles. Maximum daylight. Certified performance.**

Slimline brings narrow steel sightlines to doors, screens, windows and façades. We fabricate Schüco, Jansen and Forster systems at our factory in Merthyr Tydfil, with in-house CAD support, fabrication and powder coating.

Janisol glazed doorsets are certified to LPS 1175 and LPS 2081. Four fire-rated systems run from E30 to EI90, with Jansen Economy to E120, and five non-rated systems cover everything from internal partitions to full façades.

DATA SHEET ↗ Slimline data sheet

## KEY FEATURES

**SYSTEMS**
Schüco, Jansen and Forster, fabricated in Merthyr Tydfil

**SECURITY**
Janisol doorsets certified to LPS 1175 (B3 / SR2) and LPS 2081

**FIRE RATED**
E30 to EI90 across four systems; Jansen Economy to E120


**THERMAL**
Thermally broken Janisol and Arte 2.0; thermally improved VISS

**APPLICATIONS**
Internal doors and partitions to external doors, windows and façades

**IN-HOUSE SERVICE**
CAD, fabrication and powder coating in-house; installation by accredited fitters nationwide

# FROM PARTITIONS TO FULL FAÇADES.


Jansen VISS


Jansen Arte 15


Janisol C4


Janisol VISS Fire

## SECURITY

**Janisol – LPS 1175**
B3 (SR2) · LPCB certificate 694e

**Janisol – LPS 2081**
Rating B · LPCB certificate 694c

**Janisol C4**
Security features with EI60–EI90 fire protection

## FIRE RATED

**Janisol 2**
EI30 · doors and fixed glazing

**Janisol C4**
EI60–EI90 · doors and fixed glazing

**Jansen Economy**
E30–E120 · internal doors and glazing

**Janisol VISS Fire**
E30–EI90 · façade system

## NON-RATED

**Janisol**
Thermally broken doors and glazing

**Jansen Arte 15**
Internal partitions and doors

**Jansen Arte 2.0**
Thermally broken windows

**Jansen Economy**
Internal doors and glazing

**Jansen VISS**
Thermally improved façades

SECTORS

# TRUSTED WHERE PERFORMANCE MATTERS.

Trade customers, main contractors, architects and specifiers rely on our doorsets across commercial, public-sector, infrastructure and residential projects.

| | | | |
|---|---|---|---|
| UTILITIES & SUBSTATIONS | SCHOOLS & UNIVERSITIES | HEALTHCARE | RESIDENTIAL & HOUSING |
| CAR PARKS | DATA CENTRES & SERVER ROOMS | RETAIL | INDUSTRIAL & WAREHOUSING |
| OFFICES & PUBLIC BUILDINGS | STUDIOS & BROADCAST | SPORT & LEISURE | CASH ROOMS & FINANCE |

## SELECTED PROJECTS

- Silverstone Race Circuit
- University of Bristol — TQEC Research Hub
- Fish Island Village, London
- Watling Gardens, London
- Mermaid Quay car park, Cardiff Bay
- Celtic Manor Hotel

ACCREDITATIONS

# INDEPENDENTLY TESTED. INDEPENDENTLY CERTIFIED.

### LPCB · LPS 1175
Security doorsets certified by the Loss Prevention Certification Board from SR1 to SR4 and listed in the LPCB Red Book. Janisol slimline doorsets are also certified to LPS 2081.

### CE MARKED · EN 1634-1
Fire doorsets tested as complete assemblies to EN 1634-1, with certification up to 4 hours, and CE marked.

### UKTC ENSURE
UKAS-accredited third-party fire door certification. We were the first steel door manufacturer to join the scheme.

**SECURED BY DESIGN**
Police Preferred Specification options available

**UKTC ENSURE**
Certified fire doorsets carry QR-coded labels

**DHF MEMBER**
Installations follow DHF TS 005

**CONSTRUCTIONLINE GOLD**
Pre-qualified supplier

**CHAS**
Health & safety accredited

**SSIP**
Safety Schemes in Procurement

**ACHILLES NETWORK**
Supply-chain member

**SYSTEMS PARTNER**
Jansen and Forster slimline systems

# PROJECTS WE'RE PROUD OF.

SLIMLINE GLAZING


HIGHER EDUCATION · BRISTOL


## TQEC RESEARCH HUB ↗

The first phase of the University of Bristol's Temple Quarter Enterprise Campus. We delivered the bespoke glazing package for two 19th-century industrial buildings in a conservation area — the Retort House (1821) and the Coal Shed (1885).

- Arched Janisol screens matched to the original stonework
- Jansen Economy 60 and Janisol 2 partitions and fire-rated doors
- VISS curtain walling, curved louvres and spandrel panels
- A single 3m × 2m pane weighing over 500 kg

SHORTLISTED · SCHÜCO EXCELLENCE AWARDS 2025





RESIDENTIAL · LONDON

## FISH ISLAND VILLAGE ↗

We supplied and installed all the external doors, screens and curtain walling. Entrance doors used our LPS 2081 product, certified within Secured by Design, and louvres in selected screens solved ventilation without altering the architect's design.

| £545k | 1.0 | 2022 |
|---|---|---|
| doors, screens & curtain walling | W/m²K — U-values from 1.0 across the package | completed August |

Photo © Fred Howarth

CASE STUDIES

# SECURITY & FIRE IN THE REAL WORLD.

STEEL DOORSETS



RESIDENTIAL · CRICKLEWOOD, LONDON

## WATLING GARDENS ↗

125 affordable homes across three new blocks designed by Pollard Thomas Edwards Architects, including 45 independent-living homes for Brent Council. We manufactured 21 bespoke LPS 1175 SR2 doorsets with louvre panels and a precision-engineered perforated design, plus 3 SR2 glazed doorsets in Jansen Janisol. Completed 2025.

| 21 | 3 | 125 |
|---|---|---|
| SR2 steel doorsets | SR2 glazed doorsets | new homes |

CAR PARK · CARDIFF BAY

## MERMAID QUAY ↗

Over 40 FD60 steel doorsets manufactured, supplied and installed for the new 679-space multi-storey car park. Tested and certified to EN 1634-1 for 60 minutes' fire resistance, and built for heavy daily use in semi-exposed locations. Completed 2026.

| 40+ | 60 | 679 |
|---|---|---|
| FD60 doorsets | minutes' fire resistance | parking spaces |



PUBLIC SECTOR · EBBW VALE

## EBBW VALE CAR PARK ↗

Working with Blaenau Gwent County Borough Council, we delivered and installed enhanced anti-vandal steel doors and heavy-duty security grilles for a high-traffic, open-access site — with minimal disruption to car park operations. Completed November 2024.

CUSTOMER PORTAL

# TRACK EVERY DOOR THROUGH THE FACTORY.

Our Customer Portal lets you follow each door on your order through every stage of manufacture — so you always know where your job is.

1. PROGRAMMING
2. PUNCHING
3. BENDING
4. WELDING
5. PAINTING
6. PACKING

TECHNICAL SUPPORT

# EVERYTHING YOU NEED TO SPECIFY.

Free to download — no forms, no sign-up.

**DATA SHEETS** ↗
Security SR1–SR4, fire, thermal, flood, car park, Streamline and Slimline.

**O&M MANUAL** ↗
Installation, operation and maintenance — site safety, checks, handover, inspection schedules and troubleshooting.

**CILL TYPES** ↗
Every cill profile, A to J, with section dimensions.

**DOOR HANDING DIAGRAMS** ↗
Single doorsets, standard astragal doubles and lipped flush doors.

**COLOUR CHART** ↗
Our standard powder-coat colours.

**SCAN OR CLICK FOR DOWNLOADS**
designandsupply.co.uk/downloads

DESIGN & SUPPLY
DOOR SPECIALISTS

GET IN TOUCH

# FREE QUOTATION. NO OBLIGATION.

Tell us about your project — from a single stock door to a full security, fire or glazing package. Open to trade and public, and we price match any genuine like-for-like UK manufacturer quote.


**01685 350 114**
Talk to our sales team

**sales@designandsupply.co.uk**
Send drawings, schedules or photos

**designandsupply.co.uk**
Products, data sheets and case studies

**13 Pant Industrial Estate**
Merthyr Tydfil, Mid Glamorgan, CF48 2SR


**REQUEST A QUOTE**
designandsupply.co.uk/contact