DESIGN & SUPPLY

Door Specialists · Merthyr Tydfil · Established 1986

CILL TYPES

The standard cill profiles for Design & Supply steel doorsets — what each type is for, when to choose it, and its section dimensions. One page per cill, types A to J.

DS-TEC-CILL | VERSION 1.0 | October 2026

> **ORDERING**
> Please quote the cill type when ordering. Handings and sizes must be confirmed when ordering. If you do not specify a cill, the H type is supplied as standard.


Contents


Cill Type A
Cill Type B
Cill Type C
Cill Type D
Cill Type E — non-standard · chargeable
Cill Type F
Cill Type G — non-standard · chargeable
Cill Type H — supplied as standard
Cill Type J

Contact: 01685 350 114 · sales@designandsupply.co.uk · designandsupply.co.uk

Cill Type A


This type of cill is used when perhaps the floor outside is raised. Using this cill will allow the door to swing freely open without being obstructed by the outside floor.






Cill Type B


This type of cill is only ever used on an inward opening door. The cill is fitted in the rebate of the frame, with the slope running down towards the outside. Thus if any rain runs down the door onto the cill it will then run down the slope of the cill and onto the outside floor.






Cill Type C


This type of cill is commonly used on doors where perhaps wheelchairs, trolleys, etc are common traffic through the doors.





Cill Type D


This type of cill is commonly used on doors where perhaps wheelchairs, trolleys, etc are common traffic through the doors.




Cill Type E

NON-STANDARD · CHARGEABLE


This type of cill is a 6mm flat bar cill which sits directly under the frame. This cill is particularly good when the floor isn't finished or is uneven or crumbly. Please note that this cill is not standard and is chargeable.






Cill Type F

This type of cill sits at the back of the frame. A good cill to choose if a flat low-level cill is required, also if a panic bolt is being used on the door.






Cill Type G

NON-STANDARD · CHARGEABLE


This type of cill is an aluminium cill with a neoprene seal; it is not a standard cill and is therefore chargeable. It is commonly used on doors where wheelchairs, trolleys, etc are common traffic through the doors.



Cill Type H

SUPPLIED AS STANDARD

This type of cill is our most popular of all the cills. It is similar to the 'F' type but it has a leading face which fits under the door. Good for every kind of purpose, particularly panic bolts. If you do not specify a different cill, this will come as standard.



Cill Type J

This type of cill has a sloping leading face which fits under the door.

