LPCB®

www.redbooklive.com

Certificate of Product Approval

Certificate Number: 694b Issue: 15

Design and Supply Limited

13 Pant Industrial Estate
Merthyr Tydfil
Mid Glamorgan
CF48 2SR

is authorised to use the LPCB mark in association with the product(s) listed in this certificate and appendix having complied with the requirements of the standard(s) detailed below:

Product

Desray 1
Desray 2
DS3
hinged security doorsets

Standard

LPS 1175: Issue 7
Requirements and testing procedures for the LPCB approval and listing of intruder resistant building components, strongpoints, security enclosures and free-standing barriers

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd, 2022

LPCB®

Appendix to Certificate No: 694b

Issue: 15

Design and Supply Limited

Hinged Security Doorsets

Product Name	Type	Minimum Structural Opening Height (m)	Maximum Structural Opening Height (m)	Minimum Structural Opening Width (m)	Maximum Structural Opening Width (m)	Security Rating	LPCB Ref. No.
Desray 1	Single leaf outward opening hinged security doorset	1.8	2.44	0.6	1.44	1	694b/03
	Double leaf outward opening hinged security doorset[1]	1.8	2.44	1.1	2.8	1	
	Single leaf outward opening hinged security doorset incorporating overpanels[2]	2.29	3.44	0.6	1.44	1	
	Double leaf outward opening hinged security doorset incorporating overpanels[1,2]	2.29	3.44	1.1	2.8	1	
Desray 2	Single leaf, outward opening hinged security doorset	1.5	3.1	0.6	1.44	2	694b/01
	Double leaf, outward opening hinged security doorset[1]	1.5	3.1	1.1	2.8	2	
	Single leaf, outward opening hinged security doorset incorporating overpanels[2]	1.99	4.1	0.6	1.44	2	
	Double leaf, outward opening hinged security doorset incorporating overpanels[1,2]	1.99	4.1	1.1	2.8	2	
DS3	Single leaf, outward opening hinged security doorset	1.5	3.06	0.75	1.4	3[3]	694b/09
	Double leaf, outward opening hinged security doorset[1]	1.5	3.06	1.5	2.51	3[3]	
	Single leaf, outward opening hinged security doorset incorporating overpanels[2]	2.4	4.06	0.75	1.4	3[3]	
	Double leaf, outward opening hinged security doorset incorporating overpanels[1,2]	2.4	4.06	1.5	2.51	3[3]	

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Issue: 15

Design and Supply Limited

Approved Locking Configurations

Product Name	Type	Compatible Locking Systems	
		Active Leaf	Passive Leaf
Desray 1	Single leaf outward opening hinged security doorset	34 to 42	N/A
	Double leaf outward opening hinged security doorset	34 to 38, 41 and 42	35[4], 36[4], 43 or 44
	Single leaf outward opening hinged security doorset incorporating overpanels	34 and 37 to 42	N/A
	Double leaf outward opening hinged security doorset incorporating overpanels	34, 37, 38, 41 and 42	43
Desray 2	Single leaf, outward opening hinged security doorset	1 to 32, 81 to 146, 148 to 351	N/A
	Double leaf, outward opening hinged security doorset	1 to 32, 81 to 351	9[5], 33, 74, 75, 76[5] to 80[5], 137 to 141, 148 to 181, 352 to 354
	Single leaf outward opening hinged security doorset incorporating overpanels	1 to 32, 81 to 146, 148 to 351	N/A
	Double leaf outward opening hinged security doorset incorporating overpanels	1 to 32, 81 to 351	9[5], 33, 74, 75, 76[5] to 80[5], 137 to 141, 148 to 181, 352 to 354
DS3	Single leaf, outward opening hinged security doorset	45 to 73	N/A
	Double leaf, outward opening hinged security doorset	45 to 73	74 or 75
	Single leaf outward opening hinged security doorset incorporating overpanels	45 to 73	N/A
	Double leaf outward opening hinged security doorset incorporating overpanels	45 to 73	74 or 75

Compatible Locking Systems

Compatible Locking Systems	Manufacturer	Model	Type	Compatible Operating Devices		Compatible External Cylinders
				External Face	Internal Face	
1	Assa	765[21]	Single-point mortice sash lock	Key and handle	Key and handle	B
2	Assa	765[21]	Single-point mortice sash lock	Key and handle	Thumbturn and handle	A
3	Assa	2788[21]	Single-point mortice dead lock	Key	Key	B

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Issue: 15

Design and Supply Limited

Compatible Locking Systems	Manufacturer	Model	Type	Compatible Operating Devices		Compatible External Cylinders
				External Face	Internal Face	
4	Assa	2788[21]	Single-point mortice dead lock	Key	Thumbturn	A
5	Assa	1520	Single-point mortice emergency exit sash lock	Key and handle	Lever handle	A
6	Exidor	703B-30	Three-point panic exit locking system[6]	None	Panic bar	-
7	Exidor	703B-30 with 709	Three-point panic exit locking system with external access device[6]	Key and turn knob (Exidor 709)	Panic bar	C
8	Exidor	703B-30 with 710	Three-point panic exit locking system with external access device[6]	Key and handle (Exidor 710)	Panic bar	C
9	Exidor	702B-30	Two-point panic exit locking system[6]	None	Panic bar	-
10	Surelock McGill Limited	Stirling ST101	Single-point locking system	None	Key and lever handle	-
11	Surelock McGill Limited	Stirling ST103[7]	Single-point locking system	None	Thumbturn and lever handle	-
12	Surelock McGill Limited	Stirling ST104	Single-point emergency exit locking system[6]	None	Panic bar	-
13	Surelock McGill Limited	Stirling ST105	Single-point emergency exit locking system	None	Handle	-
14	Surelock McGill Limited	Stirling ST105-H3	Single-point emergency exit locking system	None	Push pad	-
15	Surelock McGill Limited	Stirling ST111-P[8]	Single-point locking system	Key and lever handle	Key and lever handle	A, H to M, P to AL, AP to AY, BH, BI, BK to BN
16	Surelock McGill Limited	Stirling ST113-P[7,8]	Single-point locking system	Key and lever handle	Thumbturn and lever handle	A, H to M, P to AL, AP to AY, BH, BI, BK to BN

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Design and Supply Limited

Issue: 15

Compatible Locking Systems	Manufacturer	Model	Type	Compatible Operating Devices		Compatible External Cylinders
				External Face	Internal Face	
17	Surelock McGill Limited	Stirling ST114-P[8]	Single-point emergency exit locking system[6]	Key and lever handle	Panic bar	A, H to M, P to AL, AP to AY, BH, BI, BK to BN
18	Surelock McGill Limited	Stirling ST115-P[8]	Single-point emergency exit locking system	Key and lever handle	Lever handle	A, H to M, P to AL, AP to AY, BH, BI, BK to BN
19	Surelock McGill Limited	Stirling ST115-P-H3[8]	Single-point emergency exit locking system	Key and lever handle	Push pad	A, H to M, P to AL, AP to AY, BH, BI, BK to BN
20	Surelock McGill Limited	Stirling ST121-H1	Single-point electro-mechanical access control lock powered by 12 V, 24 V or 50 V solenoid[9]	None	Access control and handle with key override	-
21	Surelock McGill Limited	Stirling ST121-P-K13[8]	Single-point electro-mechanical access control lock powered by 12 V, 24 V or 50 V solenoid[9]	Handle plus external access control entry device with key override	Access control and handle with key override	A, H to M, P to AL, AP to AY, BH, BI, BK to BN
22	Surelock McGill Limited	Stirling ST122-H1	Single-point electro-mechanical access control lock powered by 12 V, 24 V or 50 V solenoid[9]	None	Access control and handle	-
23	Surelock McGill Limited	Stirling ST122-P-K13[8]	Single-point electro-mechanical access control lock powered by 12 V, 24 V or 50 V solenoid[9]	Handle plus external access control entry device with key override	Access control and handle	A, H to M, P to AL, AP to AY, BH, BI, BK to BN

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Design and Supply Limited

Issue: 15

Compatible Locking Systems	Manufacturer	Model	Type	Compatible Operating Devices		Compatible External Cylinders
				External Face	Internal Face	
24	Surelock McGill Limited	Stirling ST123-H1[7]	Single-point electro-mechanical access control lock powered by 12 V, 24 V or 50 V solenoid[9]	None	Access control and handle with thumbturn override	-
25	Surelock McGill Limited	Stirling ST123-P-K13[7,8]	Single-point electro-mechanical access control lock powered by 12 V, 24 V or 50 V solenoid[9]	Handle plus external access control entry device with key override	Access control and handle with thumbturn override	A, H to M, P to AL, AP to AY, BH, BI, BK to BN
26	Surelock McGill Limited	Stirling ST124-P-K13[8]	Single-point electro-mechanical access control lock powered by 12 V, 24 V or 50 V solenoid[6,9]	Handle plus external access control entry device with key override	Panic bar	A, H to M, P to AL, AP to AY, BH, BI, BK to BN
27	Surelock McGill Limited	Stirling ST125-P-K13[8]	Single-point electro-mechanical access control lock powered by 12 V, 24 V or 50 V solenoid[9]	Handle plus external access control entry device with key override	Lever handle	A, H to M, P to AL, AP to AY, BH, BI, BK to BN
28	Surelock McGill Limited	Stirling ST125-P-H3-K13[8]	Single-point electro-mechanical access control lock powered by 12 V, 24 V or 50 V solenoid[9]	Handle plus external access control entry device with key override	Push pad	A, H to M, P to AL, AP to AY, BH, BI, BK to BN
29	Surelock McGill Limited	Stirling AC850-0x	Single-point surface-mounted electro-mechanical motorised electric release lock, auto-bolting, auto-deadlocking	Electric release	Electric release	-

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Design and Supply Limited

Issue: 15

Compatible Locking Systems	Manufacturer	Model	Type	Compatible Operating Devices		Compatible External Cylinders
				External Face	Internal Face	
30	Surelock McGill Limited	Stirling AC850-0x-K1	Single-point surface-mounted electro-mechanical motorised electric release lock, auto-bolting, auto-deadlocking	Electric release	Electric release or key and lever handle manual override	A, H to M, P to AL, AP to AY, BH, BI, BK to BN
31	Surelock McGill Limited	Stirling AC850-0x-K92	Single-point surface-mounted electro-mechanical motorised electric release lock, auto-bolting, auto-deadlocking	Electric release	Electric release or thumbturn and lever handle manual override	A, H to M, P to AL, AP to AY, BH, BI, BK to BN
32	Surelock McGill Limited	Stirling AC850-0x-X1	Single-point surface-mounted emergency exit electro-mechanical motorised electric release lock, auto-bolting, auto-deadlocking	Electric release	Electric release or lever handle override	-
33	Exidor	HS923/10	Tower bolt	None	Tower bolt	-
34	Exidor	301	Mortice latch panic bar actuator[6]	Key and 'D' pull handle (no lever handle fitted)	Panic bar	D
	Zero	7250	Mortice night latch			
	idc	200	External europrofile cylinder escutcheon			
35	Exidor	294	Two-point panic exit locking system[6]	None	Panic bar	-
36	idc	737	Two-point panic exit locking system[6]	None	Panic bar	-

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Design and Supply Limited

Issue: 15

Compatible Locking Systems	Manufacturer	Model	Type	Compatible Operating Devices		Compatible External Cylinders
				External Face	Internal Face	
37	Nemef	1749/47	Single-point emergency exit mortice sash lock	Key and 'D' pull handle (no lever handle fitted)	Lever handle	E or F
	Nemef	1742/09	Slave mortice deadbolts (two off)			
	idc	200	External europrofile cylinder escutcheon			
38	Nemef	1749/09	Single-point mortice sash lock	Key and lever handle	Key/thumbturn and lever handle	E or F
	Nemef	1742/09	Slave mortice deadbolts (two off)			
	idc	200	External europrofile cylinder escutcheon			
39	Nemef	1749/47	Single-point emergency exit mortice sash lock	Key and 'D' pull handle	Lever handle	E or F
	idc	200	External europrofile cylinder escutcheon			
40	Nemef	1749/09	Single-point mortice sash lock	Key and lever handle	Key/thumbturn and lever handle	E or F
	idc	200	External europrofile cylinder escutcheon			
41	Zero	7210	Single-point mortice sash lock	Key and lever handle	Key/thumbturn and lever handle	E or F
	idc	200	External europrofile cylinder escutcheon			
42	Zero	7230	Single-point mortice dead lock	Key and 'D' pull handle	Key/thumbturn	E or F
	idc	200	External europrofile cylinder escutcheon			
43	idc	60MT	Monkey tail bolt	None	Bolt lever	-
44	Mazak	Z001.1S	Flush bolt	None	Bolt lever	-
45	Hooply	Cefiro FTB-31#	Multi-point morticed locking system	Key via LSCH3 and lever handle	Key and lever handle	G

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Design and Supply Limited

Issue: 15

Compatible Locking Systems	Manufacturer	Model	Type	Compatible Operating Devices		Compatible External Cylinders
				External Face	Internal Face	
46	Tindall Engineering Limited	Mico Abryll AD1 / USCH3	Single-point locking system with automatic deadlock	Key and handle	Push pad deadlocked by a key or thumbturn[10]	A, H to BQ
47	Tindall Engineering Limited	Mico Abryll AD1 SATE / USCH3	Single-point locking system with automatic deadlock	Key and handle	Push pad	A, H to BQ
48	Tindall Engineering Limited	Mico Abryll AD2 / USCH3	Single-point locking system with automatic deadlock	Key and handle	Full width push pad deadlocked by a key or thumbturn[10]	A, H to BQ
49	Tindall Engineering Limited	Mico Abryll AD2 SATE / USCH3	Single-point locking system with automatic deadlock	Key and handle	Full width push pad	A, H to BQ
50	Tindall Engineering Limited	Mico Abryll AD3 / USCH3	Single-point locking system with automatic deadlock	Key and handle	Key or thumbturn and handle	A, H to BQ
51	Tindall Engineering Limited	Mico Abryll AD3 SATE / USCH3	Single-point locking system with automatic deadlock	Key and handle	Lever handle	A, H to BQ
52	Tindall Engineering Limited	Mico Abryll MD1 / USCH3	Single-point locking system with manual deadlock	Key and handle	Push pad deadlocked by a key or thumbturn[10]	A, H to BQ
53	Tindall Engineering Limited	Mico Abryll MD1 SATE / USCH3	Single-point locking system with manual deadlock	Key and handle	Push pad	A, H to BQ
54	Tindall Engineering Limited	Mico Abryll MD2 / USCH3	Single-point locking system with manual deadlock	Key and handle	Full width push pad deadlocked by a key or thumbturn[10]	A, H to BQ
55	Tindall Engineering Limited	Mico Abryll MD2 SATE / USCH3	Single-point locking system with manual deadlock	Key and handle	Full width push pad	A, H to BQ
56	Tindall Engineering Limited	Mico Abryll MD3 / USCH3	Single-point locking system with manual deadlock	Key and handle	Key or thumbturn and handle	A, H to BQ

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Design and Supply Limited

Issue: 15

Compatible Locking Systems	Manufacturer	Model	Type	Compatible Operating Devices		Compatible External Cylinders
				External Face	Internal Face	
57	Tindall Engineering Limited	Mico Abryll MD3 SATE / USCH3	Single-point locking system with manual deadlock	Key and handle	Lever handle	A, H to BQ
58	Tindall Engineering Limited	Mico Abryll EM3 - SATE	Single point locking system with automatic deadlock solenoid and 12 V electro-mechanical access control	Access control and lever handle	Lever handle	-
59	Tindall Engineering Limited	Mico Abryll EM3	Single point locking system with automatic deadlock solenoid and 12 V electro-mechanical access control	Access control and lever handle	Access control and handle with thumbturn override	-
60	Tindall Engineering Limited	Mico Abryll EM1 - SATE / USCH3	Single point locking system with automatic deadlock solenoid and 12 V electro-mechanical access control	Access control and handle with key override	Push pad	A, H to BQ
61	Tindall Engineering Limited	Mico Abryll EM3 - SATE / USCH3	Single point locking system with automatic deadlock solenoid and 12 V electro-mechanical access control	Access control and handle with key override	Lever handle	A, H to BQ
62	Tindall Engineering Limited	Mico Abryll EM3 / USCH3	Single point locking system with automatic deadlock solenoid and 12 V electro-mechanical access control	Access control and handle with key override	Access control and handle with thumbturn override	A, H to BQ
63	Tindall Engineering Limited	Mico Abryll EM1 - EPC SATE / USCH3	Single point locking system with automatic deadlock solenoid and 12 V electro-mechanical access control	Access control and handle with key override	Push pad	FT to HT
64	Tindall Engineering Limited	Mico Abryll EM3 SATE - EPC / USCH3	Single point locking system with automatic deadlock solenoid and 12 V electro-mechanical access control	Access control and handle with key override	Lever handle	FT to HT

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Issue: 15

Design and Supply Limited

Compatible Locking Systems	Manufacturer	Model	Type	Compatible Operating Devices		Compatible External Cylinders
				External Face	Internal Face	
65	Tindall Engineering Limited	Mico Abryll EM3 - EPC / USCH3	Single point locking system with automatic deadlock solenoid and 12 V electro-mechanical access control	Access control and handle with key override	Access control and handle with thumbturn override	BR to DR
66	Tindall Engineering Limited	Mico Abryll AD1 - EPC SATE / USCH3	Single-point locking system with automatic deadlock	Key and lever handle	Push pad	FT to HT
67	Tindall Engineering Limited	Mico Abryll AD3 - EPC / USCH3	Single-point locking system with automatic deadlock	Key and lever handle	Lever handle and thumbturn	BR to DR
68	Tindall Engineering Limited	Mico Abryll AD3 - EPC SATE / USCH3	Single-point locking system with automatic deadlock	Key and lever handle	Lever handle	FT to HT
69	Tindall Engineering Limited	Mico Abryll MD1 - EPC / USCH3	Single-point locking system with manual deadlock	Key and lever handle	Push pad and thumbturn	BR to DR
70	Tindall Engineering Limited	Mico Abryll MD1 - EPC SATE / USCH3	Single-point locking system with manual deadlock	Key and lever handle	Push pad	FT to HT
71	Tindall Engineering Limited	Mico Abryll MD2 - EPC / USCH4	Single-point locking system with manual deadlock	Key and lever handle	Panic bar and thumbturn	BR to DR
72	Tindall Engineering Limited	Mico Abryll MD3 - EPC / USCH3	Single-point locking system with manual deadlock	Key and lever handle	Lever handle and thumbturn	BR to DR
73	Tindall Engineering Limited	Mico Abryll MD3 - EPC SATE / USCH3	Single-point locking system with manual deadlock	Key and lever handle	Lever handle	FT to HT
74	Tindall Engineering Limited	HSTB	Two tower bolts	None	Tower bolts	-
75	Design and Supply Limited	DSTB	Two tower bolts	None	Tower bolts	-
76	Exidor	702B-30 with 709	Two-point panic exit locking system with external access device[6]	Key and turn knob (Exidor 709)	Panic bar	C

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Design and Supply Limited

Issue: 15

Compatible Locking Systems	Manufacturer	Model	Type	Compatible Operating Devices		Compatible External Cylinders
				External Face	Internal Face	
77	Exidor	702B-30 with 710	Two-point panic exit locking system with external access device[6]	Key and handle (Exidor 710)	Panic bar	C
78	Exidor	702L-30 with 709	Two-point emergency exit locking system with external access device[6]	Key and turn knob (Exidor 709)	Lever handle	C
79	Exidor	702L-30 with 710	Two-point emergency exit locking system with external access device[6]	Key and handle (Exidor 710)	Lever handle	C
80	Exidor	702L-30	Two-point emergency exit locking system	None	Lever handle	-
81	Exidor	703L-30 with 709	Three-point emergency exit locking system with external access device[6]	Key and turn knob (Exidor 709)	Lever handle	C
82	Exidor	703L-30 with 710	Three-point emergency exit locking system with external access device[6]	Key and handle (Exidor 710)	Lever handle	C
83	Exidor	703L-30	Three-point emergency exit locking system	None	Lever handle	-
84	Tindall Engineering Limited	Mico Modula PE1	Single point mortise emergency exit device	None	Aluminium push pad	-
85	Tindall Engineering Limited	Mico Modula PE2	Single point mortise panic exit device	None	Aluminium panic bar	-
86	Tindall Engineering Limited	Mico Modula PE4	Single point mortise emergency exit device	None	Medium duty lever handle	-
87	Tindall Engineering Limited	Mico Modula PE6	Single point mortise panic exit device	None	Stainless steel push bar	-
88	Tindall Engineering Limited	Mico Modula PE8	Single point mortise emergency exit device	None	Stainless steel pad	-

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Design and Supply Limited

Issue: 15

Compatible Locking Systems	Manufacturer	Model	Type	Compatible Operating Devices		Compatible External Cylinders
				External Face	Internal Face	
89	Tindall Engineering Limited	Mico Modula AD1 SATE / ASCH2	Single point mortise locking system with automatic deadlocking	Key and lever handle	Aluminium push pad	FT to HT
90	Tindall Engineering Limited	Mico Modula AD1 SATE	Single point mortise locking system with automatic deadlocking	None	Aluminium push pad	-
91	Tindall Engineering Limited	Mico Modula AD2 SATE / ASCH2	Single point mortise locking system with automatic deadlocking	Key and lever handle	Aluminium panic bar	FT to HT
92	Tindall Engineering Limited	Mico Modula AD2 SATE	Single point mortise locking system with automatic deadlocking	None	Aluminium panic bar	-
93	Tindall Engineering Limited	Mico Modula AD4 SATE / ASCH2	Single point mortise locking system with automatic deadlocking	Key and lever handle	Medium duty lever handle	FT to HT
94	Tindall Engineering Limited	Mico Modula AD4 / ASCH2	Single point mortise locking system with automatic deadlocking	Key and lever handle	Medium duty lever handle and thumb turn	BR to DR
95	Tindall Engineering Limited	Mico Modula AD4 SATE	Single point mortise locking system with automatic deadlocking	None	Medium duty lever handle	-
96	Tindall Engineering Limited	Mico Modula AD4	Single point mortise locking system with automatic deadlocking	None	Medium duty lever handle and thumb turn	-
97	Tindall Engineering Limited	Mico Modula AD6 SATE / ASCH2	Single point mortise locking system with automatic deadlocking	Key and lever handle	Stainless steel push bar	FT to HT
98	Tindall Engineering Limited	Mico Modula AD6 / ASCH2	Single point mortise locking system with automatic deadlocking	Key and lever handle	Stainless steel push bar and thumb turn	BR to DR
99	Tindall Engineering Limited	Mico Modula AD6 SATE	Single point mortise locking system with automatic deadlocking	None	Stainless steel push bar	-
100	Tindall Engineering Limited	Mico Modula AD8 SATE / ASCH2	Single point mortise locking system with automatic deadlocking	Key and lever handle	Stainless steel push pad	FT to HT

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Design and Supply Limited

Issue: 15

Compatible Locking Systems	Manufacturer	Model	Type	Compatible Operating Devices		Compatible External Cylinders
				External Face	Internal Face	
101	Tindall Engineering Limited	Mico Modula AD8 SATE	Single point mortise locking system with automatic deadlocking	None	Stainless steel push pad	-
102	Tindall Engineering Limited	Mico Modula MD1 SATE / ASCH2	Single point mortise locking system with manual deadlocking	Key and lever handle	Aluminium push pad	FT to HT
103	Tindall Engineering Limited	Mico Modula MD1 / ASCH2	Single point mortise locking system with manual deadlocking	Key and lever handle	Aluminium push pad and key or thumb turn	BR to FS
104	Tindall Engineering Limited	Mico Modula MD1 SATE	Single point mortise locking system with manual deadlocking	None	Aluminium push pad	-
105	Tindall Engineering Limited	Mico Modula MD1	Single point mortise locking system with manual deadlocking	None	Aluminium push pad and key or thumb turn	-
106	Tindall Engineering Limited	Mico Modula MD2 SATE / ASCH2	Single point mortise locking system with manual deadlocking	Key and lever handle	Aluminium panic bar	FT to HT
107	Tindall Engineering Limited	Mico Modula MD2 / ASCH2	Single point mortise locking system with manual deadlocking	Key and lever handle	Aluminium panic bar and key or thumb turn	BR to FS
108	Tindall Engineering Limited	Mico Modula MD2 SATE	Single point mortise locking system with manual deadlocking	None	Aluminium panic bar	-
109	Tindall Engineering Limited	Mico Modula MD2	Single point mortise locking system with manual deadlocking	None	Aluminium panic bar and key or thumb turn	-
110	Tindall Engineering Limited	Mico Modula MD4 SATE / ASCH2	Single point mortise locking system with manual deadlocking	Key and lever handle	Medium duty lever handle	FT to HT
111	Tindall Engineering Limited	Mico Modula MD4 / ASCH2	Single point mortise locking system with manual deadlocking	Key and lever handle	Medium duty lever handle and key or thumb turn	BR to FS
112	Tindall Engineering Limited	Mico Modula MD4 SATE	Single point mortise locking system with manual deadlocking	None	Medium duty lever handle	-

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Design and Supply Limited

Issue: 15

Compatible Locking Systems	Manufacturer	Model	Type	Compatible Operating Devices		Compatible External Cylinders
				External Face	Internal Face	
113	Tindall Engineering Limited	Mico Modula MD4	Single point mortise locking system with manual deadlocking	None	Medium duty lever handle and key or thumb turn	-
114	Tindall Engineering Limited	Mico Modula MD6 SATE / ASCH2	Single point mortise locking system with manual deadlocking	Key and lever handle	Stainless steel push bar	FT to HT
115	Tindall Engineering Limited	Mico Modula MD6 / ASCH2	Single point mortise locking system with manual deadlocking	Key and lever handle	Stainless steel push bar and key or thumb turn	BR to FS
116	Tindall Engineering Limited	Mico Modula MD6 SATE	Single point mortise locking system with manual deadlocking	None	Stainless steel push bar	-
117	Tindall Engineering Limited	Mico Modula MD6	Single point mortise locking system with manual deadlocking	None	Stainless steel push bar and thumb turn	-
118	Tindall Engineering Limited	Mico Modula MD6	Single point mortise locking system with manual deadlocking	None	Stainless steel push bar and thumb turn (housed within an emergency break dome)	-
119	Tindall Engineering Limited	Mico Modula MD8 SATE / ASCH2	Single point mortise locking system with manual deadlocking	Key and lever handle	Stainless steel push pad	FT to HT
120	Tindall Engineering Limited	Mico Modula MD8 / ASCH2	Single point mortise locking system with manual deadlocking	Key and lever handle	Stainless steel push pad and thumb turn	BR to DR
121	Tindall Engineering Limited	Mico Modula MD8 / ASCH2	Single point mortise locking system with manual deadlocking	Key and lever handle	Stainless steel push pad and thumb turn (housed within an emergency break dome)	BR to DR
122	Tindall Engineering Limited	Mico Modula MD8 SATE	Single point mortise locking system with manual deadlocking	None	Stainless steel push pad	-

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Design and Supply Limited

Issue: 15

Compatible Locking Systems	Manufacturer	Model	Type	Compatible Operating Devices		Compatible External Cylinders
				External Face	Internal Face	
123	Tindall Engineering Limited	Mico Modula MD8	Single point mortise locking system with manual deadlocking	None	Stainless steel push pad and key or thumb turn	-
124	Tindall Engineering Limited	Mico Modula EM1 SATE / ASCH2	Single point mortise locking system with automatic deadlocking solenoid and 12V electro-mechanical access control	Electro-mechanical access control device with key override and lever handle	Aluminium Push Pad	FT to HT
125	Tindall Engineering Limited	Mico Modula EM1 SATE	Single point mortise locking system with automatic deadlocking solenoid and 12V electro-mechanical access control	None	Aluminium push pad	-
126	Tindall Engineering Limited	Mico Modula EM2 SATE / ASCH2	Single point mortise locking system with automatic deadlocking solenoid and 12V electro-mechanical access control	Electro-mechanical access control device with key override and lever handle	Aluminium panic bar	FT to HT
127	Tindall Engineering Limited	Mico Modula EM4 SATE / ASCH2	Single point mortise locking system with automatic deadlocking solenoid and 12V electro-mechanical access control	Electro-mechanical access control device with key override and lever handle	Medium duty lever handle	FT to HT
128	Tindall Engineering Limited	Mico Modula EM4 / ASCH2	Single point mortise locking system with automatic deadlocking solenoid and 12V electro-mechanical access control	Electro-mechanical access control device with key override and lever handle	Medium duty lever handle and thumb turn	BR to DR

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Design and Supply Limited

Issue: 15

Compatible Locking Systems	Manufacturer	Model	Type	Compatible Operating Devices		Compatible External Cylinders
				External Face	Internal Face	
129	Tindall Engineering Limited	Mico Modula EM4 / ASCH2	Single point mortise locking system with automatic deadlocking solenoid and 12V electro-mechanical access control	Electro-mechanical access control device with key override and lever handle	Medium duty lever handle and thumb turn (housed within an emergency break dome)	BR to DR
130	Tindall Engineering Limited	Mico Modula EM4 SATE	Single point mortise locking system with automatic deadlocking solenoid and 12V electro-mechanical access control	None	Medium duty lever handle	-
131	Tindall Engineering Limited	Mico Modula EM4	Single point mortise locking system with automatic deadlocking solenoid and 12V electro-mechanical access control	None	Medium duty lever handle and thumb turn	-
132	Tindall Engineering Limited	Mico Modula EM4	Single point mortise locking system with automatic deadlocking solenoid and 12V electro-mechanical access control	None	Medium duty lever handle and thumb turn (housed within an emergency break dome)	-
133	Tindall Engineering Limited	Mico Modula EM6 SATE / ASCH2	Single point mortise locking system with automatic deadlocking solenoid and 12V electro-mechanical access control	Electro-mechanical access control device with key override and lever handle	Stainless steel push bar	FT to HT
134	Tindall Engineering Limited	Mico Modula EM6 SATE	Single point mortise locking system with automatic deadlocking solenoid and 12V electro-mechanical access control	None	Stainless steel push bar	-

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Design and Supply Limited

Issue: 15

Compatible Locking Systems	Manufacturer	Model	Type	Compatible Operating Devices		Compatible External Cylinders
				External Face	Internal Face	
135	Tindall Engineering Limited	Mico Modula EM8 SATE / ASCH2	Single point mortise locking system with automatic deadlocking solenoid and 12V electro-mechanical access control	Electro-mechanical access control device with key override and lever handle	Stainless steel push pad	FT to HT
136	Tindall Engineering Limited	Mico Modula EM8 SATE	Single point mortise locking system with automatic deadlocking solenoid and 12V electro-mechanical access control	None	Stainless steel push pad	-
137	Tindall Engineering Limited	Mico MSR-2A PE1	Two-point emergency exit device	None	Aluminium push pad	-
138	Tindall Engineering Limited	Mico MSR-2A PE2	Two-point panic exit device	None	Aluminium panic bar	-
139	Tindall Engineering Limited	Mico MSR-2A PE4	Two-point emergency exit device	None	Medium duty lever handle	-
140	Tindall Engineering Limited	Mico MSR-2A PE6	Two-point emergency exit device	None	Stainless Steel Push Bar	-
141	Tindall Engineering Limited	Mico MSR-2A PE8	Two-point emergency exit device	None	Stainless steel push pad	-
142	Tindall Engineering Limited	Mico MSR-3A PE1	Three-point emergency exit device	None	Aluminium push pad	-
143	Tindall Engineering Limited	Mico MSR-3A PE2	Three-point panic exit device	None	Aluminium panic bar	-
144	Tindall Engineering Limited	Mico MSR-3A PE4	Three-point emergency exit device	None	Medium duty lever handle	-

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Design and Supply Limited

Issue: 15

Compatible Locking Systems	Manufacturer	Model	Type	Compatible Operating Devices		Compatible External Cylinders
				External Face	Internal Face	
145	Tindall Engineering Limited	Mico MSR-3A PE6	Three-point panic exit device	None	Stainless Steel Push Bar	-
146	Tindall Engineering Limited	Mico MSR-3A PE8	Three-point emergency exit device	None	Stainless steel push pad	-
147	Tindall Engineering Limited	Mico Navishield	Surface mounted shrouded lockable hasp and staple	Key	None	A, H to AO
148	Surelock McGill Limited	Slimline SL2A^{22}-XXXX-AA-KMLS	Multi-Point locking system, auto bolting, auto deadlocking	None	Key and lever handle	-
149	Surelock McGill Limited	Slimline SL2A^{22}-XXXX-AA-TMLS	Multi-Point locking system, auto bolting, auto deadlocking	None	Thumb turn and lever handle	-
150	Surelock McGill Limited	Slimline SL2A^{22}-XXXX-AA-LMPB	Multi-Point Emergency exit locking system, auto bolting, auto deadlocking	None	Panic bar	-
151	Surelock McGill Limited	Slimline SL2A^{22}-XXXX-AA-LMLE	Multi-Point Emergency exit locking system, auto bolting, auto deadlocking	None	Emergency lever handle	-
152	Surelock McGill Limited	Slimline SL2A^{22}-XXXX-AA-LMPP	Multi-Point Emergency exit locking system, auto bolting, auto deadlocking	None	Push pad	-
153	Surelock McGill Limited	Slimline SL2A^{22}-KMLS-AA-KMLS / GSS2 Guard	Multi-Point locking system, auto bolting, auto deadlocking	Key and lever handle	Key and lever handle	A, H to BQ
154	Surelock McGill Limited	Slimline SL2A^{22}-KMLS-AA-TMLS / GSS2 Guard	Multi-Point locking system, auto bolting, auto deadlocking	Key and lever handle	Thumb turn and lever handle	A, H to BQ
155	Surelock McGill Limited	Slimline SL2A^{22}-KMLS-AA-LMPB / GSS2 Guard	Multi-Point Emergency exit locking system, auto bolting, auto deadlocking	Key and lever handle	Panic bar	A, H to BQ

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Design and Supply Limited

Issue: 15

Compatible Locking Systems	Manufacturer	Model	Type	Compatible Operating Devices		Compatible External Cylinders
				External Face	Internal Face	
156	Surelock McGill Limited	Slimline SL2A^{22}-KMLS-AA-LMLE / GSS2 Guard	Multi-Point Emergency exit locking system, auto bolting, auto deadlocking	Key and lever handle	Emergency lever handle	A, H to BQ
157	Surelock McGill Limited	Slimline SL2A^{22}-KMLS-AA-LMPP / GSS2 Guard	Multi-Point Emergency exit locking system, auto bolting, auto deadlocking	Key and lever handle	Push pad	A, H to BQ
158	Surelock McGill Limited	Slimline SL2A^{22}-XXXX-AA-KMLS	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	None	Access control and lever handle with key override	-
159	Surelock McGill Limited	Slimline SL2A^{22}-AMLS-AA-KMLS / GSS2 Guard	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	Key and lever handle	Access control and lever handle with key override	A, H to BQ
160	Surelock McGill Limited	Slimline SL2A^{22}-XXXX-AA-AMLS	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	None	Access control and lever handle	-
161	Surelock McGill Limited	Slimline SL2A^{22}-AMLS-AA-AMLS / GSS2 Guard	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	Key and lever handle	Access control and lever handle	A, H to BQ

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Design and Supply Limited

Issue: 15

Compatible Locking Systems	Manufacturer	Model	Type	Compatible Operating Devices		Compatible External Cylinders
				External Face	Internal Face	
162	Surelock McGill Limited	Slimline SL2A[22]-XXXX-AA-TMLS	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	None	Access control and lever handle with thumb turn override	-
163	Surelock McGill Limited	Slimline SL2A[22]-AMLS-AA-TMLS / GSS2 Guard	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	Key and lever handle	Access control and lever handle with thumb turn override	A, H to BQ
164	Surelock McGill Limited	Slimline SL2A[22]-XXXX-AA-LMPB	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	None	Panic bar	-
165	Surelock McGill Limited	Slimline SL2A[22]-AMLS-AA-LMPB / GSS2 Guard	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	Key and lever handle	Panic bar	A, H to BQ
166	Surelock McGill Limited	Slimline SL2A[22]-XXXX-AA-LMLE	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	None	Emergency lever handle	-

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Design and Supply Limited

Issue: 15

Compatible Locking Systems	Manufacturer	Model	Type	Compatible Operating Devices		Compatible External Cylinders
				External Face	Internal Face	
167	Surelock McGill Limited	Slimline SL2A^{22}-AMLS-AA-LMLE / GSS2 Guard	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	Key and lever handle	Emergency lever handle	A, H to BQ
168	Surelock McGill Limited	Slimline SL2A^{22}-XXXX-AA-LMPP	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	None	Push pad	-
169	Surelock McGill Limited	Slimline SL2A^{22}-AMLS-AA-LMPP / GSS2 Guard	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	Key and lever handle	Push pad	A, H to BQ
170	Surelock McGill Limited	Slimline SL2A^{22}-APXX-AA-APXX-	Multi Point surface-mounted electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release	Electric Release	-
171	Surelock McGill Limited	Slimline SL2A^{22}-APLS-AA-APXX- / GSS2 Guard	Multi Point surface-mounted electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Key and lever handle	Electric Release	A, H to BQ

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Design and Supply Limited

Issue: 15

Compatible Locking Systems	Manufacturer	Model	Type	Compatible Operating Devices		Compatible External Cylinders
				External Face	Internal Face	
172	Surelock McGill Limited	Slimline SL2A^{22}-APXX-AA-KPLS	Multi Point surface-mounted electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release	Electric Release or key and lever handle manual override	--
173	Surelock McGill Limited	Slimline SL2A^{22}-APLS-AA-KPLS / GSS2 Guard	Multi Point surface-mounted electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release or key and lever handle	Electric Release or key and lever handle manual override	A, H to BQ
174	Surelock McGill Limited	Slimline SL2A^{22}-APXX-AA-TPLS	Multi Point surface-mounted electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release	Electric Release or thumbturn and lever handle manual override	-
175	Surelock McGill Limited	Slimline SL2A^{22}-APLS-AA-TPLS / GSS2 Guard	Multi Point surface-mounted electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release or key and lever handle	Electric Release or thumbturn and lever handle manual override	A, H to BQ
176	Surelock McGill Limited	Slimline SL2A^{22}-APXX-AA-APLE	Multi Point surface-mounted emergency exit electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release	Electric Release or lever handle override	-
177	Surelock McGill Limited	Slimline SL2A^{22}-APLS-AA-APLE / GSS2 Guard	Multi Point surface-mounted emergency exit electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release or key and lever handle	Electric Release or lever handle override	A, H to BQ

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Design and Supply Limited

Issue: 15

Compatible Locking Systems	Manufacturer	Model	Type	Compatible Operating Devices		Compatible External Cylinders
				External Face	Internal Face	
178	Surelock McGill Limited	Slimline SL2A[22]-APXX-AA-APPB	Multi Point surface-mounted emergency exit electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release	Electric Release or panic bar override	-
179	Surelock McGill Limited	Slimline SL2A[22]-APLS-AA-APPB / GSS2 Guard	Multi Point surface-mounted emergency exit electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release or key and lever handle	Electric Release or panic bar override	A, H to BQ
180	Surelock McGill Limited	Slimline SL2A[22]-APXX-AA-APPP	Multi Point surface-mounted emergency exit electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release	Electric Release or push pad override	-
181	Surelock McGill Limited	Slimline SL2A[22]-APLS-AA-APPP / GSS2 Guard	Multi Point surface-mounted emergency exit electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release or key and lever handle	Electric Release or push pad override	A, H to BQ
182	Surelock McGill Limited	Slimline SL3A[22]-XXXX-AA-KMLS	Multi-Point locking system, auto bolting, auto deadlocking	None	Key and lever handle	-
183	Surelock McGill Limited	Slimline SL3A[22]-XXXX-AA-TMLS	Multi-Point locking system, auto bolting, auto deadlocking	None	Thumbturn and lever handle	-
184	Surelock McGill Limited	Slimline SL3A[22]-XXXX-AA-LMPB	Multi-Point Emergency exit locking system, auto bolting, auto deadlocking	None	Panic bar	-

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Design and Supply Limited

Issue: 15

Compatible Locking Systems	Manufacturer	Model	Type	Compatible Operating Devices		Compatible External Cylinders
				External Face	Internal Face	
185	Surelock McGill Limited	Slimline SL3A[22]-XXXX-AA-LMLE	Multi-Point Emergency exit locking system, auto bolting, auto deadlocking	None	Emergency lever handle	-
186	Surelock McGill Limited	Slimline SL3A[22]-XXXX-AA-LMPP	Multi-Point Emergency exit locking system, auto bolting, auto deadlocking	None	Push pad	-
187	Surelock McGill Limited	Slimline SL3A[22]-KMLS-AA-KMLS / GSS2 Guard	Multi-Point locking system, auto bolting, auto deadlocking	Key and lever handle	Key and lever handle	A, H to BQ
188	Surelock McGill Limited	Slimline SL3A[22]-KMLS-AA-TMLS / GSS2 Guard	Multi-Point locking system, auto bolting, auto deadlocking	Key and lever handle	Thumbturn and lever handle	A, H to BQ
189	Surelock McGill Limited	Slimline SL3A[22]-KMLS-AA-LMPB / GSS2 Guard	Multi-Point Emergency exit locking system, auto bolting, auto deadlocking	Key and lever handle	Panic bar	A, H to BQ
190	Surelock McGill Limited	Slimline SL3A[22]-KMLS-AA-LMLE / GSS2 Guard	Multi-Point Emergency exit locking system, auto bolting, auto deadlocking	Key and lever handle	Emergency lever handle	A, H to BQ
191	Surelock McGill Limited	Slimline SL3A[22]-KMLS-AA-LMPP / GSS2 Guard	Multi-Point Emergency exit locking system, auto bolting, auto deadlocking	Key and lever handle	Push pad	A, H to BQ
192	Surelock McGill Limited	Slimline SL3A[22]-XXXX-AA-KMLS	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	None	Access control and lever handle with key override	-

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Design and Supply Limited

Issue: 15

Compatible Locking Systems	Manufacturer	Model	Type	Compatible Operating Devices		Compatible External Cylinders
				External Face	Internal Face	
193	Surelock McGill Limited	Slimline SL3A^{22}-AMLS-AA-KMLS / GSS2 Guard	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	Key and lever handle	Access control and lever handle with key override	A, H to BQ
194	Surelock McGill Limited	Slimline SL3A^{22}-XXXX-AA-AMLS	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	None	Access control and lever handle	-
195	Surelock McGill Limited	Slimline SL3A^{22}-AMLS-AA-AMLS / GSS2 Guard	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	Access control and lever handle with key override	Access control and lever handle	A, H to BQ
196	Surelock McGill Limited	Slimline SL3A^{22}-XXXX-AA-TMLS	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	None	Access control and lever handle with thumbturn override	-
197	Surelock McGill Limited	Slimline SL3A^{22}-AMLS-AA-TMLS / GSS2 Guard	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	Access control and lever handle with key override	Access control and lever handle with thumbturn override	A, H to BQ

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Issue: 15

Design and Supply Limited

Compatible Locking Systems	Manufacturer	Model	Type	Compatible Operating Devices		Compatible External Cylinders
				External Face	Internal Face	
198	Surelock McGill Limited	Slimline SL3A[22]-XXXX-AA-LMPB	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	None	Panic bar	-
199	Surelock McGill Limited	Slimline SL3A[22]-AMLS-AA-LMPB / GSS2 Guard	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	Key and lever handle	Panic bar	A, H to BQ
200	Surelock McGill Limited	Slimline SL3A[22]-XXXX-AA-LMLE	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	None	Emergency lever handle	-
201	Surelock McGill Limited	Slimline SL3A[22]-AMLS-AA-LMLE / GSS2 Guard	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	Key and lever handle	Emergency lever handle	A, H to BQ
202	Surelock McGill Limited	Slimline SL3A[22]-XXXX-AA-LMPP	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	None	Push pad	-

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Design and Supply Limited

Issue: 15

Compatible Locking Systems	Manufacturer	Model	Type	Compatible Operating Devices		Compatible External Cylinders
				External Face	Internal Face	
203	Surelock McGill Limited	Slimline SL3A[22]-AMLS-AA-LMPP / GSS2 Guard	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	Key and lever handle	Push pad	A, H to BQ
204	Surelock McGill Limited	Slimline SL3A[22]-APXX-AA-APXX-	Multi Point surface-mounted electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release	Electric Release	-
205	Surelock McGill Limited	Slimline SL3A[22]-APLS-AA-APXX- / GSS2 Guard	Multi Point surface-mounted electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Key and lever handle	Electric Release	A, H to BQ
206	Surelock McGill Limited	Slimline SL3A[22]-APXX-AA-KPLS	Multi Point surface-mounted electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release	Electric Release or key and lever handle manual override	--
207	Surelock McGill Limited	Slimline SL3A[22]-APLS-AA-KPLS / GSS2 Guard	Multi Point surface-mounted electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release or key and lever handle	Electric Release or key and lever handle manual override	A, H to BQ
208	Surelock McGill Limited	Slimline SL3A[22]-APXX-AA-TPLS	Multi Point surface-mounted electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release	Electric Release or thumbturn and lever handle manual override	-

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Design and Supply Limited

Issue: 15

Compatible Locking Systems	Manufacturer	Model	Type	Compatible Operating Devices		Compatible External Cylinders
				External Face	Internal Face	
209	Surelock McGill Limited	Slimline SL3A[22]-APLS-AA-TPLS / GSS2 Guard	Multi Point surface-mounted electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release or key and lever handle	Electric Release or thumbturn and lever handle manual override	A, H to BQ
210	Surelock McGill Limited	Slimline SL3A[22]-APXX-AA-APLE	Multi Point surface-mounted emergency exit electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release	Electric Release or lever handle override	-
211	Surelock McGill Limited	Slimline SL3A[22]-APLS-AA-APLE / GSS2 Guard	Multi Point surface-mounted emergency exit electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release or key and lever handle	Electric Release or lever handle override	A, H to BQ
212	Surelock McGill Limited	Slimline SL3A[22]-APXX-AA-APPB	Multi Point surface-mounted emergency exit electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release	Electric Release or panic bar override	-
213	Surelock McGill Limited	Slimline SL3A[22]-APLS-AA-APPB / GSS2 Guard	Multi Point surface-mounted emergency exit electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release or key and lever handle	Electric Release or panic bar override	A, H to BQ

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Design and Supply Limited

Issue: 15

Compatible Locking Systems	Manufacturer	Model	Type	Compatible Operating Devices		Compatible External Cylinders
				External Face	Internal Face	
214	Surelock McGill Limited	Slimline SL3A[22]-APXX-AA-APPP	Multi Point surface-mounted emergency exit electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release	Electric Release or push pad override	-
215	Surelock McGill Limited	Slimline SL3A[22]-APLS-AA-APPP / GSS2 Guard	Multi Point surface-mounted emergency exit electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release or key and lever handle	Electric Release or push pad override	A, H to BQ
216	Surelock McGill Limited	Slimline SL3B[22]-XXXX-AA-KMLS	Multi-Point locking system, auto bolting, auto deadlocking	None	Key and lever handle	-
217	Surelock McGill Limited	Slimline SL3B[22]-XXXX-AA-TMLS	Multi-Point locking system, auto bolting, auto deadlocking	None	Thumb turn and lever handle	-
218	Surelock McGill Limited	Slimline SL3B[22]-XXXX-AA-LMPB	Multi-Point Emergency exit locking system, auto bolting, auto deadlocking	None	Panic bar	-
219	Surelock McGill Limited	Slimline SL3B[22]-XXXX-AA-LMLE	Multi-Point Emergency exit locking system, auto bolting, auto deadlocking	None	Emergency lever handle	-
220	Surelock McGill Limited	Slimline SL3B[22]-XXXX-AA-LMPP	Multi-Point Emergency exit locking system, auto bolting, auto deadlocking	None	Push pad	-
221	Surelock McGill Limited	Slimline SL3B[22]-KMLS-AA-KMLS / GSS2 Guard	Multi-Point locking system, auto bolting, auto deadlocking	Key and lever handle	Key and lever handle	A, H to BQ
222	Surelock McGill Limited	Slimline SL3B[22]-KMLS-AA-TMLS / GSS2 Guard	Multi-Point locking system, auto bolting, auto deadlocking	Key and lever handle	Thumbturn and lever handle	A, H to BQ

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Design and Supply Limited

Issue: 15

Compatible Locking Systems	Manufacturer	Model	Type	Compatible Operating Devices		Compatible External Cylinders
				External Face	Internal Face	
223	Surelock McGill Limited	Slimline SL3B[22]-KMLS-AA-LMPB / GSS2 Guard	Multi-Point Emergency exit locking system, auto bolting, auto deadlocking	Key and lever handle	Panic bar	A, H to BQ
224	Surelock McGill Limited	Slimline SL3B[22]-KMLS-AA-LMLE / GSS2 Guard	Multi-Point Emergency exit locking system, auto bolting, auto deadlocking	Key and lever handle	Emergency lever handle	A, H to BQ
225	Surelock McGill Limited	Slimline SL3B[22]-KMLS-AA-LMPP / GSS2 Guard	Multi-Point Emergency exit locking system, auto bolting, auto deadlocking	Key and lever handle	Push pad	A, H to BQ
226	Surelock McGill Limited	Slimline SL3B[22]-XXXX-AA-KMLS	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	None	Access control and lever handle with key override	-
227	Surelock McGill Limited	Slimline SL3B[22]-AMLS-AA-KMLS / GSS2 Guard	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	Key and lever handle	Access control and lever handle with key override	A, H to BQ
228	Surelock McGill Limited	Slimline SL3B[22]-XXXX-AA-AMLS	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	None	Access control and lever handle	-

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Design and Supply Limited

Issue: 15

Compatible Locking Systems	Manufacturer	Model	Type	Compatible Operating Devices		Compatible External Cylinders
				External Face	Internal Face	
229	Surelock McGill Limited	Slimline SL3B[22]-AMLS-AA-AMLS / GSS2 Guard	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	Key and lever handle	Access control and lever handle	A, H to BQ
230	Surelock McGill Limited	Slimline SL3B[22]-XXXX-AA-TMLS	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	None	Access control and lever handle with thumb turn override	-
231	Surelock McGill Limited	Slimline SL3B[22]-AMLS-AA-TMLS / GSS2 Guard	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	Key and lever handle	Access control and lever handle with thumb turn override	A, H to BQ
232	Surelock McGill Limited	Slimline SL3B[22]-XXXX-AA-LMPB	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	None	Panic bar	-
233	Surelock McGill Limited	Slimline SL3B[22]-AMLS-AA-LMPB / GSS2 Guard	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	Key and lever handle	Panic bar	A, H to BQ

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Design and Supply Limited

Issue: 15

Compatible Locking Systems	Manufacturer	Model	Type	Compatible Operating Devices		Compatible External Cylinders
				External Face	Internal Face	
234	Surelock McGill Limited	Slimline SL3B[22]-XXXX-AA-LMLE	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	None	Emergency lever handle	-
235	Surelock McGill Limited	Slimline SL3B[22]-AMLS-AA-LMLE / GSS2 Guard	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	Key and lever handle	Emergency lever handle	A, H to BQ
236	Surelock McGill Limited	Slimline SL3B[22]-XXXX-AA-LMPP	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	None	Push pad	-
237	Surelock McGill Limited	Slimline SL3B[22]-AMLS-AA-LMPP / GSS2 Guard	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	Key and lever handle	Push pad	A, H to BQ
238	Surelock McGill Limited	Slimline SL3B[22]-APXX-AA-APXX-	Multi Point surface-mounted electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release	Electric Release	-

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Design and Supply Limited

Issue: 15

Compatible Locking Systems	Manufacturer	Model	Type	Compatible Operating Devices		Compatible External Cylinders
				External Face	Internal Face	
239	Surelock McGill Limited	Slimline SL3B^{22}-APLS-AA-APXX- / GSS2 Guard	Multi Point surface-mounted electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Key and lever handle	Electric Release	A, H to BQ
240	Surelock McGill Limited	Slimline SL3B^{22}-APXX-AA-KPLS	Multi Point surface-mounted electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release	Electric Release or key and lever handle manual override	--
241	Surelock McGill Limited	Slimline SL3B^{22}-APLS-AA-KPLS / GSS2 Guard	Multi Point surface-mounted electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release or key and lever handle	Electric Release or key and lever handle manual override	A, H to BQ
242	Surelock McGill Limited	Slimline SL3B^{22}-APXX-AA-TPLS	Multi Point surface-mounted electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release	Electric Release or thumbturn and lever handle manual override	-
243	Surelock McGill Limited	Slimline SL3B^{22}-APLS-AA-TPLS / GSS2 Guard	Multi Point surface-mounted electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release or key and lever handle	Electric Release or thumbturn and lever handle manual override	A, H to BQ
244	Surelock McGill Limited	Slimline SL3B^{22}-APXX-AA-APLE	Multi Point surface-mounted emergency exit electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release	Electric Release or lever handle override	-

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Design and Supply Limited

Issue: 15

Compatible Locking Systems	Manufacturer	Model	Type	Compatible Operating Devices		Compatible External Cylinders
				External Face	Internal Face	
245	Surelock McGill Limited	Slimline SL3B[22]-APLS-AA-APLE / GSS2 Guard	Multi Point surface-mounted emergency exit electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release or key and lever handle	Electric Release or lever handle override	A, H to BQ
246	Surelock McGill Limited	Slimline SL3B[22]-APXX-AA-APPB	Multi Point surface-mounted emergency exit electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release	Electric Release or panic bar override	-
247	Surelock McGill Limited	Slimline SL3B[22]-APLS-AA-APPB / GSS2 Guard	Multi Point surface-mounted emergency exit electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release or key and lever handle	Electric Release or panic bar override	A, H to BQ
248	Surelock McGill Limited	Slimline SL3B[22]-APXX-AA-APPP	Multi Point surface-mounted emergency exit electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release	Electric Release or push pad override	-
249	Surelock McGill Limited	Slimline SL3B[22]-APLS-AA-APPP / GSS2 Guard	Multi Point surface-mounted emergency exit electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release or key and lever handle	Electric Release or push pad override	A, H to BQ
250	Surelock McGill Limited	Slimline SL3C[22]-XXXX-AA-KMLS	Multi-Point locking system, auto bolting, auto deadlocking	None	Key and lever handle	-

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Design and Supply Limited

Issue: 15

Compatible Locking Systems	Manufacturer	Model	Type	Compatible Operating Devices		Compatible External Cylinders
				External Face	Internal Face	
251	Surelock McGill Limited	Slimline SL3C[22]-XXXX-AA-TMLS	Multi-Point locking system, auto bolting, auto deadlocking	None	Thumbturn and lever handle	-
252	Surelock McGill Limited	Slimline SL3C[22]-XXXX-AA-LMPB	Multi-Point Emergency exit locking system, auto bolting, auto deadlocking	None	Panic bar	-
253	Surelock McGill Limited	Slimline SL3C[22]-XXXX-AA-LMLE	Multi-Point Emergency exit locking system, auto bolting, auto deadlocking	None	Emergency lever handle	-
254	Surelock McGill Limited	Slimline SL3C[22]-XXXX-AA-LMPP	Multi-Point Emergency exit locking system, auto bolting, auto deadlocking	None	Push pad	-
255	Surelock McGill Limited	Slimline SL3C[22]-KMLS-AA-KMLS / GSS2 Guard	Multi-Point locking system, auto bolting, auto deadlocking	Key and lever handle	Key and lever handle	A, H to BQ
256	Surelock McGill Limited	Slimline SL3C[22]-KMLS-AA-TMLS / GSS2 Guard	Multi-Point locking system, auto bolting, auto deadlocking	Key and lever handle	Thumbturn and lever handle	A, H to BQ
257	Surelock McGill Limited	Slimline SL3C[22]-KMLS-AA-LMPB / GSS2 Guard	Multi-Point Emergency exit locking system, auto bolting, auto deadlocking	Key and lever handle	Panic bar	A, H to BQ
258	Surelock McGill Limited	Slimline SL3C[22]-KMLS-AA-LMLE / GSS2 Guard	Multi-Point Emergency exit locking system, auto bolting, auto deadlocking	Key and lever handle	Emergency lever handle	A, H to BQ
259	Surelock McGill Limited	Slimline SL3C[22]-KMLS-AA-LMPP / GSS2 Guard	Multi-Point Emergency exit locking system, auto bolting, auto deadlocking	Key and lever handle	Push pad	A, H to BQ

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Design and Supply Limited

Issue: 15

Compatible Locking Systems	Manufacturer	Model	Type	Compatible Operating Devices		Compatible External Cylinders
				External Face	Internal Face	
260	Surelock McGill Limited	Slimline SL3C[22]-XXXX-AA-KMLS	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	None	Access control and lever handle with key override	-
261	Surelock McGill Limited	Slimline SL3C[22]-AMLS-AA-KMLS / GSS2 Guard	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	Key and lever handle	Access control and lever handle with key override	A, H to BQ
262	Surelock McGill Limited	Slimline SL3C[22]-XXXX-AA-AMLS	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	None	Access control and lever handle	-
263	Surelock McGill Limited	Slimline SL3C[22]-AMLS-AA-AMLS / GSS2 Guard	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	Key and lever handle	Access control and lever handle	A, H to BQ
264	Surelock McGill Limited	Slimline SL3C[22]-XXXX-AA-TMLS	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	None	Access control and lever handle with thumbturn override	-

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Design and Supply Limited

Issue: 15

Compatible Locking Systems	Manufacturer	Model	Type	Compatible Operating Devices		Compatible External Cylinders
				External Face	Internal Face	
265	Surelock McGill Limited	Slimline SL3C[22]-AMLS-AA-TMLS / GSS2 Guard	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	Key and lever handle	Access control and lever handle with thumbturn override	A, H to BQ
266	Surelock McGill Limited	Slimline SL3C[22]-XXXX-AA-LMPB	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	None	Panic bar	-
267	Surelock McGill Limited	Slimline SL3C[22]-AMLS-AA-LMPB / GSS2 Guard	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	Key and lever handle	Panic bar	A, H to BQ
268	Surelock McGill Limited	Slimline SL3C[22]-XXXX-AA-LMLE	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	None	Emergency lever handle	-
269	Surelock McGill Limited	Slimline SL3C[22]-AMLS-AA-LMLE / GSS2 Guard	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	Key and lever handle	Emergency lever handle	A, H to BQ

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Design and Supply Limited

Issue: 15

Compatible Locking Systems	Manufacturer	Model	Type	Compatible Operating Devices		Compatible External Cylinders
				External Face	Internal Face	
270	Surelock McGill Limited	Slimline SL3C[22]-XXXX-AA-LMPP	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	None	Push pad	-
271	Surelock McGill Limited	Slimline SL3C[22]-AMLS-AA-LMPP / GSS2 Guard	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	Key and lever handle	Push pad	A, H to BQ
272	Surelock McGill Limited	Slimline SL3C[22]-APXX-AA-APXX-	Multi Point surface-mounted electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release	Electric Release	-
273	Surelock McGill Limited	Slimline SL3C[22]-APLS-AA-APXX- / GSS2 Guard	Multi Point surface-mounted electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Key and lever handle	Electric Release	A, H to BQ
274	Surelock McGill Limited	Slimline SL3C[22]-APXX-AA-KPLS	Multi Point surface-mounted electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release	Electric Release or key and lever handle manual override	--
275	Surelock McGill Limited	Slimline SL3C[22]-APLS-AA-KPLS / GSS2 Guard	Multi Point surface-mounted electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release or key and lever handle	Electric Release or key and lever handle manual override	A, H to BQ

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Design and Supply Limited

Issue: 15

Compatible Locking Systems	Manufacturer	Model	Type	Compatible Operating Devices		Compatible External Cylinders
				External Face	Internal Face	
276	Surelock McGill Limited	Slimline SL3C[22]-APXX-AA-TPLS	Multi Point surface-mounted electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release	Electric Release or thumbturn and lever handle manual override	-
277	Surelock McGill Limited	Slimline SL3C[22]-APLS-AA-TPLS / GSS2 Guard	Multi Point surface-mounted electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release or key and lever handle	Electric Release or thumbturn and lever handle manual override	A, H to BQ
278	Surelock McGill Limited	Slimline SL3C[22]-APXX-AA-APLE	Multi Point surface-mounted emergency exit electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release	Electric Release or lever handle override	-
279	Surelock McGill Limited	Slimline SL3C[22]-APLS-AA-APLE / GSS2 Guard	Multi Point surface-mounted emergency exit electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release or key and lever handle	Electric Release or lever handle override	A, H to BQ
280	Surelock McGill Limited	Slimline SL3C[22]-APXX-AA-APPB	Multi Point surface-mounted emergency exit electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release	Electric Release or panic bar override	-

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Design and Supply Limited

Issue: 15

Compatible Locking Systems	Manufacturer	Model	Type	Compatible Operating Devices		Compatible External Cylinders
				External Face	Internal Face	
281	Surelock McGill Limited	Slimline SL3C[22]-APLS-AA-APPB / GSS2 Guard	Multi Point surface-mounted emergency exit electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release or key and lever handle	Electric Release or panic bar override	A, H to BQ
282	Surelock McGill Limited	Slimline SL3C[22]-APXX-AA-APPP	Multi Point surface-mounted emergency exit electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release	Electric Release or push pad override	-
283	Surelock McGill Limited	Slimline SL3C[22]-APLS-AA-APPP / GSS2 Guard	Multi Point surface-mounted emergency exit electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release or key and lever handle	Electric Release or push pad override	A, H to BQ
284	Surelock McGill Limited	Slimline SL4A[22]-XXXX-AA-KMLS	Multi-Point locking system, auto bolting, auto deadlocking	None	Key and lever handle	-
285	Surelock McGill Limited	Slimline SL4A[22]-XXXX-AA-TMLS	Multi-Point locking system, auto bolting, auto deadlocking	None	Thumbturn and lever handle	-
286	Surelock McGill Limited	Slimline SL4A[22]-XXXX-AA-LMPB	Multi-Point Emergency exit locking system, auto bolting, auto deadlocking	None	Panic bar	-
287	Surelock McGill Limited	Slimline SL4A[22]-XXXX-AA-LMLE	Multi-Point Emergency exit locking system, auto bolting, auto deadlocking	None	Emergency lever handle	-

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Design and Supply Limited

Issue: 15

Compatible Locking Systems	Manufacturer	Model	Type	Compatible Operating Devices		Compatible External Cylinders
				External Face	Internal Face	
288	Surelock McGill Limited	Slimline SL4A^{22}-XXXX-AA-LMPP	Multi-Point Emergency exit locking system, auto bolting, auto deadlocking	None	Push pad	-
289	Surelock McGill Limited	Slimline SL4A^{22}-KMLS-AA-KMLS / GSS2 Guard	Multi-Point locking system, auto bolting, auto deadlocking	Key and lever handle	Key and lever handle	A, H to BQ
290	Surelock McGill Limited	Slimline SL4A^{22}-KMLS-AA-TMLS / GSS2 Guard	Multi-Point locking system, auto bolting, auto deadlocking	Key and lever handle	Thumbturn and lever handle	A, H to BQ
291	Surelock McGill Limited	Slimline SL4A^{22}-KMLS-AA-LMPB / GSS2 Guard	Multi-Point Emergency exit locking system, auto bolting, auto deadlocking	Key and lever handle	Panic bar	A, H to BQ
292	Surelock McGill Limited	Slimline SL4A^{22}-KMLS-AA-LMLE / GSS2 Guard	Multi-Point Emergency exit locking system, auto bolting, auto deadlocking	Key and lever handle	Emergency lever handle	A, H to BQ
293	Surelock McGill Limited	Slimline SL4A^{22}-KMLS-AA-LMPP / GSS2 Guard	Multi-Point Emergency exit locking system, auto bolting, auto deadlocking	Key and lever handle	Push pad	A, H to BQ
294	Surelock McGill Limited	Slimline SL4A^{22}-XXXX-AA-KMLS	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	None	Access control and lever handle with key override	-
295	Surelock McGill Limited	Slimline SL4A^{22}-AMLS-AA-KMLS / GSS2 Guard	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	Key and lever handle	Access control and lever handle with key override	A, H to BQ

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Design and Supply Limited

Issue: 15

Compatible Locking Systems	Manufacturer	Model	Type	Compatible Operating Devices		Compatible External Cylinders
				External Face	Internal Face	
296	Surelock McGill Limited	Slimline SL4A[22]-XXXX-AA-AMLS	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	None	Access control and lever handle	-
297	Surelock McGill Limited	Slimline SL4A[22]-AMLS-AA-AMLS / GSS2 Guard	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	Key and lever handle	Access control and lever handle	A, H to BQ
298	Surelock McGill Limited	Slimline SL4A[22]-XXXX-AA-TMLS	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	None	Access control and lever handle with thumbturn override	-
299	Surelock McGill Limited	Slimline SL4A[22]-AMLS-AA-TMLS / GSS2 Guard	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	Key and lever handle	Access control and lever handle with thumbturn override	A, H to BQ
300	Surelock McGill Limited	Slimline SL4A[22]-XXXX-AA-LMPB	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	None	Panic bar	-

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Issue: 15

Design and Supply Limited

Compatible Locking Systems	Manufacturer	Model	Type	Compatible Operating Devices		Compatible External Cylinders
				External Face	Internal Face	
301	Surelock McGill Limited	Slimline SL4A[22]-AMLS-AA-LMPB / GSS2 Guard	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	Key and lever handle	Panic bar	A, H to BQ
302	Surelock McGill Limited	Slimline SL4A[22]-XXXX-AA-LMLE	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	None	Emergency lever handle	-
303	Surelock McGill Limited	Slimline SL4A[22]-AMLS-AA-LMLE / GSS2 Guard	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	Key and lever handle	Emergency lever handle	A, H to BQ
304	Surelock McGill Limited	Slimline SL4A[22]-XXXX-AA-LMPP	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	None	Push pad	-
305	Surelock McGill Limited	Slimline SL4A[22]-AMLS-AA-LMPP / GSS2 Guard	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	Key and lever handle	Push pad	A, H to BQ

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Issue: 15

Design and Supply Limited

Compatible Locking Systems	Manufacturer	Model	Type	Compatible Operating Devices		Compatible External Cylinders
				External Face	Internal Face	
306	Surelock McGill Limited	Slimline SL4A[22]-APXX-AA-APXX-	Multi Point surface-mounted electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release	Electric Release	-
307	Surelock McGill Limited	Slimline SL4A[22]-APLS-AA-APXX- / GSS2 Guard	Multi Point surface-mounted electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Key and lever handle	Electric Release	A, H to BQ
308	Surelock McGill Limited	Slimline SL4A[22]-APXX-AA-KPLS	Multi Point surface-mounted electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release	Electric Release or key and lever handle manual override	--
309	Surelock McGill Limited	Slimline SL4A[22]-APLS-AA-KPLS / GSS2 Guard	Multi Point surface-mounted electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release or key and lever handle	Electric Release or key and lever handle manual override	A, H to BQ
310	Surelock McGill Limited	Slimline SL4A[22]-APXX-AA-TPLS	Multi Point surface-mounted electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release	Electric Release or thumbturn and lever handle manual override	-
311	Surelock McGill Limited	Slimline SL4A[22]-APLS-AA-TPLS / GSS2 Guard	Multi Point surface-mounted electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release or key and lever handle	Electric Release or thumbturn and lever handle manual override	A, H to BQ

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Design and Supply Limited

Issue: 15

Compatible Locking Systems	Manufacturer	Model	Type	Compatible Operating Devices		Compatible External Cylinders
				External Face	Internal Face	
312	Surelock McGill Limited	Slimline SL4A[22]-APXX-AA-APLE	Multi Point surface-mounted emergency exit electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release	Electric Release or lever handle override	-
313	Surelock McGill Limited	Slimline SL4A[22]-APLS-AA-APLE / GSS2 Guard	Multi Point surface-mounted emergency exit electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release or key and lever handle	Electric Release or lever handle override	A, H to BQ
314	Surelock McGill Limited	Slimline SL4A[22]-APXX-AA-APPB	Multi Point surface-mounted emergency exit electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release	Electric Release or panic bar override	-
315	Surelock McGill Limited	Slimline SL4A[22]-APLS-AA-APPB / GSS2 Guard	Multi Point surface-mounted emergency exit electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release or key and lever handle	Electric Release or panic bar override	A, H to BQ
316	Surelock McGill Limited	Slimline SL4A[22]-APXX-AA-APPP	Multi Point surface-mounted emergency exit electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release	Electric Release or push pad override	-

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Design and Supply Limited

Issue: 15

Compatible Locking Systems	Manufacturer	Model	Type	Compatible Operating Devices		Compatible External Cylinders
				External Face	Internal Face	
317	Surelock McGill Limited	Slimline SL4A^{22}-APLS-AA-APPP / GSS2 Guard	Multi Point surface-mounted emergency exit electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release or key and lever handle	Electric Release or push pad override	A, H to BQ
318	Surelock McGill Limited	Slimline SL5A^{22}-XXXX-AA-KMLS	Multi-Point locking system, auto bolting, auto deadlocking	None	Key and lever handle	-
319	Surelock McGill Limited	Slimline SL5A^{22}-XXXX-AA-TMLS	Multi-Point locking system, auto bolting, auto deadlocking	None	Thumbturn and lever handle	-
320	Surelock McGill Limited	Slimline SL5A^{22}-XXXX-AA-LMPB	Multi-Point Emergency exit locking system, auto bolting, auto deadlocking	None	Panic bar	-
321	Surelock McGill Limited	Slimline SL5A^{22}-XXXX-AA-LMLE	Multi-Point Emergency exit locking system, auto bolting, auto deadlocking	None	Emergency lever handle	-
322	Surelock McGill Limited	Slimline SL5A^{22}-XXXX-AA-LMPP	Multi-Point Emergency exit locking system, auto bolting, auto deadlocking	None	Push pad	-
323	Surelock McGill Limited	Slimline SL5A^{22}-KMLS-AA-KMLS / GSS2 Guard	Multi-Point locking system, auto bolting, auto deadlocking	Key and lever handle	Key and lever handle	A, H to BQ
324	Surelock McGill Limited	Slimline SL5A^{22}-KMLS-AA-TMLS / GSS2 Guard	Multi-Point locking system, auto bolting, auto deadlocking	Key and lever handle	Thumbturn and lever handle	A, H to BQ
325	Surelock McGill Limited	Slimline SL5A^{22}-KMLS-AA-LMPB GSS2 Guard	Multi-Point Emergency exit locking system, auto bolting, auto deadlocking	Key and lever handle	Panic bar	A, H to BQ

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Design and Supply Limited

Issue: 15

Compatible Locking Systems	Manufacturer	Model	Type	Compatible Operating Devices		Compatible External Cylinders
				External Face	Internal Face	
326	Surelock McGill Limited	Slimline SL5A[22]-KMLS-AA-LMLE / GSS2 Guard	Multi-Point Emergency exit locking system, auto bolting, auto deadlocking	Key and lever handle	Emergency lever handle	A, H to BQ
327	Surelock McGill Limited	Slimline SL5A[22]-KMLS-AA-LMPP / GSS2 Guard	Multi-Point Emergency exit locking system, auto bolting, auto deadlocking	Key and lever handle	Push pad	A, H to BQ
328	Surelock McGill Limited	Slimline SL5A[22]-XXXX-AA-KMLS	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	None	Access control and lever handle with key override	-
329	Surelock McGill Limited	Slimline SL5A[22]-AMLS-AA-KMLS / GSS2 Guard	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	Key and lever handle	Access control and lever handle with key override	A, H to BQ
330	Surelock McGill Limited	Slimline SL5A[22]-XXXX-AA-AMLS	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	None	Access control and lever handle	-
331	Surelock McGill Limited	Slimline SL5A[22]-AMLS-AA-AMLS / GSS2 Guard	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	Key and lever handle	Access control and lever handle	A, H to BQ

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Design and Supply Limited

Issue: 15

Compatible Locking Systems	Manufacturer	Model	Type	Compatible Operating Devices		Compatible External Cylinders
				External Face	Internal Face	
332	Surelock McGill Limited	Slimline SL5A[22]-XXXX-AA-TMLS	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	None	Access control and lever handle with thumbturn override	-
333	Surelock McGill Limited	Slimline SL5A[22]-AMLS-AA-TMLS / GSS2 Guard	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	Key and lever handle	Access control and lever handle with thumbturn override	A, H to BQ
334	Surelock McGill Limited	Slimline SL5A[22]-XXXX-AA-LMPB	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	None	Panic bar	-
335	Surelock McGill Limited	Slimline SL5A[22]-AMLS-AA-LMPB / GSS2 Guard	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	Key and lever handle	Panic bar	A, H to BQ
336	Surelock McGill Limited	Slimline SL5A[22]-XXXX-AA-LMLE	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	None	Emergency lever handle	-

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Design and Supply Limited

Issue: 15

Compatible Locking Systems	Manufacturer	Model	Type	Compatible Operating Devices		Compatible External Cylinders
				External Face	Internal Face	
337	Surelock McGill Limited	Slimline SL5A^{22}-AMLS-AA-LMLE / GSS2 Guard	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	Key and lever handle	Emergency lever handle	A, H to BQ
338	Surelock McGill Limited	Slimline SL5A^{22}-XXXX-AA-LMPP	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	None	Push pad	-
339	Surelock McGill Limited	Slimline SL5A^{22}-AMLS-AA-LMPP / GSS2 Guard	Multi-Point electro-mechanical access control lock powered by 12V, 24V or 50V fail secure solenoid, auto bolting, auto deadlocking	Key and lever handle	Push pad	A, H to BQ
340	Surelock McGill Limited	Slimline SL5A^{22}-APXX-AA-APXX-	Multi Point surface-mounted electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release	Electric Release	-
341	Surelock McGill Limited	Slimline SL5A^{22}-APLS-AA-APXX- / GSS2 Guard	Multi Point surface-mounted electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Key and lever handle	Electric Release	A, H to BQ

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Design and Supply Limited

Issue: 15

Compatible Locking Systems	Manufacturer	Model	Type	Compatible Operating Devices		Compatible External Cylinders
				External Face	Internal Face	
342	Surelock McGill Limited	Slimline SL5A^{22}-APXX-AA-KPLS	Multi Point surface-mounted electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release	Electric Release or key and lever handle manual override	--
343	Surelock McGill Limited	Slimline SL5A^{22}-APLS-AA-KPLS / GSS2 Guard	Multi Point surface-mounted electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release or key and lever handle	Electric Release or key and lever handle manual override	A, H to BQ
344	Surelock McGill Limited	Slimline SL5A^{22}-APXX-AA-TPLS	Multi Point surface-mounted electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release	Electric Release or thumbturn and lever handle manual override	-
345	Surelock McGill Limited	Slimline SL5A^{22}-APLS-AA-TPLS / GSS2 Guard	Multi Point surface-mounted electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release or key and lever handle	Electric Release or thumbturn and lever handle manual override	A, H to BQ
346	Surelock McGill Limited	Slimline SL5A^{22}-APXX-AA-APLE	Multi Point surface-mounted emergency exit electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release	Electric Release or lever handle override	-
347	Surelock McGill Limited	Slimline SL5A^{22}-APLS-AA-APLE / GSS2 Guard	Multi Point surface-mounted emergency exit electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release or key and lever handle	Electric Release or lever handle override	A, H to BQ

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Design and Supply Limited

Issue: 15

Compatible Locking Systems	Manufacturer	Model	Type	Compatible Operating Devices		Compatible External Cylinders
				External Face	Internal Face	
348	Surelock McGill Limited	Slimline SL5A[22]-APXX-AA-APPB	Multi Point surface-mounted emergency exit electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release	Electric Release or panic bar override	-
349	Surelock McGill Limited	Slimline SL5A[22]-APLS-AA-APPB / GSS2 Guard	Multi Point surface-mounted emergency exit electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release or key and lever handle	Electric Release or panic bar override	A, H to BQ
350	Surelock McGill Limited	Slimline SL5A[22]-APXX-AA-APPP	Multi Point surface-mounted emergency exit electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release	Electric Release or push pad override	-
351	Surelock McGill Limited	Slimline SL5A[22]-APLS-AA-APPP / GSS2 Guard	Multi Point surface-mounted emergency exit electro-mechanical motorised electric release lock, auto bolting, auto deadlocking	Electric Release or key and lever handle	Electric Release or push pad override	A, H to BQ
352	Tindall Engineering Limited	MSTB	Two tower bolts	None	Tower bolts	-
353	Tindall Engineering Limited	LSTB	Two tower bolts	None	Tower bolts	-
354	IDC	60MT	Two 'monkey tail' tower bolts	None	Tower bolts	-

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Issue: 15

Design and Supply Limited

Compatible Cylinders

Cylinder Reference	Manufacturer	Model	Type	'Plus' Rating[11]
A	Assa	C5801	Scandinavian Oval	+
B	Assa	C5802	Scandinavian Oval	+
C	Exidor	P3011	Single europrofile cylinder	
D	CISA	Astral 45 mm	Single europrofile cylinder	+
E	CISA	Astral S 35/35	Double europrofile cylinder (key:key)	+
F	CISA	Astral S 35/35	Double europrofile cylinder (key:thumbturn)	+
G	Kaba	Quattro PluS	Double europrofile cylinder (key:key)	+
H	Abloy	Protec CY201-PT	Scandinavian Oval	+
I	Abloy	Protec2 CY201-TT	Scandinavian Oval	+
J	Abloy	Protec Cliq / Cliq Remote CY201-PT-CLIQ	Scandinavian Oval (mechatronic)	+
K	Abloy	Protec2 Cliq / Cliq Remote CY201-TT-CLIQ	Scandinavian Oval (mechatronic)	+
L	Abloy	Disklock Pro CY201-DP	Scandinavian Oval	+
M	Abloy	Novel CY201-VL	Scandinavian Oval	+
N	ABUS	Vitess 1000	Scandinavian Oval	
O	ABUS	Bravuss 2000	Scandinavian Oval	+
P	Access2	Tigris Omega	Scandinavian Oval	+
Q	Access2	Tigris Plus	Scandinavian Oval	
R	Access2	Tigris Premier	Scandinavian Oval	+
S	Access2	Tigris Premier 2	Scandinavian Oval	+
T	Access2	Tigris Premier 3	Scandinavian Oval	+
U	ASSA	4401	Scandinavian Oval	+
V	ASSA	4401 Cliq / Cliq Remote	Scandinavian Oval (mechatronic)	+
W	ASSA	4407	Scandinavian Oval	+
X	ASSA	4407 Cliq / Cliq Remote	Scandinavian Oval (mechatronic)	+
Y	ASSA	4801	Scandinavian Oval	

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Design and Supply Limited

Issue: 15

Cylinder Reference	Manufacturer	Model	Type	'Plus' Rating[11]
Z	ASSA	4807	Scandinavian Oval	
AA	ASSA	C5807	Scandinavian Oval	+
AB	ASSA	Twin 7601	Scandinavian Oval	
AC	ASSA	Twin 7607	Scandinavian Oval	
AD	iLOQ	C10S.1	Scandinavian Oval (mechatronic)	+
AE	Kaba	experT	Scandinavian Oval	+
AF	Kaba	Gege pExtra	Scandinavian Oval	+
AG	Kaba	Gege RAM	Scandinavian Oval	+
AH	Kaba	K20	Scandinavian Oval	
AI	Kaba	Quattro PluS	Scandinavian Oval	+
AJ	KESO	4000S	Scandinavian Oval	+
AK	Locken/ISEO	LSSA20A329M	Scandinavian Oval (Mechatronic)	+
AL	Medeco	M3-ARX	Scandinavian Oval	+
AM	Surelock McGill	CY-SN	Scandinavian Oval	+
AN	Videx	Cyberlock CL-OVLD	Scandinavian Oval (mechatronic)	+
AO	Winkhaus	VS6	Scandinavian Oval	
AP	Abloy	Protec CY403-PT	Rim	+
AQ	Abloy	Protec CY405-PT	Rim	+
AR	Abloy	Protec2 CY403-TT	Rim	+
AS	Abloy	Protec2 CY405-TT	Rim	+
AT	Abloy	Protec Cliq / Cliq Remote CY403-PT-CLIQ	Rim (mechatronic)	+
AU	Abloy	Protec2 Cliq / Cliq Remote CY403-TT-CLIQ	Rim (mechatronic)	+
AV	Abloy	Disklock Pro CY403-DP	Rim	+
AW	Abloy	Disklock Pro CY405-DP	Rim	+
AX	Abloy	Novel CY403-VL	Rim	+
AY	Abloy	Novel CY405-VL	Rim	+

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Design and Supply Limited

Issue: 15

Cylinder Reference	Manufacturer	Model	Type	'Plus' Rating[11]
AZ	ABUS	Vitess 1000	Rim	
BA	ABUS	Bravuss 2000	Rim	+
BB	Access2	Tigris Omega	Rim	+
BC	Access2	Tigris Plus	Rim	
BD	Access2	Tigris Premier	Rim	+
BE	Access2	Tigris Premier 2	Rim	+
BF	Access2	Tigris Premier 3	Rim	+
BG	ASSA	4457	Rim	+
BH	ASSA	4857	Rim	
BI	ASSA	C5857	Rim	+
BJ	ASSA	7657	Rim	
BK	Kaba	K20	Rim	
BL	Kaba	Quattro PluS	Rim	+
BM	KESO	4000S	Rim	+
BN	Medeco	M3-ARX	Rim	+
BO	Surelock McGill	CY-RM	Rim	+
BP	Winkhaus	VS6	Rim	
BQ	Yale	X5	Rim	+
BR	Abloy	Protec CY305-PT	Europrofile double cylinder (key:thumbturn)	+
BS	Abloy	Protec CY309-PT	Europrofile double cylinder (key:thumbturn)	+
BT	Abloy	Protec CY319-PT	Europrofile double cylinder (key:thumbturn)	+
BU	Abloy	Protec CY323-PT	Europrofile double cylinder (key:thumbturn)	+
BV	Abloy	Protec CY328-PT	Europrofile double cylinder (key:thumbturn)	+
BW	Abloy	Protec CY333-PT	Europrofile double cylinder (key:thumbturn)	+
BX	Abloy	Protec CY338-PT	Europrofile double cylinder (key:thumbturn)	+
BY	Abloy	Protec2 CY323-TT	Europrofile double cylinder (key:thumbturn)	+

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Design and Supply Limited

Issue: 15

Cylinder Reference	Manufacturer	Model	Type	'Plus' Rating[11]
BZ	Abloy	Protec2 CY328-TT	Europrofile double cylinder (key:thumbturn)	+
CA	Abloy	Protec2 CY333-TT	Europrofile double cylinder (key:thumbturn)	+
CB	Abloy	Protec2 CY338-TT	Europrofile double cylinder (key:thumbturn)	+
CC	Abloy	Protec Cliq / Cliq Remote CY305-PT-CLIQ	Europrofile double cylinder (key:thumbturn) (mechatronic)	+
CD	Abloy	Protec Cliq / Cliq Remote CY333-PT-CLIQ	Europrofile double cylinder (key:thumbturn) (mechatronic)	+
CE	Abloy	Protec2 Cliq / Cliq Remote CY333-TT-CLIQ	Europrofile double cylinder (key:thumbturn) (mechatronic)	+
CF	Abloy	Disklock Pro CY305-DP	Europrofile double cylinder (key:thumbturn)	+
CG	Abloy	Disklock Pro CY309-DP	Europrofile double cylinder (key:thumbturn)	+
CH	Abloy	Disklock Pro CY319-DP	Europrofile double cylinder (key:thumbturn)	+
CI	Abloy	Disklock Pro CY323-DP	Europrofile double cylinder (key:thumbturn)	+
CJ	Abloy	Disklock Pro CY328-DP	Europrofile double cylinder (key:thumbturn)	+
CK	Abloy	Disklock Pro CY333-DP	Europrofile double cylinder (key:thumbturn)	+
CL	Abloy	Disklock Pro CY338-DP	Europrofile double cylinder (key:thumbturn)	+
CM	Abloy	Novel CY323-VL	Europrofile double cylinder (key:thumbturn)	+
CN	Abloy	Novel CY328-VL	Europrofile double cylinder (key:thumbturn)	+
CO	Abloy	Novel CY333-VL	Europrofile double cylinder (key:thumbturn)	+
CP	Abloy	Novel CY338-VL	Europrofile double cylinder (key:thumbturn)	+
CQ	ABUS	Vitess 1000	Europrofile double cylinder (key:thumbturn)	
CR	ABUS	Bravuss 2000	Europrofile double cylinder (key:thumbturn)	+
CS	Access2	Tigris Omega	Europrofile double cylinder (key:thumbturn)	+
CT	Access2	Tigris Plus	Europrofile double cylinder (key:thumbturn)	
CU	Access2	Tigris Premier	Europrofile double cylinder (key:thumbturn)	+
CV	Access2	Tigris Premier 2	Europrofile double cylinder (key:thumbturn)	+
CW	Access2	Tigris Premier 3	Europrofile double cylinder (key:thumbturn)	+
CX	Acsys	BL	Europrofile double cylinder (key:thumbturn)	

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Design and Supply Limited

Issue: 15

Cylinder Reference	Manufacturer	Model	Type	'Plus' Rating[11]
CY	ASSA	4427	Europrofile double cylinder (key:thumbturn)	+
CZ	ASSA	44M27 Cliq / Cliq Remote	Europrofile double cylinder (key:thumbturn) (mechatronic)	+
DA	ASSA	4827	Europrofile double cylinder (key:thumbturn)	
DB	ASSA	C5827	Europrofile double cylinder (key:thumbturn)	+
DC	ASSA	7627	Europrofile double cylinder (key:thumbturn)	
DD	Kaba	experT	Europrofile double cylinder (key:thumbturn)	+
DE	Kaba	Gege pExtra	Europrofile double cylinder (key:thumbturn)	+
DF	Kaba	Gege RAM	Europrofile double cylinder (key:thumbturn)	+
DG	Kaba	Quattro PluS	Europrofile double cylinder (key:thumbturn)	+
DH	KESO	4000S	Europrofile double cylinder (key:thumbturn)	+
DI	Locken/ISEO	LMSA830309M	Europrofile double cylinder (key:thumbturn)	+
DJ	Medeco	M3-ARX	Europrofile double cylinder (key:thumbturn)	+
DK	Mul-T-Lock	Classic Pro	Europrofile double cylinder (key:thumbturn)	
DL	Mul-T-Lock	Interactive+	Europrofile double cylinder (key:thumbturn)	
DM	Mul-T-Lock	Intergrator	Europrofile double cylinder (key:thumbturn)	
DN	Mul-T-Lock	MT5	Europrofile double cylinder (key:thumbturn)	
DO	Mul-T-Lock	MT5+	Europrofile double cylinder (key:thumbturn)	
DP	Schlage	EC903	Europrofile double cylinder (key:thumbturn)	
DQ	Surelock McGill	CY-ET	Europrofile double cylinder (key:thumbturn)	+
DR	Winkhaus	VS6	Europrofile double cylinder (key:thumbturn	
DS	Abloy	Protec CY305-PT	Double europrofile cylinder (key:key)	+
DT	Abloy	Protec CY309-PT	Double europrofile cylinder (key:key)	+
DU	Abloy	Protec CY319-PT	Double europrofile cylinder (key:key)	+
DV	Abloy	Protec CY323-PT	Double europrofile cylinder (key:key)	+
DW	Abloy	Protec CY328-PT	Double europrofile cylinder (key:key)	+

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Design and Supply Limited

Issue: 15

Cylinder Reference	Manufacturer	Model	Type	'Plus' Rating[11]
DX	Abloy	Protec CY333-PT	Double europrofile cylinder (key:key)	+
DY	Abloy	Protec CY338-PT	Double europrofile cylinder (key:key)	+
DZ	Abloy	Protec2 CY323-TT	Double europrofile cylinder (key:key)	+
EA	Abloy	Protec2 CY328-TT	Double europrofile cylinder (key:key)	+
EB	Abloy	Protec2 CY333-TT	Double europrofile cylinder (key:key)	+
EC	Abloy	Protec2 CY338-TT	Double europrofile cylinder (key:key)	+
ED	Abloy	Protec Cliq / Cliq Remote CY305-PT-CLIQ	Europrofile double cylinder (key:key) (mechatronic)	+
EE	Abloy	Protec Cliq / Cliq Remote CY333-PT-CLIQ	Europrofile double cylinder (key:key) (mechatronic)	+
EF	Abloy	Protec2 Cliq / Cliq Remote CY333-TT-CLIQ	Europrofile double cylinder (key:key) (mechatronic)	+
EG	Abloy	Disklock Pro CY305-DP	Double europrofile cylinder (key:key)	+
EH	Abloy	Disklock Pro CY309-DP	Double europrofile cylinder (key:key)	+
EI	Abloy	Disklock Pro CY319-DP	Double europrofile cylinder (key:key)	+
EJ	Abloy	Disklock Pro CY323-DP	Double europrofile cylinder (key:key)	+
EK	Abloy	Disklock Pro CY328-DP	Double europrofile cylinder (key:key)	+
EL	Abloy	Disklock Pro CY333-DP	Double europrofile cylinder (key:key)	+
EM	Abloy	Disklock Pro CY338-DP	Double europrofile cylinder (key:key)	+
EN	Abloy	Novel CY323-VL	Double europrofile cylinder (key:key)	+
EO	Abloy	Novel CY328-VL	Double europrofile cylinder (key:key)	+
EP	Abloy	Novel CY333-VL	Double europrofile cylinder (key:key)	+
EQ	Abloy	Novel CY338-VL	Double europrofile cylinder (key:key)	+
ER	ABUS	Vitess 1000	Double europrofile cylinder (key:key)	
ES	ABUS	Bravuss 2000	Double europrofile cylinder (key:key)	+
ET	Access2	Tigris Omega	Double europrofile cylinder (key:key)	+
EU	Access2	Tigris Plus	Double europrofile cylinder (key:key)	
EV	Access2	Tigris Premier	Double europrofile cylinder (key:key)	+

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Issue: 15

Design and Supply Limited

Cylinder Reference	Manufacturer	Model	Type	'Plus' Rating[11]
EW	Access2	Tigris Premier 2	Double europrofile cylinder (key:key)	+
EX	Access2	Tigris Premier 3	Double europrofile cylinder (key:key)	+
EY	Acsys	BL	Double europrofile cylinder (key:key)	
EZ	ASSA	4427	Double europrofile cylinder (key:key)	+
FA	ASSA	44M27 Cliq / Cliq Remote	Europrofile double cylinder (key:key) (mechatronic)	+
FB	ASSA	4827	Double europrofile cylinder (key:key)	
FC	ASSA	C5827	Double europrofile cylinder (key:key)	+
FD	ASSA	7627	Double europrofile cylinder (key:key)	
FE	Kaba	experT	Double europrofile cylinder (key:key)	+
FF	Kaba	Gege pExtra	Double europrofile cylinder (key:key)	+
FG	Kaba	Gege RAM	Double europrofile cylinder (key:key)	+
FH	Kaba	Quattro PluS	Double europrofile cylinder (key:key)	+
FI	KESO	4000S	Double europrofile cylinder (key:key)	+
FJ	Locken/ISEO	LMSA830309M	Double europrofile cylinder (key:key)	+
FK	Medeco	M3-ARX	Double europrofile cylinder (key:key)	+
FL	Mul-T-Lock	Classic Pro	Double europrofile cylinder (key:key)	
FM	Mul-T-Lock	Interactive+	Double europrofile cylinder (key:key)	
FN	Mul-T-Lock	Intergrator	Double europrofile cylinder (key:key)	
FO	Mul-T-Lock	MT5	Double europrofile cylinder (key:key)	
FP	Mul-T-Lock	MT5+	Double europrofile cylinder (key:key)	
FQ	Schlage	EC902	Double europrofile cylinder (key:key)	
FR	Surelock McGill	CY-ED	Double europrofile cylinder (key:key)	+
FS	Winkhaus	VS6	Double europrofile cylinder (key:key)	
FT	Abloy	Protec CY303-PT	Europrofile single cylinder	+
FU	Abloy	Protec CY307-PT	Europrofile single cylinder	+

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Design and Supply Limited

Issue: 15

Cylinder Reference	Manufacturer	Model	Type	'Plus' Rating[11]
FV	Abloy	Protec CY317-PT	Europrofile single cylinder	+
FW	Abloy	Protec CY321-PT	Europrofile single cylinder	+
FX	Abloy	Protec CY326-PT	Europrofile single cylinder	+
FY	Abloy	Protec CY331-PT	Europrofile single cylinder	+
FZ	Abloy	Protec CY336-PT	Europrofile single cylinder	+
GA	Abloy	Protec2 CY321-TT	Europrofile single cylinder	+
GB	Abloy	Protec2 CY326-TT	Europrofile single cylinder	+
GC	Abloy	Protec2 CY331-TT	Europrofile single cylinder	+
GD	Abloy	Protec2 CY336-TT	Europrofile single cylinder	+
GE	Abloy	Protec Cliq / Cliq Remote CY303-PT-CLIQ	Europrofile single cylinder (mechatronic)	+
GF	Abloy	Protec Cliq / Cliq Remote CY331-PT-CLIQ	Europrofile single cylinder (mechatronic)	+
GG	Abloy	Protec2 Cliq / Cliq Remote CY331-TT-CLIQ	Europrofile single cylinder (mechatronic)	+
GH	Abloy	Disklock Pro CY303-DP	Europrofile single cylinder	+
GI	Abloy	Disklock Pro CY307-DP	Europrofile single cylinder	+
GJ	Abloy	Disklock Pro CY317-DP	Europrofile single cylinder	+
GK	Abloy	Disklock Pro CY321-DP	Europrofile single cylinder	+
GL	Abloy	Disklock Pro CY326-DP	Europrofile single cylinder	+
GM	Abloy	Disklock Pro CY331-DP	Europrofile single cylinder	+
GN	Abloy	Disklock Pro CY336-DP	Europrofile single cylinder	+
GO	Abloy	Novel CY321-VL	Europrofile single cylinder	+
GP	Abloy	Novel CY326-VL	Europrofile single cylinder	+
GQ	Abloy	Novel CY331-VL	Europrofile single cylinder	+
GR	Abloy	Novel CY336-VL	Europrofile single cylinder	+
GS	ABUS	Vitess 1000	Europrofile single cylinder	
GT	ABUS	Bravuss 2000	Europrofile single cylinder	+
GU	Access2	Tigris Omega	Europrofile single cylinder	+
GV	Access2	Tigris Plus	Europrofile single cylinder	

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Design and Supply Limited

Issue: 15

Cylinder Reference	Manufacturer	Model	Type	'Plus' Rating[11]
GW	Access2	Tigris Premier	Europrofile single cylinder	+
GX	Access2	Tigris Premier 2	Europrofile single cylinder	+
GY	Access2	Tigris Premier 3	Europrofile single cylinder	+
GZ	Acsys	SL	Europrofile single cylinder	
HA	ASSA	4423	Europrofile single cylinder	+
HB	ASSA	44M23 Cliq / Cliq Remote	Europrofile single cylinder (mechatronic)	+
HC	ASSA	4823	Europrofile single cylinder	
HD	ASSA	C5823	Europrofile single cylinder	+
HE	ASSA	7623	Europrofile single cylinder	
HF	Kaba	experT	Europrofile single cylinder	+
HG	Kaba	Gege pExtra	Europrofile single cylinder	+
HH	Kaba	Gege RAM	Europrofile single cylinder	+
HI	Kaba	Quattro PluS	Europrofile single cylinder	+
HJ	KESO	4000S	Europrofile single cylinder	+
HK	Locken/ISEO	LMSA030109M	Europrofile single cylinder	+
HL	Medeco	M3-ARX	Europrofile single cylinder	+
HM	Mul-T-Lock	Classic Pro	Europrofile single cylinder	
HN	Mul-T-Lock	Interactive+	Europrofile single cylinder	
HO	Mul-T-Lock	Intergrator	Europrofile single cylinder	
HP	Mul-T-Lock	MT5	Europrofile single cylinder	
HQ	Mul-T-Lock	MT5+	Europrofile single cylinder	
HR	Schlage	EC901	Europrofile single cylinder	
HS	Surelock McGill	CY-ES	Europrofile single cylinder	+
HT	Winkhaus	VS6	Europrofile single cylinder	

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Issue: 15

Design and Supply Limited

Optional design features/accessories

Accessory	Description	Compatible Doorsets			Compatible Locking Systems
		Desray 1	Desray 2	DS3	
Door viewer	Door viewer located in the top half of the leaf.	✓	×	×	34 to 44
		×	✓	×	Compatible locking systems without emergency exit panic bar operation
D pull handles	Pull handles located on the external face of the leaf.	✓	×	×	34 to 44
		×	✓	×	All compatible locking systems
Vistamatic Chieftain vision panel	Vision panel dimensions between 100 mm high by 100 mm wide to 400 mm high by 400 mm wide[13] located in the top half of the leaf[14].	×	✓	×	Compatible locking systems with internal key operation only
	Vision panel dimensions between 100 mm high by 100 mm wide to 400 mm high by 400 mm wide[13] located in the bottom half of the leaf[14].	×	✓	×	Compatible locking systems with internal key operation only
	Vision panel dimensions between 100 mm high by 100 mm wide to 400 mm high by 400 mm wide[13] located in the top and bottom halves of the leaf[14].	×	✓	×	Compatible locking systems with internal key operation only
Vistamatic Sherman vision panel	Vision panel dimensions between 100 mm high by 100 mm wide to 400 mm high by 400 mm wide[13] located in the top half of the leaf[14].	×	✓	×	All compatible locking systems
	Vision panel dimensions between 100 mm high by 100 mm wide to 400 mm high by 400 mm wide[13] located in the bottom half of the leaf[14].	×	✓	×	All compatible locking systems
	Vision panel dimensions between 100 mm high by 100 mm wide to 400 mm high by 400 mm wide[13] located in the top and bottom halves of the leaf[14].	×	✓	×	Compatible locking systems with internal key operation only

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

© BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Design and Supply Limited

Issue: 15

Accessory	Description	Compatible Doorsets			Compatible Locking Systems
		Desray 1	Desray 2	DS3	
Tyneside AB26 vision panel	Vision panel dimensions between 100 mm high by 100 mm wide to 400 mm high by 400 mm wide[13] located in the top half of the leaf.	×	✓	×	All compatible locking systems
	Vision panel dimensions between 100 mm high by 100 mm wide to 400 mm high by 400 mm wide[13] located in the bottom half of the leaf.	×	✓	×	All compatible locking systems
	Vision panel dimensions between 100 mm high by 100 mm wide to 400 mm high by 400 mm wide[13] located in the top and bottom halves of the leaf.	×	✓	×	Compatible locking systems without emergency exit panic bar operation
Louvre vent	Louvre dimensions between 305 mm high by 305 mm wide to 963 mm high by 605 mm wide[13] located in the top half of the leaf.	×	✓	×	All compatible locking systems
	Louvre dimensions between 305 mm high by 305 mm wide to 963 mm high by 605 mm wide[13] located in the bottom half of the leaf.	×	✓	×	All compatible locking systems
	Louvre dimensions between 305 mm high by 305 mm wide to 963 mm high by 605 mm wide[13] located in the top and bottom halves of the leaf.	×	✓	×	Compatible locking systems without emergency exit panic bar operation
	Louvre dimensions between 305 mm high by 305 mm wide to 1025 mm high by 800 mm wide[13] located in the top half of the leaf.	×	×	✓[15]	45, 46, 48, 50, 52, 54 and 56
	Louvre dimensions between 305 mm high by 305 mm wide to 1025 mm high by 800 mm wide[13] located in the bottom half of the leaf.	×	×	✓[15]	45, 46, 48, 50, 52, 54 and 56
	Louvre dimensions between 305 mm high by 305 mm wide to 1025 mm high by 800 mm wide[13] located in the top and bottom halves of the leaf.	×	×	✓[15]	45, 46, 48, 50, 52, 54 and 56

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Design and Supply Limited

Issue: 15

Accessory	Description	Compatible Doorsets			Compatible Locking Systems
		Desray 1	Desray 2	DS3	
Combinations of vision panels and louvre vents	Vistamatic Chieftain vision panel dimensions between 100 mm high by 100 mm wide to 400 mm high by 400 mm wide[13] located in the top half of the leaf. Louvre dimensions between 305 mm high by 305 mm wide to 963 mm high by 605 mm wide[13] located in the bottom half of the leaf.	×	✓	×	Compatible locking systems with internal key operation only
	Vistamatic Sherman vision panel dimensions between 100 mm high by 100 mm wide to 400 mm high by 400 mm wide[13] located in the top half of the leaf. Louvre dimensions between 305 mm high by 305 mm wide to 963 mm high by 605 mm wide[13] located in the bottom half of the leaf.	×	✓	×	Compatible locking systems with internal key operation only
	Tyneside AB26 vision panel dimensions between 100 mm high by 100 mm wide to 400 mm high by 400 mm wide[13] located in the top half of the leaf. Louvre dimensions between 305 mm high by 305 mm wide to 963 mm high by 605 mm wide[13] located in the bottom half of the leaf.	×	✓	×	Compatible locking systems with internal key operation only
Alternative thresholds	Extruded aluminium 'G' type threshold fitted instead of galvanised steel 'H' type threshold.	×	×	✓	45 to 75
	Optional extruded aluminium 564A or CDT95 thresholds.	✓	✓	×	All compatible locking systems

Notes:

1. The Desray 2 double leaf doorsets may incorporate leafs of equal or unequal width within the individual minimum to maximum widths for each leaf. Desray 1 leafs of unequal width will comprise of an active leaf that is twice as wide as the passive leaf, where the maximum leaf width is 1.35 m and the minimum leaf width is 0.5 m. The DS3 double leaf doorsets may only incorporate leafs of equal width.
2. The Desray 1, Desray 2 and DS3 doorsets have a maximum overpanel height from the centre of the transom to the top of the frame of 1 m. The Desray 1 and 2 doorsets has a minimum overpanel height from the centre of the transom to the top of the frame of 0.49 m. The maximum and minimum heights of the doorset element, up to the centre of the transom, are the same as the approved doorsets that do not incorporate overpanels. The Desray 1 and 2 doorsets overpanel may be fixed, removable or hinged. The DS3 doorsets has a minimum overpanel height from the centre of the transom to the top of the frame of 0.9 m. The DS3 overpanel is hinged only.
3. A Security Rating 1 classification prevails when the doorsets are placed in the minimum locked condition.
4. This locking may only be used on the passive leaf if locking systems 34, 35 or 36 are used on the active leaf.
5. These locking systems may only be used on the passive leaf if locking systems 6, 7, 8, or 81 to 83 are used on the active leaf.
6. Locking systems incorporating emergency exit panic bar operation may not comply with fire escape regulations relating to potential panic situations if fitted to double leaf doorsets. This is because activation of the device on one leaf may not necessarily release the other leaf and in some cases may not release the leaf to which it is fitted if incorporating a separate deadlock.
7. The K4 break dome can be used without undermining the security rating afforded by the doorset.

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022

LPCB®

Appendix to Certificate No: 694b

Design and Supply Limited

Issue: 15

8. The 'P' option code relates to the use of the P20 or P21 options, i.e. the GSS2 cylinder guards for Rim or Scandinavian oval cylinders.
9. Fail secure version only. The resistance of the access control locks to "non-mechanical" attack has not been assessed as it is outside the scope of LPS 1175. Likewise, the approval does not cover possible effects of any susceptibilities relating to the functionality and performance of any access control equipment that may be used to operate these locking systems. This is because the scope of access control devices and system configurations that may be used with these locking systems is "infinite". It is therefore recommended that specifiers satisfy themselves that the components used are either resistant to mechanical and other forms of tampering/abuse, or that they are suitably protected from such tampering/abuse and are resistant to any environmental conditions/interference that may cause the locking system to disengage.
10. Although outside the scope of LPS 1175: Issue 7, special consideration should be paid to the use of 'emergency exit' locking systems with separate deadlocks, e.g. Mico Abryll AD2. This is because it is generally not acceptable to separately deadlock a doorset that is fitted with a panic or emergency exit device unless the deadlock is automatically released by the action of the panic or exit device. For further information, please refer to the appropriate standards for emergency and panic exit devices, i.e. BS EN 179 and BS EN 1125 respectively.
11. A 'Plus' rating demonstrates the cylinder meets the requirements defined in Annex A of BS 3621:2007 or manipulation resistance class '1' defined in LPS 1242: Issue 2.
12. The resistance of the mechatronic cylinders to "non-mechanical" attack has not been assessed as it is outside the scope of LPS 1175. Likewise, the approval does not cover possible effects of any susceptibilities relating to the functionality and performance of ancillary equipment that may be used in conjunction with those cylinders. It is therefore recommended that specifiers satisfy themselves that the components used are either resistant to electronic methods of attack, or that they are suitably protected from such tampering/abuse and are resistant to any environmental conditions/interference that may cause the locking system to disengage.
13. The position of the vision panels/louvre vents depends on the locking hardware fitted. Please refer to the manufacturer for more details.
14. The Vistamatic vision panels incorporate obscurable panels controlled by a handle on the protected side of the doorset.
15. The louvre vents are only compatible when locking systems 46, 48, 50, 52, 54 and 56 are deadlocked with a key on the internal face. They are not compatible when locking systems 46, 48, 50, 52, 54 and 56 are deadlocked by a thumbturn on the internal face.
16. This approval only covers the Desray doorsets when supplied with the 'h' type threshold.
17. This approval covers the Desray doorsets with bolted or pre-fabricated frame options.
18. The Desray 1 doorsets are approved for installation into timber, brick, blockwork, concrete and steelwork structures in accordance with the instructions contained in the document titled 'SR1-15' (Issue 1, dated April 2011).
19. The Desray 2 doorsets are approved for installation into timber, brick, blockwork, concrete and steelwork structures in accordance with the instructions contained in the document titled 'SR2-15' (Rev. 2).
20. The DS3 doorsets are approved for installation into brick, blockwork, concrete and steelwork structures in accordance with the instructions contained in the document titled 'SR3-21' (Issue 6, dated June 2015).
21. The Desray 2 doorsets can be secured with one additional ASSA 2788 deadlock locking system when fitted with lock options 3 or 4. One or two additional ASSA 2788 deadlock locking systems can be used in conjunction with lock options 1 and 2.
22. The Desray 2 doorsets can be secured with alternative multipoint Surelock McGill Slimline locking systems. The locking system options comprise:
    - Slimline SL2A – Two-point, vertical top bolt, vertical bottom bolt.
    - Slimline SL3A – Three-point, vertical top bolt, horizontal centre bolt, vertical bottom bolt.
    - Slimline SL3B – Three-point, vertical top bolt, horizontal centre bolt, lower horizontal bolt.
    - Slimline SL3C – Three-point, upper horizontal bolt, horizontal centre bolt, lower horizontal bolt.
    - Slimline SL4A – Four-point, vertical top bolt, horizontal upper bolt, horizontal centre bolt, bottom vertical bolt.
    - Slimline SL5A – Five-point, vertical top bolt, horizontal upper bolt, horizontal centre bolt, horizontal lower bolt, bottom vertical bolt.

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.	Chris Vurley Verifier	21 December 2022 Date of Issue	24 March 2009 Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

 © BRE Global Ltd. 2022