

Exam 1

Thanks to Drs. James Dickens, Richard Ressler, and David Gerard

Problem:

Read the help page of the `gss_cat` data frame from the `forcast` package.

- i. What are the variables?
- ii. What is the class of `gss_cat`?
- iii. What is the class of each variables?
- iv. Reorder the levels of the 'relig' variable so that the levels are in alphabetical order. write a code that shows the order has been changed. Change order to descending.
- v. Find the frequency of each categories.
- vi. Put levels in descending order of how frequently each level occurs in the data
- vii. Modify the factor levels of `marital` to be abbreviations of their long-names. For example, "Divorced" can just be "D"

Problem:

The first two numbers of the [Fibonacci Sequence](#) are 0 and 1. Each succeeding number is the sum of the previous two numbers in the sequence. For example, the third element is $1 = 0 + 1$, while the fourth elements is $2 = 1 + 1$, and the fifth element is $3 = 2 + 1$.

- i. Use a for loop to calculate the first 100 Fibonacci Numbers.
- ii. Return the first 15 Fibonacci Numbers.
- iii. Write a code that finds the nth Fibonacci Number. What is the 30th Fibonacci Number?
- iv. Sanity Check: The \log_2 of the 100th Fibonacci Number is about 67.57.

Problem:

Load the `wmata_ridership` data frame into R from https://dcgerard.github.io/stat_412_612/data/wmata_ridership.csv.

- i. Save the data in your local machine in your working directory (use `write_csv()`).
- ii. Upload it into R (use `read_csv()` and relative path) and name it `wmata`.
- iii. what are the variables?
- iv. Separate variable `Date` to `year`, `month` and `day`.
- v. For each month, calculate the proportion of rides made on a given day of the month.
- vi. Then make box plots of the proportions of ridership vs day of the week. But exclude any days from 2004.

Problem:

- i. Create a new repository in Github. Name it `repositoryexam_1`
- ii. Drag and Drop 3 files from your desktop to your new repository (any files that you think is appropriate)
- iii. Take a screenshot of the created repository showing evidence of the three files uploaded.
- iv. Now go to the bash terminal and clone the repository back to your Desktop

Problem:

- i. Type your PAT token
- ii. Push the `exam_1` file (without solution) to your `repositoryexam_1`
- iii. Take screenshot and post the url of your Github page that shows the file being pushed along with the commit message "Add exam 1 problems set"

Problem: You must use `data.table` package to solve this problem. If you solve it otherwise for instance by `tidyverse` you get a zero.

Use the `nycflights13` package

- i. Add the full airline names to the `flights` `data.table`.
- ii. Use `data.table` to calculate the median air time for each month.
- iii. Use `data.table` to calculate the number of trips from each airport for the carrier code DL.

- iv. Calculate the mean departure delay for each origin in the months of January and February.

Problem:

(from OpenIntro): The 2010 General Social Survey asked 1,500 US residents: “Do you think the use of marijuana should be made legal, or not?” 35% of the respondents said it should be made legal. a. Is 35% a sample statistic or a population parameter? Explain. b. Construct a 95% confidence interval for the proportion of US residents who think marijuana should be made legal, and interpret it in the context of the data.

Problem:

Read up on the `ex0330` dataset from the `Sleuth3` R package. Determine if education level is associated with income. Interpret any estimates and confidence intervals you derive.