


UGTS VERSIONING GOVERNANCE

Phase 1 - Foundation chronology, branch separation and canonical naming charter

Decision: the apparent single ladder 1.1 -> 2.0 -> 3.0 -> 3.6 -> 3.9 is deprecated as a global version sequence. It mixes compute profiles, foundation mathematics, reusable runtimes, formal/domain packs and end-user applications. The numbers remain searchable legacy aliases, but future governance uses component-scoped identities plus an explicit release graph.

Observed chronology and actual branch lineage

Dates order the artifacts. Arrows, not numbers, define inheritance.



* Elizabeth date is metadata-derived in this phase. The report itself prints version 3.9.0 without a release date.

Working set	7 supplied PDFs, 1 referenced root artifact and 1 referenced missing intermediate
Observed dated span	15 August 2026 through 23 August 2026 (Elizabeth date provisional from PDF metadata)
Primary output	Human-readable charter plus JSON and CSV release registry
Registry schema	ugts.release-registry.v0.1

Status: first controlled migration artifact. It intentionally does not attempt to absorb every later 3.9.x, 4.x, platform or application-design release in one pass.

1. What the audit found

The source documents are internally clearer than their filenames. Most of them state exactly what they retain, add and do not claim. The confusion arises because unlike artifacts were given numbers that look globally comparable.

Finding	Evidence-backed interpretation	Governance consequence
One number line contains unlike things	GN 1.1 is a compute/hardware addendum; KC 2.0 is a foundation expansion; Two Hands 3.0 is a runtime; 3.6 is a formal referential profile; SCLP/SARA are domain profiles; Elizabeth 3.9 is an application runtime.	Type is mandatory in every canonical name.
3.9 is not the semantic child of 3.6.3	Elizabeth explicitly upgrades the Two Hands 3.0 archive and retains that runtime line. It does not claim to absorb SCLP or SARA.	Chronology and dependency must be stored separately.
There are two test lineages	Runtime line: 47 -> 117 -> 225. Referential line: 36 -> [3.6.1] -> 153 -> 195.	Never treat the largest test count as the newest universal baseline.
There are multiple mechanism namespaces	M001-M389 belongs to the cumulative foundation/runtime/application line. 3.6 uses K36 IDs; SCLP and SARA use named namespaces.	No silent combined count across namespaces.
A required release is missing	3.6.2 says it retains course-corrected 3.6.1 files, but that artifact is absent here.	Register a gap; do not invent a title, scope or hash.
Names and attributions are overloaded	KC, Elizabeth, Tom Klootwijk Signature Edition and similar labels are edition/codename/attribution metadata.	Keep them out of semantic version precedence.

Key correction: a later date does not mean a release supersedes every earlier artifact. A release supersedes only what its package and migration statements explicitly replace.

2. Canonical release identity model

Every artifact now receives two independent coordinates: a human chronology key and a component-scoped semantic identity. This preserves historical filenames while removing false ancestry.

```
canonical identity = component_id @ version
release record = identity + chronology + relationship graph + evidence + artifact hash
```

Field	Purpose	Example
canonical_component_id	Stable product/track identity. Lower-case dotted name.	ugts.runtime.two-hands
version	Version inside that component only. It is not globally comparable.	3.0.0
chronology_key	Sort key from printed date and/or PDF metadata.	2026-08-16T17:22:02Z
component_type	Core, compute, foundation, runtime, formal, domain, application or platform.	reusable_runtime
legacy_alias	Original title/number retained verbatim for discovery.	UGTS-KC Two Hands 3.0
parent_ids	Explicit package or conceptual parents with typed relationships.	ugts.foundation.pattern-kinematics-dynamics@2.0.0
mechanism_namespace	Exact catalog namespace and cumulative-count boundary.	M258-M329; cumulative M001-M329
test_branch	Which retained suite the count belongs to.	foundation-runtime-line
audit_status	Audited, referenced, missing, inferred or queued.	audited
sha256	Artifact identity; never authorship or ownership.	183ffa4e...

Canonical track taxonomy

CORE

Authority model and canonical semantics

COMPUTE

ABI, compiler, hardware or measured execution profile

FOUNDATION

Reusable mathematical/operator breadth

RUNTIME

Reusable production shell and execution services

FORMAL

Definitions, schemas, ordering and referential discipline

DOMAIN

Bounded specialist pack such as SCLP or SARA

APPLICATION

End-user vertical or product experience

PLATFORM

Device-specific build, never a core version

3. Phase 1 chronological release ledger

The date column answers only "when did this artifact appear?" The parent column answers "what does it actually build on?"

Date / key	Canonical name	Type	Parent / relationship	Legacy alias	Status
pre-15 Aug (date unknown)	UGTS Core / Baseline Architecture @1.0.0	core specification	root root	UGTS-0 1.0	referenced not audited
2026-08-15 00:18:11	UGTS Compute / GPU Native @1.1.0	compute profile	extends and normalizes core.baseline	UGTS-GN 1.1	audited
2026-08-16 14:24:05	UGTS Foundation / Pattern, Kinematics and Dynamics @2.0.0	foundation extension	extends core.baseline, compute.gpu-native	UGTS-KC 2.0	audited
2026-08-16 17:22:02	UGTS Runtime / Two Hands @3.0.0	reusable runtime	extends package foundation.pattern-kinematics-dynamics	UGTS-KC Two Hands 3.0	audited
2026-08-17 06:31:13	UGTS Formal Profile / Literal Referential @3.6.0	formal profile	conceptual extension core.baseline	UGTS-KC 3.6	audited
17 Aug (time unknown)	UGTS Formal Profile / Unresolved 3.6.1 Artifact @3.6.1	missing release placeholder	referenced intermediate formal.literal-referential	UGTS-KC 3.6.1 (title unknown)	referenced missing
2026-08-17 18:41:37	UGTS Domain Profile / SCLP @3.6.2	domain profile	extends package formal.literal-referential, formal.unresolved-3-6-1	UGTS-KC 3.6.2 SCLP	audited
2026-08-18 06:45:04	UGTS Domain Profile / SARA @3.6.3	domain profile	extends package profile.sclp	UGTS-KC 3.6.3 SARA	audited
2026-08-23 04:52:43	UGTS Application / Elizabeth Vector Game @3.9.0	application runtime	extends package runtime.two-hands	UGTS-KC 3.9 KC Elizabeth Edition	audited

The missing 3.6.1 row is deliberately visible. Hiding it would make the chronology appear cleaner while making the lineage less truthful.

4. Canonical rename map

No original title is deleted. The new name leads; the old name follows as a legacy alias in parentheses until the corpus is fully migrated.

Old display name	Canonical display name	Canonical package identity
UGTS-GN 1.1	UGTS Compute / GPU Native 1.1.0	ugts.compute.gpu-native@1.1.0
UGTS-KC 2.0	UGTS Foundation / Pattern, Kinematics and Dynamics 2.0.0	ugts.foundation.pattern-kinematics-dynamics@2.0.0
UGTS-KC Two Hands 3.0	UGTS Runtime / Two Hands 3.0.0	ugts.runtime.two-hands@3.0.0
UGTS-KC 3.6	UGTS Formal Profile / Literal Referential 3.6.0	ugts.formal.literal-referential@3.6.0
UGTS-KC 3.6.2 SCLP	UGTS Domain Profile / SCLP 3.6.2	ugts.profile.sclp@3.6.2
UGTS-KC 3.6.3 SARA	UGTS Domain Profile / SARA 3.6.3	ugts.profile.sara@3.6.3
UGTS-KC 3.9 KC Elizabeth Edition	UGTS Application / Elizabeth Vector Game 3.9.0	ugts.application.elizabeth-vector-game@3.9.0

Filename rule for future releases

UGTS__<TYPE>__<SLUG>__v<SEMVER>__<YYYY-MM-DD>__<EDITION-OPTIONAL>.<ext>

Example: **UGTS APPLICATION ELIZABETH VECTOR GAME v3.9.0 2026-08-23 KC_ELIZABETH.pdf**

The filename contains type, component, version and date. A person name, signature label or codename may be appended as edition metadata, but never replaces the component identity.

5. Branch, catalog and test-count discipline

The corpus currently contains at least two independent inheritance lines. Their counts are valid inside each line but cannot be merged by arithmetic alone.

Branch	Observed chain	Catalog rule	Test rule
Foundation / runtime / application	UGTS-0 -> GN 1.1 -> KC 2.0 -> Two Hands 3.0 -> Elizabeth 3.9	M001-M389 is cumulative only on this line.	18 is GN-specific; 47 -> 117 -> 225 is the retained runtime suite.
Formal / referential / domain	Literal 3.6 -> missing 3.6.1 -> SCLP 3.6.2 -> SARA 3.6.3	K36, sclp362.* and sara363.* are distinct namespaces.	36 -> unknown intermediate -> 153 -> 195 is the retained referential suite.

Merge rule: a later release may claim a combined catalog or retained test suite only when its package manifest explicitly includes both branches, records namespace mappings and runs the combined validation set.

Supersession rule: "additive" means compatible extension, not replacement. "Retained" means bundled or preserved. "Referenced" means conceptual or documentary dependence. These words must not be collapsed into one generic arrow.

6. Migration rules to apply across the corpus

R1 - Type before title

Every cover and filename begins with CORE, COMPUTE, FOUNDATION, RUNTIME, FORMAL, DOMAIN, APPLICATION, PLATFORM, EDUCATION or META.

R2 - Scope the number

A version is compared only with releases sharing the same canonical_component_id.

R3 - Preserve aliases

Every old filename/title remains in legacy_aliases and redirect manifests.

R4 - Separate chronology from ancestry

Store release_date/chronology_key and parent_ids independently.

R5 - Explicit relationship verbs

Use extends_package, retains, references, supersedes, merges or forks.

R6 - Namespace every catalog

M, K36, sclp362, sara363 and future operator sets remain separately addressable.

R7 - Scope validation

Record test_branch, retained_count, new_count and total_count. Never report only one unqualified total.

R8 - Keep evidence maturity visible

Specification, reference implementation, internal validation, named-device measurement and external certification are distinct statuses.

R9 - Platform builds do not advance the substrate

Android/POCO/GPU/Bayer/SLAM builds live under PLATFORM and declare their substrate/runtime dependencies.

R10 - Applications do not become core

Games, scanners, ledgers, chess/Go solvers and educational products live under APPLICATION or EDUCATION.

R11 - No invented gap filling

Missing documents get placeholders until the artifact, hash and contents are found.

R12 - Merge releases must say what they merge

A future unified baseline must list included branches, schemas, mechanism mappings and conflict decisions.

7. Open gaps and planned subsequent passes

This phase intentionally stops after establishing the governance layer and auditing the foundation documents. The next work is an ingestion project, not a renaming spree.

Pass	Scope	Output
Phase 2	Audit the 3.9.x application/runtime branch, including the Grove, Atlas and Bayer releases visible in the project corpus.	Expanded registry, real parent graph, migration aliases and branch-specific catalog/test accounting.
Phase 3	Audit 4.1.x platform/SLAM packages and distinguish substrate, application, device and build revisions.	Platform matrix and device-build naming scheme.
Phase 4	Audit 4.2 general operator/order work and determine whether it is a foundation merge or an additive meta-profile.	Formal merge decision and operator-namespace map.
Phase 5	Audit Definition Breaker and other games/learning products.	Independent EDUCATION/APPLICATION version tracks with accessibility editions as release metadata.
Phase 6	Ingest chess, Go and future domain-solvers.	Domain/application registry, reproducible dependency locks and evidence status.
Phase 7	Produce the first canonical UGTS knowledge index.	One human reference PDF plus machine-readable knowledge graph and compatibility matrix.

Immediate evidence gaps: the original UGTS-0 artifact and the course-corrected 3.6.1 package. These will remain red-gap records until located.

Appendix A - Audited artifact manifest

Artifact	Pages	SHA-256	Date basis
Unified_Geometric_Topological_Substrate(1).pdf	45	c991aba24cc939ba680697b62b9e19545131cf34060793490bf149c6e2ab522e	Referenced by later reports; source artifact absent from the Phase 1 working set
Unified_Geometric_Topological_Substrate_GPU_Native_Addendum.pdf	28	3a6b6c57118ca4e2d7d7e577508c3477a095d133791f3708cb56a054285225d2	Cover date and PDF creation metadata agree
UGTS_KC_2_0_Tom_Klootwijk_Expanded_Substrate.pdf	23	a29dd9959ebd300c32d0e1df8fa2c0d4ee15f428892557b98b5f18cd3e878399	Cover date and PDF creation metadata agree
UGTS_KC_Two_Hands_3_0_Interactive_Graphics_Runtime.pdf	20	183ffa4e2bf29cfa0308687cd221529321598dbd69ef75c150abc0c64810f214	Printed document date and PDF creation metadata agree
UGTS_KC_3_6_Tom_Klootwijk.pdf	19	e21433cd8378368d4e4ae278d3c9c364725e45ae7fd75b743328bd2d6003a46	Printed version date and PDF creation metadata agree
UGTS_KC_3_6_2_SCLP_Tom_Klootwijk.pdf	19	6987490a0a7b7ed76b0091057a2e69ab831fee786434a0b4219782923f5ea580	Printed generated date and PDF creation metadata agree
UGTS_KC_3_6_3_SARA_Tom_Klootwijk.pdf	18	c5a8256e345047d56fbd56b7ce2ba77d95dd8391fc91bf6528295831714bab2f	Printed date and PDF creation metadata agree
UGTS_KC_3_9_KC_Elizabeth_Vector_Game_Runtime.pdf	16	d7ee3c91abf60e35b4b15fb296477974e45802c24e1fde618d683949bc1c7df2	PDF creation metadata; the report prints version 3.9.0 but no release date

Artifact hashes establish file identity only. They are not proof of authorship, ownership, priority or legal chain of title.

The machine-readable JSON and CSV in the accompanying package are the authoritative Phase 1 release ledger. This PDF is the human-readable governance companion.