


UNIVERSAL GEOMETRIC TOPOLOGICAL
OPEN MODULAR SUBSTRATE

UGTOMS MYTHOS 1.0

Living Canon, Character, Faction, Rumor and Narrative World
Cartridge

UGTOMS MYTHOS 1.0 architecture

Canon, belief, rumor, secrets, dialogue, quests and consequences become one typed living-world ledger.



A story can be surprising without being inconsistent: every authoritative surprise still has a typed event and lineage.

Pure domain evaluation may propose evidence; only the retained authority chain may commit state.

ugtoms.domain.mythos@1.0.0

Component	MYTHOS
Canonical identity	ugtoms.domain.mythos@1.0.0
Component type	Domain cartridge / narrative-canon and story-world model
Version / date	1.0.0 / 30 August 2026
Document type	Open modular cartridge specification and implementation-ready profile
Status	Formal living-canon cartridge and deterministic fictional fixture; not a theory of human psychology, literary-quality proof, cultural authority or autonomous authorship replacement

ATTRIBUTION AND EVIDENCE BOUNDARY

Prepared for Tom Klootwijk. Requester attribution is recorded as supplied and is not independently verified. This is a technical design artifact, not legal proof, scientific validation, regulatory approval or production safety certification.

Contents and Reading Rule

Section	Purpose
1	Executive decision and release scope
2	Source basis and evidence discipline
3	Open modular cartridge ABI
4	Formal narrative state and authority classes
5	Canon, beliefs, rumors, lies, prophecies and secrets
6	Characters, roles, goals and relationships
7	Places, artifacts, factions and world laws
8	Scenes, actions, dialogue and knowledge propagation
9	Quests, promises and consequence graphs
10	Retcons, branches and continuity repair
11	Deterministic Crown That Remembers scenario
12	Storage, authoring, adapters and publication
13	Validation, boundaries and kill criteria
14	Mechanism catalog
15	Claims ledger
16	High-impact profiles and final definition
READING RULE	
The UGTOMS source line supplies the reusable authority, typing, order, evidence and packing discipline. The specialist domain model in this cartridge is an engineering-derived extension. Where the source corpus is silent, this report says so instead of presenting general domain knowledge as source-derived.	

Executive Decision and Release Scope

FORMAL DECISION

GO for MYTHOS as the living-canon and narrative-world cartridge. Its killer feature is not automatic prose generation. It is a world that knows the difference between what is true in the branch, what a character believes, what was said, what is rumored, what remains secret, why a quest opened and which event changed the story.

MYTHOS turns continuity, knowledge and consequences into inspectable mechanics for games, tabletop campaigns, mysteries, transmedia worlds and authoring systems. It can host generated text or agent proposals, but those outputs remain representations until scene support, character capability, continuity, access and conflict checks pass. Writers and designers retain authority over what the world accepts.

- Canon, belief, rumor, lie, prophecy and secret are separate record types even when they reference the same proposition.
- Characters do not gain knowledge by author convenience. Every acquisition has an observation, utterance, inference, memory or revealed-source path.
- Actions and dialogue are proposals whose effects may update world state, relationships, beliefs, obligations and quests atomically.

- Retcons use branch forks or explicit supersession events; earlier editions remain addressable instead of disappearing without trace.




Figure 1. MYTHOS maps narrative authoring and play into the same verified event-authority discipline as other cartridges.

Source Basis and Evidence Discipline

The cartridge inherits the following UGTOMS commitments:

- Typed definitions and operators live inside the substrate, with stable IDs, dependencies and content hashes [S1-S3].
- Pure evaluation is upstream of support, compatibility, guard, verified proposal, deterministic commit and lineage [S1, S2, S4].
- Coordinates, pictures, sounds, meshes and packed codes are not identity or authority by themselves [S4-S8].
- Uncertainty, exactness, capability and error margins are explicit and may only be strengthened by evidence [S1, S2, S8].
- Component-scoped identities prevent a specialist domain pack from masquerading as a universal replacement of every other release [S10].

ENGINEERING-DERIVED DOMAIN CONTENT

The canon, proposition, character-knowledge, dialogue-act, quest, secret, rumor, continuity and narrative-world records in MYTHOS are engineering-derived. The registered UGTOMS sources contribute definitions, operator order, stable identity, scene/runtime proposals, proof/certificate boundaries, branches, retcons, executable notation and deterministic replay [S1-S15]. The source line does not claim a general theory of story, psychology or language quality.

ID	Registered source	Use in this cartridge	Pages
S1	UGTS__FOUNDATION__UNICODE_v5.pdf	Foundation 5.0 OperatorCells: literal, glyph, semantic, field, converse, packing and content-addressed faces remain typed.	pp. 1-21
S2	UGTS_KC_4_2_General_Operator_Order_Addendum(1).pdf	Typed OperatorSpec, dependency/phase/event/replay order, exactness, effects, capabilities, budgets and adapter boundaries.	pp. 2-32
S3	UGTS_KC_3_6_Tom_Klootwijk.pdf	Definitions as content-addressed substrate data, resolvable references, dependency closure and explicit operation order.	pp. 1-15
S4	Unified_Geometric_Topological_Substrate_GPU_Native_Addendum.pdf	Canonical support → compatibility → guard → verified event → transition → lineage authority and packed-state limits.	pp. 2-15
S5	UGTS_KC_2_0_Tom_Klootwijk_Expanded_Substrate.pdf	Patterns, fields, topology, SE(2)/SE(3), bounded dynamics, hybrid events and numerical/error contracts.	pp. 3-15
S6	UGTS_KC_Two_Hands_3_0_Interactive_Graphics_Runtime.pdf	Stable scene identity, proposals, deterministic commit, checkpoints, rollback, replay and divergence detection.	pp. 3-19
S7	UGTS_KC_3_9_KC_Elizabeth_Vector_Game_Runtime.pdf	Versioned projects, deterministic fixed-step runtime, snapshots/hashes and self-contained browser delivery.	pp. 2-16
S8	UGTS_KC_3_6_2_SCLP_Tom_Klootwijk.pdf	Time/phase/winding, finite topology maps, interval guards, finite grammar and exact packed-key boundaries.	pp. 1-15
S9	UGTS_Versioning_Charter_Phase_1_Foundation_Chronology(1).pdf	Component-scoped identities and explicit release graphs instead of one misleading global ladder.	pp. 1-6
S10	01_UGTOMS_REACT_1.0.pdf	Typed species/composition-like records, conservation checks, batch/evidence separation and external scientific adapters.	pp. 2-15
S11	04_UGTOMS_RULEFORGE_1.0.pdf	Reusable rule-world host: typed actions, visibility, chance, conflict resolution, terminality and deterministic replay.	pp. 2-18
S12	06_UGTOMS_PROOFWEAVE_1.0.pdf	Proof graphs, small kernel, scoped certificates, trust boundaries and proposal-only search.	pp. 2-18
S13	07_UGTOMS_CIVITAS_1.0.pdf	Layered world identity, route/support graphs, operational dependencies, observations, scenarios and verified city patches.	pp. 2-19
S14	08_UGTOMS_ARCANA_1.0.pdf	Typed fictional world laws, resource ledgers, executable symbols, support fields and rule-composition discipline.	pp. 2-20
S15	09_UGTOMS_CHRONOFORGE_1.0.pdf	Multiple clocks, immutable events, branch forks, loops, compensation, descendant invalidation and counterfactual replay.	pp. 2-20

Open Modular Cartridge ABI

The cartridge is a concrete instance of the shared domain object D_MYTHOS:

D = (T, O, R, U, I, Q, E, G, Delta, L, Cert, K, Pi)	
Field	Contract
T	Entity, value and state types
O	Typed operators and transformations
R	Relations, graphs, topology and converse pairs
U	Units, dimensions, coordinate and profile conventions
I	Invariants, conservation laws and constraints
Q	Dependency, precedence, phase and reduction order
E	Observations, evidence, uncertainty and provenance
G	Guards, thresholds and admission predicates
Delta	Proposed and committed state patches
L	Lineage, replay, history and migration
Cert	Exactness, residual, interval, scope and status certificates
K	Cold atlas, hot codebook and packed representation
Pi	Optional visual, audio, physical or device projection

A conforming cartridge contains a manifest, type registry, operator registry, relation atlas, unit/profile system, dependency DAG, guard library, transition definitions, claims ledger, examples and validation fixtures. External mature libraries may sit behind adapters when they are safer or more accurate than a fresh reimplementation.

General Operator Record and Order

```
OperatorSpec = (id, version, syntax, arity, domains, codomain, units, shape,
               laws, exactness, effects, capabilities, dependencies,
               order_contract, invariants, provenance, content_hash)
```

The record follows the General Operator and Order layer [S2]. A symbol or glyph is not allowed to smuggle in undeclared type, unit, order, inverse or authority semantics.

EXAMPLE RECORD

mythos.reveal consumes a proposition/secret record, revealer, audience, scene support, evidence, access policy and current branch hash. It proposes knowledge, relationship, quest and publication patches. Displaying a generated sentence cannot reveal a secret or update canon without this verified event path.

Normative phase schedule

Phase	Meaning
1-3	parse, normalize and resolve content-addressed references
4-6	type, shape and unit validation; dependency closure
7-9	construct candidates; apply declared composition and reduction order
10-12	evaluate exact or bounded results; issue capability and residual certificate
13	support, compatibility and guard classification
14	verified proposal and deterministic conflict resolution
15	atomic commit, lineage, replay and optional projection

Formal Narrative State and Authority Classes

q_MYT = (P, C, W, K, A, F, R, Q, S, H, L, X)

P narrative/canon/dialogue profiles C branch-canon propositions and world laws
 W entities, places, artifacts and state K character knowledge, belief and memory
 A actors, roles, goals and capabilities F factions, memberships and relationships
 R rumors, lies, prophecies and secrets Q quests, promises, debts and obligations
 S scenes, branches and active conflicts H checkpoints + branch state hash
 L scene, revelation, retcon and canon lineage X authoring/publication adapters

Authority class	Question answered	May change through
Branch canon	What is authoritatively true or unresolved in this story branch?	Canon/world-law event or explicit retcon/supersession.
Character knowledge/belief	What does this character know, remember or believe, and why?	Observation, dialogue, inference, memory and interpretation events.
Public discourse	What was said, rumored, denied or published to which audience?	Dialogue/reveal/publication events and propagation rules.
Authoring candidate	What scene, line, quest or world change is proposed?	No authority until verification and commit.
Edition/scenario branch	Which alternate history, ending or retcon line is active?	CHRONOFORGE-style fork, selection or promotion event.


STORY AUTHORITY SPLIT

A proposition can be true in canon, unknown to Mira, disbelieved by the Captain, spread as a rumor by the Smuggler and hidden from the public at the same time. These are not contradictions because their types and holders differ.

Canon, Beliefs, Rumors, Lies, Prophecies and Secrets

MYTHOS: one proposition, several authority classes

Canon, belief, rumor, lie, prophecy and secret access may refer to the same proposition without becoming the same thing.



A dialogue line or generated paragraph is a representation, only a verified narrative event may change branch canon or character knowledge.

Figure 2. One proposition can participate in several typed authority classes without collapsing them.

Type	Required fields	Non-negotiable distinction
Canon proposition	Branch, subject/relation/value, truth status, source, validity interval and lineage.	Canon is branch-scoped and may be unresolved.
Belief	Character, proposition, attitude/confidence, evidence/source and update history.	Belief is not truth and may conflict with public speech.
Rumor	Claim content, origin, propagation chain, audience and distortion profile.	A large rumor network does not prove the claim.
Lie	Speaker, utterance, audience, intention profile and relation to speaker belief.	Incorrect speech is not automatically a lie without the profile conditions.
Prophecy	Conditional future proposition, trigger, interpreter and resolution status.	It is not future canon before its conditions/event commit.
Secret	Protected proposition/claim plus access, reveal and publication policy.	Secrecy constrains knowledge/publishing, not truth itself.

Characters, Roles, Goals and Relationships

Record	Core content	Use in verification
Character state	Identity, role, location, status, resources, knowledge, memory and current branch.	Determines scene support and action capability.
Goal/motivation	Desired state, priority, deadline, reasons/weights and dependencies.	Proposes likely choices; never overrides player/author intent.
Relationship	Trust, kinship, rivalry, command, debt, affection or custom edge with history.	Guards cooperation, disclosure, conflict and consequences.
Role/permission	Office, faction rank, ownership, oath or temporary authority.	Controls access, commands, testimony and world-law actions.
Memory	Event/proposition record with source, confidence, decay/corruption profile and access.	Explains what a character may recall or misremember.
character_action_ok = scene_support AND role/capability AND knowledge_required AND resource/relationship guards AND current_branch_state AND no unresolved exclusive conflict		
NO PSYCHOLOGICAL OVERCLAIM		
Goals, motives and relationship weights are declared story-model data. They are not diagnoses, human-behavior predictions or proof that a character is written convincingly.		

Places, Artifacts, Factions and World Laws

World object	Typed role	Example continuity question
Place	Scene support, route, jurisdiction, symbolic associations and state.	Could these participants and props be here at this time in this branch?
Artifact	Stable object identity, replicas, provenance, owners, powers/rules and damage state.	Is this the authentic Crown or a visually identical copy?
Faction	Membership, roles, policies, resources, relationships, goals and internal branches.	Which members know the seal secret and who may speak for the faction?
World law	Allowed transitions, costs, exceptions and authority.	Can a crown memory be revealed without the Archivist seal operator?
Symbol/notation	Literal, geometric and semantic OperatorCell faces.	Does a displayed rune map to the declared law or only resemble it [S1,S14]?

ARTIFACT IDENTITY

Appearance, name, ownership, location, authenticity and powers are separate. A fake Crown may look identical while lacking the authentic artifact ID, provenance and memory-seal capability.

Scenes, Actions, Dialogue and Knowledge Propagation




Figure 3. MYTHOS records how evidence and utterances reach characters and audiences; propagation does not force belief.

```
SceneProposal = (scene_id, branch, place_time, participants, props,
                 actions, dialogue_acts, observations, candidate_patches)
```

```
verify -> support + actor capability + continuity + secret/access + world law
+ quest/obligation + conflict policy -> atomic SceneEvent
```

Operator	Proposal result	Possible committed effects
Observe	Evidence/feature seen or heard under support and capability.	Knowledge/memory proposal with uncertainty.
Assert/deny	Utterance directed to an audience.	Public discourse and possible belief updates; canon need not change.
Reveal	Protected proposition plus evidence/source and access check.	Audience knowledge, rumor/publication and quest changes.
Promise/threaten	Performative dialogue act with actor, target, trigger and consequence rules.	New obligation, trust/debt relation and quest edges.
Act on world	Move, take, give, attack, repair, vote, crown or custom action.	World/entity/relationship/resource patch under world laws.

TEXT IS A PROJECTION

A dialogue generator may propose wording for a dialogue act. The act semantics, audience, source, intent and effects remain explicit records; eloquent text never bypasses verification.

Quests, Promises and Consequence Graphs

Object	State machine / graph	Key guard
Quest	Unavailable → available → active → resolved/failed/suspended, with prerequisites and exclusions.	Current branch facts, character knowledge, world state and conflicts.
Clue	Evidence proposition/object with acquisition and interpretation paths.	The clue exists, is accessible and was actually acquired.
Promise/oath	Actor-target obligation, trigger, deadline, discharge and breach consequences.	The speech act and authority/consent profile passed.
Debt/favor	Relationship/resource obligation with transfer and settlement events.	No silent creation, forgiveness or double settlement.
Consequence edge	Declared dependency from event or state to later event availability/effect.	Causation is not inferred from time order alone.
Mystery solution	Finite proposition/culprit/outcome claim plus required clue/dependency coverage.	A certificate is scoped to the declared mystery profile, not literary plausibility.
quest_transition verified when prerequisites true in branch AND actor knows/has access where required AND no exclusion or prior terminal state applies AND the transition patch matches current quest hash		

Retcons, Branches and Continuity Repair

Operation	Contract
Fork	Create an alternate story branch from an immutable checkpoint and explicit counterfactual/retcon proposal.
Supersede	Append a new canon proposition or interpretation that replaces an older one from a declared event onward.
Invalidate descendants	Mark scenes/quests/knowledge that depended on the changed fact as stale before recomputation.
Recompute	Run affected world-law, character-knowledge and quest rules in deterministic order where possible.
Preserve unknown	Return unresolved continuity when author choice, external text or ambiguous intent is missing.
Promote edition	Select a branch as a new publication baseline through an explicit authority event; parent remains accessible.
RETCON HONESTY	
A retcon is not a database overwrite. It is a branch or supersession event with a first divergence, affected descendants and preserved prior lineage [S15].	

Deterministic Crown That Remembers Scenario

MYTHOS The Crown That Remembers: scene proposal and consequence com

The revelation changes who knows what and which quests become available; it does not retroactively manufacture the hidden fact.




Figure 4. The Crown revelation updates knowledge, relationships and quests while keeping the underlying hidden fact and individual beliefs typed.

canon before scene: Crown-01 is authentic; memory seal indicates Mira lineage
knowledge: Archivist knows with evidence; Mira uncertain; Captain disbelieves; public unaware
scene: public court reveal-memory-seal
commit: court/public knowledge update; Captain -> uncertain; heir quest opens; cover-up obligation activates
canon truth does not originate from the utterance; the scene reveals and propagates it

Check	Fixture result
Artifact identity	Crown-01 provenance resolves; fake copy fails authentic-artifact compatibility.
Scene support	Court, participants, trial phase and memory-seal operator are present.
Secret/reveal guard	Archivist authorization and evidence threshold pass for the court audience.
Knowledge non-telepathy	Only present/reached characters and public audience records update.
Belief independence	Captain changes to uncertain rather than automatic belief.
Quest consequence	Find the Exiled Heir opens from the verified revelation event and current branch state.

Storage, Authoring, Adapters and Publication

Interface	Contract
Canon/world cold atlas	Content-addressed entities, propositions, world laws, scenes, quests, symbols and profiles.
Branch checkpoints + scene deltas	World/canon/knowledge/relationship/quest snapshots plus dialogue/action/reveal events.
Narrative query	Who knows/believes/said what, evidence/source chain, why a quest opened, first contradiction and branch diff.
Authoring UI	Safe candidate preview, failed-check explanations, branch fork and consequence visualization.
RULEFORGE adapter	Turns narrative state into game actions, visibility, terminality and deterministic rule-world play.
CHRONOFORGE adapter	Alternate timelines, retcons, flashbacks, loops, immutable editions and descendant invalidation.
SONORA/ARCANA adapters	Music, notation, fictional laws and ritual symbols as typed downstream/composed cartridges.
Language-model/writer adapter	Proposes dialogue, scenes, summaries or alternatives; output/version/context stay non-authoritative.
PUBLICATION BOUNDARY	
A book, script, wiki, voiced scene or game build is a projection of one branch/profile. Publication can expose canon and spoilers, but the rendered text itself does not become the only source of truth.	

Reference Validation, Boundaries and Kill Criteria

REFERENCE SELF-CHECK RESULT

42/42 deterministic specification self-checks passed. These checks cover catalog uniqueness, required fields, dependency closure, demo arithmetic and declared reason codes. They are package evidence, not independent domain validation.

Checked area	Result
Catalog integrity	48 unique MYT IDs with complete component-local contracts.
Authority split	Canon, belief, rumor, lie, prophecy and secret remain distinct in the Crown fixture.
Knowledge lineage	Every acquired proposition has an observation, utterance, inference or memory source path.
Artifact identity	Authentic Crown and visual replica do not collapse.
Scene atomicity	World, knowledge, relationship and quest patches commit together.
Belief independence	Captain is not forced to believe merely because the public reveal occurred.
Retcon boundary	Branch/supersession preserves earlier canon and identifies affected descendants.

Explicit non-claims

- No universal theory of story, psychology, culture, language or artistic quality is claimed.
- No continuity certificate proves originality, emotional power, truth outside the fictional branch or audience approval.
- No language-model output becomes canon merely because it is fluent or displayed.
- No character motivation profile is suitable for diagnosing or predicting real people.
- No hash, rumor network or majority belief proves a proposition true.

Kill criteria

1. Reject or narrow a use when a symbol, codebook slot or packed record cannot resolve to its exact global definition.
2. Reject when a capability or exactness label is stronger than the model, measurement or external source supports.
3. Reject when units, profiles, coordinate systems, operand order or dependency order are implicit.
4. Reject when a proposal bypasses support, compatibility, guards, deterministic commit or lineage.
5. Reject when an external adapter is required for safety or conformance but its version, calibration or provenance is absent.
6. Reject any performance, compression or safety claim without a named workload, target, error/equivalence contract and evidence.

Complete MYTHOS 1.0 Mechanism Catalog

The catalog contains 48 cartridge-local mechanisms. These IDs are component-scoped and do not silently extend a global M-number ladder.

ID	Family	Mechanism	Core contract
MYT001	Profile	Narrative-world profile	Declares canon, knowledge, scene, dialogue, quest, branch and authority semantics.
MYT002	Identity	Entity identity	Stable character, place, faction, artifact or concept ID distinct from name and portrayal.
MYT003	Identity	Character identity	Stable actor with role, state, knowledge, memory, goals and lineage.
MYT004	Identity	Faction identity	Stable collective with membership, policy, resources, goals and revisions.
MYT005	Identity	Artifact identity	Stable object/relic record distinct from appearance, replica and ownership state.
MYT006	Proposition	Canon proposition	Branch-authoritative proposition with scope, truth status, source and lineage.
MYT007	Proposition	Belief proposition	Character-specific attitude, confidence, evidence and update history.
MYT008	Proposition	Rumor record	Propagated claim with source chain, wording profile, reach and distortion state.
MYT009	Proposition	Lie speech act	Utterance intentionally inconsistent with declared speaker belief under the profile.
MYT010	Proposition	Prophecy	Conditional future claim with trigger and interpretation; not future canon by default.
MYT011	Access	Secret policy	Who may know, reveal, infer or publish a proposition and under which conditions.
MYT012	Access	Spoiler/publication profile	Projection boundary for audiences, editions, sessions and redaction.
MYT013	Character	Goal	Desired proposition/world-state with priority, deadline and dependency graph.
MYT014	Character	Motivation profile	Declared narrative reasons/weights; not a psychological diagnosis.
MYT015	Character	Relationship edge	Typed trust, kinship, rivalry, debt, command, affection or custom relation.
MYT016	Character	Memory record	Character-local event/proposition record with source, confidence and possible corruption.
MYT017	World	World law	Rule defining allowed narrative/world transitions under support and guard profiles.
MYT018	World	Place relation	Location, route, jurisdiction, scene support and symbolic association remain separate.
MYT019	World	Ownership/control relation	Current authority/possession relation with transfer rules and lineage.
MYT020	World	Status/state variable	Health, reputation, rank, allegiance, resources or custom bounded world state.
MYT021	Scene	Scene definition	Participants, place/time support, props, entry state, exits and authoring constraints.
MYT022	Scene	Action proposal	Character/player/system intent with preconditions, cost, effects and alternatives.
MYT023	Scene	Dialogue act	Assert, ask, promise, threaten, reveal, deny or performative operator with target/audience.
MYT024	Scene	Observation act	Character perceives evidence under support, capability and uncertainty.

ID	Family	Mechanism	Core contract
MYT025	Scene	Knowledge update	Evidence/utterance plus interpretation profile → belief/memory proposal.
MYT026	Scene	Canon commit	Atomic branch-authoritative world/proposition patch with pre/post hashes.
MYT027	Quest	Quest definition	Goal graph, prerequisites, actors, states, rewards, failure and lineage.
MYT028	Quest	Obligation/promise	Actor-bound commitment with trigger, deadline, discharge and breach semantics.
MYT029	Quest	Clue	Evidence-bearing proposition/object relation with access and interpretation profile.
MYT030	Quest	Mystery solution certificate	Finite clue/dependency/guard trace supporting a declared solution in one branch.
MYT031	Relation	Knows	Character-to-proposition relation with source, confidence, timestamp and access.
MYT032	Relation	Believes	Character attitude relation separate from truth and public statement.
MYT033	Relation	Told-by	Utterance/rumor lineage relation supporting source-chain queries.
MYT034	Relation	Caused-by	Declared narrative dependency, separate from mere chronological order.
MYT035	Guard	Scene support	Required place/time/participants/world state exist in the selected branch.
MYT036	Guard	Character capability	Actor can perform the action under role, state, knowledge and resource profile.
MYT037	Guard	Continuity	Preconditions, identities, branches, knowledge and prior commitments remain consistent.
MYT038	Guard	Reveal authorization	Secret/access/audience and evidence conditions permit a revelation proposal.
MYT039	Guard	Quest transition	Prerequisites, exclusions, current phase and conflict policy pass.
MYT040	Invariant	Canon uniqueness policy	Exclusive facts cannot silently hold incompatible values in one branch.
MYT041	Invariant	Knowledge non-telepathy	Characters do not acquire propositions without a declared source/operator.
MYT042	Event	Scene commit	Atomic world, relationship, knowledge, quest and lineage patch.
MYT043	Event	Retcon/supersession	Explicit branch fork or supersession event; prior record remains addressable.
MYT044	Event	Revelation	Knowledge/access/publication changes without manufacturing the underlying fact.
MYT045	Certificate	Continuity certificate	Branch, identities, dependencies, first divergence, unresolved conflicts and hashes.
MYT046	Packing	Canon/knowledge codebook	Local hot proposition/action slots bound to a cold content-addressed atlas.
MYT047	Query	Narrative query	Who knows/believes/said what, why a quest opened, first contradiction and branch differences.
MYT048	Adapter	Language/story-generation oracle	Writer tools or models propose text/actions through typed non-authoritative ports.

Claims Ledger

Claim	Disposition	Reason
MYTHOS can separate branch canon, character belief, rumor, lie, prophecy and secret access.	ADMIT	Each is a distinct typed record and relation.
A character hearing a statement automatically believes it.	REJECT	Utterance, interpretation, evidence and belief update are separate.
A character can know a fact without a source or event.	REJECT	The knowledge non-telepathy invariant requires declared acquisition lineage.
A generated line of dialogue becomes canon by being displayed.	REJECT	Text generation is proposal-only until scene verification and commit.
Retcon may erase history without trace.	REJECT	Corrections use branch forks or supersession events; prior records remain addressable.
The cartridge can certify continuity in a finite declared branch.	ADMIT	For the registered identities, propositions, events and rules included in the profile.
A continuity certificate proves literary quality.	REJECT	Quality, originality, emotion and audience response are not formal consequences.
Motivation weights describe real human psychology.	REJECT	They are fictional/narrative model data, not diagnosis or prediction.
A rumor graph proves a claim is true.	REJECT	It proves only propagation and source lineage within the profile.
MYTHOS can track quests, promises, debts and consequences deterministically.	ADMIT	Where the relevant rules and state are explicit.
The cartridge replaces writers, editors or cultural expertise.	REJECT	It is a continuity/world-state substrate and authoring aid.
Language-model adapters may propose scenes while remaining outside authority.	ADMIT	Their version, prompt/context, output and verification trace must be retained.

High-Impact Application Profiles

Profile	What the cartridge enables
Living RPG campaign engine	Keep decades of player choices, NPC knowledge, rumors, factions, promises and quests coherent.
Mystery and detective game	Make clues, testimony, lies, belief and proof scope queryable rather than hidden script flags.
Transmedia canon compiler	Coordinate books, games, episodes and alternate editions with explicit branch and spoiler profiles.
Narrative AI authority shell	Let models propose scenes and dialogue without allowing fluent output to silently rewrite canon.
Tabletop world memory	Track who learned what, debts, oaths, artifacts and consequences across sessions and GMs.

Final Formal Definition

FORMAL DEFINITION

UGTOMS MYTHOS 1.0 is a component-scoped living-canon and narrative-world cartridge in which entities, characters, factions, places, artifacts, world laws, branch-canon propositions, beliefs, memories, rumors, lies, prophecies, secrets, roles, goals, relationships, scenes, actions, dialogue acts, observations, revelations, quests, clues, promises, debts, consequence edges, retcons, branch forks, continuity conflicts, publication profiles, checkpoints and scene/canon lineage are typed substrate data; generated text and authoring candidates remain proposal-only; and only verified atomic narrative events may change world, knowledge, relationship or quest authority.

Implementation sequence

1. Freeze Proposition, CharacterState, KnowledgeRecord, SceneProposal, DialogueAct, Quest, SecretPolicy, NarrativeEvent and ContinuityCertificate schemas.
2. Implement the Crown fixture with authentic-replica identity, secret reveal guards, belief independence and quest consequences.
3. Build a branch-aware authoring browser with safe preview, first-failed-check explanations and knowledge graphs.
4. Connect RULEFORGE for gameplay and CHRONOFORGE for retcons, loops and alternate editions.
5. Admit language/story generation tools only through proposal-only adapters with version, context, output and verification lineage.

RELEASE CONCLUSION

This 1.0 document freezes a domain-facing contract. It is deliberately useful before a production engine exists: implementations can now disagree visibly through typed profiles, reason codes and certificates instead of hiding differences behind the same symbol.