

UGTS VERSIONING GOVERNANCE

Phase 2 - Library-wide technical, platform and application-track update

Decision: the library now proves that the legacy number is not a unique release identity. There are two different 3.9.3 releases, two different 3.9.4 releases, overlapping M catalogs and higher-numbered artifacts that appeared earlier than lower-numbered ones. The authoritative key is now `component_version_id`, with chronology, parentage and catalog namespace stored separately.

29 controlled release records	20 Phase 2 additions	2 legacy version collisions	2 material M-range collisions	4 unresolved direct artifacts
---	--------------------------------	---------------------------------------	---	---

Canonical identity

```
component_version_id = canonical_component_id @ version
```

```
canonical mechanism reference = component_version_id :: legacy_mechanism_id
```

Search boundary: this pass audited the project library available in the conversation. It does not claim to have crawled external storage, email, local disks outside the active environment or the public web.

1. What the library search changed

Phase 1 established the governance rules from seven supplied foundation PDFs and two gap records. Phase 2 searched the broader project library and added later runtime, mobile, spatial, operator and Definition Breaker artifacts. The result is not a cleaner numeric ladder; it is a more truthful release graph.

Evidence grade	Meaning	Examples in this pass
Primary report	The version, title and scope are present in a surfaced PDF or direct release record.	4.0, IQ 3.9.3, Atlas 3.9.3, Bayer 3.9.4, 4.1, 4.1.1, 4.2, DB releases
Support record	Machine-readable build/release metadata is present without a matching primary report.	Atlas Pocket SLAM 3.9.4 JSON records; 3.9.4.1 SHA and file inventory
Indirect reference	A later report names the artifact, hash or source tree, but the primary artifact was not surfaced.	3.9.1 and 3.9.2
Missing placeholder	The corpus asserts the release existed, but title/content/hash remain unavailable.	UGTS 3.6.1; original UGTS-0 source remains outside the active set

Track	Records	Governance treatment
application	1	Component-scoped semantic versions; does not advance a global core.
application-design-education	8	One Definition Breaker component from 0.1.0 to 2.0.0; design maturity stays separate from substrate versions.
compute	1	Component-scoped semantic versions; does not advance a global core.
core	1	Component-scoped semantic versions; does not advance a global core.
domain-profile	2	Component-scoped semantic versions; does not advance a global core.
education-library	1	Own edition line; organizes and explains releases without modifying their substrate versions.
field-query-profile	1	Component-scoped semantic versions; does not advance a global core.
formal-profile	2	Component-scoped semantic versions; does not advance a global core.
foundation	1	Component-scoped semantic versions; does not advance a global core.
foundation-meta	1	Component-scoped semantic versions; does not advance a global core.
platform-mobile	2	Component-scoped semantic versions; does not advance a global core.
platform-mobile-slam	2	Component-scoped semantic versions; does not advance a global core.
platform-mobile-spatial-seed	2	Component-scoped semantic versions; does not advance a global core.
presentation-native	1	Component-scoped semantic versions; does not advance a global core.
runtime	1	Component-scoped semantic versions; does not advance a global core.
spatial-evidence	1	Component-scoped semantic versions; does not advance a global core.
spatial-ledger-application	1	Component-scoped semantic versions; does not advance a global core.

No artifact was silently promoted from a reference into a direct release. Parent confidence and chronology confidence remain visible where the evidence is indirect.

2. Chronology - foundation through 23 August

Chronology answers only when the artifact appeared. It does not answer what it inherits or replaces.

date-key	canonical identity	type	parent relation	legacy name	evidence
pre-08-15	ugts.core.baseline@1.0.0	core specification	root	UGTS-0 1.0	indirect reference
08-15T00:18:11Z	ugts.compute.gpu-native@1.1.0	compute profile	extends and normalizes ugts.core.baseline@1.0.0	UGTS-GN 1.1	primary report
08-16T14:24:05Z	ugts.foundation.pattern-kinematics-dynamics@2.0.0	foundation extension	extends ugts.core.baseline@1.0.0 ughts.compute.gpu-native@1.1.0	UGTS-KC 2.0	primary report
08-16T17:22:02Z	ugts.runtime.two-hands@3.0.0	reusable runtime	extends package ugts.foundation.pattern-kinematics-dynamics@2.0.0	UGTS-KC Two Hands 3.0	primary report
08-17T06:31:13Z	ugts.formal.literal-referential@3.6.0	formal profile	conceptual extension ugts.core.baseline@1.0.0	UGTS-KC 3.6	primary report
08-17T18:41:37Z	ugts.profile.sclp@3.6.2	domain profile	extends package ugts.formal.literal-referential@3.6.0 ugts.formal.unresolved-3-6-1@3.6.1	UGTS-KC 3.6.2 SCLP	primary report
08-18T06:45:04Z	ugts.profile.sara@3.6.3	domain profile	extends package ugts.profile.sclp@3.6.2	UGTS-KC 3.6.3 SARA	primary report
08-23T04:52:43Z	ugts.application.elizabeth-vector-game@3.9.0	application runtime	extends package ugts.runtime.two-hands@3.0.0	UGTS-KC 3.9 KC Elizabeth Edition	primary report
08-17T?:?:?:Z	ugts.formal.unresolved-3-6-1@3.6.1	missing release placeholder	referenced intermediate ugts.formal.literal-referential@3.6.0	UGTS-KC 3.6.1 (title unknown)	missing placeholder

The Phase 1 branch split remains valid: the foundation/runtime/application line and the formal/referential/domain line are independent unless a later package explicitly combines them.

3. Chronology - direct Phase 2 artifacts

These rows are ordered by surfaced creation/generated timestamp, not by legacy version. Relative-only artifacts are listed separately on the next page.

UTC	Canonical identity	Type	Task	Results	Linking schema	Status
Aug 28 13:32:54	ugts.spatial.evidence-ledger@4.0.0	spatial evidence substrate	spatial-evidence	380	Adds M450-M509; reported cumulative range M001-M509. ugs-kc-spatial-project-4.0	release report and reference runtime
Aug 28 14:13:36	ugts.profile.iq-field@3.9.3	field query profile	field-query-profile	+82 new	Repairs Grove M529, then adds M530-M609; reported cumulative range M001-M609. ugs-kc-iq-field-profile-3.9.3	release report and reference package
Aug 28 14:45:54	ugts.application.atlas-pocket-spatial-ledger@3.9.3	spatial ledger application profile	spatial-ledger-application	347	Adds M530-M589; reported cumulative range M001-M589. ugs-kc-spatial-ledger-3.9.3 ugs-kc-frame-observation-packet-3.9.3	release report and reference runtime
Aug 28 16:47:45	ugts.presentation.bayer-direct-native@3.9.4	native presentation profile	presentation-native	11	Adds M610-M629; reported cumulative range M001-M629. Bayer Direct 3.9.4 JSON profile	release report and test signed apk
Aug 28 17:10:02	ugts.application.definition-breaker@0.1.0	game concept profile	application-design-education	-	Application-design profile; no substrate M catalog allocation.	concept not implementation
Aug 28 17:29:43	ugts.platform.android.atlas-pocket-slam@3.9.4	android source package	platform-mobile-slam	-	No mechanism range was stated in the surfaced support JSON. ugs.android-build-status/3.9.4	complete source zip no apk build
Aug 28 17:55:23	ugts.platform.poco-spatial-seed@4.1.0	named device source handoff	platform-mobile-spatial-seed	-	KSEED 4.1 storage and authority contract; no global mechanism renumbering established in the surfaced report. KSEED 4.1	source handoff build deferred
Aug 28 18:06:59	ugts.application.definition-breaker@0.2.0	game learning physical play profile	application-design-education	-	Application-design profile; no substrate M catalog allocation.	concept curriculum physical scaffold
Aug 28 18:49:17	ugts.application.definition-breaker@0.3.0	child first accessibility profile	application-design-education	-	Application-design profile; no substrate M catalog allocation.	accessibility and toy scaffold
Aug 28 19:04:36	ugts.platform.android.atlas-pocket-slam@3.9.4.1	mobile native platform patch	platform-mobile-slam	-	No global mechanism catalog was renumbered in the repair. frame_observation_packet.schema.json	support record backed repaired source package
Aug 28 20:20:47	ugts.application.definition-breaker@0.4.0	universal access profile	application-design-education	-	Application-design profile; no substrate M catalog allocation.	complete accessibility specification
Aug 28 21:04:49	ugts.application.definition-breaker@0.5.0	child ready inclusive play profile	application-design-education	-	Application-design profile; no substrate M catalog allocation.	child ready play system
Aug 28 21:18:07	ugts.foundation.general-operator-order@4.2.0	cross cutting foundation addendum	foundation-meta	441	Adds M630-M885, 256 operator records; reports a merged spine M001-M885 by project/source/catalog continuity. ugs-kc-general-operator-order-4.2	cross cutting addendum and runtime
Aug 28 21:35:01	ugts.platform.poco-spatial-seed@4.1.1	mobile slam merge release	platform-mobile-spatial-seed	-	No global mechanism renumbering; capability and KSEED contract release. KSEED 4.1 frame-observation schema spatial-proposal schema org.ugts.atlas.slam.pocox7pro	complete source host validated device pending
Aug 29 00:06:19	ugts.application.definition-breaker@0.6.0	multisensory access profile	application-design-education	-	Application-design profile; no substrate M catalog allocation.	complete multisensory access edition
Aug 29 01:49:10	ugts.application.definition-breaker@1.0.0	child access standard	application-design-education	-	Application-design/access standard; no substrate M catalog allocation.	accepted design standard ready for participatory prototype
Aug 29 05:48:11	ugts.education.library-edition@0.1.0	educational library volume	education-library	-	Educational collection namespace; no substrate M catalog allocation.	first installment complete educational organization layer
Aug 29 05:52:11	ugts.application.definition-breaker@2.0.0	child directed accessibility learning standard	application-design-education	-	Application-design/access standard; no substrate M catalog allocation.	new child access baseline ready for participatory validation

Chronology correction: 4.0 appears before both direct 3.9.3 reports; 4.2 appears before 4.1.1. Any global sort based on semantic-looking numbers produces a false history.

4. Relative-only artifacts and chronology anomalies

Relative key	Canonical identity	What is known	What remains open
before:2026-08-28T13:32:54Z	ugts.platform.android.signature-native@3.9.1	Referenced NativeActivity/C++/EGL/OpenGL ES mobile baseline later frozen by the 4.0 spatial release.	Primary 3.9.1 report and exact timestamp remain missing from the searched library.
before:2026-08-28T14:13:36Z	ugts.platform.android.grove@3.9.2	Retained POCO/Grove implementation baseline used by later IQ, Atlas and Spatial Seed work.	Primary 3.9.2 report/package content was referenced by hash but not directly surfaced in this registry pass.


Finding	Evidence	Governance result
4.0 predates both direct 3.9.3 artifacts in the project library.	4.0 file creation 13:32:54Z; IQ 3.9.3 14:13:36Z; Atlas 3.9.3 14:45:54Z on 28 August 2026.	Never sort the corpus by legacy version number alone.
4.2 predates the direct 4.1.1 merge report in the project library.	4.2 PDF 21:18:07Z; 4.1.1 report 21:35:01Z on 28 August 2026.	4.2 is a cross-cutting addendum, not the chronological successor of the 4.1.1 platform package.
Two unrelated components use 3.9.3 and two use 3.9.4.	IQ vs Atlas; Bayer Direct vs Atlas Pocket SLAM.	Version comparison is legal only inside one canonical_component_id.

No synthetic release timestamps were assigned to 3.9.1 or 3.9.2. The 3.9.4.1 row now uses the timestamp of its surfaced release-SHA support record, explicitly distinguished from a primary archive release time.

5. Canonical technical release graph

The diagram separates foundation/runtime, referential profiles, mobile/spatial branches and the cross-cutting 4.2 addendum. Arrows encode documented parentage or bounded reconstruction; vertical placement is not a chronology scale.

Actual release graph: component arrows, not legacy numbers




The 4.1.1 platform release has two parents: the 4.1 KSEED/authority contract and the repaired 3.9.4.1 Camera2/SLAM source. The 4.2 addendum instead integrates several established domains and continuity records without replacing them.

6. Legacy version collisions: 3.9.3 and 3.9.4


The same legacy number names different components

legacy 3.9.3



parallel - no supersession

legacy 3.9.4



parallel - no supersession

Canonical comparison key
canonical_component_id @ semantic_version

Legacy	Component A	Component B	Why number-only comparison fails
3.9.3	ugts.profile.iq-field@3.9.3	ugts.application.atlas-pocket-spatial-ledger@3.9.3	Parallel components. Neither supersedes the other. Use component-scoped IDs.
3.9.4	ugts.presentation.bayer-direct-native@3.9.4	ugts.platform.android.atlas-pocket-slam@3.9.4	Parallel presentation and mobile-SLAM components. Never treat one as the patch of the other.

A future release may use 3.9.5 only after naming the component it advances. Bare labels such as 'latest 3.9.4' are now invalid in governance documents, build manifests and citations.

7. Mechanism catalog collisions and canonical repair

The runtime line was cumulative through M389. After that point, independent branches reused the same M numbers. The numeric label remains a legacy local ID, not a globally unique key.

Legacy range	Branch A	Branch B	Conflict	Required reference
M450-M509	m.grove392 ugts.platform.android.grove@3.9.2	m.spatial40 ugts.spatial.evidence-ledger@4.0.0	Same legacy IDs allocated on different branches.	Reference as <component_version_id>::Mnnn; never as bare Mnnn.
M530-M589	m.iq393 ugts.profile.iq-field@3.9.3	m.atlas393 ugts.application.atlas-pocket-spatial-ledger@3.9.3	Parallel 3.9.3 releases allocate the same legacy range to different mechanisms.	Reference as <component_version_id>::Mnnn; never as bare Mnnn.
M529	m.grove392 ugts.platform.android.grove@3.9.2	m.iq393 ugts.profile.iq-field@3.9.3	3.9.2 advertised the row but ended at M528; IQ 3.9.3 restored M529 as GroveReleaseClosure.	Treat M529 as a recorded repair edge, not evidence that the original 3.9.2 table was complete.

Ambiguous legacy reference	Canonical reference
M450	ugts.platform.android.grove@3.9.2::M450 OR ugts.spatial.evidence-ledger@4.0.0::M450
M530	ugts.profile.iq-field@3.9.3::M530 OR ugts.application.atlas-pocket-spatial-ledger@3.9.3::M530
M610	ugts.presentation.bayer-direct-native@3.9.4::M610
M630	ugts.foundation.general-operator-order@4.2.0::M630

The 4.2 phrase 'merged catalog spine M001-M885' is retained as a release claim, but the registry interprets it as project continuity, not proof that all earlier bare M identifiers became globally unique.

8. Spatial and named-device line

Release	Actual parent/inputs	Authoritative contribution	Promotion boundary
3.9.1 Android Signature	Elizabeth 3.9.0 (bounded inference)	Frozen native/mobile source; 276-test baseline referenced by 4.0.	Primary report and exact date missing.
4.0 Spatial Evidence Ledger	3.9.1 source + foundation/formal continuity	Typed observations, uncertainty, stable map IDs, verified ledger, routes, change and offline reports.	New camera/SLAM app explicitly deferred.
3.9.2 Grove	3.9.1 mobile line	Retained POCO/Grove source and APK; baseline for IQ and Atlas.	Primary package not directly ingested; M catalog conflict recorded.
4.1.0 POCO Spatial Seed	4.0 + Grove 3.9.2	KSEED 4.1, seed/evidence separation and named-device source handoff.	SDK/NDK build and physical test deferred.
3.9.4.1 repaired source	Atlas Pocket SLAM 3.9.4	Repaired Camera2, IMU, SLAM, export and host tooling; ZIP identity confirmed by SHA and file list.	Archive not directly ingested; support-record timestamp only.
4.1.1 Atlas Spatial Seed SLAM Fusion	4.1.0 contract + repaired 3.9.4.1 source	Camera2/IMU -> proposal-only SLAM -> eight-gate verifier -> map/ledger; KSEED writer/reader and native seed/CRC.	Host validated; no Android assemble, production signing or physical-device measurement.

This line is an application/platform progression. It does not replace the formal 3.6 branch, the IQ/Bayer presentation branch or the 4.2 operator addendum.

9. Where 4.2 belongs

UGTS-KC 4.2 is best classified as a **cross-cutting foundation/meta addendum**. It defines general operator records and explicit operation order while preserving existing modules and schemas. Its source register pulls from the foundation, runtime, referential and application records; its continuity section also names IQ, Bayer, 4.0 and 4.1.

Phase	Purpose
0-5	Parse, normalize, resolve, construct, transform and schedule definitions.
6 evaluate	Evaluate exact or bounded approximate operator nodes with deterministic trace.
7 certify	Propagate intervals/error and classify numerical status.
8 support	Prune by finite local geometric, temporal, semantic or resource support.
9 compatibility	Check sheet, phase, mode, orientation, ownership, units, schema and application policy.
10 guard	Classify crossing, touch, tangency, coincidence, interior, exterior or ambiguity.
11 proposal	Emit a typed candidate event or patch without mutating authority.
12 commit	Deterministically order verified proposals and apply one atomic patch.
13 lineage	Append pre/post hashes, transition identity, novelty and replay.
14 projection	Optionally render, export, store or actuate; projection never becomes authority.

Identifier	Value
Canonical identity	ugts.foundation.general-operator-order@4.2.0
Legacy alias	UGTS-KC 4.2 GOOA
Schema	ugts-kc-general-operator-order-4.2
Operator delta	M630-M885, 256 records
Validation	441/441 tests
Chronology note	Library artifact appears 17 minutes before the 4.1.1 merge report.

4.2 does not establish mathematical closure, universal solver coverage or production safety, and it does not globally renumber the conflicting 3.9.x/4.0 catalogs.

10. Education and application-design tracks

These artifacts explain or apply UGTS; they do not advance one global substrate version. Each has its own component-scoped edition line.

10.1 UGTS Library Edition

Canonical identity	Edition/date	Relationship	Source continuity	Status
ugts.education.library-edition@0.1.0	0.1.0 / 2026-08-29	organizes and explains	7 registered technical source releases	first installment complete educational organization layer

Library edition rule

ugts.education.library-edition@0.1.0 is an educational organization layer. Its Volume 0 / edition 0.1 label remains independent from UGTS Core 1.0, Definition Breaker 0.1.0 and every technical substrate version it explains.

The first volume maps chronology, family-tree lineage, child-to-expert language and the collection plan while keeping the missing UGTS-0 source and 3.6.1 artifact visible. It does not modify formal packages, operator catalogs, schemas or test claims.

10.2 Definition Breaker progression

Definition Breaker is one application-design component with a coherent progression from concept through child-directed accessibility and learning standards.

Version	Date/time	Edition	Relationship	Pages	Maturity/status
0.1.0	Aug 28 17:10:02	Definition Breaker DB-0.1 Concept	designs from	28	concept not implementation
0.2.0	Aug 28 18:06:59	Definition Breaker DB-0.2 All Ages Learning and Physical Play	extends design	57	concept curriculum physical scaffold
0.3.0	Aug 28 18:49:17	Definition Breaker DB-0.3 Child-First Accessibility Edition	extends design	67	accessibility and toy scaffold
0.4.0	Aug 28 20:20:47	Definition Breaker DB-0.4 Child-Led Universal Access Edition	supersedes design	53	complete accessibility specification
0.5.0	Aug 28 21:04:49	Definition Breaker DB-0.5 Every Child Can Play Edition	supersedes design	81	child ready play system
0.6.0	Aug 29 00:06:19	Definition Breaker DB-0.6 Child-Directed Multisensory Access Edition	supersedes design	91	complete multisensory access edition
1.0.0	Aug 29 01:49:10	Definition Breaker DB-1.0 Child Access Standard and Inclusive Play System	consolidates and supersedes	151	accepted design standard ready for participatory prototype
2.0.0	Aug 29 05:52:11	Definition Breaker DB-2.0 Every Child Directs the World	establishes new baseline after	200	new child access baseline ready for participatory validation

Design rule	Registry consequence
Same concept, increasing access maturity	All releases share canonical_component_id `ugts.application.definition-breaker`.
Explicit supersession begins at DB-0.4	DB-0.4 -> DB-0.5 -> DB-0.6 -> DB-1.0 carry explicit replacement/consolidation edges.
DB-2.0 establishes the new baseline	It is parented to DB-1.0 with medium-confidence same-component continuity; no explicit supersedes edge is asserted because the surfaced text did not name DB-1.0 as superseded.
Ready for participatory validation is not a shipped product	DB-2.0 still requires child/family testing, independent accessibility review and any applicable educational, clinical, toy-safety and regulatory assessment.

Canonical current Definition Breaker baseline: `ugts.application.definition-breaker@2.0.0`. Earlier DB PDFs remain retained historical releases, not anonymous drafts.

11. Canonical naming and release rules v0.2

R1 - Component before version

Every release is named by component type and slug before its semantic version.

R2 - Legacy aliases remain searchable

Original filenames, KC labels, codenames and signature editions are never discarded.

R3 - One component, one version line

Compare 1.0.0 to 2.0.0 only inside Definition Breaker; compare 4.1.0 to 4.1.1 only inside POCO Spatial Seed; Library Edition 0.1.0 remains its own education line.

R4 - Duplicate numbers are legal but explicit

3.9.3 and 3.9.4 collisions are registered as parallel components, never hidden.

R5 - Chronology and lineage are independent

Use artifact_created_utc for time and parent_ids/edge_type for ancestry.

R6 - Artifact evidence is graded

Primary report, support record, indirect reference and missing placeholder have different audit status.

R7 - Mechanisms are branch-qualified

After M389, canonical references use component_version_id::Mnnn.

R8 - Tests are branch-scoped

Record retained, new and total counts when available; do not transfer counts across sibling releases.

R9 - Supersession must be explicit

DB releases with stated supersession get supersedes edges; higher numbers alone do not.

R10 - Merges name both parents

4.1.1 lists the 4.1 contract and repaired 3.9.4.1 source separately.

R11 - Cross-cutting addenda do not erase domains

4.2 may integrate operator/order records while existing runtimes and schemas remain valid.

R12 - No silent gap filling

Unknown times, missing reports and absent source packages remain visible and bounded.

Future filename pattern

UGTS_____v____[EDITION].

Example: UGTS__SPATIAL__EVIDENCE_LEDGER__v4.0.0__2026-08-28.pdf

12. Open gaps and next controlled pass

Record	Open evidence gap	Current treatment
ugts.core.baseline@1.0.0	Primary UGTS-0 source PDF not present in the active library set; only later hashes/references are available.	Visible bounded record; no invented title, timestamp or catalog.
ugts.formal.unresolved-3-6-1@3.6.1	Course-corrected 3.6.1 artifact remains referenced but missing.	Visible bounded record; no invented title, timestamp or catalog.
ugts.platform.android.signature-native@3.9.1	Primary report and exact release timestamp not surfaced; frozen source tree is referenced by 4.0.	Visible bounded record; no invented title, timestamp or catalog.
ugts.platform.android.grove@3.9.2	Complete ZIP/APK are referenced by hash, but the primary package/report was not directly ingested in this pass.	Visible bounded record; no invented title, timestamp or catalog.
ugts.platform.poco-spatial-seed@4.1.0	4.1.1 states that the complete 4.1.0 source ZIP was unavailable; the technical PDF remained available and was reimplemented.	Primary report remains valid; package completeness is separately qualified.
ugts.platform.android.atlas-pocket-slam@3.9.4.1	Release SHA and file inventory surfaced, but the repaired ZIP itself was not directly ingested; package internals remain support-record-backed rather than archive-audited.	Primary report remains valid; package completeness is separately qualified.

Priority	Next audit	Deliverable
1	Locate and ingest primary 3.9.1 and 3.9.2 artifacts; directly audit the surfaced 3.9.4.1 ZIP.	Replace relative-only records and promote the 3.9.4.1 support record to archive-audited evidence.
2	Audit the actual 3.9.2 combined catalog and source tree.	Confirm the M529 repair, 276-test baseline and precise parent relation.
3	Build a machine-readable mechanism identity map through M885.	Branch-qualified operator graph and conflict-safe aliases.
4	Audit later chess, Go and other application packages.	Separate application components with locked substrate dependencies.
5	Create the first canonical UGTS knowledge index.	One searchable domain graph connecting releases, operators, schemas, tests and applications.

No 3.9.5+, 4.1.2+, 4.3 or 5.0 UGTS artifact surfaced in this library pass. This means only that none was found in the searched project library, not that such versions cannot exist elsewhere.

Appendix A - Full controlled release ledger (1/2)

	Chronology	Canonical identity	Type / track	Parents / relation	Catalog / tests	Evidence
1	pre-2026-08-15	ugts.core.baseline@1.0.0 UGTS-0 1.0	core specification core	root root/none	legacy.m.core-source tests: -	indirect reference referenced not audited
2	2026-08-15T00:18:11Z	ugts.compute.gpu-native@1.1.0 UGTS-GN 1.1	compute profile compute	extends and normalizes ugts.core.baseline@1.0.0	legacy.m.gn11 tests: 18	primary report audited
3	2026-08-16T14:24:05Z	ugts.foundation.pattern-kinematics-dynamics@2.0.0 UGTS-KC 2.0	foundation extension foundation	extends ugts.core.baseline@1.0.0 ughts.compute.gpu-native@1.1.0	legacy.m.runtime tests: 47	primary report audited
4	2026-08-16T17:22:02Z	ugts.runtime.two-hands@3.0.0 UGTS-KC Two Hands 3.0	reusable runtime runtime	extends package ugts.foundation.pattern-kinematics-dynamics@2.0.0	legacy.m.runtime tests: 117	primary report audited
5	2026-08-17T06:31:13Z	ugts.formal.literal-referential@3.6.0 UGTS-KC 3.6	formal profile formal-profile	conceptual extension ugts.core.baseline@1.0.0	k36 tests: 36	primary report audited
6	2026-08-17T18:41:37Z	ugts.profile.sclp@3.6.2 UGTS-KC 3.6.2 SCLP	domain profile domain-profile	extends package ugts.formal.literal-referential@3.6.0 ughts.formal.unresolved-3-6-1@3.6.1	sclp362 tests: 153	primary report audited
7	2026-08-18T06:45:04Z	ugts.profile.sara@3.6.3 UGTS-KC 3.6.3 SARA	domain profile domain-profile	extends package ugts.profile.sclp@3.6.2	sara363 tests: 195	primary report audited
8	2026-08-23T04:52:43Z	ugts.application.elizabeth-vector-game@3.9.0 UGTS-KC 3.9 KC Elizabeth Edition	application runtime application	extends package ugts.runtime.two-hands@3.0.0	legacy.m.runtime tests: 225	primary report audited
9	2026-08-28T13:32:54Z	ugts.spatial.evidence-ledger@4.0.0 UGTS-KC 4.0 Spatial Evidence Ledger	spatial evidence substrate spatial-evidence	extends package ugts.platform.android.signature-native@3.9.1	m.spatial40 tests: 380	primary report library primary report audited
10	2026-08-28T14:13:36Z	ugts.profile.iq-field@3.9.3 UGTS-KC 3.9.3 K-Kij-T Grove IQ Field Edition	field query profile field-query-profile	extends package ugts.platform.android.grove@3.9.2	m.iq393 tests: +82 new	primary report library primary report audited
11	2026-08-28T14:45:54Z	ugts.application.atlas-pocket-spatial-ledger@3.9.3 UGTS-KC 3.9.3 KC Atlas Pocket Spatial Ledger	spatial ledger application profile spatial-ledger-application	extends package ugts.platform.android.grove@3.9.2	m.atlas393 tests: 347	primary report library primary report audited
12	2026-08-28T16:47:45Z	ugts.presentation.bayer-direct-native@3.9.4 UGTS-KC 3.9.4 Bayer Direct Native Edition Tom Klootwijk Signature Edition	native presentation profile presentation-native	extends profile ugts.profile.iq-field@3.9.3	m.bayer394 tests: 11	primary report library primary report audited
13	2026-08-28T17:10:02Z	ugts.application.definition-breaker@0.1.0 Definition Breaker DB-0.1 Concept	game concept profile application-design-education	designs from ugts.compute.gpu-native@1.1.0 ughts.foundation.pattern-kinematics-dynamics@2.0.0 ugts.runtime.two-hands@3.0.0 ughts.formal.literal-referential@3.6.0 ugts.profile.sclp@3.6.2 ughts.application.elizabeth-vector-game@3.9.0	db tests: -	primary report library primary design report
14	2026-08-28T17:29:43Z	ugts.platform.android.atlas-pocket-slam@3.9.4 UGTS-KC 3.9.4 KC Atlas Pocket SLAM POCO X7 Pro 12 GB edition	android source package platform-mobile-slam	implementation attempt ugts.application.atlas-pocket-spatial-ledger@3.9.3 ughts.platform.android.grove@3.9.2	unknown.atlas394 tests: -	support record support record audited
15	2026-08-28T17:55:23Z	ugts.platform.poco-spatial-seed@4.1.0 UGTS-KC 4.1 POCO X7 Pro Spatial Seed Native	named device source handoff platform-mobile-spatial-seed	extends and binds ugts.spatial.evidence-ledger@4.0.0 ughts.platform.android.grove@3.9.2	kseed41 tests: -	primary report library primary report audited

Appendix A - Full controlled release ledger (2/2)

	Chronology	Canonical identity	Type / tests	Parents / relation	Catalog / tests	Evidence
16	2026-08-28T18:06:59Z	ugts.application.definition-breaker@0.2.0 Definition Breaker DB-0.2 All Ages Learning and Physical Play	game learning physical play profile application-design-education	extends design ugts.application.definition-breaker@0.1.0	db tests: -	primary report library primary design report
17	2026-08-28T18:49:17Z	ugts.application.definition-breaker@0.3.0 Definition Breaker DB-0.3 Child-First Accessibility Edition Young Breakers Learning Edition	child first accessibility profile application-design-education	extends design ugts.application.definition-breaker@0.2.0	db tests: -	primary report library primary design report
18	2026-08-28T19:04:36Z	ugts.platform.android.atlas-pocket-slam@3.9.4.1 UGTS-KC 3.9.4.1 Atlas Pocket SLAM POCO X7 Pro Android Repaired	mobile native platform patch platform-mobile-slam	repairs source ugts.platform.android.atlas-pocket-slam@3.9.4	unknown.atlas3941 tests: -	support record support record audited
19	2026-08-28T20:20:47Z	ugts.application.definition-breaker@0.4.0 Definition Breaker DB-0.4 Child-Led Universal Access Edition	universal access profile application-design-education	supersedes design ugts.application.definition-breaker@0.3.0	db tests: -	primary report library primary design report
20	2026-08-28T21:04:49Z	ugts.application.definition-breaker@0.5.0 Definition Breaker DB-0.5 Every Child Can Play Edition	child ready inclusive play profile application-design-education	supersedes design ugts.application.definition-breaker@0.4.0	db tests: -	primary report library primary design report
21	2026-08-28T21:18:07Z	ugts.foundation.general-operator-order@4.2.0 UGTS-KC 4.2 GOOA General Operator and Order Addendum	cross cutting foundation addendum foundation-meta	integrates and generalizes ugts.compute.gpu-native@1.1.0 ugts.foundation.pattern-kinematics-dynamics@2.0.0 ugts.runtime.two-hands@3.0.0 ugts.formal.literal-referential@3.6.0 ugts.profile.sclp@3.6.2 ugts.profile.sara@3.6.3 ugts.application.elizabeth-vector-game@3.9.0	m.gooa42 tests: 441	primary report library primary report audited
22	2026-08-28T21:35:01Z	ugts.platform.poco-spatial-seed@4.1.1 UGTS-KC 4.1.1 Atlas Spatial Seed SLAM Fusion	mobile slam merge release platform-mobile-spatial-seed	reimplements and merges ugts.platform.poco-spatial-seed@4.1.0 ugts.platform.android.atlas-pocket-slam@3.9.4.1	kseed41 tests: -	primary report library primary report audited
23	2026-08-29T00:06:19Z	ugts.application.definition-breaker@0.6.0 Definition Breaker DB-0.6 Child-Directed Multisensory Access Edition	multisensory access profile application-design-education	supersedes design ugts.application.definition-breaker@0.5.0	db tests: -	primary report library primary design report
24	2026-08-29T01:49:10Z	ugts.application.definition-breaker@1.0.0 Definition Breaker DB-1.0 Child Access Standard and Inclusive Play System	child access standard application-design-education	consolidates and supersedes ugts.application.definition-breaker@0.6.0	db tests: -	primary report library primary design report
25	2026-08-29T05:48:11Z	ugts.education.library-edition@0.1.0 UGTS Library Edition Volume 0 Foundation Map v0.1	educational library volume education-library	organizes and explains root/none	library.vol0 tests: -	primary report library primary education report
26	2026-08-29T05:52:11Z	ugts.application.definition-breaker@2.0.0 Definition Breaker DB-2.0 Every Child Directs the World	child directed accessibility learning standard application-design-education	establishes new baseline after ugts.application.definition-breaker@1.0.0	db tests: -	primary report library primary design report
27	2026-08-17T??:??:??Z	ugts.formal.unresolved-3-6-1@3.6.1 UGTS-KC 3.6.1 (title unknown)	missing release placeholder formal-profile	referenced intermediate ugts.formal.literal-referential@3.6.0	unknown.361 tests: -	missing placeholder referenced missing
28	before:2026-08-28T13:32:54Z	ugts.platform.android.signature-native@3.9.1 UGTS-KC 3.9.1 UGTSKC391Signature	mobile native platform platform-mobile	referenced extension ugts.application.elizabeth-vector-game@3.9.0	m.mobile391 tests: 276	indirect reference indirectly audited
29	before:2026-08-28T14:13:36Z	ugts.platform.android.grove@3.9.2 UGTS-KC K-Kij-T / Grove 3.9.2 UGTSKCKKijTGrove	mobile native platform platform-mobile	extends package ugts.platform.android.signature-native@3.9.1	m.grove392 tests: 276	indirect reference referenced package not directly ingested

The final 3 rows are relative-only or missing-artifact records grouped after the exact/date-bearing chronology. Their placement at the end is an evidence convention, not a claim that they were released after the latest dated education or application-design artifact.

Appendix B - Surfaced primary/support artifact manifest

Canonical identity	Primary/support file	Pages	Known hash (SHA1)	Audit status
ugts.core.baseline@1.0.0	Unified_Geometric_Topological_Substrate(1).pdf	45	primary_artifact:c991aba24cc939ba680697b62b9e19545131cf34060793490bf149c6e2ab522e	referenced not audited
ugts.compute.gpu-native@1.1.0	Unified_Geometric_Topological_Substrate_GPU_Native_Addendum.pdf	28	primary_artifact:3a6b6c57118ca4e2d7d7e577508c3477a095d133791f3780cb56a054285225d2	audited
ugts.foundation.pattern-kinematics-dynamics@2.0.0	UGTS_KC_2_0_Tom_Klootwijk_Expanded_Substrate.pdf	23	primary_artifact:a29dd9959ebd300c32d0e1df8fa2c0d4ee15f428892557b98b5f18cd3e878399	audited
ugts.runtime.two-hands@3.0.0	UGTS_KC_Two_Hands_3_0_Interactive_Graphics_Runtime.pdf	20	primary_artifact:183ffa4e2bf29cfa0308687cd221529321598dbd69ef75c150abc0c64810f214	audited
ugts.formal.literal-referential@3.6.0	UGTS_KC_3_6_Tom_Klootwijk.pdf	19	primary_artifact:e21433cd8378368dfe4ae278d3c9c364725e45ae7fd75b743328bd2d6003a46	audited
ugts.profile.sclp@3.6.2	UGTS_KC_3_6_2_SCLP_Tom_Klootwijk.pdf	19	primary_artifact:6987490a0a7b7ed76b0091057a2e69ab831fee786434a0b4219782923f5ea580	audited
ugts.profile.sara@3.6.3	UGTS_KC_3_6_3_SARA_Tom_Klootwijk.pdf	18	primary_artifact:c5a8256e345047d56fbd56b7ce2ba77d95dd8391fc91bf6528295831714bab2f	audited
ugts.application.elizabeth-vector-game@3.9.0	UGTS_KC_3_9_KC_Elizabeth_Vector_Game_Runtime.pdf	16	primary_artifact:d7ee3c91abf60e35b4b15fb296477974e45802c24e1fde618d683949bc1c7df2	audited
ugts.spatial.evidence-ledger@4.0.0	UGTS_KC_4_0_Spatial_Evidence_Ledger.pdf	-	not recorded in this pass	library primary report audited
ugts.profile.iq-field@3.9.3	UGTS_KC_3_9_3_IQ_Field_Substrate_Tom_Klootwijk.pdf	23	not recorded in this pass	library primary report audited
ugts.application.atlas-pocket-spatial-ledger@3.9.3	UGTS_KC_3_9_3_KC_ATLAS_POCKET_SPATIAL_LEDGER_TOM_KLOOTWIJK.pdf	29	not recorded in this pass	library primary report audited
ugts.presentation.bayer-direct-native@3.9.4	UGTS_KC_3_9_4_Bayer_Direct_Native_Tom_Klootwijk.pdf	15	not recorded in this pass	library primary report audited
ugts.application.definition-breaker@0.1.0	UGTS_KC_Definition_Breaker_DB_0_1_Concept.pdf	28	not recorded in this pass	library primary design report
ugts.platform.android.atlas-pocket-slam@3.9.4	UGTS_KC_3_9_4_ANDROID_RELEASE_SUMMARY.json UGTS_KC_3_9_4_ANDROID_BUILD_STATUS.json	-	complete_android_zip:d34cfd17db8cc90b5ffad4267dbccf20383bfaf92e2cd3f1b464964fab967ea3	support record audited
ugts.platform.poco-spatial-seed@4.1.0	UGTS_KC_4_1_Poco_X7_Pro_Seed_Native.pdf	-	not recorded in this pass	library primary report audited
ugts.application.definition-breaker@0.2.0	UGTS_KC_Definition_Breaker_DB_0_2_All_Ages_Learning_and_Physical_Play.pdf	57	not recorded in this pass	library primary design report
ugts.application.definition-breaker@0.3.0	UGTS_KC_Definition_Breaker_DB_0_3_Child_First_Accessibility_Edition.pdf	67	not recorded in this pass	library primary design report
ugts.platform.android.atlas-pocket-slam@3.9.4.1	UGTS_KC_3_9_4_1_RELEASE_SHA256.txt UGTS_KC_3_9_4_1_FILE_LIST.txt UGTS_KC_3_9_4_1_ATLAS_POCKET_SLAM_POCO_X7_PRO_12GB_ANDROID_REPAIRED.zip (identified, not directly ingested)	-	repaired_android_zip:e87ba13d577da0ea0a3d4cdddeebe8a56480ff0fe082279866f9a9f0fa131a729	support record audited
ugts.application.definition-breaker@0.4.0	UGTS_KC_Definition_Breaker_DB_0_4_Child_Led_Universal_Access_Edition.pdf	53	not recorded in this pass	library primary design report
ugts.application.definition-breaker@0.5.0	UGTS_KC_Definition_Breaker_DB_0_5_Every_Child_Can_Play_Edition.pdf	81	not recorded in this pass	library primary design report
ugts.foundation.general-operator-order@4.2.0	UGTS_KC_4_2_General_Operator_Order_Addendum.pdf UGTS_KC_4_2_General_Operator_Order_Addendum.docx	35	not recorded in this pass	library primary report audited
ugts.platform.poco-spatial-seed@4.1.1	UGTS_KC_4_1_1_ATLAS_SPATIAL_SEED_SLAM_POCO_X7_PRO_MERGE_REPORT.pdf	15	not recorded in this pass	library primary report audited
ugts.application.definition-breaker@0.6.0	UGTS_KC_Definition_Breaker_DB_0_6_Child_Directed_Multisensory_Access_Edition.pdf	91	not recorded in this pass	library primary design report
ugts.application.definition-breaker@1.0.0	UGTS_KC_Definition_Breaker_DB_1_0_Child_Access_Standard_and_Inclusive_Play_System.pdf	151	not recorded in this pass	library primary design report
ugts.education.library-edition@0.1.0	UGTS_Library_Edition_Volume_0_Foundation_Map_v0.1.pdf UGTS_Library_Edition_Volume_0_Foundation_Map_v0.1.docx	27	not recorded in this pass	library primary education report
ugts.application.definition-breaker@2.0.0	UGTS_KC_Definition_Breaker_DB_2_0_Every_Child_Directs_the_World.pdf	200	not recorded in this pass	library primary design report
ugts.platform.android.signature-native@3.9.1	android/UGTSKC391Signature	-	frozen_release_tree:0a6e46c8bc0cd73f65bffd0b4467f99297b37644db0655b75cbf47edf110a43	indirectly audited
ugts.platform.android.grove@3.9.2	UGTS_KC_K_Kij_T_Grove_3_9_2_COMPLETE_ALL_FILES - Tom Klootwijk(1).zip android/UGTSKCKKijTGrove/app/build/outputs/apk/pocoX7Pro/release/app-pocoX7Pro-release.apk	-	complete_package_zip:2d0197bb4526ca994eb67f68985ebd349fb91f52f562870b97f01d03023f8944 retained_apk:79d0e93b10ba57e33a49e8c1338009a3b4fa92f952c864d609bbf8ffc816cab	referenced package not directly ingested

File hashes establish artifact identity only. They do not prove authorship, ownership, priority, endorsement, legal chain of title or scientific validity.