

mortality rates the netherlands 2026 so far

The crude death rate for the Netherlands in 2026 is projected at approximately 9.54 deaths per 1,000 inhabitants, representing a slight 1.2% increase from the previous year. [1]

Weekly Mortality Counts Early 2026

According to Statistics Netherlands (CBS), weekly deaths at the start of January fluctuated around normal seasonal ranges:

- **Week 2:** 4,096 deaths
- **Week 3:** 3,964 deaths
- **Week 4:** 3,844 deaths
- **Week 5:** 3,870 deaths [1]

Key Health Indicators

- **Excess Mortality:** Eurostat reported a brief spike in Dutch excess mortality peaking at 17.2% during February 2026 before easing into spring.
- **Life Expectancy:** Projected to rise slightly to roughly 83.2 to 84.3 years.
- **Infant Mortality:** Estimated at 1.94 deaths per 1,000 live births, continuing a downward trend. [1, 2, 3, 4]

If you need more specific data, let me know if you are looking for:

- **Regional breakdowns**
- **Cause-specific mortality** (e.g., cardiovascular, respiratory)
- **Later seasonal updates** from CBS

AI responses may include mistakes. [Learn more](#)

- 

Centraal Bureau voor de Statistiek | CBS

Mortality | CBS

Table_title: What is the mortality rate in the Netherlands? Table_content: | Week | 2026 | 2025 | | --- | --- | --- | | 2 | 4,096 ...



European Commission

Excess mortality statistics - Statistics Explained - Eurostat

Highlights. Across the EU, excess mortality decreased to -4.8% in March 2026. For Q1 2026, the EU average was estimated at -0.3%, ...



Macrotrends

Netherlands Infant Mortality Rate (1950-2026) - Macrotrends

Netherlands infant mortality rate for 2026 is 1.94, a 3.14% decline from 2025. *

Netherlands infant mortality rate for 2025 was 2.

Show all

total in 2026

The final total number of deaths for the entire year of 2026 is **not yet available**, as the year is still ongoing. However, macro-projections estimate the final full-year total will reach approximately **166,908 to 173,000 deaths** based on current population sizes. [[1](#), [2](#), [3](#), [4](#)]

Current Cumulative Total

As of the latest provisional reporting from Statistics Netherlands (CBS), updated through August 2026, the recorded data shows:

- **First Half of 2026:** Approximately **88,000 deaths** occurred during the first six months of the year, outnumbering the 82,000 live births in the same period. [[1](#)]

- **Summer Heatwave Spike:** A significant summer anomaly occurred in late June (Week 26), when an extreme heatwave caused an estimated **3,634 weekly deaths**—about 16% higher than expected. [[1](#), [2](#)]

Year-by-Year Comparison

To contextualize current progress, recent full-year totals show stable year-over-year margins:

- **2024:** 169,333 deaths
- **2025:** 173,494 deaths
- **2026 (Full-Year Forecast):** ~166,908 (Geo Factbook projection) to ~173,200 (Macrotrends baseline). [[1](#), [2](#), [3](#)]

I can set up an **information agent** to track this dataset for you and automatically alert you when Statistics Netherlands publishes the finalized full-year mortality totals.

Would you like me to activate this **information agent**, or would you prefer a **demographic breakdown** of the 2026 summer heatwave spikes instead?

AI responses may include mistakes. [Learn more](#)

- 

Centraal Bureau voor de Statistiek | CBS

Mortality | CBS

What is the mortality rate in the Netherlands? A total of 173494 people died in the Netherlands in 2025. That is an average of 3 ...



- 

NL Times

More than 3,500 deaths recorded in Netherlands ... - NL Times

4 Jul 2026 — The number is about 16 percent higher than what was expected, based on seasonal trends. RIVM said there were around 480 excess deaths...



Geo Factbook

Netherlands Total deaths 2026 - Geo Factbook

17 Nov 2025 — Netherlands's total deaths in 2026 is 166908 persons, a 1.3% decrease from 2025. View historical data from 2015-2026, charts, and ...

Show all

and worldwide?

The global crude death rate for 2026 is projected at approximately **7.67 to 7.85 deaths per 1,000 people**, which represents a marginal 0.58% increase from last year due to a growing and aging global population. [[1](#), [2](#)]

Full-Year Global Projections

Because the year is ongoing, final numbers are not fully tallied. However, leading global demographic models estimate the total 2026 death toll will hit **between 63.6 million and 65 million people** by the end of December. [[1](#), [2](#)]

On a standard day-to-day basis, this translates to:

- **Daily:** ~174,300 to 180,000 deaths
- **Hourly:** ~7,265 to 7,500 deaths
- **Per Second:** Exactly 2 people [[1](#)]

Core Global Metrics

- **Total Births:** For context, global births will outpace deaths at roughly **132.5 million**, meaning the population continues to expand.
- **Infant Mortality:** Expected to drop by 2.13% this year to **24.45 deaths per 1,000 live births**.
- **Leading Cause:** Cardiovascular disease remains the primary global driver of mortality, accounting for **18.6 million deaths** annually (roughly 28.6% of the total).

- **Highest Mortality Country:** Bulgaria holds the highest baseline crude death rate in the world at **15.6 deaths per 1,000 people**. [1, 2, 3, 4]

If you are interested, we can look deeper into the data. Would you like a **regional breakdown** (like the Americas vs. Southeast Asia) or the **top 10 specific causes of death** according to the [World Health Organization](#)? [1, 2]

AI responses may include mistakes. [Learn more](#)



StatsPanda

How Many People Die Per Year? ~65 Million Worldwide (2026)

21 May 2026 — How many people die in a year worldwide? Approximately 65 million people die globally each year as of 2026, based on WHO and UN Po...



Macrotrends

World Death Rate (1950-2026) - Macrotrends

World death rate for 2026 is 7.85, a 0.58% increase from 2025. World death rate for 2025 was 7.80, a 0.59% increase from 2024. Wor...



World Population Review

Death Rate by Country 2026 - World Population Review

1. Bulgaria. Bulgaria has the highest mortality rate in the world at 15.6 deaths per 1,000 people. According to the World Health O...



Show all

top 10 specifics

The **top 10 specific causes of death worldwide**, according to the latest data and historical tracking from the [World Health Organization \(WHO\)](#), account for over **55% of all global deaths**. They are grouped into non-communicable (chronic) diseases, communicable (infectious) conditions, and external injuries: [\[1, 2\]](#)

1. **Ischemic Heart Disease (Coronary Artery Disease):** The world's biggest individual killer, accounting for roughly **13% to 16% of total global deaths** (~9.1 million annually). [\[1, 2\]](#)
2. **Stroke (Cerebrovascular Disease):** Responsible for approximately **10% of global deaths**.
3. **Chronic Obstructive Pulmonary Disease (COPD):** A progressive lung condition responsible for roughly **6% of annual deaths**. [\[1\]](#)
4. **Lower Respiratory Infections:** The deadliest infectious category, prominently including pneumonia and severe acute bronchitis. [\[1\]](#)
5. **Neonatal Conditions:** Includes birth asphyxia, birth trauma, neonatal sepsis, and preterm birth complications. [\[1\]](#)
6. **Trachea, Bronchus, and Lung Cancers:** The deadliest subset of oncological diseases, claiming close to **1.8 to 2 million lives** each year. [\[1, 2\]](#)
7. **Alzheimer's Disease and Other Dementias:** One of the fastest-growing causes of death globally as populations age, disproportionately affecting women. [\[1\]](#)
8. **Diabetes Mellitus:** Directly responsible for millions of metabolic deaths, often compounding cardiovascular risk factors.
9. **Diarrheal Diseases:** Though highly treatable, they remain a top global threat, particularly to children in low-income regions lacking clean water infrastructure. [\[1\]](#)
10. **Kidney Diseases:** Driven upwards by global rises in diabetes and high blood pressure, recently cementing its spot in the top ten.

(Note: While epidemic respiratory viruses like COVID-19 historically spiked to the #2 position during peak pandemic years, [baseline WHO tracking](#) focuses on these ten structural conditions as the leading long-term global killers). [\[1, 2\]](#)

Would you like to examine how these top causes change when comparing **low-income vs. high-income countries**, or look at the primary **behavioral risk factors** (like diet and tobacco) linked to them? [\[1\]](#)

AI responses may include mistakes. [Learn more](#)

- 

World Health Organization (WHO)

The top 10 causes of death - World Health Organization (WHO)

7 Aug 2024 — In 2021, the top 10 causes of death accounted for 39 million deaths, or 57% of the total 68 million deaths worldwide. The top glob...



- 

World Health Organization (WHO)

Mortality and global health estimates

However, women collectively spent about 26% more years living with disability (YLDs). In the past two decades, the greatest increa...

- W

Wikipedia

List of causes of death by rate - Wikipedia

This first table gives an overview of the general categories and broad causes. The leading cause is cardiovascular disease at 31.5...



Show all

so dementia like dementia praecox? Or is that now separated but loss of mental skills eventually leads to organ failure right?

No, **dementia praecox** is not the same as the dementias listed in the top 10 causes of death.

"Dementia praecox" is an obsolete 19th-century medical term that meant "premature dementia." Today, it is known as **schizophrenia**. It is classified as a psychiatric disorder, not a neurodegenerative disease, and does not inherently cause a loss of basic physical mental skills.

The dementia on the top 10 list refers to **late-life neurodegenerative diseases**, such as Alzheimer's, vascular dementia, and Lewy body dementia.

How Dementia Leads to Death

Dementia itself does not directly shut down internal organs like a heart attack or kidney failure does. Instead, the progressive damage to the brain eventually destroys the nervous system's ability to control basic physical functions.

The progression follows a specific path to fatal complications:

- **Brain Atrophy:** The disease destroys neurons. The physical mass of the brain shrinks significantly.
- **Loss of Autonomic Control:** The brain loses the ability to coordinate basic, automatic bodily functions.
- **Swallowing Reflex Failure:** In late-stage dementia, patients lose the neurological ability to coordinate swallowing (**dysphagia**).
- **Aspiration Pneumonia:** Because of dysphagia, food, liquids, or saliva accidentally enter the lungs instead of the stomach. This introduces bacteria, causing severe lung infections. This is the **most common immediate cause of death** for dementia patients.
- **Malnutrition and Dehydration:** As the brain forgets how to signal hunger or process food, the body enters a state of natural wasting.
- **Infections and Bedsores:** Loss of mobility leaves patients bedridden. This leads to severe pressure ulcers (bedsores) that can develop into fatal bloodstream infections (**sepsis**).

In short, dementia kills because the brain physically degrades until it can no longer command the body to breathe, eat, protect its lungs, or fight off infections.

Would you like to know more about the **different types of modern dementia**, or shall we look at **preventative strategies** that help protect brain health as we age?

This is for informational purposes only. For medical advice or diagnosis, consult a professional. AI responses may include mistakes. [Learn more](#)

vascular dementia and the fatal complications just mentioned exactly specified

Vascular dementia is caused by damaged blood vessels that block or reduce blood flow to the brain. Unlike Alzheimer's, which usually declines at a slow, steady gradient, vascular dementia often follows a "**stepwise**" **decline**. A patient may remain stable for months, suffer a minor, unnoticed stroke (infarct) or transient ischemic attack (TIA), and suddenly drop to a lower plateau of permanent cognitive and physical capability. [1, 2, 3, 4]

The final mechanical complications that cause death in advanced vascular dementia patients develop through specific clinical pathways:

1. Neurological Dysphagia & Aspiration Pneumonia

As microvascular damage and tissue death (infarcts) reach the deep **brainstem** and frontal networks, the brain loses the ability to coordinate the complex sequencing of muscles required to chew and swallow. [1, 2]

- **The Specifics:** Food, liquid, or oral secretions breach the epiglottis and slide into the trachea and lungs instead of the esophagus.
- **The Fatal Complication:** Because the brainstem also forgets how to trigger a forceful, productive cough reflex, the patient cannot clear their airways. The trapped bacteria rapidly multiply in the stagnant fluid, causing **aspiration pneumonia**. This lack of oxygen and severe respiratory infection is the single most common cause of death. [1, 2, 4]

2. Hypothalamic Failure & Metabolic Wasting

Progressive vascular damage to the subcortical regions and the **hypothalamus** destroys the neural receptors that signal hunger and thirst. [1]

- **The Specifics:** The patient entirely loses the cognitive and physiological urge to eat or drink. Forcing food at this stage triggers immediate choking due to the swallowing failure mentioned above. [1, 3]
- **The Fatal Complication:** The body enters a state of natural **terminal cachexia** (wasting away) and progressive **hypovolemic dehydration**. This severe nutrient deficit crashes the immune system, leaving the body unable to combat even minor environmental pathogens. [1, 2, 3]

3. Decubitus Ulcers & Septic Shock

Advanced vascular lesions impair motor tracts, stripping away the patient's mobility until they are entirely bedbound. Concurrently, the brain loses autonomic control of the bladder and bowels, causing profound incontinence. [1, 2, 3, 4]

- **The Specifics:** Constant pressure on the skin combined with acidic moisture from incontinence breaks down skin tissue. This creates deep **decubitus ulcers (bedsores)**, commonly over the tailbone or heels. [[1](#)]
- **The Fatal Complication:** Because the capillary system is already heavily damaged by vascular disease, blood cannot deliver white blood cells effectively to heal the wound. Opportunistic bacteria enter the exposed tissue, travel directly into the bloodstream, and trigger **sepsis**, causing systemic organ failure and a fatal drop in blood pressure. [[1](#), [2](#), [3](#)]

4. Recurrent Macrovascular Stroke or Myocardial Infarction

Because vascular dementia is a disease of the blood vessels, it shares the exact same systemic pathology as heart disease and strokes (atherosclerosis and arteriolosclerosis). [[1](#), [2](#)]

- **The Specifics:** Plaque rupture or blood clots easily form in the narrowed pathways supplying the brain and heart.
- **The Fatal Complication:** Many patients with advanced vascular dementia pass away directly from a massive **ischemic stroke** that shuts down vital breathing centers in the brain, or a concurrent **myocardial infarction (heart attack)** due to the underlying, universal failure of their cardiovascular network. [[1](#), [2](#), [3](#), [4](#), [5](#)]

If you are caring for or researching someone in this position, would you like to explore how **palliative comfort care measures** manage these specific physical shifts, or would you prefer to look into the **diagnostic tests** (like MRI white matter imaging) used to catch vascular dementia early? [[1](#), [2](#)]