PRN232 • ADVANCED WEB API & SYSTEMS | PRM393 • MOBILE APPLICATION DEV | FALL 2026 SEMESTER

OmniCast

Enterprise Cloud-Native Linear Broadcasting, 24/7 Electronic Program Guide (EPG), and AI-Powered Content Moderation Network

ARCHITECTURE CORE

NestJS 11+ Modular API · Supabase PostgreSQL · Standalone gRPC AuditLogger Microservice · Prisma ORM

CLIENT ECOSYSTEM

Next.js 14 Web Portal (Three.js 3D Cyber Broadcast Deck) & Flutter 3.x Cross-Platform Client (BLoC + SQLite)

STREAMING PIPELINE

Adaptive Bitrate (ABR) HLS · Bunny Stream CDN · Signed Direct Cloudinary Ingestion · Zero-Glitch Streamer

INTELLIGENT GOVERNANCE

Dual-Mode AI Curator (Fast Heuristic 40ms + Deep LLM) · 4-Tier RBAC · Anti-Conflict EPG Scheduler

ENGINEERING CAPSTONE TEAM (4 MEMBERS)

MEMBER & GITHUB	TECHNICAL RESPONSIBILITIES	COURSE SPECIALIZATION
TomOutfit (P1)	Tech Lead, NestJS Architecture, Advanced Search & Filter Engine, Three.js 3D Deck	PRN232 & PRM393
phunvqe180136 (P2)	Channels & Programs Module, Anti-Conflict EPG Engine, Mobile EPG Timeline & Notifications	PRN232 & PRM393
teng122 (P3)	AI Curator Dual-Mode Module, SQLite Offline Watchlist Storage, APK Production Release	PRN232 & PRM393
TranThanhSonQE170080 (P4)	Standalone gRPC Audit Microservice, Vercel CI/CD DevOps, Security Shielding & Telemetry	PRN232 Lead Spec

1. Executive Summary & Problem Statement

OmniCast is an enterprise-grade digital broadcasting platform combining multi-channel continuous linear television, an automated 24/7 Electronic Program Guide (EPG), on-the-fly live broadcast coordination, and multimodal AI-assisted content moderation. Built as a collaborative capstone between **PRN232** (Advanced Web API & Distributed Systems) and **PRM393** (Cross-Platform Mobile Application Development with Flutter), OmniCast addresses the systemic challenges of fragmented modern streaming.

25	24/7	< 40ms	100%
LINEAR CHANNELS	CONTINUOUS EPG	FAST AI GATE	ZERO-CONFLICT EPG

1.1 Problem Statement & Industry Challenges

Contemporary Over-The-Top (OTT) video streaming ecosystems suffer from four fundamental engineering pitfalls:

- **Linear-VOD Fragmentation:** Viewers must navigate disjoined interfaces for live linear channels versus on-demand catch-up recordings, causing friction and elevated bounce rates.
- **EPG Collision & Overlap:** In broadcast scheduling, overlapping program time-slots corrupt timetable continuity, leading to corrupted streaming ingestion and metadata anomalies.
- **Client Desynchronization:** Mobile applications often fail when disconnected from cloud backends, lacking robust offline multi-tier storage for program listings and scheduled alerts.
- **Content Safety Bottlenecks:** Human manual review cannot keep pace with high-velocity 24/7 ingestion; platforms require automated, dual-layer AI evaluation before public broadcast.

> **Core Architectural Value Proposition:** OmniCast unifies high-concurrency NestJS modular services, a dedicated gRPC microservice for zero-data-loss audit trails, high-fidelity Three.js 3D cyber portals, and offline-first Flutter mobile clients into a fault-tolerant, unified broadcast topology.

1.2 Platform Telemetry, Audience Concurrency & Streaming Metrics

Real-world linear broadcast networks exhibit pronounced circadian usage patterns. To validate platform scalability, synthetic multi-region telemetry was captured across a 24-hour cycle simulating 38,450 daily active users (DAU) accessing 25 concurrent linear feeds and catch-up streams.


24-Hour Concurrency & Audience Telemetry (Simulated Peak 14,820 CCU)
Active Viewers (CCU)
CDN Bandwidth (Gbps)
Live Reactions / Min
PEAK: 14,820 CCU @ 21:15
16k
12k
8k
4k
0
60G
45G
30G
15G
0G
00:00
03:00
06:00
09:00
12:00
15:00
18:00
21:00
24:00
38,450
DAILY ACTIVE USERS (DAU)
14,820
PEAK CONCURRENCY (CCU)
48.6 Gbps
CDN PEAK THROUGHPUT
99.84%
BUFFER-FREE (1.84S LATENCY)
ACTIVE PLATFORM CLIENT SHARE:
Next.js Web 3D (52.4%)
Flutter Mobile App (38.6%)
Smart TV / OTT (9.0%)
★ VIP Retention: 68.4%

2. System Architecture & Distributed Topology

OmniCast adopts a hybrid cloud-native architecture incorporating a high-performance modular API gateway, asynchronous message streams, a standalone gRPC microservice, distributed edge CDNs, and offline-first mobile databases.



2.1 Detailed Architectural Tier Breakdown

TIER / SUBSYSTEM	TECHNOLOGY STACK	ARCHITECTURAL ROLE & KEY MECHANICS
Web Portal	Next.js 14, React 19, TypeScript, Three.js, Tailwind	Renders the 3D Cyber Broadcast Deck, multi-plane dimensional layering, WebGL particle visualizers, HLS zero-glitch playback, and responsive administrative dashboards.
Mobile Client	Flutter 3.x, Dart 3.x, BLoC Pattern, SQLite, Dio	Provides multi-tier offline caching (SQLite `omnicast_local.db`), 2-dimensional EPG timeline navigation, picture-in-picture HLS player, and 15-minute FCM alerts.
Backend Core	NestJS 11+, Node.js 20+, Prisma ORM, Swagger	Encapsulates modular enterprise architecture, anti-conflict scheduling validation, automated Swagger OpenAPI generation, and RBAC execution.
Audit Microservice	Standalone gRPC Service, Protobuf v3	High-throughput RPC telemetry sink capturing system mutations, administrative interventions, authentication anomalies, and publishing immutable compliance records.
AI Curator	NestJS AiCuratorModule, OpenAI GPT-4o, TMDB	Dual-mode inspection pipeline: 40ms lexical & keyword regex triage combined with multimodal visual & audio Deep LLM content classification.

3. Feature Catalog & RBAC Security Matrix

OmniCast implements a rigorous 4-tier Role-Based Access Control (RBAC) hierarchy governing access from public viewers up to master security administrators.

3.1 Role Hierarchy & Permissions Matrix

ROLE IDENTIFIER	SYSTEM ROLE	USER PERSONA	ALLOWED OPERATIONS & GUARD ENFORCEMENTS
ADMIN	System Administrator	Network Operator & Auditor	Full CRUD across all channels/programs, user role elevation/deactivation, gRPC audit log inspection & multi-format export (Excel/JSON/PDF), system kill-switch.
STAFF	Broadcast Curator	Director & Broadcaster	Access to Live Studio (/studio/live), Cloudinary direct upload, on-the-fly live program switching, AI Curator trigger, conflict-validated program creation.
VIEWER	Registered Member	End Viewer (Free & VIP)	Watch 25 channels in HD/4K, real-time interactive live chat & floating emoji reactions, custom Watchlist, personal notification subscription, tier management.
GUEST	Unauthenticated User	Public Visitor	Browse public linear channel previews, explore 24/7 EPG grid, search public catalog, access help & legal documentation (/help, /standards, /docs).

3.2 Core Feature Modules by Domain

📺 25 Linear Broadcast Channels

Continuous cloud transmission across 5 distinct genres: Entertainment, News, Movies, Music, and Kids. Features instant channel switching and dynamic ambilight backdrops.

🗓️ 24/7 Anti-Conflict EPG Grid

Interactive 24-hour horizontal & vertical timetable grid. Enforces zero schedule overlap and links directly to metadata, age ratings, and live video feeds.

🎙️ Live Studio & Direct Ingestion

Dedicated staff control room supporting direct signed Cloudinary uploads, local PC media streaming, camera/screen capture, and real-time host chat replies.

🤖 AI Curator Moderation Engine

Two-tier inspection pipeline preventing prohibited broadcast material, generating compliance scores, and assigning standardized age ratings (P, K, T13, T16, T18, C).

📊 Security Audit Logger & Exporter

Real-time telemetry console tracking user activity and mutations. Features instant client-side generation of Excel (.xlsx), structured JSON, and PDF audit dossiers.

💎 Multi-Tier VIP Monetization

OmniPass subscription engine supporting Free, VIP (1080p, 3-day catch-up), and Ultra VIP (4K 60FPS HDR, Dolby Atmos 5.1, Multi-Cam Spider angle switching).

4. Deep-Dive Feature Workflows & Algorithms

4.1 Workflow 1: 24/7 EPG Anti-Conflict Scheduling Algorithm

The anti-conflict engine guarantees timetable integrity by preventing temporal overlaps across the 24/7 schedule. When a Broadcaster schedules a program, the NestJS `ProgramsService` invokes the anti-collision validation sequence:

1. **Temporal Boundary Verification**
   Broadcaster submits `CreateProgramDto` with `startTime` and `endTime`. System asserts `endTime > startTime` and validates duration against the source recording.

2. **Channel Scope Collision Query**
   Prisma executes an atomic SQL query: `WHERE channelId = :id AND (startTime < :newEnd AND endTime > :newStart)` to detect any existing intersect.

3. **Conflict Rejection or Atomic Reservation**
   If overlap count `> 0`, throws `ConflictException (HTTP 409)` returning overlapping titles. Otherwise, atomic insertion proceeds and emits an EPG refresh WebSocket broadcast.

4.2 Workflow 2: Dual-Mode AI Curator Inspection Pipeline

Before video broadcasts, the media asset traverses the Dual-Mode AI Curator moderation pipeline:

1. **Stage 1: Fast Heuristic Evaluation (< 40ms)**
   Title, description, and subtitle transcripts are matched against an in-memory lexical bloom filter and regex blacklist for critical safety triggers.

2. **Stage 2: Multimodal Deep LLM Inspection**
   Extracts representative keyframe thumbnails and analyzes contextual safety via OpenAI GPT-4o multimodal vision and TMDB verified metadata.

3. **Classification & Telemetry Logging**
   Calculates confidence scores, assigns statutory rating (P to C), and logs telemetry via the gRPC AuditLogger before releasing the video to public EPG.

4.3 Workflow 3: Mobile Offline-First SQLite Synchronization

The Flutter mobile client delivers an uninterrupted experience even when connectivity drops:

1. **Multi-Tier Cache Invalidation & Fetch**
   Upon connection, Flutter Dio client fetches delta channels and 24h EPG payloads, synchronizing in-memory BLoC state.

2. **SQLite Local Database Mutation**
   Executes batch upsert into `omnicast_local.db` (tables: `channels`, `epg_programs`, `watchlist`). Offline queries read directly from SQLite.

3. **Native Local Notification Scheduling**
   For each watchlisted program, registers native Android AlarmManager / iOS UNUserNotificationCenter trigger 15 minutes prior to broadcast.

5. Database Schema & Relational Entity Design

OmniCast leverages **PostgreSQL 15+** hosted on Supabase Cloud, managed through **Prisma ORM**. The data model enforces strict referential integrity, cascading policies, and index optimizations.

ENTITY / TABLE	PRIMARY FIELDS & DATA TYPES	RELATIONAL CONSTRAINTS & INDEXES
User	`id (UUID)`, `email (VarChar)`, `passwordHash`, `role (Enum: ADMIN, STAFF, VIEWER)`, `isActive (Bool)`, `vipTier (Enum)`	Unique index on `email`. One-to-many with `Comment`, `Watchlist`, and `AuditLog`.
BroadcastChannel	`id (UUID)`, `name (VarChar)`, `slug (VarChar)`, `category (Enum)`, `streamUrl (Text)`, `isLive (Bool)`	Unique index on `slug`. Foreign key target for `BroadcastProgram` and `ProgramRecording`.
BroadcastProgram	`id (UUID)`, `channelId (FK)`, `title`, `startTime (Timestamp)`, `endTime (Timestamp)`, `rating (Enum)`	Composite index on `[channelId, startTime, endTime]` enabling sub-millisecond EPG collision lookups.
ProgramRecording	`id (UUID)`, `channelId (FK)`, `title`, `videoUrl (Text)`, `duration (Int)`, `aiInspection (JSONB)`	Stores VOD and reusable broadcast assets with AI safety scores and Cloudinary public identifiers.
AuditLog	`id (UUID)`, `userId (FK, Nullable)`, `action (VarChar)`, `entityType`, `oldValues (JSONB)`, `newValues (JSONB)`	Indexed on `[action, createdAt]`. Sink for standalone gRPC audit microservice transactions.
WatchlistItem	`id (UUID)`, `userId (FK)`, `programId (FK)`, `remindMinutes (Int)`, `notified (Bool)`	Composite unique constraint `[userId, programId]` preventing duplicate subscriptions.

6. Quality Assurance, Security & Deployment

6.1 Comprehensive Testing Matrix & QA Results

TESTING SCOPE	FRAMEWORK & TOOLING	COVERAGE & TEST CASES	VERIFICATION OUTCOME
End-to-End (E2E)	Playwright Test Suite	52 Test Scenarios across Auth, EPG Grid, Channel Playback, Admin Console	`100% PASSED`
TypeScript Static	`tsc --noEmit`	Entire Frontend & Backend Type System	`0 ERRORS`
API Contract	Swagger / Jest Supertest	All RESTful Endpoints & gRPC Protobuf Handlers	`VERIFIED`
Mobile BLoC Tests	Flutter Test / Mockito	Auth, EPG Timeline, SQLite Offline Repository, Catch-Up Streamer	`100% PASSED`
Stress & Concurrency	k6 Load Testing	Simulated 1,000 Concurrent Sockets & EPG Schedule Fetch	`< 180ms p95`

6.2 Security Shielding & Governance

OmniCast incorporates multi-perimeter defense mechanisms:

- **Cryptographic Password Protection:** User passwords hashed with Argon2id and PBKDF2 with dynamic salting, mitigating rainbow table attacks.
- **Token Hardening & RBAC:** Short-lived JWT access tokens accompanied by cryptographically secured session storage, verified by NestJS RBAC Guards.
- **Transport Security & Headers:** Strict Content Security Policy (CSP), HTTP Strict Transport Security (HSTS), CORS domain isolation, and Helmet headers.
- **gRPC Auditing Sink:** All data mutations and administrative elevations are streamed synchronously to an isolated gRPC service ensuring non-repudiation.

6.3 Cloud Deployment & Live Environments

SUBSYSTEM	CLOUD PROVIDER	LIVE DEPLOYMENT URL / TARGET
Web Frontend Portal	Vercel Global Edge	`https://omnicast-fe.vercel.app`
Backend Web API	Vercel Cloud Serverless	`https://omnicast-api.vercel.app (Swagger: /swagger)`
Relational Database	Supabase Cloud (PostgreSQL 15)	`tktexqtqfnlfynbytjpw.supabase.co`
Mobile Android Build	Standalone APK Package	`mobile/build/app/outputs/flutter-apk/app-release.apk`

Conclusion & Academic Defense Readiness: OmniCast satisfies and exceeds all core competency milestones for PRN232 and PRM393. With zero TypeScript regressions, full mobile offline-first integration, a zero-collision 24/7 EPG timetable, and a state-of-the-art 3D Cyber Broadcast Deck, the project demonstrates mastery of modern distributed full-stack and mobile software engineering.