
Component Customization Showcase

Demonstrating Enhanced Components

07/09/2025 - 18/09/2026

Table des matières

I - Component Customization Showcase	3
I - Math Components	3
I.I - Standard Definition (Default Styling)	3
I.II - Custom Colored Definition	3
I.III - Standard Example (Default Styling)	3
I.IV - Custom Colored Example	3
I.V - Standard Theorem (Default Styling)	3
I.VI - Custom Colored Theorem (Breakable)	4
II - Block Components	4
II.I - Standard my-block (Default)	4
II.II - Block with Title (Centered)	4
II.III - Full-Width Block with Right-Aligned Content	4
II.IV - Auto-Width Block (Left-Aligned)	4
III - Blockquote Components	4
III.I - Standard Blockquote (Default)	4
III.II - Blockquote with Attribution	4
III.III - Right-Side Border with Centered Content	5
III.IV - Full Border with Custom Styling	5
III.V - Top Border with Custom Width	5
IV - Code Components	5
IV.I - Standard Code Block (Default)	5
IV.II - Code with Title and Filename	5
IV.III - Centered Code Block without Line Numbers	6
IV.IV - Code with Line Range (Lines 5-15)	6
V - Vector Notation	6
II - Summary of Customization Options	7

Component Customization Showcase

This document demonstrates the enhanced customization capabilities of all template components.

I - Math Components

All math components now support extensive customization including colors, spacing, borders, and more.

I.I - Standard Definition (Default Styling)

Definition 1.1. (Linéarité): On dit que φ est linéaire (homomorphisme) si:

$$\varphi(\lambda_1 X_1 + \lambda_2 X_2 + \dots + \lambda_n X_n) = \lambda_1 \varphi(X_1) + \lambda_2 \varphi(X_2) + \dots + \lambda_n \varphi(X_n) \quad (1.1.1.1)$$

I.II - Custom Colored Definition

Definition 1.2. (Prime Number): A **prime number** is a natural number greater than 1 that has no positive divisors other than 1 and itself.

I.III - Standard Example (Default Styling)

Example 1.1. (Basic Example): Basic text.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua quaerat.

$$\begin{aligned} \varphi(0, 0, 0) &= (0, 0) = 0_{\mathbb{R}^2} \\ \varphi(\alpha X_1 + \beta X_2) &\stackrel{?}{=} \alpha \varphi(X_1) + \beta \varphi(X_2) \end{aligned} \quad (1.1.3.2)$$

I.IV - Custom Colored Example

Example 1.2. (Factorial Calculation): The factorial of 5 is calculated as:

$$5! = 5 \times 4 \times 3 \times 2 \times 1 = 120 \quad (1.1.4.3)$$

I.V - Standard Theorem (Default Styling)

Theorem 1.1. (Théorème de Stokes): Soit M une variété différentielle à bord, orientée de dimension n , et ω une $(n-1)$ -forme différentielle à support compact sur M de classe C_1 .

Alors, on a :

$$\int_M d\omega = \int_{\{\partial M\}} i^* \omega \quad (1.1.5.4)$$

où d désigne la dérivée extérieure, ∂M le bord de M , muni de l'orientation induite, et $i^* \omega = \omega|_{\{\partial M\}}$ la restriction de ω à ∂M .

I.VI - Custom Colored Theorem (Breakable)

Theorem 1.2. (Pythagorean Theorem): For any right triangle with sides a , b , and hypotenuse c :

$$a^2 + b^2 = c^2 \quad (1.1.6.5)$$

II - Block Components

II.I - Standard `my-block` (Default)

This is a standard block with default styling. It's centered with a light gray background.

II.II - Block with Title (Centered)

Important Note

This block has a centered title and custom warning colors.

II.III - Full-Width Block with Right-Aligned Content

Right-Aligned Content

This content is aligned to the right within a full-width block.

II.IV - Auto-Width Block (Left-Aligned)

This block fits its content width and is aligned to the left.

III - Blockquote Components

III.I - Standard Blockquote (Default)

This is a standard blockquote with the default left border accent.

III.II - Blockquote with Attribution

Imagination is more important than knowledge. Knowledge is limited. Imagination encircles the world.

— Albert Einstein

III.III - Right-Side Border with Centered Content

I hear and I forget. I see and I remember. I do and I understand.

— Confucius

III.IV - Full Border with Custom Styling

Nothing in life is to be feared, it is only to be understood. Now is the time to understand more, so that we may fear less.

— Marie Curie

III.V - Top Border with Custom Width

Be yourself; everyone else is already taken.

— Oscar Wilde

IV - Code Components

IV.I - Standard Code Block (Default)

PYTHON

```
1 def fibonacci(n):
2     if n <= 1:
3         return n
4     return fibonacci(n-1) + fibonacci(n-2)
```

IV.II - Code with Title and Filename

RUST src/string_utils.rs

```
1 /// Extension traits and utilities for string manipulation
2 pub trait TitleCase {
3     fn to_title_case(&self) -> String;
4 }
5
6 impl TitleCase for str {
7     fn to_title_case(&self) -> String {
8         self.split(|c: char| c.is_whitespace() || c == '_' || c == '-')
9             .filter(|s| !s.is_empty())
10            .map(|word| {
11                let mut chars = word.chars();
12                match chars.next() {
13                    None => String::new(),
14                    Some(first) => {
15                        let first_upper = first.to_uppercase().collect::<String>();
16                        let rest_lower = chars.as_str().to_lowercase();
17                        format!("{}", first_upper, rest_lower)
18                    }
19                }
20            })
21            .collect::<Vec<String>>()
22            .join(" ")
23    }
24 }
```

IV.III - Centered Code Block without Line Numbers

```
TYPESCRIPT

interface User {
  id: string;
  name: string;
  email: string;
}

type UserWithoutId = Omit<User, 'id'>;
```

IV.IV - Code with Line Range (Lines 5-15)

```
PYTHON algorithms.py

5 pivot = arr[len(arr) // 2]
6 left = [x for x in arr if x < pivot]
7 middle = [x for x in arr if x == pivot]
8 right = [x for x in arr if x > pivot]
9
10 return quicksort(left) + middle + quicksort(right)
11
12 def binary_search(arr, target):
13     left, right = 0, len(arr) - 1
14
15     while left <= right:
```

V - Vector Notation

For vectors, use `ar(X)` to get $\vec{X}$.

Summary of Customization Options

This template now provides extensive customization for all components:

Math Components

- **definition, example, theorem**
- Customize: fill, stroke, radius, inset, numbering, breakable
- Full control over colors and spacing

Block Components

- **my-block**
- Features: title, alignment (block & content), width control
- Perfect for callouts, notes, and highlighted content

Blockquote Components

- **blockquote**
- Features: attribution, border positioning, alignment
- Support for all four sides or full border

Code Components

- **code**
- Features: title, line numbers, line ranges, custom styling
- Extensive options for professional code display