



Run: alpha-smoke-10e

Log-log loss curves



Final test_loss (init - last) [skip]:
 srnn-e-only-skip-per-neuron: 0.08015 -> 0.07809

Figure 1: skip variants — log-log loss/metric



Final test_loss (init - last) [no-skip]:
 srnn-e-only-per-neuron: 0.90363 → 0.89960

Figure 2: no-skip variants — log-log loss/metric

srnn-e-only-per-neuron




Figure 3: Tau evolution




Figure 4: W_EI evolution

srnn-e-only-per-neuron — parameter table

alpha-smoke-10e - variant srnn-e-only-per-neuron (k=0)
Effective values (post-transform). Means/stds computed over the indicated dimension.

effective parameter	init mean	final mean	init std	final std	n
tau_global (s)	+1	+0.95745	-	-	scalar
tau_d (s)	+0.1	+0.091829	0	0.002637	150
tau_a_E (s)	+4.8777	+4.569	3.996	3.747	225
tau_b_rec_E (s)	+1	+0.96689	0	0.01197	75
tau_b_rel_E (s)	+0.25	+0.23605	0	0.004715	75
W_eff (E src, signed)	+0.32855	+0.31881	0.1087	0.1056	3729
W_eff (I src, signed)	-0.44048	-0.42819	0.1104	0.1073	3698
W_eff (E src)	+0.32855	+0.31881	0.1087	0.1056	3729
W_eff (I src)	+0.44048	+0.42819	0.1104	0.1073	3698
W_in_eff (input neurons)	-0.00088642	-3.8661e-05	0.09775	0.0997	3293
c_E (SFA coupling)	+0.05	+0.052033	0	0.001196	225
c_0_E (SFA offset)	+0	+0.024165	0	0.0223	225
a_0 (threshold)	+0.35	+0.37937	0	0.02651	150
readout_weight	-0.0019584	-0.0019584	0.09524	0.09524	3293
readout_bias	+0	-0.0022583	0	0.01842	89
ic.ic (per-variant init)	+0.084632	+0.11912	0.411	0.395	450

srnn-e-only-skip-per-neuron





Figure 5: Tau evolution

Figure 6: W_{EI} evolution

srnn-e-only-skip-per-neuron — parameter table

alpha-smoke-10e - variant srnn-e-only-skip-per-neuron (k=1)
Effective values (post-transform). Means/stds computed over the indicated dimension.

effective parameter	init mean	final mean	init std	final std	n
tau_global (s)	+1	+1.0306	-	-	scalar
tau_d (s)	+0.1	+0.10706	0	0.00292	150
tau_a_E (s)	+4.8777	+4.8701	3.996	3.996	225
tau_b_rec_E (s)	+1	+1.0598	0	0.005423	75
tau_b_rel_E (s)	+0.25	+0.24799	0	0.001726	75
W_eff (E src, signed)	+0.32855	+0.31865	0.1087	0.1054	3729
W_eff (I src, signed)	-0.44048	-0.42959	0.1104	0.1077	3698
W_eff (E src)	+0.32855	+0.31865	0.1087	0.1054	3729
W_eff (I src)	+0.44048	+0.42959	0.1104	0.1077	3698
W_in_eff (input neurons)	+0.0025045	+0.0035252	0.0991	0.09251	3293
c_E (SFA coupling)	+0.05	+0.053273	0	0.0008373	225
c_0_E (SFA offset)	+0	+0.062207	0	0.009827	225
a_0 (threshold)	+0.35	+0.3934	0	0.03105	150
readout_weight	+0.0023626	+0.0023626	0.09405	0.09405	3293
readout_bias	+0	-0.00097848	0	0.004751	89
ic.ic (per-variant init)	+0.084506	+0.1385	0.4111	0.3941	450