

Run: ring2x5-100e

Log-log loss curves




Figure 1: skip variants — log-log loss/metric

srnn-no-dales-skip-seed1




Figure 2: Tau evolution




Figure 3: W_{EI} evolutionFigure 4: W_{io} evolution

Figure 5: Offsets and threshold

srnn-no-dales-skip-seed1 — parameter table

ring2x5-100e - variant srnn-no-dales-skip-seed1 (k=0)
Effective values (post-transform). Means/stds computed over the indicated dimension.

effective parameter	init mean	final mean	init std	final std	n

tau_global (s)	+1	+0.78257	-	-	scalar
tau_d (s)	+0.1	+0.053436	0	0	300
tau_a_E[j=0] (s)	+0.25	+0.16251	0	0	150
tau_a_E[j=1] (s)	+1.5896	+1.0333	0	0	150
tau_a_E[j=2] (s)	+4	+2.6002	0	0	150
tau_a_I[j=0] (s)	+0.25	+0.2032	0	0	150
tau_a_I[j=1] (s)	+1.5896	+1.292	0	0	150
tau_a_I[j=2] (s)	+4	+3.2512	0	0	150
tau_b_rec_E (s)	+1	+0.52569	0	0	150
tau_b_rel_E (s)	+0.25	+0.30345	0	0	150
tau_b_rec_I (s)	+1	+0.54329	0	0	150
tau_b_rel_I (s)	+0.25	+0.27843	0	0	150
W_eff (E src, signed)	+0.2326	+0.3696	0.07663	0.1988	15048
W_eff (I src, signed)	-0.31062	-0.50436	0.07727	0.215	14977
W_eff (E src)	+0.23267	+0.37571	0.07641	0.187	15048
W_eff (I src)	+0.31062	+0.50589	0.07724	0.2114	14977
W_in_eff (input neurons)	+0.0038159	+0.0079425	0.1019	0.1988	1275
c_E[j=0] (SFA coupling)	+0.05	+0.046151	0	0	150
c_E[j=1] (SFA coupling)	+0.05	+0.046151	0	0	150
c_E[j=2] (SFA coupling)	+0.05	+0.046151	0	0	150
c_0_E[j=0] (SFA offset)	+0	-0.10598	0	0	150
c_0_E[j=1] (SFA offset)	+0	-0.10598	0	0	150
c_0_E[j=2] (SFA offset)	+0	-0.10598	0	0	150
c_I[j=0] (SFA coupling)	+0.05	+0.052562	0	0	150
c_I[j=1] (SFA coupling)	+0.05	+0.052562	0	0	150
c_I[j=2] (SFA coupling)	+0.05	+0.052562	0	0	150
c_0_I[j=0] (SFA offset)	+0	+0.10767	0	0	150
c_0_I[j=1] (SFA offset)	+0	+0.10767	0	0	150
c_0_I[j=2] (SFA offset)	+0	+0.10767	0	0	150
a_0 (threshold)	+0.35	+0.32466	0	0	300
W_out_eff (readout × gain)	-0.00028065	-0.0018449	0.06573	0.3433	1275
readout_bias	+0	+0.018247	0	0.09854	17
ic.ic (per-variant init)	+0.17657	+0.17657	0.3565	0.3565	1500

srnn-no-dales-skip-seed2

ring2x5-100e — effective time constants (srnn-no-dales-skip-seed2) — per-timescale (log y)




Figure 6: Tau evolution




Figure 7: W_{EI} evolutionFigure 8: W_{io} evolution

Figure 9: Offsets and threshold

srnn-no-dales-skip-seed2 — parameter table

ring2x5-100e - variant srnn-no-dales-skip-seed2 (k=1)
Effective values (post-transform). Means/stds computed over the indicated dimension.

effective parameter	init mean	final mean	init std	final std	n

tau_global (s)	+1	+0.74556	-	-	scalar
tau_d (s)	+0.1	+0.048095	0	0	300
tau_a_E[j=0] (s)	+0.25	+0.14442	0	0	150
tau_a_E[j=1] (s)	+1.5896	+0.91826	0	0	150
tau_a_E[j=2] (s)	+4	+2.3107	0	0	150
tau_a_I[j=0] (s)	+0.25	+0.20204	0	0	150
tau_a_I[j=1] (s)	+1.5896	+1.2846	0	0	150
tau_a_I[j=2] (s)	+4	+3.2326	0	0	150
tau_b_rec_E (s)	+1	+0.50994	0	0	150
tau_b_rel_E (s)	+0.25	+0.26591	0	0	150
tau_b_rec_I (s)	+1	+0.48718	0	0	150
tau_b_rel_I (s)	+0.25	+0.27013	0	0	150
W_eff (E src, signed)	+0.2326	+0.37996	0.07684	0.209	14953
W_eff (I src, signed)	-0.30959	-0.51351	0.0767	0.2312	15212
W_eff (E src)	+0.23264	+0.38717	0.07671	0.1953	14953
W_eff (I src)	+0.30959	+0.51613	0.0767	0.2253	15212
W_in_eff (input neurons)	+0.00075891	+0.0092922	0.1012	0.1971	1275
c_E[j=0] (SFA coupling)	+0.05	+0.045811	0	0	150
c_E[j=1] (SFA coupling)	+0.05	+0.045811	0	0	150
c_E[j=2] (SFA coupling)	+0.05	+0.045811	0	0	150
c_0_E[j=0] (SFA offset)	+0	-0.085005	0	0	150
c_0_E[j=1] (SFA offset)	+0	-0.085005	0	0	150
c_0_E[j=2] (SFA offset)	+0	-0.085005	0	0	150
c_I[j=0] (SFA coupling)	+0.05	+0.050912	0	0	150
c_I[j=1] (SFA coupling)	+0.05	+0.050912	0	0	150
c_I[j=2] (SFA coupling)	+0.05	+0.050912	0	0	150
c_0_I[j=0] (SFA offset)	+0	+0.077828	0	0	150
c_0_I[j=1] (SFA offset)	+0	+0.077828	0	0	150
c_0_I[j=2] (SFA offset)	+0	+0.077828	0	0	150
a_0 (threshold)	+0.35	+0.28603	0	0	300
W_out_eff (readout × gain)	+0.0024758	+0.004548	0.06765	0.3286	1275
readout_bias	+0	-0.015984	0	0.07044	17
ic.ic (per-variant init)	+0.17736	+0.17736	0.3517	0.3517	1500

srnn-no-dales-skip-seed3




Figure 10: Tau evolution




Figure 11: W_{EI} evolutionFigure 12: W_{io} evolution

Figure 13: Offsets and threshold

srnn-no-dales-skip-seed3 — parameter table

ring2x5-100e - variant srnn-no-dales-skip-seed3 (k=2)
Effective values (post-transform). Means/stds computed over the indicated dimension.

effective parameter	init mean	final mean	init std	final std	n

tau_global (s)	+1	+0.74651	-	-	scalar
tau_d (s)	+0.1	+0.047293	0	0	300
tau_a_E[j=0] (s)	+0.25	+0.14805	0	0	150
tau_a_E[j=1] (s)	+1.5896	+0.94136	0	0	150
tau_a_E[j=2] (s)	+4	+2.3688	0	0	150
tau_a_I[j=0] (s)	+0.25	+0.19338	0	0	150
tau_a_I[j=1] (s)	+1.5896	+1.2296	0	0	150
tau_a_I[j=2] (s)	+4	+3.0941	0	0	150
tau_b_rec_E (s)	+1	+0.4932	0	0	150
tau_b_rel_E (s)	+0.25	+0.29091	0	0	150
tau_b_rec_I (s)	+1	+0.45378	0	0	150
tau_b_rel_I (s)	+0.25	+0.28905	0	0	150
W_eff (E src, signed)	+0.23242	+0.38084	0.0775	0.2078	14937
W_eff (I src, signed)	-0.30903	-0.5231	0.07701	0.2305	14853
W_eff (E src)	+0.23245	+0.38876	0.0774	0.1926	14937
W_eff (I src)	+0.30903	+0.52518	0.07701	0.2257	14853
W_in_eff (input neurons)	-0.00021194	+0.011104	0.09952	0.2133	1275
c_E[j=0] (SFA coupling)	+0.05	+0.04066	0	0	150
c_E[j=1] (SFA coupling)	+0.05	+0.04066	0	0	150
c_E[j=2] (SFA coupling)	+0.05	+0.04066	0	0	150
c_0_E[j=0] (SFA offset)	+0	-0.10908	0	0	150
c_0_E[j=1] (SFA offset)	+0	-0.10908	0	0	150
c_0_E[j=2] (SFA offset)	+0	-0.10908	0	0	150
c_I[j=0] (SFA coupling)	+0.05	+0.046994	0	0	150
c_I[j=1] (SFA coupling)	+0.05	+0.046994	0	0	150
c_I[j=2] (SFA coupling)	+0.05	+0.046994	0	0	150
c_0_I[j=0] (SFA offset)	+0	+0.082597	0	0	150
c_0_I[j=1] (SFA offset)	+0	+0.082597	0	0	150
c_0_I[j=2] (SFA offset)	+0	+0.082597	0	0	150
a_0 (threshold)	+0.35	+0.25368	0	0	300
W_out_eff (readout × gain)	+0.0021677	+0.0040971	0.06626	0.3399	1275
readout_bias	+0	+0.00039762	0	0.07067	17
ic.ic (per-variant init)	+0.19622	+0.19622	0.3102	0.3102	1500

srnn-no-dales-skip-seed4




Figure 14: Tau evolution




Figure 15: W_{EI} evolutionFigure 16: W_{io} evolution

Figure 17: Offsets and threshold

srnn-no-dales-skip-seed4 — parameter table

ring2x5-100e - variant srnn-no-dales-skip-seed4 (k=3)
Effective values (post-transform). Means/stds computed over the indicated dimension.

effective parameter	init mean	final mean	init std	final std	n

tau_global (s)	+1	+0.75064	-	-	scalar
tau_d (s)	+0.1	+0.04718	0	0	300
tau_a_E[j=0] (s)	+0.25	+0.16412	0	0	150
tau_a_E[j=1] (s)	+1.5896	+1.0435	0	0	150
tau_a_E[j=2] (s)	+4	+2.6259	0	0	150
tau_a_I[j=0] (s)	+0.25	+0.19358	0	0	150
tau_a_I[j=1] (s)	+1.5896	+1.2308	0	0	150
tau_a_I[j=2] (s)	+4	+3.0972	0	0	150
tau_b_rec_E (s)	+1	+0.48549	0	0	150
tau_b_rel_E (s)	+0.25	+0.32758	0	0	150
tau_b_rec_I (s)	+1	+0.47179	0	0	150
tau_b_rel_I (s)	+0.25	+0.28613	0	0	150
W_eff (E src, signed)	+0.23246	+0.37357	0.07702	0.2129	15026
W_eff (I src, signed)	-0.30974	-0.53144	0.07771	0.2316	14796
W_eff (E src)	+0.23251	+0.38285	0.07687	0.1957	15026
W_eff (I src)	+0.30974	+0.53362	0.07771	0.2265	14796
W_in_eff (input neurons)	+0.0028809	+0.010779	0.1007	0.2204	1275
c_E[j=0] (SFA coupling)	+0.05	+0.04349	0	0	150
c_E[j=1] (SFA coupling)	+0.05	+0.04349	0	0	150
c_E[j=2] (SFA coupling)	+0.05	+0.04349	0	0	150
c_0_E[j=0] (SFA offset)	+0	-0.14455	0	0	150
c_0_E[j=1] (SFA offset)	+0	-0.14455	0	0	150
c_0_E[j=2] (SFA offset)	+0	-0.14455	0	0	150
c_I[j=0] (SFA coupling)	+0.05	+0.049767	0	0	150
c_I[j=1] (SFA coupling)	+0.05	+0.049767	0	0	150
c_I[j=2] (SFA coupling)	+0.05	+0.049767	0	0	150
c_0_I[j=0] (SFA offset)	+0	+0.14577	0	0	150
c_0_I[j=1] (SFA offset)	+0	+0.14577	0	0	150
c_0_I[j=2] (SFA offset)	+0	+0.14577	0	0	150
a_0 (threshold)	+0.35	+0.30752	0	0	300
W_out_eff (readout × gain)	+0.0026403	+5.934e-05	0.06667	0.3346	1275
readout_bias	+0	+0.0077422	0	0.0963	17
ic.ic (per-variant init)	+0.18763	+0.18763	0.3347	0.3347	1500

srnn-no-dales-skip-seed5




Figure 18: Tau evolution




Figure 19: W_{EI} evolutionFigure 20: W_{io} evolution

Figure 21: Offsets and threshold

srnn-no-dales-skip-seed5 — parameter table

ring2x5-100e - variant srnn-no-dales-skip-seed5 (k=4)
Effective values (post-transform). Means/stds computed over the indicated dimension.

effective parameter	init mean	final mean	init std	final std	n

tau_global (s)	+1	+0.7492	-	-	scalar
tau_d (s)	+0.1	+0.048723	0	0	300
tau_a_E[j=0] (s)	+0.25	+0.16087	0	0	150
tau_a_E[j=1] (s)	+1.5896	+1.0229	0	0	150
tau_a_E[j=2] (s)	+4	+2.5739	0	0	150
tau_a_I[j=0] (s)	+0.25	+0.19211	0	0	150
tau_a_I[j=1] (s)	+1.5896	+1.2215	0	0	150
tau_a_I[j=2] (s)	+4	+3.0737	0	0	150
tau_b_rec_E (s)	+1	+0.48211	0	0	150
tau_b_rel_E (s)	+0.25	+0.28065	0	0	150
tau_b_rec_I (s)	+1	+0.52989	0	0	150
tau_b_rel_I (s)	+0.25	+0.2603	0	0	150
W_eff (E src, signed)	+0.23266	+0.37731	0.0779	0.2143	14942
W_eff (I src, signed)	-0.31065	-0.52513	0.07739	0.2258	15085
W_eff (E src)	+0.23271	+0.38681	0.07774	0.1967	14942
W_eff (I src)	+0.31065	+0.52765	0.07738	0.2198	15085
W_in_eff (input neurons)	+0.004538	+0.0047061	0.09841	0.2198	1275
c_E[j=0] (SFA coupling)	+0.05	+0.046511	0	0	150
c_E[j=1] (SFA coupling)	+0.05	+0.046511	0	0	150
c_E[j=2] (SFA coupling)	+0.05	+0.046511	0	0	150
c_0_E[j=0] (SFA offset)	+0	-0.070028	0	0	150
c_0_E[j=1] (SFA offset)	+0	-0.070028	0	0	150
c_0_E[j=2] (SFA offset)	+0	-0.070028	0	0	150
c_I[j=0] (SFA coupling)	+0.05	+0.049246	0	0	150
c_I[j=1] (SFA coupling)	+0.05	+0.049246	0	0	150
c_I[j=2] (SFA coupling)	+0.05	+0.049246	0	0	150
c_0_I[j=0] (SFA offset)	+0	+0.05937	0	0	150
c_0_I[j=1] (SFA offset)	+0	+0.05937	0	0	150
c_0_I[j=2] (SFA offset)	+0	+0.05937	0	0	150
a_0 (threshold)	+0.35	+0.31963	0	0	300
W_out_eff (readout × gain)	+0.0029913	-4.0578e-05	0.06652	0.3402	1275
readout_bias	+0	+0.0037483	0	0.09928	17
ic.ic (per-variant init)	+0.20431	+0.20431	0.301	0.301	1500

srnn-no-adapt-no-dales-skip-seed1






Figure 22: Tau evolution

ring2x5-100e — recurrent E vs I weights (srnn-no-adapt-no-dales-skip-seed1)

Figure 23: W_{EI} evolution

ring2x5-100e — input / output weights (srnn-no-adapt-no-dales-skip-seed1)

Figure 24: W_{io} evolution

Offsets and threshold (srnn-no-adapt-no-dales-skip-seed1) — scalar




Figure 25: Offsets and threshold

srnn-no-adapt-no-dales-skip-seed1 — parameter table

```
# ring2x5-100e - variant srnn-no-adapt-no-dales-skip-seed1 (k=5)
# Effective values (post-transform). Means/stds computed over the indicated dimension.
```

effective parameter	init mean	final mean	init std	final std	n

tau_global (s)	+1	+0.73687	-	-	scalar
tau_d (s)	+0.1	+0.047043	0	0	300
tau_b_rec_E (s)	+1	+0.73687	0	0	150
tau_b_rel_E (s)	+0.25	+0.18422	0	0	150
tau_b_rec_I (s)	+1	+0.73687	0	0	150
tau_b_rel_I (s)	+0.25	+0.18422	0	0	150
W_eff (E src, signed)	+0.2326	+0.30612	0.07663	0.1254	15048
W_eff (I src, signed)	-0.31062	-0.40632	0.07727	0.1364	14977
W_eff (E src)	+0.23267	+0.30778	0.07641	0.1213	15048
W_eff (I src)	+0.31062	+0.40726	0.07724	0.1336	14977
W_in_eff (input neurons)	-0.0034346	-0.0050749	0.0996	0.177	1275
a_0 (threshold)	+0.35	+0.34925	0	0	300
W_out_eff (readout × gain)	-0.0022654	-0.0019774	0.06674	0.232	1275
readout_bias	+0	+0.0057666	0	0.03787	17
ic.ic (per-variant init)	+0.16154	+0.16154	0.4334	0.4334	1500

srnn-no-adapt-no-dales-skip-seed2






Figure 26: Tau evolution

Figure 27: W_{EI} evolutionFigure 28: W_{io} evolution

Offsets and threshold (srnn-no-adapt-no-dales-skip-seed2) — scalar




Figure 29: Offsets and threshold

srnn-no-adapt-no-dales-skip-seed2 — parameter table

```
# ring2x5-100e - variant srnn-no-adapt-no-dales-skip-seed2 (k=6)
# Effective values (post-transform). Means/stds computed over the indicated dimension.
```

effective parameter	init mean	final mean	init std	final std	n

tau_global (s)	+1	+0.73705	-	-	scalar
tau_d (s)	+0.1	+0.047082	0	0	300
tau_b_rec_E (s)	+1	+0.73705	0	0	150
tau_b_rel_E (s)	+0.25	+0.18426	0	0	150
tau_b_rec_I (s)	+1	+0.73705	0	0	150
tau_b_rel_I (s)	+0.25	+0.18426	0	0	150
W_eff (E src, signed)	+0.2326	+0.31887	0.07684	0.1306	14953
W_eff (I src, signed)	-0.30959	-0.42724	0.0767	0.1363	15212
W_eff (E src)	+0.23264	+0.32097	0.07671	0.1254	14953
W_eff (I src)	+0.30959	+0.42835	0.0767	0.1328	15212
W_in_eff (input neurons)	+0.001514	+0.0053264	0.1004	0.1745	1275
a_0 (threshold)	+0.35	+0.36249	0	0	300
W_out_eff (readout × gain)	-0.0015425	-0.0026665	0.06628	0.2205	1275
readout_bias	+0	+0.011159	0	0.04235	17
ic.ic (per-variant init)	+0.16262	+0.16262	0.6757	0.6757	1500

srnn-no-adapt-no-dales-skip-seed3






Figure 30: Tau evolution

ring2x5-100e — recurrent E vs I weights (srnn-no-adapt-no-dales-skip-seed3)

Figure 31: W_{EI} evolution

ring2x5-100e — input / output weights (srnn-no-adapt-no-dales-skip-seed3)

Figure 32: W_{io} evolution

sets and threshold (srnn-no-adapt-no-dales-skip-seed3) — scalar




Figure 33: Offsets and threshold

srnn-no-adapt-no-dales-skip-seed3 — parameter table

```
# ring2x5-100e - variant srnn-no-adapt-no-dales-skip-seed3 (k=7)
# Effective values (post-transform). Means/stds computed over the indicated dimension.
```

effective parameter	init mean	final mean	init std	final std	n

tau_global (s)	+1	+0.65253	-	-	scalar
tau_d (s)	+0.1	+0.035421	0	0	300
tau_b_rec_E (s)	+1	+0.65253	0	0	150
tau_b_rel_E (s)	+0.25	+0.16313	0	0	150
tau_b_rec_I (s)	+1	+0.65253	0	0	150
tau_b_rel_I (s)	+0.25	+0.16313	0	0	150
W_eff (E src, signed)	+0.23242	+0.37921	0.0775	0.1459	14937
W_eff (I src, signed)	-0.30903	-0.50052	0.07701	0.1508	14853
W_eff (E src)	+0.23245	+0.38056	0.0774	0.1423	14937
W_eff (I src)	+0.30903	+0.50192	0.07701	0.1461	14853
W_in_eff (input neurons)	+0.0020464	-0.0052746	0.1001	0.2179	1275
a_0 (threshold)	+0.35	+0.33272	0	0	300
W_out_eff (readout × gain)	-0.00031136	-0.0014694	0.06752	0.1619	1275
readout_bias	+0	+0.0028744	0	0.01564	17
ic.ic (per-variant init)	+0.23263	+0.23263	0.7278	0.7278	1500

srnn-no-adapt-no-dales-skip-seed4






Figure 34: Tau evolution

Figure 35: W_{EI} evolutionFigure 36: W_{io} evolution

Offsets and threshold (srnn-no-adapt-no-dales-skip-seed4) — scalar




Figure 37: Offsets and threshold

srnn-no-adapt-no-dales-skip-seed4 — parameter table

```
# ring2x5-100e - variant srnn-no-adapt-no-dales-skip-seed4 (k=8)
# Effective values (post-transform). Means/stds computed over the indicated dimension.
```

effective parameter	init mean	final mean	init std	final std	n

tau_global (s)	+1	+0.6646	-	-	scalar
tau_d (s)	+0.1	+0.03712	0	0	300
tau_b_rec_E (s)	+1	+0.6646	0	0	150
tau_b_rel_E (s)	+0.25	+0.16615	0	0	150
tau_b_rec_I (s)	+1	+0.6646	0	0	150
tau_b_rel_I (s)	+0.25	+0.16615	0	0	150
W_eff (E src, signed)	+0.23246	+0.35828	0.07702	0.1416	15026
W_eff (I src, signed)	-0.30974	-0.4791	0.07771	0.1529	14796
W_eff (E src)	+0.23251	+0.36041	0.07687	0.1361	15026
W_eff (I src)	+0.30974	+0.48103	0.07771	0.1467	14796
W_in_eff (input neurons)	-0.0011312	-0.0039372	0.09732	0.2103	1275
a_0 (threshold)	+0.35	+0.36561	0	0	300
W_out_eff (readout × gain)	+0.0005506	+0.0050672	0.0661	0.1867	1275
readout_bias	+0	-0.00089129	0	0.02409	17
ic.ic (per-variant init)	+0.11354	+0.11354	0.6578	0.6578	1500

srnn-no-adapt-no-dales-skip-seed5




Figure 38: Tau evolution



Figure 39: W_EI evolution




Figure 40: W_io evolution

Offsets and threshold (srnn-no-adapt-no-dales-skip-seed5) — scalar




Figure 41: Offsets and threshold

srnn-no-adapt-no-dales-skip-seed5 — parameter table

```
# ring2x5-100e - variant srnn-no-adapt-no-dales-skip-seed5 (k=9)
# Effective values (post-transform). Means/stds computed over the indicated dimension.
```

effective parameter	init mean	final mean	init std	final std	n

tau_global (s)	+1	+0.75196	-	-	scalar
tau_d (s)	+0.1	+0.049365	0	0	300
tau_b_rec_E (s)	+1	+0.75196	0	0	150
tau_b_rel_E (s)	+0.25	+0.18799	0	0	150
tau_b_rec_I (s)	+1	+0.75196	0	0	150
tau_b_rel_I (s)	+0.25	+0.18799	0	0	150
W_eff (E src, signed)	+0.23266	+0.31564	0.0779	0.129	14942
W_eff (I src, signed)	-0.31065	-0.41783	0.07739	0.1379	15085
W_eff (E src)	+0.23271	+0.31755	0.07774	0.1243	14942
W_eff (I src)	+0.31065	+0.41872	0.07738	0.1352	15085
W_in_eff (input neurons)	-0.00056932	-0.0044341	0.09975	0.1856	1275
a_0 (threshold)	+0.35	+0.34474	0	0	300
W_out_eff (readout × gain)	-0.0005528	+0.0016052	0.06596	0.2248	1275
readout_bias	+0	+0.014223	0	0.08062	17
ic.ic (per-variant init)	+0.17253	+0.17253	0.7022	0.7022	1500