

(See VIPER Nov. 1978 for instructions on using the following data)

64 BYTE CHECKSUM

DISASSEMBLER-7

| | | | | |
|-------|----|-----|------|------|
| 0000- | 3E | Row | DEE2 | 9870 |
| | | Col | 8A80 | 5F7E |
| 0040- | 49 | Row | 70D7 | 5705 |
| | | Col | B903 | 9446 |
| 0080- | DD | Row | 74EC | 6B89 |
| | | Col | 060D | F991 |
| 00C0- | 00 | Row | A050 | 0000 |
| | | Col | 4AB9 | 750E |
| 0100- | 73 | Row | DC77 | CE01 |
| | | Col | F6D1 | ED89 |
| 0140- | 6D | Row | ED1B | 82E9 |
| | | Col | FFE3 | 0435 |
| 0180- | 83 | Row | 685F | DE6C |
| | | Col | A7F7 | 3C60 |
| 01C0- | B6 | Row | 9B53 | 5E63 |
| | | Col | 442D | 326C |
| 0200- | 30 | Row | F784 | 9E55 |
| | | Col | 4070 | 1600 |
| 0240- | D9 | Row | 1927 | 8E7D |
| | | Col | C3E4 | CBE9 |
| 0280- | 20 | Row | F54C | 78ED |
| | | Col | 8F45 | 2CB8 |
| 02C0- | 28 | Row | DF44 | B185 |
| | | Col | 20DC | 8015 |
| 0300- | 0F | Row | 204E | 5E70 |
| | | Col | 98E2 | A474 |
| 0340- | C4 | Row | 79BD | B440 |
| | | Col | DC42 | 5231 |
| 0380- | 14 | Row | 6660 | 52EB |
| | | Col | 3662 | 3F7B |
| 03C0- | 20 | Row | BACE | 8B96 |
| | | Col | 939A | 1F5C |

TEXT EDITOR-21

| | | | |
|----|-----|------|------|
| 93 | Row | DEE5 | 92FD |
| | Col | 398E | A777 |
| 4C | Row | 2296 | 946B |
| | Col | D739 | E050 |
| 32 | Row | 1D47 | DA20 |
| | Col | 251F | 09F8 |
| 00 | Row | 0000 | 0000 |
| | Col | 0000 | 0000 |
| FA | Row | 4C6B | FBDC |
| | Col | DEF1 | 8B28 |
| D9 | Row | 3463 | A07E |
| | Col | 29A7 | 73B0 |
| D2 | Row | FAEB | E017 |
| | Col | D020 | BA05 |
| 26 | Row | 26BA | 515E |
| | Col | EDB5 | D8F9 |
| 40 | Row | F85A | 8B35 |
| | Col | B5E1 | F9A2 |
| C6 | Row | 92C0 | 73DD |
| | Col | CC4A | 433D |
| F1 | Row | F193 | EE56 |
| | Col | 68D7 | 62D2 |
| DA | Row | 84E2 | E540 |
| | Col | 8062 | 9E47 |
| 58 | Row | 204E | 5CF9 |
| | Col | C3E2 | 39BA |
| 1B | Row | 95B1 | 5B3F |
| | Col | 7D79 | FB19 |
| B7 | Row | 9663 | BBE1 |
| | Col | A9AF | B4D2 |
| 04 | Row | 1890 | 0000 |
| | Col | B8A3 | 0AAE |

NOTE- Load the checksum program (which is relocatable) at ML 0500 after loading in either TEXT EDITOR-21 or DISASSEMBLER-7 to check the listing. Change ML 0000 to C0 05 00 to perform a long branch to the checksum program then follow the instructions in VIPER.

2) All unused memory spaces including the stack at 00E0-00FF are set to zero

3) Checksum data is not included here for either the character set or the mnemonic look up table for the disassembler. If you think there is a problem with the table, please refer to DISASSEMBLER-7's program description. The character set may be viewed or modified using my program, "A Character Designer for the VIP."