

Db query

```
--
=====
=====
-- Pharmaceutical Equipment Company Portal - SQL Server database script
-- Generated for review 2 (run in SSMS, then use
-- Database > Diagrams > New Database Diagram to produce the ERD
screenshot)
--
=====
=====

--
=====
=====
-- 1. Create the database
--
=====
=====

IF DB_ID('pharmaceutical') IS NULL
BEGIN
    CREATE DATABASE pharmaceutical;
END
GO

USE pharmaceutical;
GO

--
=====
=====
-- 2. Create tables
--
=====
=====

CREATE TABLE UserAccount (
    user_id INT IDENTITY(1,1) NOT NULL PRIMARY KEY,
    email NVARCHAR(255) NOT NULL UNIQUE,
    password_hash NVARCHAR(255) NOT NULL,
    role NVARCHAR(20) NOT NULL,
    status NVARCHAR(20) NOT NULL,
    last_login_at DATETIME2
);

CREATE TABLE CandidateProfile (
```

```
candidate_id INT NOT NULL PRIMARY KEY,  
full_name NVARCHAR(255),  
phone NVARCHAR(20),  
address NVARCHAR(255),  
summary NVARCHAR(MAX),  
created_at DATETIME2  
);
```

```
CREATE TABLE EducationRecord (  
education_id INT IDENTITY(1,1) NOT NULL PRIMARY KEY,  
candidate_id INT,  
institution NVARCHAR(255),  
qualification NVARCHAR(255),  
field NVARCHAR(255),  
start_date DATE,  
end_date DATE  
);
```

```
CREATE TABLE WorkExperience (  
experience_id INT IDENTITY(1,1) NOT NULL PRIMARY KEY,  
candidate_id INT,  
employer NVARCHAR(255),  
title NVARCHAR(255),  
start_date DATE,  
end_date DATE,  
description NVARCHAR(MAX)  
);
```

```
CREATE TABLE ResumeFile (  
resume_id INT IDENTITY(1,1) NOT NULL PRIMARY KEY,  
candidate_id INT,  
storage_key NVARCHAR(255) NOT NULL,  
original_name NVARCHAR(255),  
mime_type NVARCHAR(100),  
size INT,  
uploaded_at DATETIME2,  
is_current BIT  
);
```

```
CREATE TABLE InterviewInvitation (  
invitation_id INT IDENTITY(1,1) NOT NULL PRIMARY KEY,  
candidate_id INT,  
sent_by INT,  
subject NVARCHAR(255),  
body NVARCHAR(MAX),  
status NVARCHAR(20),  
sent_at DATETIME2
```

);

```
CREATE TABLE ProductCategory (  
    category_id INT IDENTITY(1,1) NOT NULL PRIMARY KEY,  
    name NVARCHAR(100) NOT NULL UNIQUE,  
    description NVARCHAR(MAX),  
    is_active BIT  
);
```

```
CREATE TABLE Product (  
    product_id INT IDENTITY(1,1) NOT NULL PRIMARY KEY,  
    category_id INT,  
    model_name NVARCHAR(255) NOT NULL,  
    summary NVARCHAR(255),  
    description NVARCHAR(MAX),  
    output_label NVARCHAR(100),  
    is_published BIT  
);
```

```
CREATE TABLE CapsuleSpecification (  
    product_id INT NOT NULL PRIMARY KEY,  
    output NVARCHAR(100),  
    capsule_size_mm DECIMAL(10,2),  
    machine_dimension NVARCHAR(100),  
    shipping_weight_kg DECIMAL(10,2)  
);
```

```
CREATE TABLE TabletSpecification (  
    product_id INT NOT NULL PRIMARY KEY,  
    model_number NVARCHAR(100),  
    dies INT,  
    max_pressure DECIMAL(10,2),  
    max_diameter_mm DECIMAL(10,2),  
    max_depth_fill_mm DECIMAL(10,2),  
    production_capacity DECIMAL(10,2),  
    machine_size NVARCHAR(100),  
    net_weight_kg DECIMAL(10,2)  
);
```

```
CREATE TABLE LiquidFillingSpecification (  
    product_id INT NOT NULL PRIMARY KEY,  
    air_pressure DECIMAL(10,2),  
    air_volume DECIMAL(10,2),  
    filling_speed DECIMAL(10,2),  
    filling_range_ml DECIMAL(10,2)  
);
```

```

CREATE TABLE QuoteRequest (
    quote_id INT IDENTITY(1,1) NOT NULL PRIMARY KEY,
    full_name NVARCHAR(255) NOT NULL,
    company_name NVARCHAR(255),
    address NVARCHAR(255),
    city NVARCHAR(100),
    state NVARCHAR(100),
    postal_code NVARCHAR(20),
    country NVARCHAR(100),
    email NVARCHAR(255) NOT NULL,
    phone NVARCHAR(20),
    comments NVARCHAR(MAX),
    status NVARCHAR(20),
    submitted_at DATETIME2,
    handled_by INT
);

```

```

CREATE TABLE ContentPage (
    page_id INT IDENTITY(1,1) NOT NULL PRIMARY KEY,
    slug NVARCHAR(100) NOT NULL UNIQUE,
    title NVARCHAR(255),
    body NVARCHAR(MAX),
    status NVARCHAR(20),
    updated_by INT,
    updated_at DATETIME2
);

```

```

--
=====
=====
-- 3. Foreign key constraints
--
=====
=====

```

```

ALTER TABLE CandidateProfile
    ADD CONSTRAINT FK_CandidateProfile_candidate_id FOREIGN KEY
(candidate_id) REFERENCES UserAccount(user_id);

```

```

ALTER TABLE EducationRecord
    ADD CONSTRAINT FK_EducationRecord_candidate_id FOREIGN KEY
(candidate_id) REFERENCES CandidateProfile(candidate_id);

```

```

ALTER TABLE WorkExperience
    ADD CONSTRAINT FK_WorkExperience_candidate_id FOREIGN KEY
(candidate_id) REFERENCES CandidateProfile(candidate_id);

```

```

ALTER TABLE ResumeFile
  ADD CONSTRAINT FK_ResumeFile_candidate_id FOREIGN KEY
(candidate_id) REFERENCES CandidateProfile(candidate_id);

ALTER TABLE InterviewInvitation
  ADD CONSTRAINT FK_InterviewInvitation_candidate_id FOREIGN KEY
(candidate_id) REFERENCES CandidateProfile(candidate_id);

ALTER TABLE InterviewInvitation
  ADD CONSTRAINT FK_InterviewInvitation_sent_by FOREIGN KEY (sent_by)
REFERENCES UserAccount(user_id);

ALTER TABLE Product
  ADD CONSTRAINT FK_Product_category_id FOREIGN KEY (category_id)
REFERENCES ProductCategory(category_id);

ALTER TABLE CapsuleSpecification
  ADD CONSTRAINT FK_CapsuleSpecification_product_id FOREIGN KEY
(product_id) REFERENCES Product(product_id);

ALTER TABLE TabletSpecification
  ADD CONSTRAINT FK_TabletSpecification_product_id FOREIGN KEY
(product_id) REFERENCES Product(product_id);

ALTER TABLE LiquidFillingSpecification
  ADD CONSTRAINT FK_LiquidFillingSpecification_product_id FOREIGN KEY
(product_id) REFERENCES Product(product_id);

ALTER TABLE QuoteRequest
  ADD CONSTRAINT FK_QuoteRequest_handled_by FOREIGN KEY
(handled_by) REFERENCES UserAccount(user_id);

ALTER TABLE ContentPage
  ADD CONSTRAINT FK_ContentPage_updated_by FOREIGN KEY
(updated_by) REFERENCES UserAccount(user_id);

--
=====
=====
-- 4. Seed data: product categories
--
=====
=====

INSERT INTO ProductCategory (name, description, is_active) VALUES
  ('Capsule/Encapsulation', 'Capsule filling and encapsulation equipment', 1),

```

('Tablet', 'Tablet compression / press equipment', 1),
('Liquid Filling', 'Liquid filling and dosing equipment', 1);