

Give your projects a memory.

Vault-based context management, what **adjutant** does with it, and how to set up the CLI — the suitcase included.

5 min read	needs Claude Code	macOS	
------------	-------------------	-------	--


A vault is your project's memory.

Work spans days. The *why* behind a decision, what you tried last week, where you left off — it lives in your head or scrolls out of a chat, then it's gone. A **vault** holds it instead: a plain folder of markdown files, in a consistent shape. It's an Obsidian vault, but you never open Obsidian — the files are just text.

WHAT LIVES IN IT

Sessions What happened each day you worked	Decisions The choices you made, and why	Handoff Where things stand, for next time
Board Your tasks, on a kanban		

HOW IT FITS TOGETHER



And it reads back when you ask **sitrep** or **check**.

WHAT A CONNECTED PROJECT LOOKS LIKE

Claude Vault/ └ projects/ └ my-app/ ├ brief.md ├ sessions/ ├ decisions/ ├ tasks/ ├ board/ └ _handoff.md	the project's purpose one note per working day why you chose things → becomes the board the kanban, saved to disk where things stand
---	---

adjutant keeps it current. You just work.

It's a Claude Code plugin that writes to the vault for you. Most of it is invisible — some things happen on their own, and a handful of commands are there when you want them.

Happens on its own A session note each day · the handoff kept current · the board reseeded from tasks · every write checked against a shape	You run it connect once per project · sitrep when you're back · check for a look · tidy to clean up
---	---

THE SEVEN VERBS

connect Link a project to its vault	sync Push current state to the vault	check Health report READ ONLY
sitrep “Where was I?” after a break READ ONLY	tidy Safe cleanup, previews first	dream Advisory review READ ONLY
board Drag-and-drop kanban		

On dream, and on cost dream reads your notes and hands you a report — what's stale, what contradicts, what's orphaned — then stops . It changes nothing on its own; you decide. And the whole plugin is built to be light: heavy reads estimate their cost and ask first.

Set it up.

Each box below has a **Copy** button. Copy it, then paste it where the label says — your Terminal app, or the Claude Code chat. You don't type the box itself.

1 Get access

The repo is private, so GitHub has to let Claude Code in. You do this once per computer.

In your Terminal app signs you in to GitHub

```
gh auth login
```

2 Install the plugin

Paste these into the Claude Code chat, one at a time.

In Claude Code tells it where to find the tool

```
/plugin marketplace add TomVDH/furtive-follies
```

In Claude Code installs adjudant

```
/plugin install adjudant
```

3 Connect your project

Do this once inside each project. It shows where a vault can live, recommends a spot, and makes it for you.

In Claude Code sets up the vault

```
/adjudant connect
```

WHERE YOUR VAULT SHOULD LIVE

Cloud-sync folder – recommended

iCloud, OneDrive, Google Drive, Dropbox. Your notes follow you across computers.

Local folder

~/Documents. Fine if you only ever use one computer.

✓ **That's it.** The record-keeping runs from here. Come back and ask `/adjutant sitrep` after a break.

The suitcase: a friendlier terminal.

The bundle ships a small kit of command-line tools — the **suitcase**. It makes the terminal nicer without changing how anything works, and it's optional. The check run below changes nothing; the second one installs. Anything you already have is skipped.

In your Terminal app · inside the downloaded folder a dry run — shows what it would do

```
bash onboarding/onboard.sh --check
```

In your Terminal app installs the tools for real

```
bash onboarding/onboard.sh
```

WHAT IT INSTALLS

zoxide Jump to folders: <code>z name</code>	eza · bat Prettier listings and file reading	ripgrep · fd Fast search and find
git-delta Readable git diffs	glow Read markdown in the terminal	tldr Plain, example-first help
trash A safer <code>rm</code>	sl · cbonsai A little fun	

RECOMMENDED TERMINAL SETUP

REQUIRED

Zsh · zsh.org

The shell the shortcuts assume. It's the macOS default since Catalina — make it active if it isn't.

```
chsh -s /bin/zsh
```

RECOMMENDED

iTerm2 · iterm2.com

A nicer terminal than the built-in one. Repo: [gnachman/iTerm2](https://github.com/gnachman/iTerm2)

```
brew install --cask iterm2
```

RECOMMENDED

Powerlevel10k · [romkatv/powerlevel10k](https://github.com/romkatv/powerlevel10k)

A fast, informative prompt. Install it, add it to ~/.zshrc, then run `p10k configure`. [Install guide →](#)

```
brew install powerlevel10k
```

Not on a Mac? Install the tools with your own package manager, then `source onboarding/casual-qol.zsh`. The shortcuts are guarded either way.

If something looks off.

Vault not found

Ask `/adjutant connect` again — it re-links the project.

A write got blocked

The message names the field to fix. Adjust it, write again.

No board yet

It's born on your first task note. No tasks, no board.