

Explore preference

		100 (n=2)	100 (n=1)	100 (n=2)	100 (n=1)	50 (n=2)	50 (n=2)
G2.5 Flash							
G3.1 Lite	0 (n=2)		50 (n=2)	100 (n=2)	100 (n=2)	100 (n=1)	0 (n=1)
G3.1 Pro	0 (n=1)	50 (n=2)		50 (n=2)	0 (n=2)	0 (n=2)	0 (n=2)
G3.5 Lite	0 (n=2)	0 (n=2)	50 (n=2)		50 (n=2)	100 (n=2)	50 (n=4)
G3.7 Flash	0 (n=1)	0 (n=2)	100 (n=2)	50 (n=2)		100 (n=2)	0 (n=2)
GPT Sol	50 (n=2)	0 (n=1)	100 (n=2)	0 (n=2)	0 (n=2)		50 (n=2)
GPT Terra	50 (n=2)	100 (n=1)	100 (n=2)	50 (n=4)	100 (n=2)	50 (n=2)	
	G2.5 Flash	G3.1 Lite	G3.1 Pro	G3.5 Lite	G3.7 Flash	GPT Sol	GPT Terra

Map readability

		100 (n=2)	0 (n=1)	100 (n=2)	100 (n=1)	50 (n=2)	50 (n=2)
G2.5 Flash							
G3.1 Lite	0 (n=2)		25 (n=2)	0 (n=2)	0 (n=2)	0 (n=1)	0 (n=1)
G3.1 Pro	100 (n=1)	75 (n=2)		100 (n=2)	0 (n=2)	0 (n=2)	0 (n=2)
G3.5 Lite	0 (n=2)	100 (n=2)	0 (n=2)		0 (n=2)	0 (n=2)	0 (n=4)
G3.7 Flash	0 (n=1)	100 (n=2)	100 (n=2)	100 (n=2)		0 (n=2)	0 (n=2)
GPT Sol	50 (n=2)	100 (n=1)	100 (n=2)	100 (n=2)	100 (n=2)		50 (n=2)
GPT Terra	50 (n=2)	100 (n=1)	100 (n=2)	100 (n=4)	100 (n=2)	50 (n=2)	
	G2.5 Flash	G3.1 Lite	G3.1 Pro	G3.5 Lite	G3.7 Flash	GPT Sol	GPT Terra

Character-world fit

		100 (n=1)	100 (n=1)	100 (n=2)	100 (n=1)	50 (n=2)	50 (n=2)
G2.5 Flash							
G3.1 Lite	0 (n=1)		50 (n=2)	50 (n=2)	50 (n=2)	100 (n=1)	0 (n=1)
G3.1 Pro	0 (n=1)	50 (n=2)		75 (n=2)	50 (n=2)	0 (n=2)	0 (n=1)
G3.5 Lite	0 (n=2)	50 (n=2)	25 (n=2)		50 (n=2)	100 (n=2)	50 (n=4)
G3.7 Flash	0 (n=1)	50 (n=2)	50 (n=2)	50 (n=2)		100 (n=2)	0 (n=2)
GPT Sol	50 (n=2)	0 (n=1)	100 (n=2)	0 (n=2)	0 (n=2)		100 (n=2)
GPT Terra	50 (n=2)	100 (n=1)	100 (n=1)	50 (n=4)	100 (n=2)	0 (n=2)	
	G2.5 Flash	G3.1 Lite	G3.1 Pro	G3.5 Lite	G3.7 Flash	GPT Sol	GPT Terra

How to read the matrices

Cell = preference for the row artifact against the column artifact.

Same = half a vote; Not sure is excluded.

n = judgeable votes for that pair/item.

Mirrored cells reuse the same votes.

10 eligible returns | 40 image comparisons

21 pairs | one shared promise-city scene

Pair coverage: 4 x one, 16 x two, 1 x four

Recorded identifiers; no global ranking.

