

Object versioning

Object versioning requires that you configure your environment with **working S3-compatible credentials**.

Enabling bucket versioning

To enable versioning in a bucket, use one of the following commands:

aws **mc** **s3cmd**

```
aws --profile <region> \  
  --endpoint-url=https://s3-  
<region>.citycloud.com:8080 \  
  s3api put-bucket-versioning \  
  --versioning-configuration  
Status=Enabled \  
  --bucket <bucket-name>  
  
mc version enable <region>/  
<bucket-name>
```

This functionality is not
available with the `s3cmd`

Checking bucket versioning status

command.

To check whether object versioning is enabled on a bucket, use one of the following commands:

aws **mc** **s3cmd**

```
aws --profile <region> \  
  --endpoint-url=https://  
s3-  
<region>.citycloud.com:  
8080 \  
  s3api get-bucket-  
versioning \  
  --bucket <bucket-  
name>  
  
mc version info  
<region>/<bucket-  
name>
```

Downloading object

To download a specific version of an object in a bucket, use one of the following

commands:
This functionality is not
available with the `s3cmd`
command.

aws mc s3cmd

```
aws --profile <region> \  
  --endpoint-url=https://  
s3-  
<region>.citycloud.com:  
8080 \  
  s3api get-object \  
  --bucket <bucket-  
name> \  
  --key <object-name> \  
  --version-id  
<versionid> \  
  <local-filename>
```

```
mc cp \  
  --version-id  
<versionid> \  
  <region>/<bucket-  
name>/<object-name> \  
  <local-filename>
```

object from a versioned bucket *without* specifying a
3 client will download the latest version of the object that

This functionality is not
available with the **s3cmd**
Last update: 2022-05-11
Created: 2022-05-11

Authors: **Foad Lind**