
VISUAL 1 · FOR BLOCK 6 — THE COLLAPSE

Every dot is one detector. Now change the language.




No architecture escapes it. The two clouds do not even come close to touching.

Lower lane: 48 mean EERs, Table 5. Upper lane: published range for English-trained models on Spanish (Sec. 4.2).

VISUAL 2 · FOR BLOCK 5 — WHAT 48 MEANS

We did not pick a model. We built all of them.



2.67 %

the best cell — and seven others are statistically tied with it

each square = one architecture, trained six times · darker = worse

Attention · Trim-pad · LSTM-sum, within each loss

864 trained models. No lucky run, and no single winner we are willing to crown.


Table 5 — mean EER (%), English train / English eval, six seeds per cell.

VISUAL 3 · FOR BLOCK 4 — THE TWO ATTACKS

Two ways to fake a voice. Only one survives.

TEXT-TO-SPEECH


nothing real goes in



The artefact belongs to the VOCODER — it does not care what language you speak.

VOICE CONVERSION


a real recording goes in



The artefact is tangled with SPEAKER and ACCENT — exactly what changes with the language.

The words are real. The identity is stolen. That is the attack our detectors cannot see in Spanish.

Accent barely moves it. Gender flips direction.



Accent spread: under half a point. The gender gap is bigger — and it reverses between countries.

Table 10 — MFCC front-end, combined training, aggregated over back-ends, losses and seeds.