

Name: Tomas Gebrewold

WSU_ID: 011822853

Screenshot of Commands

```
tomas@Tom:/mnt/c/Users/Tomy5/Documents/CS_360/Projects/pa-0-Tomas853$ ./filesystem
Filesystem initialized!
=====
Yo Yo Yo! Welcome to My Unix-like Filesystem Shell!
=====

You can type any of the following commands:

mkdir <pathname>      - Make a new directory
rmdir <pathname>      - Remove an empty directory
ls    [pathname]      - List directory contents
cd    [pathname]      - Change current working directory
pwd                               - Show absolute path of CWD
creat <pathname>      - Create a new file
rm    <pathname>      - Remove a file
save  <filename>      - Save filesystem to file
reload <filename>     - Load filesystem from file
quit                               - Save and exit the shell

You can type 'quit' anytime to exit the shell. Have fun!

Start typing your commands below:

> pwd
/
> rmdir baddir
DIR baddir does not exist!
> ls
> mkdir hello
Directory hello created.
> ls
D hello
> cd hello
> creat hello.txt
File hello.txt created.
```

```
> ls
F hello.txt
> cd
> ls
D hello
> rmdir hello.txt
DIR hello.txt does not exist!
> mkdir hello
DIR hello already exists!
> cd hello
> mkdir world
Directory world created.
> ls
F hello.txt
D world
> rm world
Cannot remove world (not a FILE)!
> rmdir world
> ls
F hello.txt
```

```
> cd ..
> rmdir hello
Cannot remove DIR hello (not empty)!
> create hello.txt
Command not found!
> quit
Filesystem saved to fssim_gebrowold.txt
```