JAVASCRIPT DEVELOPER EXERCISE INSTRUCTIONS

Overview

You will be consuming the open source Jokes API to fetch and display a random joke. Your work can be delivered via a publicly available CodePen, JSFiddle, CodeSandbox, or GitHub repo. You should be limiting your time taking this code test to 2 hours.

What we are looking for:

- Approaches to pulling data from the API
- Approach to rendering the results and different states
- Well-crafted, accessible HTML
- Re-usable CSS and JavaScript
- Approach to using libraries/utilities as an assistive tool
- Responsiveness (smartphone portrait/320px and up)
- Adding your own touch through animations and transitions
- Attention to detail

What we are not looking for:

- Browser testing (we'll be reviewing in Chrome only)
- Completing some of everything with nothing displaying or rendering
- Tooling (you can use any build setup, starter, template, or task runner you're comfortable with)

Instructions

- Login or create a free account at CodePen, JSFiddle, CodeSandbox, or GitHub
- Create your project or repo using one of the services above
- You can use either JavaScript or TypeScript
- You can use any open source library or package that is publicly available
- You can use any flavor of CSS you want (vanilla CSS, Sass, Less, CSS In JS, etc.)
- Take the code test following the functionality/acceptance criteria listed below

- Email the link to the public CodePen, JSFiddle, CodeSandbox, or GitHub repo back to your Mercury point of contact when 2 hours have passed
- Do not edit your code test after the 2 hours have passed and you have sent the link to Mercury

Functionality/Acceptance Criteria

- The purpose of the screen is to load and show a joke of the day from the defined Jokes API
  - You will find API Documentation and how to call the API we want you to us here: https://karljoke.herokuapp.com/
  - Reference the attached mockup for layout and styling that you should be matching
  - The screen should be responsive, fitting a mobile device screen up to a desktop screen (note that the mockup only shows desktop layout and styling)
- On initial screen load, show the setup (first sentence) of a random joke
  - Show a loading state while data is being retrieved from the API
  - Show error state if the API is down
- Display a “Show Punchline” button
  - Show the punchline (second sentence) of the joke
  - The ”Show Punchline” button should now read “Hide Punchline”
  - Clicking “Hide Punchline” should hide the punchline of the joke
- In the header of the screen, display a “Get A New Random Joke” button
  - Clicking this button should retrieve and show a new random joke
  - The “Hide Punchline” should reset to “Show Punchline” and the punchline should be hidden
  - Loading and error states should still show as described above
- In the header of the screen, display a link to the API documentation with the text “View API docs”
  - Clicking the link should open the URL in a new tab/window