

Enero 2026

INSTALACIÓN DE DOCKER

Desarrollo de Aplicaciones Web
Despliegue de Aplicaciones Web

Tomás Cabello Fernández

INDICE

1. INSTALAR DOCKER ³
2. PRUEBA DE FUNCIONAMIENTO DE DOCKER ⁴
3. BUSQUEDA DE WORDPRESS DESDE DOCKER
5
4. BUSQUEDA DE WORDPRESS DESDE DOCKER-
HUB ⁵
5. DESCARGA DE MARIADB ⁶
6. DESCARGA DE 3 IMÁGENES MAS ⁶
7. MOSTRAR LAS IMÁGENES DESCARGADAS ⁷
8. BORRAR UNA IMAGEN POR NOMBRE O POR
ID ⁷
9. MOSTRAR INFORMACIÓN DE LA IMAGEN DE
MARIADB ⁸

1. INSTALAR DOCKER

```
zorinos-docker@zorinosdocker-VirtualBox: ~/Escritorio
zorinos-docker@zorinosdocker-VirtualBox:~/Escritorio$ sudo apt install docker.io
-y
Leyendo lista de paquetes... Hecho
Creando árbol de dependencias... Hecho
Leyendo la información de estado... Hecho
Se instalarán los siguientes paquetes adicionales:
  bridge-utils containerd git git-man liberror-perl pigz runc ubuntu-fan
Paquetes sugeridos:
  ifupdown aufs-tools btrfs-progs cgroupfs-mount | cgroup-lite debootstrap
  docker-buildx docker-compose-v2 docker-doc rinse zfs-fuse | zfsutils
  git-daemon-run | git-daemon-sysvinit git-doc git-email git-gui gitk gitweb
  git-cvs git-mediawiki git-svn
Se instalarán los siguientes paquetes NUEVOS:
  bridge-utils containerd docker.io git git-man liberror-perl pigz runc
  ubuntu-fan
0 actualizados, 9 nuevos se instalarán, 0 para eliminar y 209 no actualizados.
Se necesita descargar 80,1 MB de archivos.
Se utilizarán 309 MB de espacio de disco adicional después de esta operación.
Des:1 http://es.archive.ubuntu.com/ubuntu jammy/universe amd64 pigz amd64 2.6-1
[63,6 kB]
Des:2 http://es.archive.ubuntu.com/ubuntu jammy/main amd64 bridge-utils amd64 1.
7-1ubuntu3 [34,4 kB]
Des:3 http://es.archive.ubuntu.com/ubuntu jammy-updates/main amd64 runc amd64 1.
3.3-0ubuntu1~22.04.3 [8.857 kB]
```

Con este comando instalaremos docker.

```
zorinos-docker@zorinosdocker-VirtualBox: ~/Escritorio
zorinos-docker@zorinosdocker-VirtualBox:~/Escritorio$ sudo systemctl enable --now docker
zorinos-docker@zorinosdocker-VirtualBox:~/Escritorio$ sudo usermod -aG docker $USER
zorinos-docker@zorinosdocker-VirtualBox:~/Escritorio$ newgrp docker
zorinos-docker@zorinosdocker-VirtualBox:~/Escritorio$
```

Creamos un grupo de docker y le damos permisos.

```
zorinos-docker@zorinosdocker-VirtualBox: ~/Escritorio
zorinos-docker@zorinosdocker-VirtualBox$ docker version
Client:
 Version:           28.2.2
 API version:       1.50
 Go version:        go1.23.1
 Git commit:        28.2.2-0ubuntu1~22.04.1
 Built:             Wed Sep 10 14:50:16 2025
 OS/Arch:           linux/amd64
 Context:           default

Server:
 Engine:
  Version:          28.2.2
  API version:      1.50 (minimum version 1.24)
  Go version:       go1.23.1
  Git commit:       28.2.2-0ubuntu1~22.04.1
  Built:            Wed Sep 10 14:50:16 2025
  OS/Arch:          linux/amd64
  Experimental:     false
 containerd:
  Version:          1.7.28
  GitCommit:        689638a4c789e1312318f67f0b572eb54a593086
 runc:
  Version:          1.3.3-0ubuntu1~22.04.3
  GitCommit:        12644661344c8bf48149bb97e424adcf371cdd511
 docker-init:
  Version:          0.19.0
  GitCommit:        de40ad0b74febd44badc02285cf4b77338b7c5c5
zorinos-docker@zorinosdocker-VirtualBox:~/Escritorio$
```

Y comprobamos que version hemos instalado.

2. PRUEBA DE FUNCIONAMIENTO DE DOCKER

```
zorinos-docker@zorinosdocker-VirtualBox: ~/Escritorio
zorinos-docker@zorinosdocker-VirtualBox$ docker run hello-world
Unable to find image 'hello-world:latest' locally
latest: Pulling from library/hello-world
17eec7bbc9d7: Pull complete
Digest: sha256:05813aedd15fb7b4d732e1be879d3252c1c9c25d885824f6295cab4538cb85cd
Status: Downloaded newer image for hello-world:latest

Hello from Docker!
This message shows that your installation appears to be working correctly.

To generate this message, Docker took the following steps:
1. The Docker client contacted the Docker daemon.
2. The Docker daemon pulled the "hello-world" image from the Docker Hub.
   (amd64)
3. The Docker daemon created a new container from that image which runs the
   executable that produces the output you are currently reading.
4. The Docker daemon streamed that output to the Docker client, which sent it
   to your terminal.

To try something more ambitious, you can run an Ubuntu container with:
$ docker run -it ubuntu bash

Share images, automate workflows, and more with a free Docker ID:
https://hub.docker.com/

For more examples and ideas, visit:
https://docs.docker.com/get-started/
zorinos-docker@zorinosdocker-VirtualBox:~/Escritorio$
```

Vemos que Docker esta funcionando con hello-world.


3. BUSQUEDA DE WORDPRESS DESDE DOCKER

```
zorinos-docker@zorinosdocker-VirtualBox: ~/Escritorio
zorinos-docker@zorinosdocker-VirtualBox$ docker search wordpress
NAME                DESCRIPTION                               STARS   OFFICIAL
wordpress           The WordPress rich content management system... 5857    [OK]
bitnami/wordpress   Bitnami Secure Image for wordpress         281
bitnamicharts/wordpress Bitnami Helm chart for WordPress           2
elestio/wordpress   Wordpress, verified and packaged by Elestio 6
secoresearch/wordpress Apache+PHP+Varnish+Wordpress                0
shinsenter/wordpress (PHP / Wordpress) Production-ready Docker... 5
vulnhub/wordpress   Build, ship and run secure software with Cha... 4
chainguard/wordpress https://github.com/corpusops/docker-images/ 0
corpusops/wordpress 0
rootpublic/wordpress Wordpress image with MySQL removed.         14
centurylink/wordpress wordpress docker image                       0
erikzenker/wordpress The WordPress rich content management system... 16
arm32v7/wordpress   The WordPress rich content management system... 21
arm64v8/wordpress   Out-of-the-box Wordpress docker image       42
amd64/wordpress     The WordPress rich content management system... 2
demyx/wordpress     Non-root Docker image running Alpine Linux, ... 2
i386/wordpress      The WordPress rich content management system... 1
ppc64le/wordpress   The WordPress rich content management system... 1
wodby/wordpress     Vanilla WordPress container image           2
itherz/wordpress    Wordpress                                    0
s390x/wordpress     The WordPress rich content management system... 5
spatialy/wordpress  Wordpress + PHP Extensions                  0
arm32v5/wordpress   The WordPress rich content management system... 0
mips64le/wordpress The WordPress rich content management system... 1
zorinos-docker@zorinosdocker-VirtualBox:~/Escritorio$
```

Vemos que la primera imagen es la oficial y con más estrellas.

4. BUSQUEDA DE WORDPRESS DESDE DOCKER-HUB

Desde la web tenemos la misma imagen.



5. DESCARGA DE MARIADB

```
zorinos-docker@zorinosdocker-VirtualBox: ~/Escritorio
zorinos-docker@zorinosdocker-VirtualBox:~/Escritorio$ docker pull mariadb:12.2.1-ubi10-rc
12.2.1-ubi10-rc: Pulling from library/mariadb
bbf656ece02b: Downloading [=====] 29.01MB/34.53MB
db1d491d88e8: Download complete
b53d70f53359: Download complete
db06c10ecb43: Downloading [=>] 1.372MB/44.66MB
13e460b5a072: Download complete
ba08972694b5: Waiting
8da5a5c3cec0: Waiting
a4100828b706: Waiting
51296e44bdbc: Waiting
3f94e34a980d: Waiting
```


Hacemos el comando pull para descargarnos exactamente esa imagen de docker.

6. DESCARGA DE 3 IMÁGENES MAS

```
zorinos-docker@zorinosdocker-VirtualBox: ~/Escritorio
zorinos-docker@zorinosdocker-VirtualBox:~/Escritorio$ docker pull alpine
Using default tag: latest
latest: Pulling from library/alpine
1074353eec0d: Pull complete
Digest: sha256:865b95f46d98cf867a156fe4a135ad3fe50d2056aa3f25ed31662dff6da4eb62
Status: Downloaded newer image for alpine:latest
docker.io/library/alpine:latest
zorinos-docker@zorinosdocker-VirtualBox:~/Escritorio$ docker pull busybox
Using default tag: latest
latest: Pulling from library/busybox
e59838ecfec5: Pull complete
Digest: sha256:2383baad1860bbe9d8a7a843775048fd07d8afe292b94bd876df64a69aae7cb1
Status: Downloaded newer image for busybox:latest
docker.io/library/busybox:latest
zorinos-docker@zorinosdocker-VirtualBox:~/Escritorio$ docker pull hello-world
Using default tag: latest
latest: Pulling from library/hello-world
Digest: sha256:05813aedc15fb7b4d732e1be879d3252c1c9c25d885824f6295cab4538cb85cd
Status: Image is up to date for hello-world:latest
docker.io/library/hello-world:latest
zorinos-docker@zorinosdocker-VirtualBox:~/Escritorio$
```

Descargamos alpine, busybox y hello-world por ejemplo.

7. MOSTRAR LAS IMÁGENES DESCARGADAS




```
zorinos-docker@zorinosdocker-VirtualBox: ~/Escritorio
zorinos-docker@zorinosdocker-VirtualBox:~/Escritorio$ docker images
REPOSITORY          TAG                 IMAGE ID            CREATED             SIZE
mariadb              12.2.1-ubi10-rc    7d01b3c96766       3 weeks ago        577MB
alpine               latest             e7b39c54cdec       4 weeks ago        8.44MB
hello-world          latest             1b44b5a3e06a       5 months ago       10.1kB
busybox              latest             08ef35a1c3f0       15 months ago      4.43MB
zorinos-docker@zorinosdocker-VirtualBox:~/Escritorio$
```

Con docker images podemos ver que imágenes tenemos en nuestro equipo.

8. BORRAR UNA IMAGEN POR NOMBRE O POR ID

Aquí borramos por el nombre del contenedor.



```
zorinos-docker@zorinosdocker-VirtualBox: ~/Escritorio
zorinos-docker@zorinosdocker-VirtualBox:~/Escritorio$ docker rmi alpine
Untagged: alpine:latest
Untagged: alpine@sha256:865b95f46d98cf867a156fe4a135ad3fe50d2056aa3f25ed31662dff6da4eb62
Deleted: sha256:e7b39c54cdeca0d2aae83114bb605753a5f5bc511fe8be7590e38f6d9f915dad
Deleted: sha256:7bb20cf5ef67526cb843d264145241ce4dde09a337b5be1be42ba464de9a672d
zorinos-docker@zorinosdocker-VirtualBox:~/Escritorio$
```



```
zorinos-docker@zorinosdocker-VirtualBox: ~/Escritorio
zorinos-docker@zorinosdocker-VirtualBox:~/Escritorio$ docker rmi 08ef35a1c3f0
Untagged: busybox:latest
Untagged: busybox@sha256:2383baad1860bbe9d8a7a843775048fd07d8afe292b94bd876df64a69aae7cb1
Deleted: sha256:08ef35a1c3f050afbbd64194ffd1b8d5878659f5491567f26d1c814513ae9649
Deleted: sha256:e14542cc062958c3bfada9c260a6ae47bb2906fd8b514999774760710dbce3cb
zorinos-docker@zorinosdocker-VirtualBox:~/Escritorio$
```

Y aquí por ID del contenedor.

9. MOSTRAR INFORMACIÓN DE LA IMAGEN DE MARIADB



```
zorinos-docker@zorinosdocker-VirtualBox: ~/Escritorio
zorinos-docker@zorinosdocker-VirtualBox:~/Escritorio$ docker inspect mariadb:12.2.1-ubi10-rc
[
  {
    "Id": "sha256:7d01b3c96766d394d1f1baef3c45790fc404870113d96c17cc12867ab95174f4",
    "RepoTags": [
      "mariadb:12.2.1-ubi10-rc"
    ],
    "RepoDigests": [
      "mariadb@sha256:aa30b32474b2ffb74a5a2d75328f33cbc160f6d358f41d8a27fca5284d4bcb19"
    ],
    "Parent": "",
    "Comment": "buildkit.dockerfile.v0",
    "Created": "2025-12-18T22:24:28.030010035Z",
    "DockerVersion": "",
    "Author": "",
    "Config": {
      "User": "mysql",
      "ExposedPorts": {
        "3306/tcp": {}
      },
      "Env": [
        "PATH=/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin",
        "container=oci",

```

Con `docker inspect` podemos ver la información acerca de una imagen instalada.

TOMÁS CABELLO FERNÁNDEZ