



BLOWER 5GY19L8**UNCONTROLLED COPY See On-Line Master for Current Revision**

Item No	Part No	Description	Qty	Tag
1	5GY19L8	BLOWER (SEE PB-15980-009)	1	
2	41C637584G8	ARMATURE ASSEMBLY	1	
3	41C637583P1	SHAFT	1	
4	41C637581P1	ARMATURE HEAD	1	
5	41B535607P1	PUNCHING, MAIN, 0.0185 IN THICK	256	
6	41B535607P2	PUNCHING, END, 0.0673 IN THICK	4	
7	41B538271P1	COMMUTATOR	1	
8	41C637582P1	SPACER	1	
9	41D732153G2	REWIND KIT, ARMATURE	1	
10	41A239176P492	VARNISH	AR	
11	41A239176P62	GLASS TAPE, 0.014 IN THICK, 3/8 IN WIDE	AR	
12	41A239176P496	VARNISH	AR	
13	41A239176P393	CORD, 0.070 IN DIA	AR	
14	6717751P1	BALANCE WEIGHT, 5/16 IN X 5/16 IN X 5 3/4 IN OD	AR	
15	2766829ADP77	BALANCE WEIGHT, 1/2 IN WIDE, 1/4 IN THICK	AR	
16	6717738P1	SLEEVE	1	
17	41B538239P1	BEARING CAP	1	
18	4701852P1	NUT, HEX, 1 11/16 IN-16	1	
19	6704451P1	LOCKWASHER, 1 23/32 IN ID	1	
20	8864950P81	BEARING, BALL	1	
21	6704604P1	FLINGER, LUBRICANT	1	
22	8828743P2	BEARING HOUSING	1	
23	N51P16010B13	SCREW, SL FL HD, NO 10-32, 5/8 IN LONG	2	
24	N405P42B13	LOCKWASHER, 5/16 IN	6	
25	N22P23016B13	BOLT, HEX HD, 5/16 IN-18, 1.00 IN LONG	6	
26	4701852P1	NUT, HEX, 1 11/16 IN-16	1	
27	6704451P1	LOCKWASHER, 1 23/32 IN ID	1	
28	8864950P81	BEARING, BALL	1	
29	6704604P1	FLINGER, LUBRICANT	1	
30	84A230013P1	GASKET, 5.5 IN OD, 0.021 IN THICK	1	
31	84B515284P1	BEARING CAP	1	
32	84D730329P2	FRAMEHEAD	1	
33	41A330375P1	CARBON BRUSH	8	
34	84D730323P2	FRAMEHEAD	1	
35	41B530658G1	BRUSH HOLDER	8	
36	41A231366G1	ARM, PRESSURE	8	
37	6726843P1	SPRING	8	
38	N509P1918	PIN, SPRING DOWEL, 3/16 IN DIA, 1 1/8 IN LONG	8	
39	41A231365P1	HUB, OUTER	8	
40	41A230733P6	BOLT W/WASHER, HEX HD SL, NO 10-32, 1/2 IN LONG	8	
41	8820297P10	BRUSHHOLDER STUD	4	


42	6727544G1	CONNECTION STRAP	4	
43	481A899P1	BOLT W/WASHER, HEX HD, 1/4 IN-20, 1 IN LONG	8	
44	41B537660P7	WASHER, FLAT, 0.562 IN ID, 1.250 IN OD	4	
45	41A232345P9	LOCKNUT, 1/2 IN-13	4	
46	6727539G2	CABLE ASSEMBLY, 18 IN LONG	2	
47	N26P21010B13	BOLT, SL HEX HD, 1/4 IN-20, 5/8 IN LONG	2	
48	N26P21012B13	BOLT, SL HEX HD, 1/4 IN-20, 3/4 IN LONG	2	
49	N405P41B13	LOCKWASHER, 1/4 IN	4	
50	6727540G1	FLEXIBLE CONNECTOR	1	
51	41B539128G1	BRACKET ASSEMBLY, GROUND BRUSH	1	
52	N405P43B13	LOCKWASHER, 3/8 IN	2	
53	N94P38006	BOLT, SHOULDER, HEX SOC HD, 3/8 IN, 3/8 IN LG	2	
54	497A806P36	CEMENT	AR	
55	N22P33024B13	BOLT, HEX HD, 5/8 IN-11, 1 1/2 IN LONG	1	
56	N402P17B13	WASHER, 5/8 IN (NARROW)	1	
57	N203P33B13	NUT, HEX, 5/8 IN-11	1	
58	N26P21010B13	BOLT, SL HEX HD, 1/4 IN-20, 5/8 IN LONG	14	
59	N26P21012B13	BOLT, SL HEX HD, 1/4 IN-20, 3/4 IN LONG	2	
60	N203P21B13	NUT, HEX, 1/4 IN-20	16	
61	N405P41B13	LOCKWASHER, 1/4 IN	16	
62	6717767P1	BUSHING, 3/4 IN ID	1	
63	41B537480G2	CABLE ASSEMBLY, 108 IN LONG	1	
64	41B537480G3	CABLE ASSEMBLY, 102 IN LONG	1	
65	41A330002P4	CABLE BUSHING, 17/32 IN ID, 1 5/32 IN OD, RUBBER	2	
66	N402P41B13	WASHER, 1/4 IN	16	
67	6733645G1	CONNECTION STRAP, INSULATED	2	
68	6733645G2	CONNECTION STRAP, INSULATED	2	
69	6733645P9	CONNECTION STRAP	2	
70	6733645P10	CONNECTION STRAP	1	
71	41A239176P196	TAPE, 0.005 IN THK, 0.750 IN WIDE	AR	
72	41A239176P15	TAPE, FIBERGLASS, 0.007 IN THICK, 1 IN WIDE	AR	
73	41A239176P487	VARNISH	AR	
74	6744253G3	COIL WITH TERMINALS, EXCITING	4	
75	6744251G3	COIL WITH TERMINALS, COMMUTATING	4	
76	6733634P6	POLE PIECE, EXCITING COIL	4	
77	6733633G1	POLE PIECE, COMMUTATING COIL	4	
78	N22P33032B13	BOLT, HEX HD, 5/8 IN-11, 2 IN LONG	16	
79	N405P47B13	LOCKWASHER, 5/8 IN	16	
80	41D732624G4	MAGNET FRAME	1	
80A	441241P1	DOWEL PIN, 5/16 IN DIA, 9/16 IN LONG	2	
81	6717753P1	NUT, HEX, 1 1/8 IN-18	2	
82	N503P1240B13	COTTER PIN, 1/8 IN DIA, 2 1/2 IN LONG	2	
83	41D732534G2	FAN	1	
84	N22P25020B13	BOLT, HEX HD, 3/8 IN-16, 1 1/4 IN LONG	8	
85	N405P43B13	LOCKWASHER, 3/8 IN	16	
86	41D732534G1	FAN	1	
87	41A238663G1	BRUSH	1	

88	41A239420P1	CAP, BRUSHHOLDER	1	
89	6727190P1	PLATE, END	1	
90	N26P23016B13	BOLT, HEX HD, 5/16 IN-18, 1 IN LONG	8	
91	N405P42B13	LOCKWASHER, 5/16 IN	8	
92	41A239273P1	RUBBER MOUNT	4	
93	41B538532P1	GROUND BRUSH RING	1	
94	2766829AHP1	BALANCE WEIGHT, 1/4 IN X 21/32 IN X 5 21/32 IN OD	AR	
95	41A330002P5	CABLE BUSHING	1	
95A	N22P25032B13	BOLT, HEX HD, 3/8 IN-16, 2 IN LONG	8	
96	6744247G1	COVER WITH CLAMPING LEVER	1	
96A	4732253G2	LATCH ASSEMBLY	1	
97	6744247G2	COVER WITH CLAMPING LEVER	1	
97A	4732253G2	LATCH ASSEMBLY	1	
98	41A239944P1	V-RING SEAL	2	
99	N14P29052B13	BOLT, HEX HD, 1/2 IN-13, 3 1/4 IN LONG	4	
100	N402P75B13	WASHER, 1/2 IN	4	
101	N405P45B13	LOCKWASHER, 0.50 IN	4	
102	499A906AAP5	NUT, HEX, 1/2 IN-13, SELF-LOCKING	4	




MOTOR MOUNT



Ref. 1
(Representative Illustration)
FIG. 1




(Representative Illustration)
FIG. 1 (Cont'd.)



Ref. 35
(Representative Illustration)
FIG. 2



SECTION B-B
(Representative Illustration)
FIG. 3



(Representative Illustration)
FIG.4