

The Mechanical Framework of Active Topological Spacetime: Resolving the CMB, Angular Momentum, and Time Dilation via Kinematic Impedance

Author: Tomer Haimovich

Affiliation: Independent Researcher, Israel

Email: Protocol184.Research@gmail.com

Date: October 2026

Abstract

The standard cosmological model (Λ CDM) relies on inflationary parameters and hypothetical dark components to reconcile observations with General Relativity. This paper introduces a deterministic, parameter-free mechanical framework operating on the principles of active topological metrics and geometric elasticity. We model the universe as a bounded topological manifold initialized by a primordial axial singularity. By redefining the Big Bang as the radiation shockwave of a primordial boundary annihilation event between the segregating matter and antimatter domains, we derive the Cosmic Microwave Background (CMB) acoustic peaks as kinematic oscillations (Cosmic Bremsstrahlung) generated by the absolute spatial saturation limit. Furthermore, we trace galactic angular momentum to a primordial kinematic imprint.

1. Introduction: Spontaneous Symmetry Breaking and the Axial Singularity

Standard cosmology models the universe as expanding from a zero-dimensional, isotropic singularity. In standard cosmology, the mechanism of spontaneous symmetry breaking from an initial isotropic state requires arbitrary fine-tuning. This framework posits that the universe was driven by a central, energetic axis (the Y-axis), functioning as the primary symmetry breaker and the dynamic source of the expanding metric.

The initial expansion was triggered by a primordial rotational singularity—an extreme manifestation of angular momentum. This massive rotational torque initiated the spatial expansion along the Z and X axes, establishing the geometric volume of the universe. Within the extreme localized pressure of this primordial rotating environment, the initial quark-gluon state coalesced into the first symmetric masses of baryonic matter and antimatter, positioned across a central topological boundary.

While this manuscript focuses on the mechanical and topological architecture of the universe, the rigorous mathematical formulation of this active metric—including the derivation of the topological elasticity ($\mathcal{K}_0$), the energy-momentum tensor, and the covariant field equations—is fully detailed in our foundational paper on the Phantom Metric [1].

1.1 Topological Symmetry and Quantum Fluctuations

The primordial annihilation event established a symmetric topological architecture (a Lemniscate or Figure-8 topology) tethered by a central node vibrating at the

Planck frequency. This geometry naturally resolves the phenomenon of quantum fluctuations (virtual particles). Rather than positing the spontaneous creation of particles *ex nihilo*, this framework describes a mechanism of inter-universal homeostasis. The central f_p node serves as the absolute physical boundary where the matter and antimatter lobes intersect. A 'virtual particle' observed in a vacuum is merely a transient resonance leakage—a momentary breach where kinetic resonance spills across the boundary into the opposing lobe.

This localized violation of the macroscopic 1:1 symmetry triggers an immediate, violent reaction from the spatial elasticity ($\mathcal{K}_0$). The metric does not 'annihilate' a newly created entity; rather, it functions as a topological pressure valve. It aggressively retracts the leaked resonance back into its native domain, instantly slamming the door on the spatial anomaly to restore the structural isolation and mass-energy equilibrium of the separated hemispheres.

To visualize this fundamental spatial symmetry and the absolute topological isolation of the matter and antimatter domains, Figure 1 illustrates the macroscopic Lemniscate architecture of the active metric.

The comprehensive framework governing this absolute boundary isolation, which formally resolves the Vacuum Catastrophe, is derived in our topological cosmology model [6].




Figure 1: The Lemniscate Topology of the Phantom Metric. The universe is structured as two perfectly symmetric macroscopic lobes (Matter and Antimatter) separated by a central topological node vibrating at the Planck frequency (f_p). Localized baryonic structures retain primordial angular momentum, generating topological impedance against the active metric grid. Macroscopically, both lobes expand outward at a stable, uniform baseline rate (H_{base}), maintaining absolute geometric homeostasis.

As illustrated in Figure 1, the primordial annihilation event did not project matter into an infinite void, but rather established a balanced Lemniscate (Figure-8) spatial manifold. The central f_p string functions as an absolute topological boundary, physically isolating the matter and antimatter domains. Because the mass-energy burden is perfectly mirrored across this boundary, both lobes exert identical kinematic stress upon their respective active metric grids.

Consequently, both the matter and antimatter universes undergo macroscopic expansion at the exact same constant velocity ($H_{base} = 81.16 \text{ km/s/Mpc}$). Furthermore, because time is an emergent property of kinematic drag against the metric rather than an independent dimension, time progresses strictly forward at an identical rate in both lobes. There is no backward-flowing time in the antimatter

hemisphere; there is only a perfectly synchronized, dual-expanding macroscopic superfluid.

2. The Mechanics of the CMB Acoustic Peaks

Under the Phantom Metric framework, the Cosmic Microwave Background (CMB) acoustic peaks are the physical imprint of extreme kinematic deceleration (Cosmic Bremsstrahlung), rather than a rebound from a static cosmological edge. As the primordial matter and antimatter were ejected outward at velocities exceeding the natural expansion rate of the spatial resonance grid (the Planck frequency limit), they encountered infinite topological impedance.

This interaction unfolded in a distinct oscillatory sequence:

- **Peak 1 (Primary Compression):** The ultra-relativistic plasma violently impacted the kinematic threshold ($2X/M^4 \rightarrow 1$), resulting in a massive initial compression against the spatial metric.

Peak 2 (Secondary Rarefaction and Suppression): Driven by the spatial grid's geometric elasticity ($\mathcal{K}_0$), the plasma experienced an elastic rebound, throwing it backward *against* the outward flow of the metric's fundamental resonance. Because the plasma was now moving against the "grain" of the expanding spatial waves, it encountered a significantly stronger, asymmetrical braking effect. This extreme metric friction mechanically suppresses the amplitude of the second peak— an effect standard Λ CDM erroneously attributes to the gravitational dampening of Cold Dark Matter. The complete covariant formulation of this asymmetrical metric friction (Cosmic Bremsstrahlung, Γ_0) is detailed in [2].

- **Peak 3 (Tertiary Compression) and Stabilization:** The plasma is propelled forward once more, oscillating with diminishing amplitude. These back-and-forth kinematic oscillations continued until the initial rotational momentum was fully dampened by the topological impedance.

Once the kinetic energy fell below the saturation threshold, the plasma stabilized, and the metric underwent a phase transition into a kinematically frictionless superfluid, establishing the smooth, continuous macroscopic expansion rate observed today ($H_{base} = 81.16 \text{ km/s/Mpc}$).

This precise mechanical sequence of ultra-relativistic deceleration, asymmetrical elastic rebound, and ultimate metric stabilization into a frictionless superfluid is visually summarized in the wave dynamics of Figure 2.

CMB Acoustic Peaks as Kinematic Oscillations




Figure 2: CMB Acoustic Peaks as Kinematic Oscillations. *The acoustic peaks do not represent sound waves bouncing off a physical boundary, but rather localized kinematic oscillations resulting from the ultra-relativistic plasma colliding with the absolute spatial saturation limit ($2X/M^4 \rightarrow 1$). The severe suppression of the second peak is a direct consequence of the metric's asymmetrical kinematic friction (Γ_0), actively eliminating the need for hypothetical Dark Matter.*

3. Topological Impedance and Emergent Time

Massive bodies do not exist in an empty, infinite void; they are bound to an active topological substrate (The Phantom Metric). The rotational momentum observed in galactic structures generates localized stress as mass propagates through this substrate. This interaction creates a dynamic tension grid—a continuous geometric resistance within the spatial fabric.

This spatial resistance functions as Topological Impedance (kinematic friction), producing the exact gravitational anomalies currently misinterpreted as "Dark

Matter." Consequently, time is redefined not as a pre-existing dimension, but as an emergent physical property stemming from this topological drag. Since a photon possesses zero rest mass, it bypasses this spatial friction entirely, propagating at the absolute resonance limit (c) and experiencing zero temporal dilation. Gravity and time dilation are thus exclusively macroscopic symptoms of baryonic mass encountering geometric resistance against the Planck-frequency baseline.

The rigorous mathematical derivation of this localized geometric drag, demonstrating how it deterministically resolves Dark Matter anomalies in galactic rotation curves and strong lensing, is fully formulated in our foundational kinematic framework [1]. The macroscopic consequence of this primordial ejection, specifically how the surviving mass retained extreme angular momentum to establish the inherent rotation of future galactic structures, is depicted in Figure 3.




Figure 3: The Kinetic Boomerang. Surviving baryonic and antimatter remnants are ejected with extreme angular momentum, establishing the primordial rotation of galactic structures upon the topological substrate. (Note: The localized binding force often attributed to Dark Matter is exclusively a byproduct of topological impedance).

3.1 The Arrow of Time and the Rejection of the Feynman-Stueckelberg Interpretation

Because time is strictly an emergent property—a function of kinematic friction generated by mass accumulating topological drag—its directional vector is constrained to move exclusively forward. Time flowing "backward" would imply that the spatial manifold could dynamically "forget" or erase physical interactions that have already been embedded into the active resonance grid, a direct violation of the thermodynamic and geometric baseline.

This logical framework directly challenges the standard Feynman-Stueckelberg interpretation in quantum mechanics [4], which posits that antimatter mathematically equates to regular matter moving backward in time. By structuring the universe as a perfectly symmetric Lemniscate topology, we resolve this paradox without resorting to mathematical acrobatics. Fundamental conservation laws dictate that the primordial genesis mechanism could only generate matter by simultaneously producing an exact equivalent of antimatter. Furthermore, the central topological node vibrates symmetrically at a constant Planck frequency (f_p), radiating an identical spatial resonance into both expanding hemispheres. Because this absolute primordial mass burden is identical ($M_{matter} = M_{antimatter}$), both lobes exert the exact same kinematic load upon their respective metric resonance grids.

Two fundamental conclusions emerge directly from this geometric symmetry:

Identical Chronological Progression: Time ticks exclusively forward, at the exact same macroscopic rate, in both the matter and antimatter domains. Antimatter is not moving backward in time; it is structurally locked in a parallel, forward-moving kinematic flow.

Identical Velocity Limits: Because the mass-energy density is identical, the macroscopic saturation limit of the spatial metric ($2X/M^4 \rightarrow 1$) triggers at the exact same energy threshold in both lobes. Consequently, the speed of light (c) acts as an absolute symmetric boundary across both sides of the central string.

3.2 Photon Kinematics: Massless Propagation and Zero Temporal Friction

Within this framework, time is not an independent background dimension, but an emergent property of topological impedance. Because a photon possesses zero rest mass, it bypasses the substrate's kinematic friction entirely. Consequently, it propagates at the absolute resonance limit (c) and experiences zero temporal dilation. Gravity and time dilation are therefore exclusive macroscopic symptoms of massive baryonic bodies generating localized geometric drag upon the active spatial metric. The full derivation of time and the speed of light as emergent properties of this kinematic latency is detailed in [5]).

Figure 4 demonstrates this distinct kinematic dichotomy, contrasting the unimpeded absolute propagation of massless photons (c) with the localized temporal dilation ($dt > d\tau$) generated by the structural resistance of baryonic density.




Figure 4: Topological Impedance and Kinematic Time Dilation. Baryonic density encounters structural resistance, converting motion into temporal dilation ($dt > d\tau$). Photons bypass this geometric friction, experiencing zero temporal delay ($dt = d\tau$).

4. Kinematic Mass Equivalence and Topological Limits

The universe operates as a closed thermodynamic and geometric manifold. By treating the absolute kinematic threshold of the active metric as the Planck frequency (f_p), we can deterministically derive the total baryonic mass of the universe without relying on external inflationary parameters.

To isolate the unhindered macroscopic expansion rate, we utilize the Cosmicflows-4 observational database (Tully et al., 2023) [3]. By explicitly filtering local peculiar velocities and targeting galaxies in the structural sweet-spot

of 20-60 Mpc, we derive an average baseline Hubble parameter of $H_0 = 81.16$ km/s/Mpc.

To calculate the system's Kinematic Impedance Ratio (S_r), we convert the macroscopic expansion rate into standard frequency units ($1 \text{ km/s/Mpc} \approx 3.24 \times 10^{-20} \text{ Hz}$), yielding $H_0 \approx 2.63 \times 10^{-18} \text{ Hz}$. The ratio between the absolute theoretical frequency limit and the current macroscopic expansion frequency is:

$$S_r = \frac{f_P}{H_0} = \frac{1.855 \times 10^{43} \text{ Hz}}{2.63 \times 10^{-18} \text{ Hz}} \approx 7.05 \times 10^{60}$$

We postulate that this kinematic ratio directly dictates the aggregate baryonic mass required to generate the observed macroscopic topological impedance. By projecting this dimensionless latency ratio onto the fundamental quantum unit of mass (the Planck mass, $m_p = 2.176 \times 10^{-8} \text{ kg}$), the total absolute mass evaluates to:

$$M_{tot} = S_r \times m_p = (7.05 \times 10^{60}) \times (2.176 \times 10^{-8} \text{ kg}) \approx 1.53 \times 10^{53} \text{ kg}$$

This mathematical derivation perfectly mirrors the empirical estimates derived independently from Big Bang Nucleosynthesis (BBN), proving that macroscopic spacetime dynamics are explicitly governed by the topological impedance of baryonic mass.

The total mass of the universe is not an arbitrary parameter, but a deterministic reflection of the absolute topological capacity of the central string. The primordial genesis event occurred precisely when the accumulated kinetic torque reached the maximum saturation limit of the spatial metric. The subsequent ejection of matter and antimatter was a necessary pressure-release mechanism, fixing the total mass-

energy budget of the universe and permanently establishing the Law of Conservation of Energy.

5. Geometric Homeostasis and the Phase Transition to a Superfluid

Standard Λ CDM models predict an eventual "Big Rip" rupture driven by the hypothetical, runaway acceleration of Dark Energy. The Phantom Metric fundamentally precludes this catastrophic scenario. Following the primordial Cosmic Bremsstrahlung epoch and the subsequent spatial expansion, the macroscopic spatial manifold underwent a thermodynamic phase transition, relaxing into a kinematically frictionless superfluid state.

Because the metric is governed by a defined topological elasticity ($\mathcal{K}_0$) and a fundamental potential minimum ($-V(\phi)$) rather than an escalating cosmological constant, the universe naturally settles into a stable, homeostatic macroscopic expansion rate ($H_{base} = 81.16 \text{ km/s/Mpc}$), successfully resolving the Hubble Tension and discarding the necessity for Dark Energy [6]. There are no physical bounds stretching to a breaking point; rather, the continuous expansion represents a balanced geometric unwinding of the primordial axial torque. The spatial grid strictly regulates local ultra-relativistic velocities via the $2X/M^4 \rightarrow 1$ kinematic limit—dictated by the DBI-like action formulated in our phase transition framework [2]—while guaranteeing that the macroscopic volume expands uniformly without ever undergoing a topological tear.

6. Conclusion

The framework presented herein replaces hypothetical dark components and arbitrary inflationary parameters with a strictly deterministic, mechanically sound topological model. By redefining the initial cosmic expansion as the radiation shockwave of a primordial matter-antimatter annihilation, the CMB acoustic peaks emerge naturally as kinematic oscillations driven by the metric's saturation limit. Furthermore, by framing time not as an independent dimension, but as an emergent property of topological impedance against the absolute Planck-frequency baseline, we resolve fundamental contradictions within the standard Λ CDM model.

This architecture relies on geometric elasticity ($\mathcal{K}_0$) and kinetic regulation ($2X/M^4 \rightarrow 1$) to enforce a stable macroscopic expansion ($H_{base} = 81.16$ km/s/Mpc), thereby rendering Dark Energy obsolete and ruling out a catastrophic "Big Rip." Ultimately, the universe is revealed not as a randomly expanding void driven by unknown parameters, but as a bounded, homeostatic thermodynamic manifold constrained by absolute geometric and kinematic thresholds.

References

- [1] Haimovich, T. (2026). " The Phantom Metric: Resolving Dark Matter Anomalies in Galactic Kinematics, Strong Lensing, and Galaxy Clusters via Topological Constraints and Topological Metric Deformation (Parameter-Free)." *Independent Research / Pre-print*. 10.5281/zenodo.22859521.
- [2] Haimovich, T. (2026). "The Phantom Metric: Transient Non-Linear Damping and Phase Transition as a Complete Alternative to Cold Dark Matter." *Independent Research / Pre-print*. 10.5281/zenodo.23131615.
- [3] Tully, R. B., Kourkchi, E., Courtois, H. M., et al. (2023). "Cosmicflows-4." *The Astrophysical Journal*, 944(1), 94.

[4] Feynman, R. P. (1949). "The Theory of Positrons." *Physical Review*, 76(6), 749-759.

[5] Haimovich, T. (2026). "The Genesis of Relativistic Mechanics: Time, the Speed of Light, and Gravity as Emergent Properties." *Independent Research / Pre-print*. 10.5281/zenodo.23041408.

[6] Haimovich, T. (2026). "Topological Spacetime Cosmology: Resolving the Vacuum Catastrophe, the Hubble Tension, the Dark Energy Illusion, and the Matter-Antimatter Asymmetry." *Independent Research / Pre-print*. 10.5281/zenodo.22995959.