SPOCK Workflow User Manual

1. Start a Separate Test Run

Follow these rules for every test:

- Use only **one testing scenario per VS Code session**.
- Open a **new chat session for each workflow stage**.
- Allow the system to load the current stage automatically before continuing.
- Do not mix different scenarios or workflow stages within the same session.

---

2. Use the Agent Assigned to the Current Stage

Select the agent that corresponds to the stage you are testing:

- **Product Manager**
- **Opportunity Designer**
- **Competitive Analyst**
- **Business Analyst**

Continue working with the selected agent until the current stage is completed or the workflow directs you to another agent.

In case of switching to Methodology Coach or Workflow Support also always open a new chat window.

---

3. Review the Result of Every Task

After each task finishes, check its result in the terminal:

- **Check** **:** The task completed successfully.
- **Red status** **:** The task failed.

Do not continue based only on the technical result. Review the generated content and verify that it meets the expected quality.

> ***Note:*** *A technically successful task may still produce incomplete, inconsistent, or low-quality content.*

---

4. Review and Challenge the Generated Content

At every stage, evaluate both **system behaviour** and **content quality**.

System Behaviour

Check whether:

- The workflow follows the expected sequence.
- The correct stage and agent are used.
- Required files are created or updated.
- Instructions and approval requests are understandable.
- The workflow responds correctly to feedback or corrections.

Content Quality

Check whether:

- The output is relevant to the discovery scenario.
- Important information from the provided materials is reflected.
- Claims are supported by available evidence.
- The document is complete, logically structured, and understandable.
- Assumptions, contradictions, and missing information are visible.
- Your feedback leads to a meaningful improvement.

---

5. Iterate on the Output

If the generated document is not acceptable:

1. Explain clearly what needs to change.
2. Provide specific feedback rather than requesting a general improvement.
3. Ask the active agent to revise the output.
4. Review the updated document.
5. Repeat until the output is acceptable or the problem must be recorded as an issue.

Examples of useful feedback:

- “Add evidence from the research material to support this conclusion.”
- “Separate user needs from proposed solutions.”
- “This section contradicts the initial brief. Reconcile the two statements.”
- “Mark this statement as an assumption.”
- “Do not proceed until the missing information is addressed.”

---

6. Handle Task Failures

If a task fails:

1. Inform the currently active agent about the failure.
2. Follow the recovery steps proposed by the agent.
3. Run the task again if instructed.
4. If the problem remains unresolved, use **Workflow Support (in a new chat window)**.
5. Record the failure in your notes.

When recording a failure, include:

- The workflow stage
- The task that failed
- The visible error or terminal result
- What you were trying to achieve
- What you tried after the failure
- Whether the problem was resolved

---

7. Handle a Failed Check

A failed check does not automatically mean that the workflow must stop.

If a check fails:

1. Read the relevant generated document.
2. Review what caused the check to fail.
3. Decide whether the result is acceptable despite the failed check.
4. Run **Sign Off Check**.
5. Record:
    - What failed
    - Whether you accepted or rejected the result
    - Why you made that decision

> ***Important:*** *Do not approve a failed check without documenting the reasoning behind your decision.*

---

8. Complete the Human Sign-Off

Before approving a stage, verify that:

- The expected document has been generated.
- The document reflects the supplied input materials.
- Identified issues have been resolved or documented.
- Failed checks have a recorded decision and rationale.
- The output is suitable for use in the next stage.

Choose the appropriate outcome:

- **Approve:** The output is acceptable and the workflow can continue.
- **Request changes:** The output requires another iteration.
- **Reject or stop:** A blocking issue prevents the workflow from continuing.

SPOCK Bootcamp Flow Summary

1. Start an isolated run for one testing scenario.

2. Open a new chat for each workflow stage.
3. Use the agent assigned to the current stage.
4. Review the terminal result after every task.
5. Evaluate both system behaviour and content quality.
6. Provide specific feedback and iterate where necessary.
7. Resolve or escalate task failures.
8. Document decisions related to failed checks.
9. Approve a stage only when its output is acceptable.