

# 04 Lab

## Advanced FP in Scala

Mirko Viroli, Gianluca Aguzzi  
`{mirko.viroli,gianluca.aguzzi}@unibo.it`

C.D.L. Magistrale in Ingegneria e Scienze Informatiche  
ALMA MATER STUDIORUM—Università di Bologna, Cesena

a.a. 2024/2025

## Outline

- Exercises on advanced mechanisms of functional programming in Scala
  - ▶ Experiments with advanced ADTs modeling
  - ▶ Experiments with type classes and monads
  - ▶ (Optional) try to extend the MVC example

# Getting started

- Fork/clone repository <https://github.com/unibo-pps/pps-lab04>
- Then, follow the instructions in the following slides

# Exercise 1: ADTs

- Look at the package `tasks.adts` in the `u04lab.code` package
- **Task 1:** complete the `Ex1ComplexADT` module so that it passes the tests (`ComplexADTTest`).
  - ▶ Thinking at the ADT, what is the best way to represent a complex number?
- **Task 2:** implement the `Ex2SchoolModel` module along with the `SchoolModelTest` test
  - ▶ Follow the suggestions in the comments of the `SchoolModel` module
- **Task 3:** implement the `Ex3StackADT` along with the `StackADTTest` test
  - ▶ Follow the suggestions in the comments of the `StackADT` module

## Exercise 2: Type classes

- Look at the package `tasks.typeclasses` in the `u04lab.code` package
- **Task 4:** follow the instructions in the comments of the `Ex4Summables` module
  - ▶ this is a one-kinded type class, composed of methods `zero` and `sum`
- **Task 5:** follow the instructions in the comments of the `Ex5Traversable` module
  - ▶ this is an higher-kinded type class, so it takes a type constructor as a parameter

## Exercise 3: Monads

- Look at the package `tasks.monads` in the `u04lab.code` package
- **Task 6:** implement the `Try` monad as described in the comments of the `Ex6TryMonad` module
  - ▶ `Try` is similar to the `Optional` monad, but it can carry an exception
  - ▶ Understand the implementation of the `Try` monad
  - ▶ Complete the tasks and verify that the main works

# Optional exercises

- Consider the MVC example shown in the lecture
- **Task 7:** extend the counter with a GUI by adding a necessary text field and a “set” button, so that pressing the “set” button sets the counter to the value in the text field (if valid).
- **Task 8:** using a GUI with a label, a button, and a text field, and by implementing the model with state, try to realize the MVC (Model-View-Controller) for “drawmynumber”.