

P xfi N ' é - i ↔ é

J { ofly qzfifqot z fñot z fñot pfl S b V

Yfñsq 7 X flfñsq { fl' xq XT I V 9
J . qñ } } qñl' c qñ qñic qñ S { nñq

X r 'qzfifqot z fñot _{ y y ..PUa NGTY J . qñ } } qñl' L' { zñilKzp
X r 'qzfifqot z fñot Pñy q« XUa YYKR J . qñ } } qñl' HñññlKzp

N{ xñq'fñ z Yot { { xñ uñ z V' { y { fñ z 646:

i wé fi

85 V ' y é

52 I { zfq>fq

52 V 'y flq pfl p{ ofly qzfi

527 Vflnxo · u«

52 Yfirowfiqot zúflq

95 k fi i éi - c yô

62 Vq' «{ zm«

62 a «q' Yf{ 'u« } 'ú' u« q« ,S{ Yl { c -

627 J q«o'ù fiú z pq« o' m« ,55 y { owl} «-

: 5 N yàéfiy fi ' fi

72 bflq p qz«qy nxq G'ot úqoffl'q qz o{ flot q«

72 Lxl» pq p{ zz q« J qy n«pq p mflpúí

727 I t { u p mót úqoffl'q vfl«fu «

A5 P w 3y«w fi fi OQQ

82 Yot y mHJ J

82 J uns'ny y q pq oxm««q« nrowlqzp

827 I { y } { «n«fik' r' { zflqzp ,Xqrofi/ _m« uzp-

82 M z 'nfiú z pfl 'm} } { 'fiVJ L

B5 Qéw Éi w fi ' fi fi yfi

92 Q«o'ù fiú z / I { zzq>ú z Pc _

92 Y{ fly u««ú z pqy n«pq p mflpúí,m« zo-

927 M z 'nfiú z pfl 'm} } { 'fiVJ L ,npy u-

C5 Q y fi wé ' fi Nf V

: 25 GVQ q>fq'zq« o{ z«{ y y q«

: 26 GVOzfú'zq Kzp} { u«fik' XKY_

: 27 I { z· qzfiú z« flnz«· q' «mq«

D5 i w Éfi i Pc - gN

; 25 Y{ fl'oq l { pq S mzn̄sqy qzfi, Mūi

; 26 Yflnfi sūq WG

; 27 _q«f̄k« « ofl'ūi y n̄zflq*

; 28 Vū qxzq l 3 J

E5 N fi fi

<25 Mx̄ ««mūq

<26 S n̄j } ūs Yf̄n̄sq 7 XTl V 9

<27 Y{ fl'oq«) ' r 'qzoq« f̄qot zūflq«

<28 Rūqz« ūf̄q'zq« m̄l } '{ v̄fi

85V ' y é

85B P fi fi

I .nq'Gflpúí) Y{ xlfú z« q«fi flzq } xrfq{ 'y q • qn rflx«frow \$fluoz zqofq xq« VS K3_VK r'nz m«q« «nz« \$flú q Q úfá'zq m qo pq« q»} q'f« qz o.nq'« ofl'úi 2Yqx z xGTYYO6467089 (pq« VS K z { zfinfioflzq \$flú q úr{ 'y nfi\$flq p pu q qfi'q«fáqzfi q»} { « q« pq« o.nq'nfin\$flq« , 'nz«{ y • m q0} t út ús0 rfluúq pq p{ zz q«-2

85B f é fi' ' y fi

I qffq p{ ofly qzfinú z fátot z \$flq o{ fl' 'q xmo{ zoq} fiú z p fin« q pfl SbV2K«q p o'úi>

Rq« nq«{ ú« flfux«mfúfl' « r{ 'y m« « qz a «q' Yf{ 'ú« } 'ú'ú« q«

Rmot úqoffl'q x s«ú«xq qfix fl» pq p{ zz q«

Rq y { p xq pq p{ zz q« , V{ «fs'qYWR'qxrfú zzqx

Rq« oxm««q« nmowlqzp0o{ y } { «nzfi« r' { zfilqzp0«o zmú « p úfá'nofiú z

Rq« GVQ q»} { « q« qfio{ z«{ y y q«

Rm«flnfi s« pq sq«fiú z pfl o{ pq qfipq \$flmú

85 f x é é

\$flú q pq p • q{ } } qy qzfi, _{ y y .. / Ph y q«- ' r 'qzoq } qzpmzfixm} t m«q pq o{ pnsq , c 6 c 56-

Pfl' ..N{ xq'f{ z } 'qfl' q pq xmo{ zoq} fiú z p fin« q pfl SbV

Pfl' ..XTI V 9 p{ ««ú' pq o{ y } fázq«' flfux«mxq } { fl' xmoq' fu onfiú z J • q{ } } qfl' c qn qfic qn S{ nuq

85Ai wyô fiyà é fi

P yàfi	j fiyà ↔Éfi	W é ywé
L' { zfilKzp	Xqmofí5< / _m« úzp I YY	YVG } q'r{ 'y nzfq0pq«úsz «. «fáqy 'm} upq
HrowlKzp	J vnz s{ 9 / J XL	Y ofl'úi zmfú q0 o{ «. «fi y q y nffl'q
HJ J	V{ «fs'qYWR59	Xqxrfú zzqxGl Q 0úpq» } q'r{ 'y nzfi«
G«.zo	I qxq' .. / Xqpu«	_ ot q« x zsilq« t { ' « ft 'qnp N__V
Gflft	Yiy } xPc _	Yfinfqx««0«ommxq
N nq'sqy qzfi	bq'oqx/ Xm« m..	N__VY nffl{ 0p } x úy qzfiMúí

95k fi i éi - c yô

95B f fi w

c w éi 89 nz «0s 'mzf q flz omuzqfio{ y } fimxq J u{ z0nflolflzq z{ fi{ z Q2l unxq ad B 7 y uz2

a w é 76 nz «0q»} q'fio.nq' « ofl'úi 0s 'q xm xq pq pqy nřpq« qz } młm xq2

959 k fi i éi é é fi /c i P m0

c Uw fi

VQ	k fi i	i wÉfi
a Y145	Kz finzfišflq · uđqfl'0vq · qfl» y uz«o' uq0m z pq o' q' y { z o{ y } f q2	c 7
a Y146	Kz finzfišfl flfux«nřqfl'0vq · qfl» y q o{ zzqof q'0m z p mōo pq' y { z q«} mōq2	c 7
a Y147	Kz finzfišfl flfux«nřqfl'0vq · qfl» y q p o{ zzqof q'0m z pq } ' { fi sq' y { z o{ y } f q2	c 7
a Y148	Kz finzfišflq oxqzf q VS K0vq · qfl» «{ fly qfflq flzq pqy nřpq qz B 7 y uz2	c 8
a Y149	Kz finzfišflq oxqzf q0vq · qfl» «flu 'q xq «finřflfi,8 «finřflfi«-2	c 8
a Y14:	Kz finzfišflq oxqzf q0vq · qfl» 'qoq· { u flz qy mx ot nřflq ot nřsqy qzf2	c 8
a Y14;	Kz finzfišfl nřy uz0vq · qfl» · { u f{ flf q« xq« pqy nřpq« flu q«2	c 9
a Y14<	Kz finzfišfl nřy uz0vq · qfl» ot nřsq' xq «finřflf2	c 9
a Y14=	Kz finzfišfl nřy uz0vq · qfl» s z 'q' flz VJ L2	c 9
a Y154	Kz finzfišflq oxqzf q0vq · qfl» fi x ot młsq' y { z VJ L2	c 9

i à ↔ Uw fi

a Y155 y { pflxq« «qz«unx«nřfi{ z a Y156 'q«qfiS J V a Y157 xflq« nřy uz a Y158 z{ fu onřfi{ z« a Q

P ↔ Uw fi 6m Uw fi

a Y159 a Y15; ,b6-2N{ '« } 'uy flq >n} } y { nuq0«o{ 'q Q0y młwqfi} xmoq0UGflft 60smy u onřfi{ z2

95 Qfi y é é ' fi y w /88 yô SÉ w ' éfi fi m80

y w 8 bw ' é É x é fi

Nq' { , } ' { nx y q GTYYG0l _G0n z oq«2 Pm} mřq p mōflqx pq xm} xřf q{ 'y q l .nq' Gflpúi) Y{ xřfi{ z« } ' «qzf q xzf flq} 'u«q0xq« } 'q«finřfi{ z« pq «q' · uq« qfi xq« } mōw« } ' { } { « « mřn} fi « nřl» qzf flq} 'qz qfl' « pq y { uz« pq 94 «młm «2Q«fl fip mřq' «fl' x{ zsxqfi ↔ YOMT O } { fl' šflq xmoxqzf q , S młq- } flu«q o' q' flz o{ y } f q qfi«q o{ zzqof q'2

1. Public Access & Authentication

Screens visible before login: public home, login/registration, logged-in home

Home disconnect

Home (Disconnection)

CyberAudit & Solutions

https://cyberaudit&solutions.dev/



HOME SIGN IN

CyberAudit & Solution

Presentation of the company:
Our company supports organisation in two essential areas:
• Cybersecurity audit
• The fixing of flaws

Our services:
We secure your data, modernize your IT, and simplify your daily life.
With our all-in-one solution, you benefit from:
• robust cybersecurity
• comprehensive support

Pressing the "" button fills out the application form and selects from the 4 available packages:

Pack	Included services	For whom?	Perimeter
Pack Audit	Audit & Risk Analysis (EBIOS RM)	SMEs new to cybersecurity	Initial assessment, vulnerability report
Pack Security	Audit + Incident Management & Vulnerability Remediation	SMEs that have experienced an incident	Audit + remediation of detected vulnerabilities
Pack Protection	Audit + System Security & 24/7 SOC Monitoring	SMEs with sensitive data	Audit + Continuous Monitoring & Real-Time Alerts
Pack Premium	Audit + Incidents + SOC + Team Awareness	SMEs seeking comprehensive coverage	The most comprehensive all-in-one solution

Risk audit & analysis:
Identification of vulnerabilities
• Risk analysis (EBIOS, ISO 27005)
• Clear and appropriate recommendations

Incident management and vulnerability fixing:
• Ransomware
• Intrusion
• Data leak
• Restoration after incident

System Protection & 24/7 Monitoring (SOC):
• Attack detection
• Real-time alerts
• Quick response
• Access management (MFA, passwords, rights)
• Professional backups

Awareness
• Anti-phishing
• Team training
• Simple and useful best practices

CyberAudit & Solutions - SME Audit Management Platform - 2026

/ A k

y w 9 V y é é

Ky mx/ SJ V / I Ma 3X MVJ 2G)' « m { ù ox\$fl «fl' ↔l 'qnfq nz mo{ flzfi 0xmoqxzf q'qz «qszq xq z{ y pq «{z qzflq}'uq0 «{z }' z{y 0 «{z z{y 0 «{z qy mx qfi «{z y {fi pq } m««q ,t mot -2 X sx« pq 'qy } x««nsq >

I t n\$flq ot ny } o{ zfiqzfifl y m»y fly 94 omñofi 'q«

Yufzq om«q q«fiy nz\$flnzfq >q''qfl' ↔ qflux««mù xzr{ 'y nfiù z «fl' xq r{ 'y flxùq

Ky mxr{ 'y nfi nom@domaine { nxsrf{ ùq

S{ fipq } m««q >flzq y uzfl«oflxq0flzq y mfl«oflxq0flz ot u 'q0flz omñofi 'q «} oun0y uzly fly 54 omñofi 'q«

Create an account

Log in

CyberAudit & Solutions

https://cyberauditandsolutions.com/

CyberAudit & Solutions

HOME SIGN IN

Create an account

Fill in the information below to get started

Company Name

Enter company name

First Name

Enter first name

Last Name

Enter last name

Email

Enter email address

Password

Create a password

Create an account

Already have an account?

Sign In

CyberAudit & Solutions - SME Audit Management Platform - 2026

I B h

y w : P fi é

Ky mx/ S J V2Rmoxqzfñ } qflfi «q o{ zzqofñ' m qo «{ z o{ y } fñ A«z{ z qxq ox\$flq «fl' ↔l 'qnfñ nz mo{ flzfi
2Rqz« ↔R{ «fi S mx qfi ↔R{ «fi Vm««• { 'p }' · fl« , p · qx } } q' flxi 'wfl' qy qzfi } { fl' xn }' «qzfññ z
XTI V 9-2

Sign in

Log in


CyberAudit & Solutions

https://cyberauditandsolutions.gov



HOME SIGN IN



Log In

Enter your credentials to access your account

Email / User name

Enter your email

Password

Enter your password

Lost Mail ?

Lost Password ?

Connection

Don't have an account?


Create an account

CyberAudit & Solutions - SME Audit Management Platform - 2026

I C b

y w A Qw àx w' Pđi

Ypqn0xřfđ pq pqy nřpq«0l _G { fřnzf2R{ ' «šflq xmořqzfđ q«fiō zzqofi q0qxq o{ z«flřđ «{ z řmřqřfl pq n{ 'p } { fl' «flu'q xm nřoqy qzfi pq «m pqy nřpq p řflpřđi ,Kz řřřqzfđ 3 Kz o{ fl' « 3_q'y ř -2 Křq } qřfi ořšflq' «fl' ↔bř• pđřmř• qřfi x ot řřsq' řq 'ř } { 'fi·řm ↔J { • zř řp 'q } { 'fi 2



I D c b

y w B S wéfi' w' é

Yfj} } q' 7 fin} q«0ounx B 7 y u2Rmoxqzfq 'qz«qszq z{ y p flfu«nfqfl'0z{ y p qzflq} 'u«q0ot { u« pfl } row
,Gflpui 3 Yqofl'ui...3 V' { fiquif z 3 V' qy uily - m qo m ot nsq pq« ↔ Yq'·uq« uoxl« 0 qfi flz y q««nsq
{ } fū zzq2H{ flf{ z ↔Yqzp ft q GflpuiXq\$flq«fi } { fl' qz· { .q'2

CyberAudit & Solutions
https://cyberaudit&solu/iknks.dev
HOME SIGN OUT

Client Portal
Dashboard
Audit Request
Training

Audit request form

Username :

Company Name :

Select pack :

- ☒ Pack Audit
- ☐ Pack Security
- ☐ Pack Protection
- ☐ Pack Premium

Included Services:

Print in the panel of included services of the selected package such as:
If you select, "Audit & Risk"
Display for example:
Analysis (EBIOS RM) | SMEs new to cybersecurity | Initial assessment, vulnerability report | 5 business day | Price: 1000 €

Message :


[Sent the audit request](#)

CyberAudit & Solutions - SME Audit Management Platform - 2026

l F e 2 3

y w C Q w fi w ' fi / y fi 0


YinfflfDfiy qxzq2Gj' « qz· { 0y q««nsq pq o{ z 'y nfi z xq»} q'fi, Qmly - qfi moofl« pq ' oq} fi z xm
oxqzfq2Rmoxqzfq «flulixm nzo q pq xnzmx.«q2



/ G c

y w D c ' fi — w é


Ru'fá om'fá« / p finx y m'wp{ • z2 , p ·qx}} q' flxi 'u'fl'qy qzfi2 S { pflxq« > ↔ nzfu} t u't uz s 0 ↔
 Gflft qzfu on'fú z mofáfl'« y flxi} xq« 0 ↔ l { zzq»ú z } flnx\$flq qfi c uLu) bVT 0 ↔ Ynfl·qsm'pq pq
 p{ zz q« 0 ↔ X } { z«q p uzoupqzfk 2Y{ fl« pu 'qzfk r{ 'y n'fk , ·up { 0·uú 0p{ ofly qzfntú z- m qo nm'q
 pq } 's'q««ú z2



/ / /

y w E Qw àx w' N' é

_mrxnfl / xlfq«2Rq»} q'fi,Qmly - mœ pq «{ z fmxnfl pq n{ 'p m qo f{ flfq« xq« pqy nœpq«2Q} qflfi flw' xnxu'fq «qx{ z xq } mœwot { u«ufixq« finfk mœfflqx«0} fluk o{ z «flx'q' qfi pufq' ot mœflq pqy nœpq2



/ J c W

y w F Q wé fi w ' fi / w é 0

Y xqofqfl' «finfflfi/ n{ flf{ z s z 'q'2Kz ox\$flmzfi«fl' ↔b• 3pui 0Qmuy ot nzs q xq «finfflfi· umxq r{ 'y flxm¼q
↔Yfinffl«) Gofij z« 0s z 'q flz 'n' } { 'fi VJ L · um ↔Mqzq'nfq VJ L 'q' { 'fi 0qz· { uq flz q z{ fu onfi¼ z nfl
oxqzfi, ↔Yqzp z{ fu onfi¼ z - qfi} qflfimot u q' xmpqy nzp q , ↔G' ot u q 'q\$flq«fi -2

Admin Request Detail

CyberAudit & Solutions

https://cyberauditsolutions.dev

HOME

SIGN OUT

Admin Portal

Dashboard

Request

Report

Request DOSSIER-2026-0001

Back to list

Client information

Company :

Marie SME (Cabinet Comptable)

Contact :

Marie Dupont

Email :

marie@cabinet-dijon.fr

Submitted :

29/04/2026 at 14:32

Pack selected :

Pack Audit

Client message :

Help us raise awareness about cybersecurity

Status & Actions

Current status :

In Progress

Assigned to :

Karim

Internal notes

EBIOS RM analysis ongoing. Awaiting client log files.

Save changes

Generate PDF report

Send notification

Archive request

History (immutable - GDPR)

Date	Author	Action
29/04/2026 14:32	Marie Dupont	Request submitted (Pack Premium)
29/04/2026 14:32	System	Confirmation email sent (Celery)
29/04/2026 16:10	Karim	Status changed: Pending → In Progress
29/04/2026 16:11	Karim	Internal note added

CyberAudit & Solutions - SME Audit Management Platform - 2026

/ L c

y w 87 l é é fi fi' fi w f QS

Xn} } { ' fi } qflfi flq fi x ot mls 2Rq ' n } } { ' fiupqzfú q >
Rq zu qnfl pq · flx ' mudi « , R{ · OS qpuly ONust -
Rq« nfi flfi« , «q' · qfl' y m0' { flfiqfl' · u 0qfb2
Rmpq«o' ù fiú z
Rq« ' qo{ y y nzpnfiú z«

a z } xnz p mfiú z q«fis z ' m qo xq z { y n'q pq ú fl' « q«fiy 2

PDF Report Viewer

CyberAudit & Solutions

https://cyberauditsolutions.dev

HOME SIGN OUT

Admin Portal

Dashboard

Request

Report

Vulnerability Report - DOSSIER-2026-0001

Download PDF

Global security score

B+

Acceptable - 3 medium-severity vulnerabilities found

72 / 100

Executive summary

EBIOS RM analysis performed on the IS perimeter declared by the client. 3 vulnerabilities identified, none critical. Action plan attached, prioritized over 30 days.

Vulnerabilities identified

Severity	Asset	Description	Recommendation
Medium	Email server	No DMARC policy	Activate DMARC + SPF + DKIM
Medium	WiFi router	Default WPA2 password	Rotate password and enable WPA3
Low	Workstation	Outdated antivirus	Update Defender + central console

30-day action plan

Week 1: DMARC/SPF/DKIM activation
Week 2: Wi-Fi rotation + WPA3 migration
Week 3: Endpoint update campaign
Week 4: Final compliance check

CyberAudit & Solutions - SME Audit Management Platform - 2026

/ A: u o c e

y w 88 j ↔yàwÉfi fi ' fi é fi'w àx w'

Pq oxqzfi} qflfifi x ot m'sq' xq 'n' } { 'fipq} flu« { z fimxqrfi pq n{ 'p · umxq xqz ↔J { • zχ mp 'q} { 'fi 2

Client Portal

Dashboard

Audit Request

Training

My Dashboard

Welcome Marie - Real-time tracking of your audit requests

Open requests

2

Completed

1

Reports available

1

My audit requests

Filter : All statuses All packs

Case #	Pack	Submission	Status	Action
DOSSIER-2026-0001	Premium	29/04/2026	In Progress	View details
DOSSIER-2026-0002	Audit	22/04/2026	Pending	View details
DOSSIER-2026-0003	Security	10/04/2026	Completed	Download report

/ AA s

: 5N yàéfiy fi ' fi

: 5I fi ' fi fi xfi N yàéfiy fi fi y yàfi


Rmôt úqoffl'q «flúiflz y { p xq qz o{ flot q« >I xqzfi,zm úmfqfl'- I J T 3Hmowqzp J { zz q« / Yq' · wq« q>fq' zq«2

P éfi /dw éwfi 0>XqmofiYVG _m_ uzp I YY J US Vf' ur..,mzfú dYY-0N__VY0XKY_ / Pc _
I fi yfi<6PQd >G««qfi« «firiúflq« N__VY Rqfi« Kzo' .}.fi

OwyôR ' /hwé→w 6hfi ' fi 0>J vnz{ XKY_ GVQPYUT0Pc _0N__VY- I qx' ..c { 'wq' ,m. zo-
Xqpu ,n' { wq' - UXS YS_V

P yàfi' fi >V{ «fs' qYWR59 / Yf{ 'nsq VJ L«

i fi éfi fi fi fi >YS_V My m_ ,z{ fu onfi z« qy m_



e A W

Mb

b c m

c

5 r

: 5S ↔ ' fi ' fi Qfi w ' fi ' w ' é

52S m'w' qy } xfiq r{ 'y flxúq pnz« xnYVG Xqmof2

62Rq r{ zfiqz· { w POST /api/audits/ ,PYUT / Pc _ pmz« Authorization: Bearer -2

72J vnz{ · m_ xq x' q\$fl fq ,J XL «q' um_ q- qfi} q' «u'fq qz HJ J · um_XXS 2

82J vnz{ } flnxq flzq fi ot q I qx' .. send_acknowledgment_email(audit_id) pmz« Xqpu·2

92J vnz{s' } { zp 201 Created m qo xq p fmxpq xrfipú2
: 2Qmly ,mpy uz- · { úimxz { fl·qxq pqy nzp q pmz « « { z pm:t n { mlp , } { xzs 74 « b6 >c qnY { owqfi2

:5 Pà é ' wyàéfiy fi è é

Q y wÉfi — 6wyô 6 p } x{ uy qzfk uzp } qzpmzfk0l UXY o{ zfl x 0YVG omot qmxq «fl'
l JT2

N y Pfi4i xns z 'nfiú z p flz VJ L } qflfi} 'qzp'q 9154 « A{ z zq n{ \$flq } m xq ft 'qmp N__V2
f É fii gb fiwé fi↔ p{ zz q« r{ 'fqy qzfi «flfloffi' q« m qo 'qxrfiú z « ,a «q' GflpúXq\$flq«fi
Xq} { 'fi0zfi s' úi Gl Q o' úi\$flq2

Whj wfi4i } m x pq «q««ú z «q' · qfl'0«omxm xq t { 'u{-zfinqy qzf2


A5P w 3y w fi fi OQQ

A5 i yà wOQQ

R é	Pàw y↔	hfiwé
aYKX	up ,a a Q -0qy mx,a Q-0} m«« { 'pkt m-t 0 ' «fkzmy q0 xm-fkzmy q0' { xq ,oxqzfBipy uz-0o{ y } mz.kzmy q0 o'qnfiqpknf0u-kmfu q	5 T GflpuiXq\$flq«fi ,«flny úi« 3r{ x{ • « 3 'qoqu q«-
GaJ_QkVGi Q	up0'qrq'qzoq0o{ pq ,nflpuiB-qofl' úi.3 ' { fqofu z3 'qy úly -0 zmy q0pq«o'ù fiú z0pfl' nfiú zkpm.«0} 'uq	5 T GflpuiXq\$flq«fi ,ot { «qzkn.:-
GaJ_QkXKWaKY_	up ,a a Q -0oxqzfkup ,LQ-0} mowkup ,LQ-0«fnfll« ,} qzpuzs3 uzk} ' { s'q««3p{ zq3not u qp-0«o{ } qkz{ fq«0 «flny úfiqpknf0fl} pnfiqpknf0o{ y } xfiqpknfi	T 5 a «q' / Vmowa5 5 Xq} { 'fiA5 T T { fu onfiú z
GaJ_QkXKVUX_	up ,a a Q -0nflpui k'q\$flq«fkup ,LQ a Q-0} prk} nft 0 «fly y m.0 zpuzs « ,PYUT-0sqzq' nfiqpknfi	5 5 GflpuiXq\$flq«fi
_XGÖÖMkS UJ a FK	up0fiúiq0o{ zfiqzfy p0pfl' nfiú zky uz0xq· q0} flnx«t qpknfi	5 T V' { s'q««
_XGÖÖMkVXUMXKYY	up0fl «q' kup0y { pflxk up0o{ y } xfiq p0«fmfiqpknf0 o{ y } xfiqpknfi	T 5 a «q' / S { pflxq
TU_QQG_QT	up0fl «q' kup0' q\$flq«fkup0fi.}.q0«flnvqof0«fnfll «0«qzfk nfi	T 5 a «q' / Xq\$flq«fi

V' fi fiy w ' G

USER.email aTÖVaK
AUDIT_REQUEST.status H_XKK , xlnsq npy uz r' \$flqzfi
, AUDIT_REQUEST.client_id 0 AUDIT_REQUEST.created_at - o{ y } { « ,pm-t n{ mp oxqzfi
AUDIT_REPORT.audit_request_id aTÖVaK ,5 'm} { 'fi} m pqy mzp q-



e B r

A9 QénÉ w fi' fi yw fi xwyôfi' /Qèw É ' fi↔2 fi éfi 0

Pw fik fi

Xq}' «qzfî flz flfîxmfîql' pq xm} xrfîr{'y q0\$fl ux«{ diioxqzfiYS K { fl npy uzufîmfîql'2M 'q xrfîft qzfî onfiî z Pc _qfîxm« } mîfiî z pq«' xq«2

N éx	Qfi y é é
id : UUID	Øqzfî mzfîflzî\$flq ,VQ-
email : str	Gp'q««q qîy mx,flzî\$flq0zpq» q-
_password_hash : str	S{fîpq } m««q t môt ,VHQJ L6-
first_name, last_name	V' z{y qfîz{y
role : enum	oxqzfi{ fl npy uz
company_name : str	T{y pq xqzflq}'u-q ,zflxmîxq-
is_active : bool	I {y } fîq mofîu { fl p «mofîu
created_at : datetime	J mîq pq o' mîî z pfl o{y } fîq

```
c à ' fi G check_password(raw) 0 has_role(role)
```

Pw fi N ' éf wyô

Xq} ' «qzf q xflz pq« 8 } mow« ,Gflpuf0Yqofl' úi.0V' { fîqofî z0V'qy úly -2J { zz q« pq ' r 'qzoq ot mîs q« ·um »ffl'q2

id : int	Qqzfu nzfiflz\$flq
code : enum	nflpufî3«qofl' úi.3} ' { fîqofî z 3} 'qy úly
name : str	T{y o{y y q'ounx
description : str	Ruîq pq« «q' · wq« ızoxl«
duration_days : int	J xnuq«fiy pq flmîqy qzfi
price : Decimal	_mîu pfl } mow

Pw fi N ' éhfi fi

l fl' pfl y fiq' > xn pqy nîpq p nîlpufî «{ fly u«q } mî flz oxqzfi YS K2l .ox pq 8 «fînfîlî« ,} qzpzszk} ' { s'q«« o{y } xîfîp mîot u qp-2

id : UUID	Qqzfu nzfiflz\$flq
reference : str	Tfly ' { pq p{ ««w' ,q» >l eH1646: 14486-
client_id : FK → User	l xqzfiYS K m.nzfî«{ fly u«
pack_id : FK → AuditPack	Vmowot { u«u
status : enum	} qzpzsz 3zk} ' { s'q«« 3o{y } xîfîp 3mîot u qp
scope_notes : str	V' ouî z« pfl r{ 'y flxîuq
submitted_at, completed_at	J nîq« pq o.ox

```
c à ' fi G generate_reference() 0 update_status(new_status) 0 estimated_completion()
```

Pw fi N ' éhfi

Xn} { ' fîpq · flz ' mîuî « xu flz q «qflxq GflpufîXq\$flq«f0uzoxlîfîlz «o{ ' q · u·flqxqfîlz VJ L fi x ot mîsqmîxq2

id : UUID	Qqzfu nzfiflz\$flq
audit_request_id : FK	Xqxîî z 515
summary : str	X «fly q» ofîîu · flxîu«
security_score : int	Yo{ ' q 41544 ,vrîsq-
findings : JSON	Ruîq pq« · flz ' mîuî «
pdf_path : str	l t qy ız pfl VJ L s z '
generated_at	J nîq pq s z ' nîî z

```
c à ' fi G build_pdf() 0 get_download_url()
```

Pw fid é ywé


_ 'moq f{ flfq« xq« o{ y y flzwnfiú z« q'ly mxqz· { ...q« · uml qxq' .2

id : UUID	Qqzfiu nzfi flzú\$flq
user_id : FK → User	J q«fiznfmúq
request_id : FK	J qy nzp q o{ zoq' z q ,zflxm xq-
type : enum	'q\$flq«fk' qoqu qp 3«firfl «kot nzs qp 3'q} { 'fk' qmp...
status : enum	\$flqlqp 3«qzfi3múqp

c à ' fi G send() 0 retry()

Pw fi j wé é Éc ' fi- j wé é Éf É fi

S{ pflxq« pq «qz«unú«nfiú z o.nq'« ofl'úi , } t u t uzs0S LG0XMVJ - m qo «flu upq } { 's'q««ú z flfu«nfiú fl'2



e C c 7 c

R fi accounts/models.py

```
class User(AbstractBaseUser, PermissionsMixin):
    """Utilisateur de la plateforme – client PME ou admin CyberAudit."""
    id = UUIDField(primary_key=True, default=uuid4)
    email = EmailField(unique=True, db_index=True)
    role = CharField(choices=[('client', 'Client'), ('admin', 'Admin')])
    company_name = CharField(max_length=200, blank=True)
    company_size = CharField(choices=[('TPE', 'TPE'), ('PME', 'PME'), ('ETI', 'ETI')])
    sector = CharField(max_length=100, blank=True)
    is_active = BooleanField(default=True)
    created_at = DateTimeField(auto_now_add=True)
    last_login = DateTimeField(null=True)

    USERNAME_FIELD = 'email'
    REQUIRED_FIELDS = []

    def is_admin(self) -> bool: ...
    def is_client(self) -> bool: ...
```

R fi audits/models.py

```
class AuditPack(models.Model):
    """Catalogue des 4 packs d'audit proposés."""
    name = CharField(max_length=50)
    description = TextField()
    duration_days = PositiveIntegerField()
    price = DecimalField(max_digits=8, decimal_places=2)

class AuditRequest(models.Model):
    """Demande d'audit soumise par un client."""
    STATUS_CHOICES = [
        ('pending', 'En attente'),
        ('in_progress', 'En cours'),
        ('done', 'Terminé'),
        ('archived', 'Archivé'),
    ]
    id = UUIDField(primary_key=True, default=uuid4)
    client = ForeignKey(User, on_delete=PROTECT, related_name='audit_requests')
    pack = ForeignKey(AuditPack, on_delete=PROTECT)
    status = CharField(choices=STATUS_CHOICES, default='pending',
db_index=True)
    scope_notes = TextField(blank=True)
    created_at = DateTimeField(auto_now_add=True)
    updated_at = DateTimeField(auto_now=True)
    completed_at = DateTimeField(null=True, blank=True)

    def transition_to(self, new_status: str) -> None:
        """Change le statut, met à jour completed_at et déclenche la notification."""
        ...
```

```
def can_generate_report(self) -> bool:
    return self.status == 'done'
```

i fi éfi éfi /↔Éé fi w fi' fi ' fi 0

```
# audits/services.py
class AuditRequestService:
    @staticmethod
    def create_request(client: User, pack_id: int, scope: str) -> AuditRequest: ...

    @staticmethod
    def change_status(request: AuditRequest, new_status: str, by: User) -> None:
        """Change le statut + déclenche email Celery."""
        ...

# reports/services.py
class PDFReportGenerator:
    @staticmethod
    def generate(audit_request: AuditRequest) -> AuditReport:
        """Génère un PDF avec WeasyPrint, stocke le chemin, persiste."""
        ...

# notifications/tasks.py (Celery)
@shared_task
def send_status_change_email(audit_id: str, new_status: str) -> None: ...
```

A5 P w — 4i ' /hfiw 2 jwé→é' Pi i 0

Rq r' { zfilqzp q«fi flzq YVG Xqmfio{ y y flz\$flmzfim qo xGVOXKY_ · umPc _2Rm{n{ 'q«oqzoq «q «fl floffl' q qz } msq« , · flq« o{ y } x fq«-0o{ y } { «mzfik a O flfix«mxq«0«f{ 'q sX nmxfiq«q' · wq« p m } } qxGVQ

N àfi é ywé - wÉfi

N ài fi Yfiniq sX nmX > user 0 accessToken 0 refreshToken 2 S ft { pq« > login 0 logout 0 refresh 0 hasRole 2

f f i y fi' h fi l { y } { «mzfipq smpq0 } '{ } « > allowedRoles 2 Xqpùsq · q'« /login «uz{ z nflft qzfu 2

N P éfi c 'm } } q' m«q« §flum{ flfq nllf{ y mfi§flqy qzfix Pc _ ot n§flq 'q§fl fq qfis 'q xq 'qr'q«t f{ wqz qz om« pq 8452

f wÉfi x é fi

b Éé f wÉfi L{ 'y flxmùq pq o{ zzq»q z2Y{ fly qfi AuthStore.login() } flu« 'qpùsq «qx z xq' xq2 hfiÉé fi f wÉfi L{ 'y flxmùq p u«o'ù fi{ z oxqzfiYS K2G } } qxq AuthStore.register() 2

R wyfi y éfi i c R

P éfi Qw àx w' _mxqrfi pq n{ 'p x«f mzfifx« pqy mzp q« pfl oxqzfio{ zzqofi 2

N ' éhfi fi S L{ 'y flxmùq qz 7 fin' q« , } mw0 } 'y flq0o{ z 'y mfi{ z-2G ot q 8 Vmw0 m p2

hfi fi Qfi wé→ bflq p finx q m qo fiy qxzq0 'm } { 'fi VJ L0 «o{ 'q2 l { y } { «mzfik > StatusBadge 0 SecurityScoreGauge 0 FindingsList 2

R wyfi w é é wfi P xfi N ' é

N' é Qw àx w' bflq } nsuz q pq f{ flfq« xq« pqy nżpq« m qo xflq« ,«fñfflfD} mow0pnfiq0oxqzfi qfi fl 2

c ' fi' fi — wé

j wé é Éf wÉfi Rxfq pq« y { pflxq« m qo uzpwnfiqfl' pq } ' { s'q««q z2

j wé é Éc ' fił fi fi G ot q xq o{ zfiqzfl S mwp{ • z2 Y ofl' dii > zqff{ .nsq · um J US Vfl' ur..., nżfił dYY0YS GX_ %7-2

P w k V éé wx fi

dw xw0f wyôPw' 0i w Ow Éfi ,s' u·3ñxfl3 q' fB 4 xfi0i fiy é i y fiT w Éfi ,vñlsq ołofl xñq0' { flsq B 840{ ' nżsq 841; 40· q' fiD ; 4-0hfi fi j wx fi0f wÉé wé 0j w P wé fi 2

S↔ ' é fi wy é é yé w↔ i é é ' fi w ' fi

52Rflfuxñfiqfl' «q o{ zzqofiq · umR{ suz Vnsq Gflft Yf{ ' q «f{ owq xq Pc _2

62V' { fiqofiqpX{ flfq mflf{ ' u·q xñoo « nfi l xqzfił m·t n{ młp2


72l xw «fl' ↔T{ fl· qxxq pqy nżpq GflpuiXq\$flq«fL{ ' y ot młsq xq« } mow·2

82Y xqofił z p flzq Vmow młp GflpuiYq' · wq2b' qñfiq,- n} } qxxq xGVQJ vñzs{ 2

92Rq nñowłqzp o' q xGflpuiXq\$flq«fiqfip oxqzot q xñfi ot q l qxq' ..p qy mł2

: 2Rq oxqzfiq«fi' qpùs · q' « Xq\$flq«fił qfmx, Yfñffl«Hmps q # qzpz s#2

; 2 ot n\$flq ot nżsqy qzfi pq «fñfflfio fi npy uz0flzq T{ fu onfił z q«fiqz· { ...q2



e D W q

N x fi yfi yfi' fi y w

src/	
├ components/	
│ ├── auth/	LoginForm, RegisterForm, ProtectedRoute
│ ├── dashboard/	ClientDashboard, AdminDashboard, AuditRequestCard, StatusBadge
│ ├── audit/	AuditRequestForm, PackSelector, AuditDetailView
│ ├── training/	ModuleList, ModuleViewer
│ └ shared/	Header, Sidebar, Button, ErrorBoundary
├ pages/	HomePage, LoginPage, RegisterPage, DashboardPage, NewAuditPage, AuditDetailPage, TrainingPage
├ hooks/	useAuth, useAudits, useApi
├ services/	api.js (axios + JWT), auth/audits/reports services
├ utils/	sanitize.js (DOMPurify), validators.js
└ App.jsx	routing global

P fi é G l { y } { «nzfk r { zofij zzqx* / t { { w* , } m* pq oxm««q«-0 fmfisx nm x · um l { zfq»fi GVO «nzdu+q,- «fl' f { fl« xq« u } flfk2

A5AT w é ' w f QS ' fi ↔ wxéé

Rq 'n} } { 'fi VJ L q«fi xq xu 'mrx } 'zoz mxfil oxqzfi YSK >uoz z«{ xpq xmxmx.«q pq · flz 'mudi «0x «o{ 'q pq « ofl'ui qfi xq } xz p mfi z 'qo{ y y nzp 2Yms z 'mfi z q«fi qzfu 'qy qzfi m. zot '{ zq } { fl' zq } m n{ \$flq' xzfq' mmoq mpy uz

i wyô fiyà é fi

mfiw f é >I { z·q' fii flz fgy } xfiq N_SR I YY qz VJ L pq \$flmxi uy } 'q««l z2X flfuxq xmot mfi s'n} t \$flq pfl · qn2

Pfi fi >K» oflq xmi ot q generate_pdf_task qz m'u 'q1} xz2

hfi' é >Lxq p nfiqzfq l qx'...«omxs } m m xq-2

i yôwÉfi >/media/reports/ nfi SbV0Y7 qz b6 Amoo «·una XR «sz q 59 y uz

i y fi' f QS É

i fiy é	P fi
Vnsq 5 I { fl·q' ffl'q	R{ s{ l .nq' Gflpdi { y oxqzfd' r 'qzoq p{ ««l' , l eH1646: 14486-0 pnfq0o{ z pqzfumi
Vnsq 6 Y. zft «q q» ofl fu q	Yo{ 'q s{ nmG L , vrlsq 41544- / ' «fly qz 7 xszq«· flxntu« q«
Vnsq 7 V 'uy flq nfi pui	Rufq pq« mfi « nzm. « « , «q' · qfl' y m0' { flfi fl' c ulL0} { «fiq« - / y ft { p{ x{ s{ KH0Y XS
Vnsq« 8T bflz 'mudi «	_mxq nfi zpzs«>« · 'ui , l 'uim3Nust 3S qpuly 3R{ · -0mfiu0 pq«o' u fi z0' qo{ y y nzp mfi z
Vnsq zmq Vxz p mfi z 74 v fl' «	fin} q« t qnp{ y n m q« , Y50Y60Y70Y8- m qo mfi z « o{ zo' fiq« qfi } 'l' ui «
Gzzq»q	Mx ««m0' r 'qzoq« , 0YU 6; 4490GTYY0o{ z f mfi l .nq' Gflpdi

S↔ y fi ' fi w' fi w ' fi w ↔yàwÉfi fi

52Rmpy uz ox\$flq «fl' ↔Mqzq' nfi VJ L 'q} { 'fi pnz« Gpy uzXq\$flq«fi qfm2

62Rq r{ zfi m} } qxq POST /api/requests/{id}/generate-report m qo xq« zpzs«2

72Rq PdfReportService J vns{ o' q xqz'qsuflqy qzfi Gflpdi Xq} { 'fi , ' «fly 0«o{ 'q0 zpzs« PYUT-2

82Qqz xq xmi ot q generate_pdf_task.delay(report_id) qfi' qf{ fl' zq 202 Accepted 2

92Rq · { 'wq' l qx'...!qzp report.html m qo xq« p{ zz q«0} flu c qm. V'zfi } { pflfi xq VJ L2

: 2Lwt w «nfi· qsm p pnz« /media/reports/CYB-2026-0042.pdf 0 pdf_path y u« v fl'2

; 2T{ fu onfi z pq fi .} q report_ready o' q0qly mxqz· { ... · um send_email_task 2

<2l fi oxqzfdl xqzfi m t n{ m p m ot q ↔J { · z x mp 'q } { 'fi GET /api/reports/{id}/download qz «flqmy z s2

i y é ' wyy w f QS

Wnj xÉw éfi «fl' /api/reports/{id}/download 2Gfioflz mo « m{ z. y q2

f fi é é IsAdminOrOwner >847 L{ 'nppqz «z{ z2

k h b É fi m qo fiy q«fny } 0q»} uq m' « 59 y z flfi q«2

f w ' fi ywàfi w Éwfi >Cache-Control: no-store, private 2

N ' é ↔É ,b6- >§flw§flmzp0pq} flu* §flq*xq Ø o{ zr{ 'y q X MVJ 2

T fi é ' fi y àfiy ' fi É w é

hfi w w é fi > autoretry_for=(Exception,) 0 max_retries=3 0nmow{ q»} { zqzfiqx,54«0
74«0=4«-2

i w é fi ' évéfi > pdf_path ·wpq finzfi§flq z{ z s z ' r' { zfim ot q ↔M z 'nfiú z qz
o{ fl' « 2


d é ywé ' y àfiy >n} ' « 7 ot qo«0fi}.q generation_failed qz·{...q xmpy uz2

h É w é w fi«fi ·umxq n{ flf{ z ↔Mqzq' nfiq VJ L 'q} { 'fi 2

B5QénÉ w fi ' fi fi yfi

B8 V y é é 2 P fi é Wmj

Rflfx«nfqfl' «m«ûi«{ z qy m«qfi«{ z y { fipq } m««q2Rq r{ zfin } } qxq POST /api/auth/register/ 0} flu«
POST /api/auth/login/ 2J vnz{s{ ·m«pq xq« o'qpqzfim«0s z 'q m«oq«« / 'qr'q«t f{ wqz«0qfi'qf{ fl'zq
xq f{ flfinfl r{ zfi2Rq r{ zfi«f{ owq xq« f{ wqz« pnz« Gflft Yf{ 'q qfi'qpù«q ·q'« xq pm«t n{ m«p o{ ''q« } { zpnzfi
nfl ' xq2




B9 i é é ' fi w ' fi ' w ' é /w fiy w y0

Rq oxqzfi «{ fly qfi xq r{ 'y flxmùq p nflpù2Rq r{ zfin } } qxq POST /api/audits/ m qo xq Pc _ qz t qmpq'2
J vnz{s{ ·m«pq ·um xq «q'um«-q' J XL0 } q'««f«q qz HJJ 0 qz xq flzq fi ot q l qxq'...p qz·{ up m«ofl« pq
' oq} fiù z0} flu« ' } { zp 201 Created 2Rq · { 'wq' l qxq'..p } ux xmf i ot q pq} flu« Xqpu« qfiqz·{ wq xqly m«
·umYS_V2

Séquence 2 — Soumission d'une demande d'audit

Use case 2 — flux asynchrone : réponse immédiate au client + email envoyé en arrière-plan



Bleu = requête • Vert = réponse • Rouge = message asynchrone (Redis)


e G r r 2 b 3

B5 T w é ' w f QS /w é 0

Rmpy uz ox\$flq «fl' ↔Mqzq'nfq VJ L 'q' { 'fi 2 Rq r' {zfi n} }qxq POST /api/audits/{id}/generate-report/ 2J vrs{ o' q xGflpuiXq} { 'fi qfi qz xq xnf ot q l qx' .0' qf{ fl' zmf 202 Accepted 2 Rq • { 'vq' l qx' ...qzq xq fgy } xnfq N_S F0c qm..V' uzfi} '{ pfluiXq VJ L0xq ot w' q«fi «f{ ow 0qfi flzq z{ fu onfiu z q ty mx q«fi qz· { ...q nfi oxqzf2

Séquence 3 — Génération du rapport PDF (admin)

Use case 3 — l'admin déclenche, le worker génère, le client est notifié et récupère



e l r f o c e

C5Q y fi wé ' fi Nf V

C3 Nf V fi fi fi y fi

Nf V fi fi fi	k wÉfi	W é ywé
YS_V My mx	Kz·{ upq« qy mx« flnz«nfiú z zq» ,o{ z 'y nfiú z0ot mzs qy qzfi «fnflf0xu'mu{ z 'n} } { 'fi	M' nfflúivl «\$fl 944 qy mx«3{ fl'0o{ z sfl' nfiú z «ly } xq0 mxq2S u' nfiú z } { ««unx · q' « YqzpM' p3 S mxsflz qz b62
Rqfi« Kzo' .}.fi	I q' fu onfi« N__VY nffl{ y nfi\$flq«	M' nfflú0uzfi s' znfiu qy qzfi pnz« bq'oqxqfiXmx m2

C9 Nf Vé fi fi R ' é hRi j

I { z· qzfiú z >}' »q /api/ 0PYUT } { fl' 'q\$fl fíq« qfi' } { z«q«0Pc _ pnz« Authorization: Bearer
<token> 0o{ pq« N__V «fnzpmfp«2

C93 N àfi é ywé /api/auth/

c à ' fi	khb	N à	Qfi y é é	O '	h fi 9	R fi
VUY_ 'qsu«fí'3	3n) 0nflft 3		I ' q flz o{ y } fíq oxqzfi	œy mx0} m«« { 'p0 o{ y } mz.kzmy q0 o{ y } mz.k«u«q0«qof{ 'É	645 d«q'0 mooq««0 'qr'q«t É	844084= qy mx q»u«fi«
VUY_ x sz3	3n) 0nflft 3		I { zzq»ú z / f{ wqz« Pc _	œy mx0} m«« { 'pÉ	644 œooq««0 'qr'q«t 0 fl«q'É	845086= 'nfiú xy úi
VUY_ 'qr'q«t 3	3n) 0nflft 3		Xqz{ fl·qxq mooq««	dœr'q«t É	644 œooq««É	845 'qr'q«t q»} úqp
VUY_ x s{ flfB	3n) 0nflft 3	✓	Q·mxpq xq 'qr'q«t	dœr'q«t É	648	845
VUY_ 'q«qfB	3n) 0nflft 3		Kz·{ uq qy mx pq 'q«qfi	œy mxÉ	644 ,f{ flú fl' «0 nzfiubqmw	

C99 Qfi w ' fi ' w ' é /api/audits/

c à ' fi	khb	N à	h fi	Qfi y é é
MK_ npy uz	3n) 0nflpúik3	✓	oxqzfi3	Ru«fí } msuz q ,oxqzfi «q« pqy nzp q« 3 npy uz f{ flfíq«-
VUY_ npy uz	3n) 0nflpúik3	✓	oxqzfi	I ' q flzq z{ fl·qxq pqy nzp q

c à ' fi	k h b	N à	h fi	Qfi y é é
MK_	3n) 3nflpuk3pÉ	✓	{ • zq' 3 mpy ız	J fmxp flzq pqy nızpq
VG_I N	3n) 3nflpuk3pÉ	✓	mpy ız	S{ pu q «fıfıfı{ fl z{ fıq«
J KFK_K	3n) 3nflpuk3pÉ	✓	mpy ız	G'ot u q , «{ rfıpqxfı-
VUY_	3n) 3nflpuk3pÉsqzq'mfıq1 'q} { 'fB	✓	mpy ız	Rnzoq xms z 'mfı z VJ L ,l qıq' ...
MK_	3n) 3nflpuk3pÉq} { 'fB	✓	{ • zq' 3 mpy ız	_ x ot mıs q xı VJ L ,nızmıq-

R fi fi P w é ' fi' fi w ' fi

```
POST /api/audits/  
Authorization: Bearer eyJhbGc...  
Content-Type: application/json  
  
{ "pack_id": 2, "scope_notes": "Audit du serveur de fichiers + 12 postes Windows." }  
  
HTTP/1.1 201 Created  
Content-Type: application/json  
  
{  
  "id": "8f2a...c9",  
  "client": "user-uuid",  
  "pack": {"id": 2, "name": "standard"},  
  "status": "pending",  
  "scope_notes": "Audit du serveur ...",  
  "created_at": "2026-05-18T09:24:11Z"  
}
```

C95 f wyô ' w ' é /api/packs/

c à ' fi	k h b	N à	Qfi y é é
MK_	3n) 3n now3		Ru fıq } flnxşflq pq« 8 } now«
MK_	3n) 3n now3pÉ		J fmxp flz } now

C95AS w é /api/training/

c à ' fi	k h b	N à	Qfi y é é
MK_	3n) 3nfmzısz3 { pflxq«3	✓	Ru fıq pq« y { pflxq« pu } { zunxq«
MK_	3n) 3nfmzısz3 { pflxq«3pÉ	✓	l { z fıqzfl p flz y { pflxq
VUY_	3n) 3nfmzısz3 { pflxq«3pÉfımfB	✓	S mşflq o fı y y q o fı y y qzo
VUY_	3n) 3nfmzısz3 { pflxq«3pÉ{ y } x fıq3	✓	S mşflq o fı y y q fıq' y ız

C3Bf ↔ éé wfi /api/users/

c à ' fi	khb	N à	Qfi y é é
MK_	3n} 3l«q' «3/ q3	✓	V' { xpq xflfu«nfqfl' o{ fl' n2fi
VG_I N	3n} 3l«q' «3/ q3	✓	S{ pu q «{ z } ' { } ' q } ' { x
VUY_	3n} 3l«q' «3/ q3 t n2sq1} m«« { ' p3	✓	I t n2sq «{ z y { fipq } m««q
J KRK_K	3n} 3l«q' «3/ q3	✓	Yfl} } ' y q «{ z o{ y } fq , XMVJ -

C5 P fi é w fi wfi

f wÉé wé >?page=1&page_size=20 0' } {z«q {count, next, previous, results}

Sé→fi >?status=pending&ordering=-created_at

R fi >r{ 'y nfilzlu {error: "code", message: "Message FR", details: {...}}

hwfi é éé É>9 'q§3/ uz «fl' /auth/login/ qfi /auth/password-reset/ , 01nm«qp-

I fi é éé É>} m« pq · 5 pnz« xa XRnfl SbV Aqz b6 «un' qmwzs ot n2sq« /api/v2/

D5i w Éfi i Pc - g N

D8i yfi P ' fi c w wÉfi fi /Té0

U xfi Éfi >MúNfln 'q}{ Tommy-JOUHANS/cyberaudit-solutions ,}'u vfl«§fl xm«{ flfôznzoq0 }flu«} flnx0-2

i w Éfi ' fi x w yàfi /Té S↔ w↔É 0

```
main          ← production uniquement (protégée, déploiement continu Vercel/Railway)
develop        ← branche d'intégration (CI obligatoire)
feature/<nom>  ← nouvelles fonctionnalités (1 PR = 1 feature)
fix/<nom>      ← corrections de bugs
hotfix/<nom>   ← correctifs urgents directement sur main
release/<v>    ← stabilisation avant release (à partir de W11)
```

P fi é ' fi y é P fi é w-P é

```
feat(audits): ajout du formulaire de demande
fix(auth): corrige le refresh token JWT expiré
docs(readme): met à jour la stack technique
test(audits): ajoute tests unitaires CRUD
chore(deps): bump Django 5.0.2 → 5.0.3
refactor(reports): extrait PDFGenerator en service
```

h Éfi ' fi f ↔hfi fi

h Éfi	Q wé→
Xq· flq { nxsmf{ ùq	I t n§flq VX ·mxp q } m xmfllq y qy n'q m nzfiy q'sq
I O q'fô	_q«fi«/ xzfiUQ m nzfiy q'sq
Vm« pq } fl«t pùqofi	main qfi develop } '{fi s q« } m MúNfln H'nzot V' { fôqofû z
J q«o'ù fû z «flfloffl' q	↔I q §fluot nzs q 3V{ fl'§fl{ u3l { y y qzfifô«fô'
Y§flm«t y q'sq	5 VX C5 o{ y y úipmz« develop ,t u{f{ 'u§flq } '{ } 'q-

D8i w Éfi g N

f w é fi ' fi fi

```
      /\
      /E2E\          5 % - Cypress (parcours critiques)
      /-----\
      / Intégr. \ 20 % - Tests intégration API + DB (Django + DRF)
      /-----\
      / Unitaires \ 75 % - Jest (front) + pytest (back)
      /-----\
```

e é→ fi fi

P yafi	e é→	Péx fi
_q«fik flzúimùq« nrow	} .fiq«fi/ } .fiq«filpvnzs{	S{ p xq«0«q' · wq«0«q' umx+q' «
_q«fik GVOnrow	} .fiq«fi/ GV0 xqzfi,J XL-	Kzp){ ızfik mflft 0mflpúik0'q}{ 'fik
_q«fik flzúimùq« r' { zfi	Pq«fi/ Xqmofi_q«fizs Run' m...	l { y } { «nzfik0t { { w«0flfik«
_q«fik K6K	l .}. 'q««	Q«o'ù fiú z pqy nzipq qy mx,y { ow
_q«fik « ofl'úi	V{ «fiy nz ,o{ xqofiú z- / nmzpúii	dYY0YWR0n' flfq1r{ 'oq0Pc _ finy } q' ızs
_q«fik ad	7 «q««ú z« flfix«nfúqfl' « ,c ; 1c 54-	Vq' «{ zmS mıw0} mıo{ fl' « B 7 y ız
l { · q' nısq	o{ · q' nısqđ ../ vq«fi 1ıo{ · q' nısq	l unx ><4 (y ız n) } « o' úiúflq«
Rzfi	' fl / nxrowAq«xzfi/ } 'qffıq'	V'q1o{ y y úit { { w
_}.q ot qowzs	y .}. ..A} '{ } _}.q« { fl _Y ,b6-	} mfiú pq c 8

Dā j fi y é w fi↔ /mD4m870

j fi	c à ' fi	h ←w w fi '
dYY} q'«u·finzfi	<script>alert(1)</script> pnz« «o{ } qkz{ fq«	ot n) } 3«nzúii+qp
YWRızwofiú z	' OR 1=1 -- pnz« qy mxı sz	Gfıofızq rfiúı0UXS nızp
H' flfq1r{ 'oq	544 fıqzfırfıu q« ı sz	Hı §fl p « xn: e , 'nfıııxy úi
Pc _ finy } q' ızs	S{ pu q' role pnz« xq } mıı np	Yısznffı' q ız · mıpq 845
l YXL	VUY_ «nz« t qmpq' Gflft { 'ıııfiú z	845
NY_Y 3ı YV	Nqmpq' « N__V qz } ' { p	V' «qzfik qfi«flıfik

D5Af é fié fi PVPQ

TéU x Ny é

```
# .github/workflows/ci.yml
name: CI
on: [push, pull_request]

jobs:
  backend:
    runs-on: ubuntu-latest
    steps:
      - checkout
      - setup-python 3.11
      - install: pip install -r backend/requirements-dev.txt
      - lint: ruff check . && black --check .
      - test: pytest --cov=apps --cov-fail-under=80
```

```
frontend:
  runs-on: ubuntu-latest
  steps:
    - checkout
    - setup-node 18
    - install: npm ci
    - lint: npm run lint
    - test: npm test -- --coverage
    - build: npm run build
```

Q ↔Éi fi y é

R é fi fi	Q yfi yàfi	Péxfi	k h b
V'q· ȳ•	_ { flfq VX	bq'oqx} 'q· ȳ• / Xm̄ m.. n'nzot pq} ȳ...	pr- XX.preview.cyberaudit.app
Yfinszs	Sq'sq «fl' develop	bq'oqx/ Xm̄ m..«finszs	staging.cyberaudit.app
V' { pflofũ z	Sq'sq «fl' main , 'qxqm̄q fins-	bq'oqx/ Xm̄ m..} '{p	cyberaudit.app

i w Éfi ' fi fi fiw fi

I fi é é É i fi I fi >424,c 8 SbV} mfiȳ 424,c : m̄.zo- 524,c 56 «{ flfqzmzoq-
j wÉ Éé w ot n̄flq 'qxqm̄q > git tag -a v1.0.0 -m "MVP soutenance Holberton"
Pàw Éfi ↔É f̄qzfl ȳ fl' pmz« CHANGELOG.md

E5N fi fi

E3 T ↔ wéfi

j fi fi	Q éé
SbV	Súz y fly bumxq V' { pflofi · q' «ú z y úz y mq xu 'm xq
Pc _	PYUT c qn _ { wqz «fínzpníp p nílft qzfú onfiú z «fínq xq»«
S { Yl { c	S ft { pq pq } 'ú 'u«nfiú z >S fl«fi3Yt { flxp 3l { flxp 3c { z fi
I XaJ	I ' qnfú 3Xqmp 3a } pnfú 3J qxfú
UXS	UnqofiXqxnfú zmxS n) } ús mn«flmofiú z HJ J
I G J	I { zfizfl { fl« Qfqs' nfiú z 3l { zfizfl { fl« J q) X . y qzfi
XMVJ	X sxy qzfiM z 'nx«fl' xmV' { fúofiú z pq« J { zz q«
NY_Y	N__V Yflwfi_ 'nz« } { 'fiYqofi' úi... t qmpq' nzfú p { • zs' mpq
I YV	I { zfiqzfiYqofi' úi . V { xø... t qmpq' nzfú d YY
Yqy bq'	Yqy nzfiw bq' «ú z ús SGPUX2SUX2/G_I N
YVG	Yúsq Vmsq G) } xonfiú z

E3 c w é É i wÉfi : y fi yfi hdPf B

X r 'qzfiqXTI V 7<47< J · qX } } qfl' c qn qfic qn S { nuq , _V p xu' } m xq S úu«fi 'q pfl _'m mx2

O↔y hdPf	P fi yfi	i fiy é
HI 45 L' { zfilqzp	S n§flqffú' flzq n) } xonfiú z	ff627 , y { owl } «-
HI 45	X mx«q' pq« úzfi' mmaq «fínfi§flq« qfip . zny §flq«	ff827 , o{ y } { «nzfi« Xqmpfi
HI 45	J · qX } } q' xm) mfiú r' { zfilqzp	ff7 , mót u0ff: , GVG
HI 46 Hrowlqzp	I ' q' flzq nm«q pq p{ zz q«	ff825 , KXJ -
HI 46	J · qX } } q' xq« o{ y } { «nzfi« p mōo « nfi» p{ zz q«	ff825 , y { p xq« J vnz s { -
HI 46	J · qX } } q' xm) mfiú nrowlqzp	ff: , GVOXKY_ -
HI 46	xm{ 'q' qfiy qfflq qz fl · 'q pq« o{ y } { «nzfi«	ff825 , «q' · wq«-0ff9 , « §flqzoq«-
_ 'nz«« q' «mx	_ 'm mxq' qz §flú q msuq 3bq' «ú z ús	ff: , Yl S 3VG-

E5 i yfi - — fi yfi fiyà é fi

h — fi yfi	béi
J vnz s { XKY_ L' my q• { 'w J { ofly qzfínfiú z	t ff) «>3 • • 2 vnz s { 'q«fíl' my q• { 'wq' s

h — fi yfi	běi
Yy } xPc _ Pc _ } { fl' J vrs{	t ff} <>3p vrs{ 'q«fil' ny q• { 'wl«y } xq f2qmpft qp{ o«2f
I qx' ... J u«flunflfqp _m«wWlqflq	t ff} <>3p{ o«2qx' .§2q·
c qm«.V'zfi N_SRf{ VJL	t ff} <>3 qm«.}. 'zfl' s
Uc GYV _{ } 54 ' r 'qzfiqx« ofl'úi	t ff} <>3{ • m·} 2' s3 • • 1} ' { vqofllf{ } flqz
I { z·qzfi zmxl { y y úk	t ff} <>3 • • 2{ z·qzfi zmo{ y y úk2' s
XTI V 7<47<	t ff} <>3 • • 2' mzoqo{ y } qfzqoq«2' 3qot q'ot q3zo} 3'<47<
GTYYO Vmz{ 'ny mpq xno. nq'y qzmog 6467	t ff} <>3 • • 2««2{ fl·2'

E5A**běi é fi fi w ěi**

Yfnsq 5 I t mfiq } ' { vfi, LX-

Yfnsq 6 Vxz zuzs) Mnzffi, LX-

c úqr' ny q« Lsy m } flnxq' qz c 5 } m _{ y y ...

Xq} { o{ pq SbV uzúmx«q' qz c 6

J { ofly qzfi } ' } m prz« xq onp' q pfl Yfnsq 7 J { ofly qzfiri z fqt z\$flq0N{ xq' f{ z Yot { { xJ w{ z0 } ' { y { fi z 646: 2
I { z fl } { fl' flq' flfix« fqx\$flqxpmez« xq p{ «««q' pq oq' fu onfi z XTI V 9 J ·qx } } qfl' c qn qfic qn S{ nuq2

j **Vē k UNdi** I t qrpq } ' { vfi3J ·qx } } qfl' L' { zfilKzp **Vw fi he ki i Rb** X r 'qzfifqt z\$flq 3
J ·qx } } qfl' HrowlKzp