

Agile Trajectory Generation for Tensile Perching with Aerial Robots

Agile Trajectory Generation for Tensile Perching with Aerial Robots

Agile Trajectory Generation for Tensile Perching with Aerial Robots

Agile Trajectory Generation for Tensile Perching with Aerial Robots

Agile Trajectory Generation for Tensile Perching with Aerial Robots

Agile Trajectory Generation for Tensile Perching with Aerial Robots

Agile Trajectory Generation for Tensile Perching with Aerial Robots

Progress Update

- Integrated the Spline portion.
- Fixed a bug with the plotting.
- Added confirmation at each stage and a choice of 5 different starting positions

Experiments

- Meeting with Atar/Kangle today 3pm to setup and verify that we have appropriate safety mechanisms.

Report Plan

- Main Contributions
 - PyBullet Simulation to approximately model a tether using a variety of pieces.
 - Learning from Demonstrations Integrations.
 - Set of Produced Trajectories optimised for speed.
 - Controller for Gazebo based on fixed time movement waypoints.

- Outcomes

- Number of Demonstrations: Performed main training with 5 full demonstrations.
 - Performs well even with a single demonstration (Due to the way sampling between replay buffers is actually performed)
 - Reasonably resilient to poor demonstrations - In
- Comparison with Optimised Trajectory Approach
 - Uncertainty in live environments
 - In real-world environments a drone may not follow exactly a planned trajectory.
 - The NN approach is resilient to this:
 - If the drone doesn't follow exactly a planned path then using current positions it can reproduce points during operation.
 - This would not be possible in real-time using an optimisation based approach.
 - E.g. For the optimised approaching this can take up to 30 seconds to compute an optimised trajectory - this is not feasible to be adaptable during an actual flight.

Report Plan

- Introduction
- Ethical Considerations
- Background - mostly re-used from my interim report.
- Environment
 - Scenario Design
 - PyBullet Environment
 - Approximate Tether Modelling
 - Analyse the accuracy compared to real world experiments.

- Training
 - Wrappers and Effects
 - Waypoint - Description of fixed time waypoint system - effects on speed in comparison to real life.
 - Dimension - Effect of reducing dimension complexity.
 - Symmetry - Effects of assuming a symmetric environment - alternatives considered and their effects compared to the symmetrical design choice.
 - Other Wrappers: Briefly mention others with less details.
 - Training
 - Reward System Design
 - Algorithms - SAC, NAC, SACfD
 - Demonstrations - Comparison of different training techniques.
- Gazebo Offboard Controller
 - Running modes
 - Safety aspects for live environments

- Evaluation
 - Number of Demonstrations & Non-optimal demonstrations
 - As described in outcomes slide
 - Speed
 - Uncertainty in Live environments described above.
- Conclusion & Future Outlook

Overall Plan

- Report Deadline 17th June (2.5 weeks)
 - Today & Friday - Experiments
 - Aim to have full 1st draft of report by next week 12th June.
 - 5 days for final revisions.

Questions

Report

- Order of evaluation and implementation.
 - E.g. PyBullet Environment matching real-world tests - Visuals that show how the simulated tether and real tether match.
 - Is it better to include smaller evaluation pieces as I describe implementation or in a separate section?