

重庆大学本科学生毕业论文（设计）

XXX 计算方法的研究



学 生：王建华

学 号：20XXXXXXX

指导教师：杨 X

助理指导教师：李 X

专 业：XXXXXXX

重庆大学 XXXXXXXX 学院

20XX 年 6 月

Undergraduate Thesis (Design) of Chongqing University

Study on Calculation method of XXX



By

WANG Jianhua

Supervised by

Prof. YANG XX

and

Prof. LI XX

XXXXXX

XXXXXX

Chongqing University

June, 20XX

摘 要

摘要是论文（设计）内容不加注释和评论的简短陈述，应具有独立性和自明性，即不阅读论文（设计）的全文，就可以获得必要的信息。

摘要一般应说明研究工作的目的和意义、研究思想和方法、研究过程、研究结果和最终结论等。摘要中一般不用图、表、化学结构式、计算机程序，不用非公知公用的符号、术语和非法定的计量单位。

中文摘要一般为 300 500 汉字。

摘要页置于英文题名页后。

关键词是从论文（设计）题名、摘要或正文中选取的对表示论文（设计）主题内容起关键作用，且具有检索意义的词或词组。一般每篇论文（设计）应选取 3 5 个词作为关键词，以显著的字符另起一行，排在同种语言摘要的下方，尽量用《汉语主题词表》或各专业主题词表提供的规范词。

关键词与摘要的内容之间空一行。关键词的词间用分号间隔，末尾不加标点。

关键词：关键词一；关键词二；关键词三

ABSTRACT

This is the English abstract. The abstract should be a concise summary of the thesis (design), providing an overview of the research purpose, methodology, process, results, and conclusions. It should be self-contained and independent, allowing readers to grasp the essential information without reading the full text.

Figures, tables, chemical structural formulas, computer programs, non-public symbols, terms, and non-statutory measurement units should generally not be used in the abstract.

The English abstract is typically 300-500 words and is placed after the English title page.

Keywords: Keyword One; Keyword Two; Keyword Three

目 录

摘要	I
ABSTRACT	II
1 荷载算	1
1.1 基本荷载取值	1
1.1.1 哈哈哈哈	1
1.1.2 测试测试	1
1.2 研究意义	1
2 文献综述.....	2
2.1 国内外研究现状	2
2.2 研究评述	2
3 研究方法.....	3
3.1 研究方法设计	3
3.2 实验方案	3
4 研究结果与分析	4
4.1 实验结果	4
4.2 结果分析	4
5 结论与展望	5
5.1 研究结论	5
5.2 研究展望	5

1 荷载算

1.1 基本荷载取值

1.1.1 活载取值

根据《荷载规范》，本工程上人屋面活荷载取为 $q_w = 1.5 \text{KN}/\text{m}^2$ 。

1.1.2 测试测试

1.2 研究意义

研究意义的内容...

2 文献综述

2.1 国内外研究现状

文献综述内容...

2.2 研究评述

研究评述内容...

3 研究方法

3.1 研究方法设计

方法设计内容...

3.2 实验方案

实验方案内容...

4 研究结果与分析

4.1 实验结果

结果内容...

4.2 结果分析

分析内容...

5 结论与展望

5.1 研究结论

结论内容...

5.2 研究展望

展望内容...