

# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

### Showing results for contents of text-input area

Checker Input

Show

☒ source ☐ outline ☐ image report

Options...

Check by

text input

☐ css

```
<!DOCTYPE html>
<html lang="en"><head>
  <meta charset="utf-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1">

  <!-- CSRF Token -->
  <meta name="csrf-token" content="Jx11ZnX6tEPcHTLuS1LVsm5I3i9mEsZjCBaqZkt7">

  <title>BB</title>

  <!-- Styles -->
  <link href="http://192.168.1.5:8000/css/milligram.min.css" rel="stylesheet">
  <link href="http://192.168.1.5:8000/css/app.css" rel="stylesheet">
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

## Message Filtering

- Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 16, column 5; to line 16, column 35](#)

```
css">< <script type="text/javascript"><
```
- Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 21, column 5; to line 21, column 84](#)

```
ript>< <script type="text/javascript"
src="http://192.168.1.5:8000/js/app.js" defer=""><
```
- Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 75, column 17; to line 75, column 119](#)

```
<input type="hidden" name="_token"
value="Jx11ZnX6tEPcHTLuS1LVsm5I3i9mEsZjCBaqZkt7" autocomplete="off"><
```

4. **Error** An input element with a type attribute whose value is hidden must not have an autocomplete attribute whose value is on or off.

[From line 100, column 17; to line 100, column 119](#)

```
<input type="hidden" name="_token"
value="Jx11ZnX6tEPcHTLuS1LVsm5I3i9mEsZjCBaqZkt7" autocomplete="off">
```

Document checking completed.

## Source

```
1. <!DOCTYPE html>↵
2. <html lang="en"><head>↵
3.     <meta charset="utf-8">↵
4.     <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
5.     <meta name="viewport" content="width=device-width, initial-scale=1">↵
6. ↵
7.     <!-- CSRF Token -->↵
8.     <meta name="csrf-token"
content="Jx11ZnX6tEPcHTLuS1LVsm5I3i9mEsZjCBaqZkt7">↵
9. ↵
10.    <title>BB</title>↵
11. ↵
12.    <!-- Styles -->↵
13.    <link href="http://192.168.1.5:8000/css/milligram.min.css"
rel="stylesheet">↵
14.    <link href="http://192.168.1.5:8000/css/app.css" rel="stylesheet">↵
15.    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/5.15.3/css/all.min.css">↵
16.    <script type="text/javascript">↵
17.        // Fix for Firefox autofocus CSS bug↵
18.        // See: http://stackoverflow.com/questions/18943276/html-5-autofocus-
messes-up-css-loading/18945951#18945951↵
19.    </script>↵
20.    <script src="https://js.pusher.com/7.0/pusher.min.js"></script>↵
21.    <script type="text/javascript" src="http://192.168.1.5:8000/js/app.js"
defer="">↵
22.    </script>↵
23. ↵
24. </head>↵
25. <body>↵
26.     <main>↵
27.         <header>↵
28.             <h1><a href="http://192.168.1.5:8000">Bibliophile's Bliss</a>
</h1>↵
29.             <div class="header-buttons">↵
30.                 ↵
31.                 <a title="Wallet" class="buttonss"
href="http://192.168.1.5:8000/wallet/101">↵
32.                     <i class="fas fa-wallet"></i><span class="header-text"
id="user_money"> 0,00€</span>↵
33.                 </a> ↵
34.                 <a class="buttonss"
href="http://192.168.1.5:8000/notifications/101">↵
35.                     <i class="fas fa-bell"></i>↵
36.                     0 ↵
37.                     <span class="header-text">Notifications</span>↵
38.                 </a> ↵
39.                 <a class="buttonss" href="http://192.168.1.5:8000/shopping-
cart/show/101">↵
40.                     <i class="fas fa-shopping-cart"></i> <span
class="header-text">Shopping Cart</span>↵
41.                 </a> ↵
```

```

42.         <a class="buttonss"
href="http://192.168.1.5:8000/wishlists/101">↵
43.         <i class="fas fa-heart"></i><span class="header-text">
Wishlist</span>↵
44.         </a> ↵
45.         <div class="user-button" title="Menu"
onclick="toggleMenu()">↵
46.             <i class="fas fa-user"></i> ↵
47.         </div>↵
48.         <div class="mini-menu" id="miniMenu">↵
49.             <ul>↵
50.                 <li><a class="menu-button"
href="http://192.168.1.5:8000/users/101">Profile</a></li>↵
51.                 <li><a class="menu-button"
href="http://192.168.1.5:8000/purchase-history/101"> Purchase History </a>
</li>↵
52.                 <li><a class="menu-button"
href="http://192.168.1.5:8000/account_details/101"> Account Details </a></li>↵
53.                 <li><a class="menu-button"
href="http://192.168.1.5:8000/logout"> Logout </a></li>↵
54.             </ul>↵
55.         </div>↵
56.     </div>↵
57. </header>↵
58.     <div class="content">↵
59.         <div class="wishlist-page">↵
60. <h2>Wishlist</h2>↵
61.         <div data-id="2">↵
62. <div class="product-info">↵
63.     <a href="http://192.168.1.5:8000/products/2">↵
64.         <div class="product_img">↵
65.             ↵
66.         </div>↵
67.     </a>↵
68.     <div class="product-details">↵
69.         <h3> To Kill a Mockingbird </h3>↵
70.         <p> A novel by Harper Lee. It explores the irrationality of adult
attitudes toward race and class in the Deep South of the 1930s. </p>↵
71.         <p> 2,00€ </p>↵
72.         <form class="remove_wishlist" method="POST"
action="http://192.168.1.5:8000/api/wishlist/101">↵
73.             <fieldset>↵
74.                 <legend class="sr-only">Remove from Wishlist</legend>↵
75.                 <input type="hidden" name="_token"
value="Jx11ZnX6tEPcHTLuS1LVsm5I3i9mEsZjCBaqZkt7" autocomplete="off">↵
76.                 <input type="hidden" name="product_id" value="2">↵
77.                 <input type="hidden" name="user_id" value="101">↵
78.                 <button type="submit" name="remove-from-wishlist"
class="cancel">↵
79.                     Remove↵
80.                 </button>↵
81.             </fieldset>↵
82.         </form>↵
83.     </div>↵
84. </div>↵
85. </div>↵
86.     <div data-id="3">↵
87. <div class="product-info">↵
88.     <a href="http://192.168.1.5:8000/products/3">↵
89.         <div class="product_img">↵
90.             ↵
91.         </div>↵
92.     </a>↵
93.     <div class="product-details">↵
94.         <h3> 1984 </h3>↵
95.         <p> A dystopian novel by George Orwell. It is set in a superstate known
as Oceania, where the ruling party seeks to control thought and suppress
personal freedom. </p>↵

```

```
96.         <p> 2,20€ </p>↵
97.             <form class="remove_wishlist" method="POST"
100. action="http://192.168.1.5:8000/api/wishlist/101">↵
98.         <fieldset>↵
99.             <legend class="sr-only">Remove from Wishlist</legend>↵
100.             <input type="hidden" name="_token"
101. value="Jx11ZnX6tEPcHTLuS1LVsm5I3i9mEsZjCBaqZkt7" autocomplete="off">↵
101.             <input type="hidden" name="product_id" value="3">↵
102.             <input type="hidden" name="user_id" value="101">↵
103.             <button type="submit" name="remove-from-wishlist"
104. class="cancel">↵
105.                 Remove↵
106.             </button>↵
107.         </fieldset>↵
108.     </form>↵
109. </div>↵
110. </div>↵
111. </div>↵
112.     </div>↵
113. </main>↵
114. <footer>↵
115.     <p><a href="http://192.168.1.5:8000/about_us">About us</a></p>↵
116.     <p><a href="http://192.168.1.5:8000/contact_us">Contact us</a></p>↵
117.     <p><a href="http://192.168.1.5:8000/main_features">Main Features</a>
118.     <p>© 2023 Bibliophile's Bliss. All rights reserved.</p>↵
119. </footer>↵
120. ↵
121. </body></html>
```

Used the HTML parser.

Total execution time 14 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 23.12.19