

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report [Options...](#)

Check by ☐ CSS

```
</head>
<body>
  <main>
    <header>
      <h1><a href="http://192.168.1.5:8000">Bibliophile's Bliss</a></h1>
      <div class="header-buttons">

          <a title="Wallet" class="buttonss"
href="http://192.168.1.5:8000/wallet/101">
              <i class="fas fa-wallet"></i><span class="header-text"
id="user_money"> 0,00€</span>
            </a>
          <a class="buttonss"
href="http://192.168.1.5:8000/notifications/101">
```

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

1. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 16, column 5; to line 16, column 35](#)

```
css"><script type="text/javascript">
```

2. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 21, column 5; to line 21, column 84](#)

```
ript><script type="text/javascript"
src="http://192.168.1.5:8000/js/app.js" defer="">
```

3. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 112, column 5; to line 112, column 107](#)

```
add"><input type="hidden" name="_token"
value="Jx11ZnX6tEPcHTLuS1LVsm5I3i9mEsZjCBaqZkt7" autocomplete="off">
```

4. **Error** An input element with a type attribute whose value is hidden must not have an autocomplete attribute whose value is on or off.

[From line 177, column 5; to line 177, column 107](#)

```
add"><input type="hidden" name="_token"
value="Jx11ZnX6tEPcHTLuS1LVsm5I3i9mEsZjCBaqZkt7" autocomplete="off"><
```

Document checking completed.

Source

```
1. <!DOCTYPE html><
2. <html lang="en"><head>
3.   <meta charset="utf-8">
4.   <meta http-equiv="X-UA-Compatible" content="IE=edge">
5.   <meta name="viewport" content="width=device-width, initial-scale=1">
6.   <
7.   <!-- CSRF Token -->
8.   <meta name="csrf-token"
content="Jx11ZnX6tEPcHTLuS1LVsm5I3i9mEsZjCBaqZkt7">
9.   <
10.  <title>BB</title>
11.  <
12.  <!-- Styles -->
13.  <link href="http://192.168.1.5:8000/css/milligram.min.css"
rel="stylesheet">
14.  <link href="http://192.168.1.5:8000/css/app.css" rel="stylesheet">
15.  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/5.15.3/css/all.min.css">
16.  <script type="text/javascript">
17.    // Fix for Firefox autofocus CSS bug
18.    // See: http://stackoverflow.com/questions/18943276/html-5-autofocus-
messes-up-css-loading/18945951#18945951
19.  </script>
20.  <script src="https://js.pusher.com/7.0/pusher.min.js"></script>
21.  <script type="text/javascript" src="http://192.168.1.5:8000/js/app.js"
defer="">
22.  </script>
23.  <
24. </head>
25. <body>
26.   <main>
27.     <header>
28.       <h1><a href="http://192.168.1.5:8000">Bibliophile's Bliss</a>
</h1>
29.       <div class="header-buttons">
30.         <
31.         <a title="Wallet" class="buttonss"
href="http://192.168.1.5:8000/wallet/101">
32.           <i class="fas fa-wallet"></i><span class="header-text"
id="user_money"> 0,00€</span>
33.         </a>
34.         <a class="buttonss"
href="http://192.168.1.5:8000/notifications/101">
35.           <i class="fas fa-bell"></i>
36.           0
37.           <span class="header-text">Notifications</span>
38.         </a>
39.         <a class="buttonss" href="http://192.168.1.5:8000/shopping-
cart/show/101">
40.           <i class="fas fa-shopping-cart"></i> <span
class="header-text">Shopping Cart</span>
41.         </a>
```

```

42.         <a class="buttonss"
href="http://192.168.1.5:8000/wishlists/101">↵
43.         <i class="fas fa-heart"></i><span class="header-text">
Wishlist</span>↵
44.         </a> ↵
45.         <div class="user-button" title="Menu"
onclick="toggleMenu()">↵
46.             <i class="fas fa-user"></i> ↵
47.         </div>↵
48.         <div class="mini-menu" id="miniMenu">↵
49.             <ul>↵
50.                 <li><a class="menu-button"
href="http://192.168.1.5:8000/users/101">Profile</a></li>↵
51.                 <li><a class="menu-button"
href="http://192.168.1.5:8000/purchase-history/101"> Purchase History </a>
</li>↵
52.                 <li><a class="menu-button"
href="http://192.168.1.5:8000/account_details/101"> Account Details </a></li>↵
53.                 <li><a class="menu-button"
href="http://192.168.1.5:8000/logout"> Logout </a></li>↵
54.             </ul>↵
55.         </div>↵
56.     </div>↵
57. </header>↵
58.     <div class="content">↵
59.         ↵
60.     ↵
61. <div class="wallet-page">↵
62.     ↵
63. <div class="details_box">↵
64.     ↵
65. <h3> Add funds to your wallet</h3>↵
66.     ↵
67. <div class="ad_box">↵
68.     ↵
69. <p> Funds in your wallet can be used to purchase any book on Bibliophile's
Bliss.↵
70.     ↵
71. You will have the opportunity to review your request before it is processed.
</p>↵
72.     ↵
73. <p> Choose the value you want to add. </p>↵
74. </div>↵
75. <div class="money_fund_option">↵
76. <button title="Add to your wallet" class="button-fund" name="show_popup" data-
money="5€">↵
77.     Add 5€↵
78. </button>↵
79.     ↵
80. <button title="Add to your wallet" class="button-fund" name="show_popup" data-
money="10€">↵
81.     Add 10€↵
82. </button>↵
83.     ↵
84. <button title="Add to your wallet" class="button-fund" name="show_popup" data-
money="25€">↵
85.     Add 25€↵
86. </button>↵
87.     ↵
88. <button title="Add to your wallet" class="button-fund" name="show_popup" data-
money="50€">↵
89.     Add 50€↵
90. </button>↵
91.     ↵
92. <button title="Add to your wallet" class="button-fund" name="show_popup" data-
money="100€">↵
93.     Add 100€↵
94. </button>↵
95. </div>↵
96. </div>↵
97. <div class="details_box"> ↵

```

```

98. <h3> Your Bibliophile's Bliss Account </h3><↵
99. <div class="ad_box"><↵
100.     <div class="ad_wallet"> <↵
101. <h4> Current Wallet Balance: 0,00€</h4><↵
102. </div><↵
103. </div><↵
104. <a class="button" href="http://192.168.1.5:8000/account_details/101">See
Account Details</a><↵
105. </div><↵
106. </div><↵
107. <↵
108. <↵
109. <↵
110. <div id="fullScreenPopup" class="popup-form" style="display: none;"><↵
111. <form class="add_funds_form" method="POST"
action="http://192.168.1.5:8000/wallet/101/add"><↵
112.     <input type="hidden" name="_token"
value="Jx11ZnX6tEPcHTLuS1LVsm5I3i9mEsZjCBaqZkt7" autocomplete="off"><↵
113. <↵
114.     <input type="text" name="user_id" data-info="101" hidden=""><↵
115.     <!-- Your form content here --><↵
116.     <h3 class="title">Payment Information</h3><↵
117.     <fieldset><↵
118.         <legend>Billing information</legend><↵
119.         <div class="shipping-address"><↵
120.             <div class="column"><↵
121.                 <label for="name">Name</label><↵
122.                 <input id="name" type="text" name="name" placeholder="Enter
name" data-info=""><↵
123. <↵
124.                 <label for="address">Billing address</label><↵
125.                 <input id="address" type="text" name="address"
placeholder="Enter Billing address" data-info=""><↵
126. <↵
127.                 <label for="country">Country</label><↵
128.                 <select id="country" name="country" data-info="Portugal"><↵
129.                     <option value="Portugal">Portugal</option><↵
130.                     <option value="Other">Other</option><↵
131.                 </select><↵
132.             </div><↵
133.             <div class="column"><↵
134.                 <label for="city">City</label><↵
135.                 <input id="city" type="text" name="city" placeholder="Enter
city" data-info=""><↵
136. <↵
137.                 <label for="postal_code">Postal Code</label><↵
138.                 <input id="postal_code" type="text" name="postal_code"
placeholder="Enter Postal Code" data-info=""><↵
139. <↵
140.                 <label for="phone">Phone Number</label><↵
141.                 <input id="phone" type="text" name="phone" placeholder="Enter
Phone Number" data-info=""><↵
142.             </div><↵
143.         </div><↵
144.     </fieldset><↵
145. <↵
146.     <!-- Payment Method --><↵
147.     <fieldset><↵
148.         <legend>Payment Method</legend><↵
149.         <div class="low_money" style="display: none;"><↵
150.             <i class="fas fa-exclamation-triangle">Your Bibliophile Bliss
Wallet balance is too low to cover this transaction!</i><↵
151.             <p style="display: block;"></p><↵
152.             <input type="checkbox"><↵
153.             <p></p><↵
154.         </div><↵
155.         <label for="payment_type">Choose a payment method:</label><↵
156.         <select id="payment_type" name="payment_type" data-info="paypal"><↵
157.             <option value="paypal">paypal</option><↵
158.             <option value="credit/debit card">credit/debit
card</option><↵

```

```

159.                 </select>↵
160. ↵
161.         <input type="checkbox" name="remember"> Save my payment information to
make checkout easier next time↵
162. ↵
163.         <p>You will have the opportunity to review your purchase before
finalizing it.</p>↵
164.         <!-- Add buttons for navigation -->↵
165.         <div class="navigation-buttons">↵
166.             <button class="cancel" name="cancel">Cancel</button>↵
167.             <button name="show_popup2">Continue</button>↵
168.         </div>↵
169.     </fieldset>↵
170. </form>↵
171. </div>↵
172. ↵
173. ↵
174. ↵
175. <div id="fullScreenPopup2" class="popup-form" style="display: none;">↵
176. <form class="add_funds_form" method="POST"
action="http://192.168.1.5:8000/wallet/101/add">↵
177.     <input type="hidden" name="_token"
value="Jx11ZnX6tEPcHTLuS1LVsm5I3i9mEsZjCBaqZkt7" autocomplete="off">↵
178.     <fieldset>↵
179.         <legend class="sr-only">Money being added to your Bibliophile Bliss
Wallet</legend>↵
180.         <div class="shipping-address">↵
181.             <div class="column">↵
182.                 <p>Being added to your Bibliophile Bliss Wallet</p>↵
183.             </div>↵
184.             <div class="column">↵
185.                 <p></p>↵
186.             </div>↵
187.         </div>↵
188.     </fieldset>↵
189. ↵
190.     <fieldset>↵
191.         <legend class="sr-only">Your Username</legend>↵
192.         <p class="payment_info">Bibliophile's Bliss Account: oi</p>↵
193.         <p class="payment_info"></p>↵
194.     </fieldset>↵
195. ↵
196.     <fieldset>↵
197.         <legend class="sr-only"></legend>↵
198.         <div class="shipping-address">↵
199.             <div class="column">↵
200.                 <p class="payment_info"></p>↵
201.                 <p class="payment_info"></p>↵
202.             </div>↵
203.             <div class="column">↵
204.                 <button name="back">Change</button>↵
205.                 <p class="payment_info"></p>↵
206.             </div>↵
207.         </div>↵
208.     </fieldset>↵
209. ↵
210.     <div class="navigation-buttons">↵
211.         <button name="cancel2">Cancel</button>↵
212.         <button>Confirm Payment</button>↵
213.     </div>↵
214.     <div id="errorMoneyUpdate" style="display: none; color: red; font-size:
small;"></div>↵
215. </form>↵
216. </div>↵
217.     </div>↵
218. </main>↵
219. <footer>↵
220.     <p><a href="http://192.168.1.5:8000/about_us">About us</a></p>↵
221.     <p><a href="http://192.168.1.5:8000/contact_us">Contact us</a></p>↵
222.     <p><a href="http://192.168.1.5:8000/main_features">Main Features</a>
</p>↵

```

```
223.      <p>© 2023 Bibliophile's Bliss. All rights reserved.</p>↵
224.      </footer>↵
225.  ↵
226. </body></html>
```

Used the HTML parser.

Total execution time 22 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 23.12.19