```
HTTP
    29 22:55:26.937423
                          192.168.43.195
                                                                                450
                                                                                        GET /favicon.ico HTTP/1.1
                                                 128.119.245.12
Frame 29: 450 bytes on wire (3600 bits), 450 bytes captured (3600 bits) on interface 0
Interface id: 0 (\Device\NPF_{96E9BC2A-8628-4C36-83CF-6F1B909EFCD6})
Interface name: \Device\NPF_{96E9BC2A-8628-4C36-83CF-6F1B909EFCD6}
       Interface description: WLAN
   Encapsulation type: Ethernet (1)
   Arrival Time: Sep 23, 2019 22:55:26.937423000 中国标准时间
   [Time shift for this packet: 0.000000000 seconds]
   Epoch Time: 1569250526.937423000 seconds
   [Time delta from previous captured frame: 0.000221000 seconds]
    [Time delta from previous displayed frame: 0.000000000 seconds]
   [Time since reference or first frame: 0.303122000 seconds]
   Frame Number: 29
   Frame Length: 450 bytes (3600 bits)
   Capture Length: 450 bytes (3600 bits)
   [Frame is marked: False]
    [Frame is ignored: False]
    [Protocols in frame: eth:ethertype:ip:tcp:http]
    [Coloring Rule Name: HTTP]
   [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: Cybertan_a3:2d:0f (c8:3d:d4:a3:2d:0f), Dst: HuaweiTe_71:75:74 (30:74:96:71:75:74)
   Destination: HuaweiTe_71:75:74 (30:74:96:71:75:74)
       Address: HuaweiTe_71:75:74 (30:74:96:71:75:74)
        .... ..0. .... = LG bit: Globally unique address (factory default)
        .... = IG bit: Individual address (unicast)
   Source: Cybertan_a3:2d:0f (c8:3d:d4:a3:2d:0f)
       Address: Cybertan_a3:2d:0f (c8:3d:d4:a3:2d:0f)
        .... ..0. .... = LG bit: Globally unique address (factory default)
        .... = IG bit: Individual address (unicast)
   Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 192.168.43.195, Dst: 128.119.245.12
   0100 .... = Version: 4
    .... 0101 = Header Length: 20 bytes (5)
   Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
       0000 00.. = Differentiated Services Codepoint: Default (0)
        .... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
   Total Length: 436
   Identification: 0xfbd8 (64472)
   Flags: 0x4000, Don't fragment
       0... .... = Reserved bit: Not set
        .1.. .... = Don't fragment: Set
        ..0. .... = More fragments: Not set
        ...0 0000 0000 0000 = Fragment offset: 0
   Time to live: 128
   Protocol: TCP (6)
   Header checksum: 0x9b7b [validation disabled]
   [Header checksum status: Unverified]
   Source: 192.168.43.195
   Destination: 128.119.245.12
Transmission Control Protocol, Src Port: 50967 (50967), Dst Port: http (80), Seq: 1, Ack: 1, Len: 396
   Source Port: 50967 (50967)
   Destination Port: http (80)
   [Stream index: 1]
   [TCP Segment Len: 396]
   Sequence number: 1 (relative sequence number)
   [Next sequence number: 397 (relative sequence number)]
Acknowledgment number: 1 (relative ack number)
   0101 .... = Header Length: 20 bytes (5)
   Flags: 0x018 (PSH, ACK)
       000. .... = Reserved: Not set
       ...0 .... = Nonce: Not set
       .... 0... = Congestion Window Reduced (CWR): Not set
       \dots .0. \dots = ECN-Echo: Not set
       .... ..0. .... = Urgent: Not set
       .... = Acknowledgment: Set
        .... 1... = Push: Set
        .... .... .0.. = Reset: Not set
        .... .... ..0. = Syn: Not set
        .... .... ...0 = Fin: Not set
       [TCP Flags: ·····AP···]
   Window size value: 260
   [Calculated window size: 66560]
   [Window size scaling factor: 256]
   Checksum: 0x2923 [unverified]
   [Checksum Status: Unverified]
   Urgent pointer: 0
   [SEQ/ACK analysis]
        [iRTT: 0.297409000 seconds]
```

Destination

Protocol Length Info

No.

Time

Source

```
[Bytes in flight: 396]
       [Bytes sent since last PSH flag: 396]
    [Timestamps]
       [Time since first frame in this TCP stream: 0.297630000 seconds]
        [Time since previous frame in this TCP stream: 0.000221000 seconds]
   TCP payload (396 bytes)
Hypertext Transfer Protocol
   GET /favicon.ico HTTP/1.1\r\n
       [Expert Info (Chat/Sequence): GET /favicon.ico HTTP/1.1\r\n]
            [GET /favicon.ico HTTP/1.1\r]
            [Severity level: Chat]
            [Group: Sequence]
       Request Method: GET
       Request URI: /favicon.ico
       Request Version: HTTP/1.1
   Host: gaia.cs.umass.edu\r\n
   Connection: keep-alive\r\n
   User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/
77.0.3865.90 Safari/537.36\r\n
   Accept: image/webp,image/apng,image/*,*/*;q=0.8\r\n
   Referer: http://gaia.cs.umass.edu/wireshark-labs/HTTP-wireshark-file1.html\r\n
   Accept-Encoding: gzip, deflate\r\n
   Accept-Language: zh-CN,zh;q=0.9\r\n
   \r\n
   [Full request URI: http://gaia.cs.umass.edu/favicon.ico]
    [HTTP request 1/1]
   [Response in frame: 49]
No.
       Time
                           Source
                                                 Destination
                                                                       Protocol Length Info
    49 22:55:27.239872
                          128.119.245.12
                                                 192.168.43.195
                                                                                539
                                                                                       HTTP/1.1 404 Not Found
(text/html)
Frame 49: 539 bytes on wire (4312 bits), 539 bytes captured (4312 bits) on interface 0
   Interface id: 0 (\Device\NPF_{96E9BC2A-8628-4C36-83CF-6F1B909EFCD6})
       Interface name: \Device\NPF_{96E9BC2A-8628-4C36-83CF-6F1B909EFCD6}
       Interface description: WLAN
   Encapsulation type: Ethernet (1)
   Arrival Time: Sep 23, 2019 22:55:27.239872000 中国标准时间
   [Time shift for this packet: 0.000000000 seconds]
   Epoch Time: 1569250527.239872000 seconds
   [Time delta from previous captured frame: 0.000000000 seconds]
   [Time delta from previous displayed frame: 0.302449000 seconds]
   [Time since reference or first frame: 0.605571000 seconds]
   Frame Number: 49
   Frame Length: 539 bytes (4312 bits)
   Capture Length: 539 bytes (4312 bits)
   [Frame is marked: False]
   [Frame is ignored: False]
   [Protocols in frame: eth:ethertype:ip:tcp:http:data-text-lines]
   [Coloring Rule Name: HTTP]
   [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: HuaweiTe_71:75:74 (30:74:96:71:75:74), Dst: Cybertan_a3:2d:0f (c8:3d:d4:a3:2d:0f)
   Destination: Cybertan_a3:2d:0f (c8:3d:d4:a3:2d:0f)
       Address: Cybertan_a3:2d:0f (c8:3d:d4:a3:2d:0f)
       .... 0. .... = LG bit: Globally unique address (factory default)
.... = IG bit: Individual address (unicast)
   Source: HuaweiTe_71:75:74 (30:74:96:71:75:74)
       Address: HuaweiTe_71:75:74 (30:74:96:71:75:74)
       .... ..0. .... = LG bit: Globally unique address (factory default)
       .... = IG bit: Individual address (unicast)
   Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 128.119.245.12, Dst: 192.168.43.195
   0100 .... = Version: 4
    .... 0101 = Header Length: 20 bytes (5)
   Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
       0000 00.. = Differentiated Services Codepoint: Default (0)
        .... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
   Total Length: 525
   Identification: 0x431d (17181)
   Flags: 0x4000, Don't fragment
       0... .... = Reserved bit: Not set
       .1.. .... = Don't fragment: Set ..0. .... = More fragments: Not set
        ...0 0000 0000 0000 = Fragment offset: 0
   Time to live: 47
   Protocol: TCP (6)
   Header checksum: 0xa4de [validation disabled]
   [Header checksum status: Unverified]
   Source: 128.119.245.12
   Destination: 192.168.43.195
Transmission Control Protocol, Src Port: http (80), Dst Port: 50967 (50967), Seq: 1, Ack: 397, Len: 485
```

```
Source Port: http (80)
   Destination Port: 50967 (50967)
   [Stream index: 1]
   [TCP Segment Len: 485]
   Sequence number: 1 (relative sequence number)
   [Next sequence number: 486
                                (relative sequence number)]
   Acknowledgment number: 397
                                 (relative ack number)
   0101 .... = Header Length: 20 bytes (5)
   Flags: 0x018 (PSH, ACK)
       000. .... = Reserved: Not set
       ...0 .... = Nonce: Not set
       .... 0... = Congestion Window Reduced (CWR): Not set
       .... .0.. .... = ECN-Echo: Not set
       .... ..0. .... = Urgent: Not set
       .... = Acknowledgment: Set
       .... 1... = Push: Set
       .... .0.. = Reset: Not set
       .... .... ..0. = Syn: Not set
       .... .... 0 = Fin: Not set
       [TCP Flags: ·····AP···]
   Window size value: 237
   [Calculated window size: 30336]
   [Window size scaling factor: 128]
   Checksum: 0x8eda [unverified]
   [Checksum Status: Unverified]
   Urgent pointer: 0
   [SEQ/ACK analysis]
        [iRTT: 0.297409000 seconds]
       Bytes in flight: 485]
       [Bytes sent since last PSH flag: 485]
       [Time since first frame in this TCP stream: 0.600079000 seconds]
       [Time since previous frame in this TCP stream: 0.000000000 seconds]
   TCP payload (485 bytes)
Hypertext Transfer Protocol
   HTTP/1.1 404 Not Found\r\n
       [Expert Info (Chat/Sequence): HTTP/1.1 404 Not Found\r\n]
           [HTTP/1.1 404 Not Found\r\n]
           [Severity level: Chat]
           [Group: Sequence]
       Response Version: HTTP/1.1
       Status Code: 404
       [Status Code Description: Not Found]
       Response Phrase: Not Found
   Date: Mon, 23 Sep 2019 14:55:27 GMT\r\n
   Server: Apache/2.4.6 (CentOS) OpenSSL/1.0.2k-fips PHP/5.4.16 mod_perl/2.0.10 Perl/v5.16.3\r\n
   Content-Length: 209\r\n
       [Content length: 209]
   Keep-Alive: timeout=5, max=100\r\n
   Connection: Keep-Alive\r\n
   Content-Type: text/html; charset=iso-8859-1\r\n
   \r\n
   [HTTP response 1/1]
   [Time since request: 0.302449000 seconds]
   [Request in frame: 29]
   [Request URI: http://gaia.cs.umass.edu/favicon.ico]
   File Data: 209 bytes
Line-based text data: text/html (7 lines)
   <!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">\n
   <html><head>\n
   <title>404 Not Found</title>\n
   </head><body>\n
   <h1>Not Found</h1>\n
   The requested URL /favicon.ico was not found on this server.
```

</body></html>\n