



ANCLORA SYNCXML

User Manual

Premium guide to operate the controlled pilot,
validate bookings, prepare SES.HOSPEDAJES XML
and maintain privacy controls

Version 1.1

20 July 2026

SyncXML prepares, validates and exports structured data for the SES.HOSPEDAJES workflow. It does not replace human review, the official portal, pre-production evidence or the controller's legal judgement.

Table of contents

01

Product scope

Controlled pilot and prudent claims

02

Access and sessions

Approved login, temporary password and logout

03

Before importing

Minimum data and private environment

04

Document import

Confirmations and file limit

05

Guided review

Errors, warnings and corrections

06

XML and download

Blocking controls before export

07

SES and pre-check-in

Pre-production and role permissions

08

Operational dashboard

User-scoped history

09

Pilot feedback

Signals without guest data

10

Security and privacy

Daily controls

11

Common incidents


Operational response

12

Glossary

Key terms

1. Product scope



Anclora SyncXML transforms a booking Excel file into reviewable data and XML prepared for the SES.HOSPEDAJES workflow. The application is designed for controlled validation, operational error reduction and sensitive-data work under minimisation.

The current version is used in a **controlled pilot**. Access is granted after manual review and does not imply automatic approval, legal guarantee or production SES submission.

What it supports

Need	How SyncXML helps
Import bookings	Reads <code>.xlsx</code> files and detects booking, property, payment and travellers.
Validate data	Marks errors and warnings before XML generation.
Correct fields	Lets you complete mandatory SES fields from guided review.
Prepare XML	Generates a visual view and a technical view for review.
Test SES	Includes local validation and assisted pre-production actions.
Review history	Stores user-scoped bookings when persistence is active.
Collect feedback	Sends pilot feedback without asking for guest data.

Important limits

- It does not replace the official SES portal or services.
- It does not provide legal advice or guarantee absolute compliance.
- It must not be used with production SES without tests, credentials and operational approval.
- It does not store ID card or passport images.
- It does not auto-approve pilot requests.

2. Access and sessions

Application access is reserved for approved pilot users or authorised administrators.

Pilot user access flow

1. Open `/login` or click **Sign in** from the landing page.
2. Enter the authorised email and password.
3. If the account uses a temporary password, define a new password before entering.
4. Check that your session email appears in the header.
5. Use **Close application** to exit; the app clears local session state and returns to login.

Administrator access

Area	Use
<code>/admin/login</code>	Hidden login for admin profiles.
Internal provisioning	Create or rotate pilot-user credentials.
SES	Submission actions are restricted by role and configuration.

Session controls

- Do not share pilot credentials.
- Change the temporary password on first access.
- Log out after reviewing PII.
- If the connected user is not shown in the header after login, reload the app and sign in again.

3. Before importing

Before uploading a file, confirm that the case fits the pilot.

You need

- Booking Excel file in `.xlsx` format.
- Authorisation to process the personal data included.
- Property data and establishment code when the booking will be communicated to SES.
- Traveller data: document, birth date, nationality, address, contact and relationship.
- Internal criteria for who reviews and approves the XML.

Pre-import controls

Control	Expected action
Private environment	Use a non-shared screen and avoid exposing PII.
Minimum file	Upload only the Excel required for the operation.
Real data	In the pilot, prioritise synthetic or anonymised data unless expressly authorised.
Optional sample	You can request pilot access without attaching your own sample; that does not mean synthetic data is accepted by default.
Traceability	Define who reviews and what evidence is retained.

4. Document import

**Anclora SyncXML**

[New booking](#)[Dashboard](#)



 English

 demo@anclora.local

Controlled validation: use only synthetic or anonymised data. Do not upload real guest data. The generated XML is reviewable and does not imply official acceptance by SES.HOSPEDAJES.

DOCUMENT WORKFLOW

1  **Import Excel**
In progress

2  **Review data**
Pending

3  **Generate XML**
Pending

4  **Consolidate**
Pending

Operation traceability

Track review, validation and consolidation status without showing full personal data.

 **Import**
Pending

 **Validation**
Pending

 **Preview**
Pending

 **Mapping**
Pending

 **Duplicates**
Pending

 **XML**
Pending

 **Consolidation**
Pending

 **Import booking Excel**

Upload the booking Excel to detect guests, property, contract and payment data.

Upload only files required for this operation. Avoid including personal data that is not strictly necessary.

Informed acceptance before import

Confirm each point before uploading a file.

☐ **Select all confirmations**

☐ I am authorised to process the personal data included in this file.

☐ I understand that Anclora SyncXML does not provide legal advice and does not by itself guarantee regulatory compliance.

☐ I will review the data before consolidating or exporting it.

☐ I confirm that I am not uploading unnecessary or excessive data for this operation.

☐ I accept that the operation will run in private no-storage mode by default.

 **Select Excel**

Click to select a .xlsx file or drag it into the import area.

 View demo with synthetic data

Import

Import workflow in English

Import starts the operational workflow and applies controls before reading the file.

Steps

1. Review the informed confirmations.
2. Tick **Select all confirmations** or each checkbox individually.
3. Select the `.xlsx` file.
4. Click **Import**.

Automatic controls

Control	Result
Allowed extension	Only supported formats are accepted.
Maximum size	Oversized files are rejected before processing.
Validated payload	Parsed output is validated before continuing.
INE municipalities	When the database is available, municipality codes are resolved.
Duplicates	Suspicious records are shown for manual decision.

If the file is invalid, empty or unreadable, the application shows an error without continuing to XML.

5. Guided review



Anclora SyncXML

New booking

Dashboard



English

demo@anclora.local

Controlled validation: use only synthetic or anonymised data. Do not upload real guest data. The generated XML is reviewable and does not imply official acceptance by SES.HOSPEDAJES.

DOCUMENT WORKFLOW

1



Import Excel

Done

2



Review data

In progress

3



Generate XML

Pending

4



Consolidate

Pending

Operation traceability

Track review, validation and consolidation status without showing full personal data.

●

Import

demo-datos-sinteticos....

●

Validation

0 errors

●

Preview

Pending

●

Mapping

Pending

●

Duplicates

0 pending

●

XML

Pending

●

Consolidation

Pending

Demo loaded with synthetic data. No real data has been imported.



Auto-corrections applied (4)

The application automatically corrected the following fields before validating. Review that the changes are correct.

Detected guests: 4

Run automatic validation to mark valid fields, warnings and errors.

Carefully review the detected data. Consolidation should not be executed if there are errors, unresolved duplicates or incomplete required fields.

Show full data

Validate data

CSV report

Generate XML

☐ I have reviewed the preview

☐ Mapping reviewed

STATUS	#	NAME	DOCUMENT	DATA	CONTACT	ADDRESS	WARNINGS
OK	2	Ana Demo Ejemplo	NIF ****0000T	Birth 1990-04-18 Country ESP	a***@example.com *** ** 001	Calle Ejemplo ...	OK

Imported data review

Guided review lets you correct data before generating XML.

Main elements

Element	Use
Guest table	Review name, document, nationality, contact and status.
Show full data	Reveals unmasked data only in a private environment.
Validate data	Runs smart and implemented SES rules.
CSV report	Exports issues by booking and traveller.
Guided review	Completes mandatory fields or corrects warnings.
Duplicates	Lets you skip, keep or review suspicious records.

Validation states

State	Meaning	Can continue?
Valid	Field is correct or sufficient for the current flow.	Yes
Warning	Should be reviewed; does not always block.	Case by case
Error	Blocks XML, download or consolidation.	No

Fields that often need attention

- INE municipality code for Spanish addresses.
- Document support for NIF/NIE.
- Sex and relationship according to MIR catalogues.
- Phone or email contact.
- Second surname where applicable.
- Postal code and address.

6. XML and download



Anclora SyncXML

New booking

Dashboard



English

demo@anclora.local

Controlled validation: use only synthetic or anonymised data. Do not upload real guest data. The generated XML is reviewable and does not imply official acceptance by SES.HOSPEDAJES.

DOCUMENT WORKFLOW

1 Import Excel
Done

2 Review data
Done

3 Generate XML
In progress

4 Consolidate
Pending

Operation traceability

Track review, validation and consolidation status without showing full personal data.

Import
demo-datos-sinteticos....

Validation
5 errors

Preview
Done

Mapping
Done

Duplicates
0 pending

XML
Done

Consolidation
Pending

XML

XML Generado (Revisión pendiente) Solo Piloto

Visual view XML view

Visual XML tree XML compatible with local SES validation

Request

Code000000000
NameAlojamiento de Demostración
AddressCalle Ejemplo ...

Contract

ReferenceDEMO-2026-0001
Check-in2026-07-12
Check-out2026-07-15
Guests4
Payment typeTARJT

Payment

Payment typeTARJT
IBAN****
Internettrue

People

Ana Demo
New record
DocumentNIF ****0000T
Birth date1990-04-18

Bruno Prueba
New record
DocumentPAS ****34567
Birth date1988-11-02

Generated XML visual view

When critical errors are fixed, click **Generate XML**. The application creates a visual view and a technical view.

Review before downloading

Block	What to check
Request	Establishment code, name and address.
Contract	Reference, check-in, check-out, people and payment.
Payment	Payment type, masked IBAN and internet flag.
People	Included travellers, masked document and contact.
XML issues	Structure, namespace or required-field errors.


Download

The downloaded filename uses this format:

```
syncxml-bookingNumber-DDMMYYHH24MISS.xml
```

Download is blocked while critical issues remain. If only warnings remain, review them and keep internal evidence of the decision.

7. SES and pre-check-in



SES and test pre-check-in panel

SyncXML includes assisted SES actions. Availability depends on credentials, environment and role.

Action	Control
Validate SES XML	Local validation against implemented rules.
Prepare simulation	Prepares a request without sending data to the Ministry.
Send to pre-production	Only with configured credentials and an allowed user.
Query lot/communication	Requires credentials and a tracking code.
Query catalogue	Reviews official catalogues when SES is configured.
Production	Blocked by default until approval and evidence exist.

Pilot users must not submit to SES. Submission routes apply role control and fail safely when configuration does not allow the action.

Test pre-check-in

Test pre-check-in DRAFT

Alojamiento de Demostración · Reference DEMO-2026-0001
2026-07-12 - 2026-07-15

⚠ The data is used only to prepare SES review and communication. SES will be the official source. No document images or complete legal registry are stored in SyncXML.

Traveller 1

NAME	FIRST SURNAME	SECOND SURNAME
Ana	Demo	Ejemplo
DOCUMENT	DOCUMENT NUMBER	DOCUMENT SUPPORT
NIF		
BIRTH DATE	NATIONALITY ISO3	SEX
mm/dd/yyyy	ESP	H
ADDRESS	MUNICIPALITY	MUNICIPALITY CODE
POSTAL CODE	COUNTRY ISO3	RELATIONSHIP
	ESP	TI
PHONE	EMAIL	

Traveller 2

NAME	FIRST SURNAME	SECOND SURNAME
Bruno	Prueba	Sintetico


Public pre-check-in form

The pre-check-in panel generates temporary links to complete traveller data before review.

Current-mode controls:

- Temporary expiring link.
- Token stored as a hash.
- No document images.
- No complete legal registry.
- Operational status: pending, submitted, expired or revoked.
- Human review before official use.

8. Operational dashboard



Dashboard with consolidated booking

The dashboard lets you search bookings, review status and download XML when the configured storage mode allows it.

History controls

Control	Description
User isolation	Each user sees only their persisted bookings.
Search	Filters by reference or property.
Detail	Shows dates, people and detected travellers.
XML download	Uses the protected route for the selected booking.
Deletion	Deletes the booking accessible to the current user.
Pending session	Lets you resume an in-progress local operation.

Dates are displayed as `DD/MM/YYYY` . If a time exists, they are displayed as `DD/MM/YYYY HH:MM:SS` .

9. Pilot feedback

The application includes feedback during use and when closing the experience.

What to send

Feedback type	Useful example
Operational friction	"Municipality correction was slow."
Validation quality	"The relationship warning was not clear."
Pilot outcome	"I generated reviewable XML with synthetic data."
Next need	"I need a template for my PMS."

What not to send

- Guest names, documents, phones or emails.
- XML with real data.
- Screenshots with visible PII.
- Secrets, credentials or tokens.

Feedback is sent to the configured Anclora team channel and does not replace formal legal or technical support.

10. Security and privacy

SyncXML handles personal information. Use these daily controls:

Control	Reason
Minimise data	Reduce exposure and risk surface.
Mask by default	Avoid unnecessary document and contact visibility.
Review before export	Prevent errors before official use.
Do not store images	ID/passport images are outside current storage.
Use pre-production	Test SES before any real operation.
Clear temporary operations	Delete test bookings when finished.
Control access	Only approved users should open bookings with PII.
Avoid sensitive logs	Do not copy PII into incidents, chats or tickets.

SyncXML does not provide legal advice. The controller must approve privacy, DPA, retention and operating procedure.

11. Common incidents

Incident	Recommended action
I cannot sign in	Check approved email, password and account status.
It asks me to change password	It is a temporary password; define a new one before continuing.
The Excel does not import	Check extension, size, structure and that it is not empty.
Municipality code is missing	Complete the INE code from guided review.
Critical errors remain	Fix them before generating or downloading XML.
SES rejects a test	Keep the response, lot/communication and review the error block.
I cannot see a booking	Check you signed in with the same user that consolidated it.
I need real data	Requires authorisation, private environment and prior operational approval.

12. Glossary

Term	Meaning
SES	Official system used for hospitality communications.
XML	Structured file containing booking and travellers.
Pre-production	Test environment before production.
RBAC	Role-based access control.
Owner	User who owns a persisted booking.
Hash	Technical fingerprint that identifies data without storing the original value.
DPA	Data processing agreement.
PII	Personally identifiable information.
INE	Spanish National Statistics Institute; source for municipality codes.