```
import numpy as np
import pandas as pd
import matplotlib.pyplot as plt
import seaborn as sns
%matplotlib inline
```

In [0]:

data = pd.read_csv('https://raw.githubusercontent.com/philurnezhys/visualization_lab/ma
ster/lab1/hotel_bookings.csv?token=ANZN4CBGEDHID5IVMP673RC6NACI2')

In [0]:

data.describe()

Out[0]:

	is_canceled	lead_time	arrival_date_year	arrival_date_week_number	arrival_dat
count	119390.000000	119390.000000	119390.000000	119390.000000	
mean	0.370416	104.011416	2016.156554	27.165173	
std	0.482918	106.863097	0.707476	13.605138	
min	0.000000	0.000000	2015.000000	1.000000	
25%	0.000000	18.000000	2016.000000	16.000000	
50%	0.000000	69.000000	2016.000000	28.000000	
75%	1.000000	160.000000	2017.000000	38.000000	
max	1.000000	737.000000	2017.000000	53.000000	
4					>

In [0]:

data.head()

Out[0]:

	hotel	is_canceled	lead_time	arrival_date_year	arrival_date_month	arrival_date_week_nu
0	Resort Hotel	0	342	2015	July	
1	Resort Hotel	0	737	2015	July	
2	Resort Hotel	0	7	2015	July	
3	Resort Hotel	0	13	2015	July	
4	Resort Hotel	0	14	2015	July	
4						•

```
data.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 119390 entries, 0 to 119389
Data columns (total 32 columns):
hotel
                                   119390 non-null object
is_canceled
                                   119390 non-null int64
lead_time
                                   119390 non-null int64
arrival_date_year
                                   119390 non-null int64
arrival_date_month
                                   119390 non-null object
arrival_date_week_number
                                   119390 non-null int64
arrival date day of month
                                   119390 non-null int64
stays in weekend nights
                                   119390 non-null int64
stays_in_week_nights
                                   119390 non-null int64
adults
                                   119390 non-null int64
children
                                   119386 non-null float64
                                   119390 non-null int64
babies
meal
                                   119390 non-null object
                                   118902 non-null object
country
market_segment
                                   119390 non-null object
distribution channel
                                   119390 non-null object
is_repeated_guest
                                   119390 non-null int64
previous cancellations
                                   119390 non-null int64
previous_bookings_not_canceled
                                   119390 non-null int64
reserved_room_type
                                   119390 non-null object
assigned_room_type
                                   119390 non-null object
booking_changes
                                   119390 non-null int64
                                   119390 non-null object
deposit_type
agent
                                   103050 non-null float64
company
                                   6797 non-null float64
days_in_waiting_list
                                   119390 non-null int64
customer_type
                                   119390 non-null object
                                   119390 non-null float64
adr
required_car_parking_spaces
                                   119390 non-null int64
total_of_special_requests
                                   119390 non-null int64
reservation_status
                                   119390 non-null object
reservation_status_date
                                   119390 non-null object
dtypes: float64(4), int64(16), object(12)
memory usage: 29.1+ MB
```

Подготовка данных

```
data.isnull().sum()
```

Out[0]:

hotel	0
is_canceled	0
lead_time	0
arrival_date_year	0
arrival_date_month	0
arrival_date_week_number	0
arrival_date_day_of_month	0
stays_in_weekend_nights	0
stays_in_week_nights	0
adults	0
children	4
babies	0
meal	0
country	488
market_segment	0
distribution_channel	0
<pre>is_repeated_guest</pre>	0
<pre>previous_cancellations</pre>	0
<pre>previous_bookings_not_canceled</pre>	0
reserved_room_type	0
assigned_room_type	0
booking_changes	0
deposit_type	0
agent	16340
company	112593
days_in_waiting_list	0
customer_type	0
adr	0
required_car_parking_spaces	0
total_of_special_requests	0
reservation_status	0
reservation_status_date	0
dtype: int64	

4 пропуска в детях

488 пропуска в странах

Пропущенные ячейки заполняем средним возрастом всех детей

In [0]:

```
average_children = round(data["children"].mean())
data["children"] = data["children"].fillna(value=average_children)
```

```
In [0]:
```

```
data["country"].value_counts().head(5)
```

Out[0]:

```
PRT 48590
GBR 12129
FRA 10415
ESP 8568
DEU 7287
Name: country, dtype: int64
```

Пропущенные ячейки заполняем Португалией, потому что это самая популярная страна в датасете

```
In [0]:
```

```
data["country"] = data["country"].fillna(value="PRT")
```

Удаляем ячейки с Агентами и Компаниями из-за ненадобности

In [0]:

```
data.drop(["agent"], axis = 1, inplace = True)
data.drop(["company"], axis = 1, inplace = True)
```

data.isnull().sum()


Out[0]:

hotel	0
is_canceled	0
lead_time	0
arrival_date_year	0
arrival_date_month	0
arrival_date_week_number	0
arrival_date_day_of_month	0
stays_in_weekend_nights	0
stays_in_week_nights	0
adults	0
children	0
babies	0
meal	0
country	0
market_segment	0
distribution_channel	0
is_repeated_guest	0
previous_cancellations	0
<pre>previous_bookings_not_canceled</pre>	0
reserved_room_type	0
assigned_room_type	0
booking_changes	0
deposit_type	0
days_in_waiting_list	0
customer_type	0
adr	0
required_car_parking_spaces	0
total_of_special_requests	0
reservation_status	0
reservation_status_date	0
dtype: int64	

sns.countplot(data.hotel)

Out[0]:

<matplotlib.axes._subplots.AxesSubplot at 0x7fe4d5779eb8>




In [0]:

sns.countplot(data.is_canceled)

Out[0]:


<matplotlib.axes._subplots.AxesSubplot at 0x7fe4d3e91128>



```
cancel=data.groupby(["hotel","is_canceled"]).lead_time.count().reset_index()
cancel.columns=["hotel","is_canceled","count"]
sns.barplot(x="hotel", y="count", hue="is_canceled", data=cancel)
```

Out[0]:

<matplotlib.axes._subplots.AxesSubplot at 0x7fe4d3e363c8>




Резервацию отелей отменяют больше в обычных городских отелях

In [0]:

```
sns.countplot(data.arrival_date_year)
```

Out[0]:


<matplotlib.axes._subplots.AxesSubplot at 0x7fe4d35f31d0>



sns.countplot(data.arrival_date_month)

Out[0]:

<Figure size 1800x432 with 0 Axes>



<Figure size 1800x432 with 0 Axes>

По данному графику видим, что больше всего людей заселяются в отель в августе

In [0]:

```
data_august = data.loc[data.arrival_date_month=='August']
plt.figure(figsize=(20,6))
sns.countplot(data_august.arrival_date_day_of_month, hue=data_august.arrival_date_year)
```

Out[0]:

<matplotlib.axes._subplots.AxesSubplot at 0x7fe4d2cd0860>

