

GENERAL INFORMATION**## Company Fuel Guidelines ##**

THA 00195/26 (16 JUL 26)

COM INFO:--WEF 17JUL26,

Company Fuel Guidelines:

1) Flight Outbound from VTBS:

1.1) 15 mins:

-TG319

-ETA within TEMPO ± 1 hr with adverse weather condition

1.2) 5 mins:

-BLR (ONLY WHEN SINGLE RWY OPS)

-TG317, TG407, TG409

2) Flight Inbound to VTBS:

2.1) 20 mins:

ETA within TEMPO ± 2 hrs with adverse weather condition*

2.2) 5 mins:

*ETA 1400-1600 (BKK local time)

3) European Flights:

3.1) Outbound flight to European: CF 3 PERCENT (Except TG916/CF5)

3.2) Inbound flight to VTBS: RCFP*

4) Flight Level Plan for VTUK,

-Outbound from VTBS: FL250

-Inbound to VTBS: FL240

5) Planning for Arrival WADD:

To improve flight planning accuracy, for WADD arrivals,
after waypoint KOLTA, flights shall plan to DOBMA
and then follow DOBMA## STAR.

6) TG649: Flight level shall not be planned above FL380.

7) TG900: When ETA falls within TEMPO ± 2 hrs and adverse weather conditions, LTAC shall be
designated as the destination alternate.

8) Destination VTUD:

Remove altitude restrictions and use the optimum altitude for planning.

Remark:

1) Pilot Management Department (PA)

1.1) Destinations ZBAA and ZSPD:

Flights shall be planned as Economic Tankage without company fuel, with the following
conditions:

-Widebody aircraft shall be planned with far alternates (RKSI, RJFF).

-Narrowbody aircraft shall be planned with ZBTJ as the alternate; however, ZFW shall be
restricted to ensure the carriage of at least 30 minutes of extra fuel.

1.2) Destination YPPH: ALTN YGEL (+05MINS EXTRA FUEL)

YGEL shall be used as ALTN airport effective 25 Apr 2026 following revision of OM-A section
8.3.26 (Operations at Uncontrolled Aerodromes)

2) Everything else regarding fuel planning policy remains the same as last month.

3) Adverse weather conditions*:

RA, TS or TSRA and visibility 5000m or less

(REVISED NO.1/REF EMAIL Summary of Fuel Initiatives Meeting - 13JUL26

For Fuel Committee member/BKKPC)

// (COM-INFO) //

THA 00002/13 (01 JUL 26)

COM INFO:--All A350 and BOEING 787:

are now eligible and included in EUROCONTROL airspace CPDLC Logon list.

Action Required: Pilots are required to initiate CPDLC logon when entering European airspace.
(ISSUED 23MAR26/BKKPC2/UFN)

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 2/92

Trans ID: 5066710

Creation Time: 17.07.2026 09:24UTC

--IN CASE CANNOT BE CONTACTED BKKOC VIA TELEPHONE,
PILOTS MAY CONTACT VIA MS TEAMS CHANNEL: "OC.CENTER".
(ISSUED 30JUL24/BKKOC/UFN)

-- To improve CTOT for all flights both outbound from BKK and
inbound to BKK, pilots may contact TOCC when ready for departure to request an earlier CTOT
through any of the following channels:

: MS Teams chat
: LINE CLC-Pilot
: CUT 129.325
: Phone 02-137-1202

In addition to above contact channels, for DOMESTIC flight, pilots may also directly contact
ground staff to request earlier CTOT. (ISSUED 15FEB25/BKKOP/UFN)

--DELEGATED FUNCTIONS PHONE DIRECTORY (Direct Number)

1. OPEN BOARDING GATE : 02-137-1260
 2. BUS GATE - REMOTE BAY & DOMESTIC V.V. : 02-137-1260
 3. CREW BUS OPC-TERMINAL V.V. : 02-137-1019, 02-137-1020
 4. CONFIRM BOARDING GATE/BAY/BELT : 02-137-1263
 5. ZFW/WEIGHT & BALANCE/LOAD SHEET : 02-137-1291, 02-137-1292
 6. TG LOST & FOUND : 02-134-5454
 7. OTHER INQUIRIES/BKKOC : 02-137-1202
- (ISSUED 17JUL22/BKKOC-INFO/UFN)

--If expected divert due to weather or traffic congestion at any TG destination airports,
please kindly advise TOCC, via ACARS using OPERATIONS prompt or SITA address BKKOPTG,
the current fuel on board immediately to keep close monitoring of the flight.
(ISSUED 08MAY25/BKKOP/UFN)

--In case of pilot receives information from ground staff to delay departure due to connecting
passenger, please kindly confirm with TOCC via CUT channel.
(ISSUED 27NOV24/BKKOP/UFN)

--FOR FLIGHTS PLANNED NAVIGATING THROUGH KABUL FIR,
ONCE FINAL FL TO ENTER KABUL FIR IS AVAILABLE,
PLEASE ACARS DOWNLINK ETO/ENTRY WPT/FL TO BKKOPTG
(ISSUED 12DEC24/BKKOC/UFN)

--Please kindly consider and issue recommendation for route P500 G500 as soon as possible in
order to reduce operational risk.

1. Due to limitation of passenger oxygen chemical type (22 minutes).

If weather deviation is required, pilots shall deviate west of route only.

2. In an event of critical in-flight emergency, the aircraft should follow ICAO emergency
descent procedures, broadcast status and intentions on 125.2 MHZ and 121.5 MHZ. Thereafter,
proceed at the discretion of the PIC until clear Kabul FIR and in contact with the ATC
responsible for the airspace.
(ISSUED 31JUL24/D1/OC/UFN)

--Any flight operation by TG into the uncontrolled airspace and conflict zone,
the latest operational information "Closures and Warnings" issued by means of ICAO State
letters,
NOTAMs, AICs/AIPs, and EASA CZIB - TG are subject to strictly following the
guidance/directions
from their national authority as well as their own risk assessment.
(ISSUED 15APR24 CORR/TN003/22/OW/UFN)

--WEF 01JUL26,
SUBJ: SPECIAL SECURITY ARRANGEMENT:SSA007/2026
ATTN ALL CONCERNED

THE AVIATION SECURITY COMMITTEE (ASC) MTG ON 18JUN2026
AGREED TO ANNOUNCE SSA007/2026 AS FLWS:

AA PLS BE INFM THT THIS SSA WILL SUPERSEDE SSA006/2026
FROM 01JUL2026 UNTIL FURTHER TLX ADV

BB FR FLT DEP FRM STATION EUROPE: ARN AMS BRU CDG CPH FRA IST
LHR MUC MXP OSL ZRH

LEVEL: LOW CMA PERFORM SSA ACCORDING TO EU REQUIREMENTS
AS FLWS:

- A1 - A/C PRE-FLIGHT SECURITY SEARCH CONDUCTED BY PIC CMA
CABIN CREW CMA ASM/SMT/DELEGATED PERSONNEL N GROUND/
STATION ENGINEER
- A18-1 5% RANDOM SEARCH OF LIFE VEST JACKET POUCHES
CONDUCTED BY CABIN CREW

CC FR FLT DEP FRM STATION: DAC ISB KHI LHE RGN

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 3/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

LEVEL: MEDIUM CMA SSA AS FLWS:
A18-2 10% RANDOM SEARCH OF LIFE VEST JACKET POUCHES CONDUCTED
BY CABIN CREW

DD FR DOM FLT DEP FRM STATION: HDY

LEVEL: MEDIUM CMA SSA AS FLWS:
A18-2 10% RANDOM SEARCH OF LIFE VEST JACKET POUCHES CONDUCTED
BY CABIN CREW

EE FR FLT DEP FRM MAINBASE STATION: BKK

LEVEL: MEDIUM CMA SSA AS FLWS:
A18-2 10% RANDOM SEARCH OF LIFE VEST JACKET POUCHES CONDUCTED
BY CABIN CREW
F2 - IDENTITY CHECK OF CREW MEMBERS BEFORE BOARDING AT
BOARDING GATE
P2 - SECONDARY CHECK AT GATE
(APPLY ONLY FLT FRM BKK TO MEL PER N SYD)

FF THE FLWG SSA SHALL BE IMPLEMENTED FR ALL ROUTE AS NORMAL PROC
P5 - INTENSIVELY PERFORM IDENTITY CHECK N VERIFICATION OF PAX
BEFORE BOARDING A/C BY
- COMPARING PAX WZ PHOTOGRAPH N PASSPORT/TVL DOCS TO
ENSURE PAX IS BONA FIDE N
- VERIFYING THE NAMES IN THE TICKETS CORRESPOND TO THOSE
ON THE IDENTITY DOCS
V1 - ALERT STAFF TO OBSERVE UNUSUAL BEHAVIOR OF PAX N ALL
PERSONNEL INVOLVED N ANY SUSPICIOUS ITEM IN THE
OPERATING AREA

GG THOSE STN NOT ON THE LIST ABOVE ARE LOW LEVEL STP
APPLY NORMAL SECURITY PROC AS MENTIONED IN OPERATION MANUAL

ADDITIONAL INSTRUCTION.

FR FLT OPS TO BLR MAA N CCU PLS IMPLEMENT THE FLW MEASURES AT THE
CHK-IN COUNTERS;
1. PROV DEDICATED CHK-IN COUNTERS FR FLT TO BLR MAA N CCU
2. DISPLAY WARNING N INFO SIGNAGE AT:
-CHK-IN COUNTERS
-B/D GATE
-FLT INFO DISPLAY SYSTEM (FIDS) AT CHK-IN COUNTERS
3. CONDUCT RANDOM X-RAY SCREENING OF SUSPICIOUS BAG AT CHK-IN
COUNTERS
4. CONDUCT RANDOM SCREENING BY USING SNIFFER DOGS IN THE CHK-IN AREA.

IN CASE OF THREAT SITU N EXTRA MEASURES ARE REQ CMA
STN MONITORING TEAM/SMT MAY RAISE UP MEASURES AS APPROPRIATE

ANY SECURITY INCIDENTS MAY OCCUR SHALL INFO MANAGEMENT CONCERNED
N BKKD1 ACCLY STP

REMARK

A18-1 5% RANDOM SEARCH OF LIFE VEST JACKET POUCHES
A18-2 10% RANDOM SEARCH OF LIFE VEST JACKET POUCHES
WILL BE REVISED IN SPM NEXT REVISION

PLS ACK N CFM ACTUAL PERFORM TO OFC BKKD1-B
BRGDS/CAPT. CHINGCHEEP B./BKKD1 ASC CHAIRMAN

Minima for flight planning

THA 00136/26 (29 MAY 26)

COM INFO: Application of planning minima for flight planning

Due to limited space in the OFP fuel planning box, any display of "BASIC FUEL SCHEME" shall be interpreted as "BASIC FUEL SCHEME WITH VARIATION."

All THAI flights are planned using Basic Fuel Scheme with Variation, unless otherwise specified by Flight Dispatcher.

Alternate planning minima shall be applied in accordance with OMA 8.1.7.5.2.
Display format will be reviewed and updated following stakeholder discussion.

OFP - TCAR format

THA 00093/26 (18 MAY 26)

COM INFO: SFP/OFP change format according to OM-A (TCAR version)

Due to identified limitations in the current OFP template,
the following temporary procedures shall apply with immediate effect:

1. RVSM - Standby Altimeter

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 4/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

The current OFP does not provide a dedicated line for Standby Altimeter recording as required by OMA 14.4.4.

Action: Record the Standby Altimeter value adjacent to the existing record row.

This procedure is mandatory to ensure compliance with OMA 14.4.4.

2. RAIM Information

RAIM shown in the OFP is for terminal operations only.

Action: For flights requiring NPA, crew shall verify RAIM availability separately using an approved RAIM Forecast Report.

3. RCFP - MINF at DP

the displayed MINF at DP may be incorrect.

Action: Disregard the displayed value and refer to the minimum fuel at DP provided in the eOFP application to maintain information consistency.

These instructions are mandatory until corrected in the next OFP version.

FLIGHT LEG INFORMATION

VTBSEGLL

AIP SUP 054/26 ## THA 00185/26 (10 JUL 26)

// (SEE ATTCH) //

AIP SUP 047/26 ## THA 00152/26 (10 JUN 26)

// (SEE ATTCH) //

AERODROME INFORMATION

VTBS / BKK

VTBDC4043/26 (17 JUL 26)

18 JUL 2026 19:00-18 JUL 2026 23:00
TXL CLSD DUE TO WIP DETAIL AS FLW:
-TXL T11 BEHIND ACFT STAND NR E1 E3 E5 E7 E9
-TXL T12 BEHIND ACFT STAND NR D7 D8

VTBDC4042/26 (17 JUL 26)

18 JUL 2026 18:30-18 JUL 2026 20:30
TXL T5 BEHIND ACFT STAND NR 105 106 107 121 122 123
CLSD DUE TO WIP

VTBDC4041/26 (17 JUL 26)

17 JUL 2026 19:00-17 JUL 2026 20:00
TWY CLSD DUE TO WIP DETAIL AS FLW:
-TWY D BTN TWY D6 AND TWY D8
-TWY D7
-TWY G BTN TWY D AND TWY H1

VTBDC4039/26 (17 JUL 26)

17 JUL 2026 19:30-17 JUL 2026 23:15
TWY CLSD DUE TO WIP DETAIL AS FLW:
-TWY E BTN TWY D1 AND TWY D3
-TWY D1
-TWY D2
-TWY E1

VTBDC4040/26 (17 JUL 26)

18 JUL 2026 20:30-18 JUL 2026 21:45
TWY CLSD DUE TO WIP DETAIL AS FLW:
-TWY C BTN TWY C2 AND TWY C4
-TWY C3

*VTBDC4038/26 (17 JUL 26)

18 JUL 2026 20:30-19 JUL 2026 22:30
"18 2030-2145, 19 1900-2230"
RWY 01/19 CLSD DUE TO WIP

VTBDC4026/26 (17 JUL 26)

ADVANCED VISUAL DOCKING GUIDANCE SYSTEM (A-VDGS)
ACFT STAND NR 501 U/S DUE TO MAINT

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 5/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

RMK: ACFT HAVE TO FLW MARSHALLING SIGNALS STRICTLY

*VTBDC4003/26 (16 JUL 26)

17 JUL 2026 17:00-18 JUL 2026 23:30
"17 1700-2315, 18 1700-2330"
RWY 02L/20R CLSD DUE TO WIP

VTBDC3999/26 (16 JUL 26)

17 JUL 2026 17:00-18 JUL 2026 23:30
"17 1700-2315, 18 1700-2330"
TWY CLSD DUE TO WIP DETAIL AS FLW:
-TWY F
-TWY F1 TO TWY F12
-TWY F15
-TWY W
-TWY Y
-TWY Z

*VTBDC3997/26 (16 JUL 26)

17 JUL 2026 19:00-17 JUL 2026 23:15
RWY 02R/20L CLSD DUE TO WIP

OB Company Safety NOTAM-BKK

THA 00161/26 (11 JUL 26)

// (SEE ATTCH)//

// (COM-INFO)//

THA 00064/25 (11 JUL 26)

COM INFO:--REF AIP SUP A53/25:
RETIls U/S:
RWY 01/19: TWYs B3, B5, B7, B8, B10 and B11
RWY 02R/20L: TWYs E5, E7, E9, E12, E13, E15.

--1) The Visual Docking Guidance System (VDGS) at the ACFT stands 101 - 114 are U/S. (14 ACFT stands).
2) Airlines or Ground service providers shall provide a License Mechanic performed as Marshaller to guide the aircraft from taxilane to the parking position.
3) The ACFT are strongly advised to strictly follow the Marshaller's signal. (REF AIP SUP A13/25*)

--Suvarnabhumi:
DVOR/DME (SVB) (133932.5N 1004353.2E) (111.4 MHZ, CH51X) temporary suspended from 28 November 2024 at 0001 UTC to 02 October 2026 at 0949 UTC. (REF AIP SUP A54/24*)

--Taxiway C between Taxilane T1 and Taxilane T2, Taxiway C1 closed. (REF AIP SUP A01/25*)

VTBDC3834/26 (11 JUL 26)

ALL ACFT ADVICE CTC SUVARNABHUMI BKK APP FREQ 119.1MHZ AND BACKUP FREQ 120.85MHZ DUE TO RADIO FREQ INTERFERENCE

VTBDC3554/26 (11 JUL 26)

ADVANCED VISUAL DOCKING GUIDANCE SYSTEM (A-VDGS)
ACFT STAND NR 119 308 516 AND 520 U/S DUE TO MAINT
RMK: ACFT HAVE TO FLW MARSHALLING SIGNALS STRICTLY

VTBDC2953/26 (07 JUN 26)

"TRIGGER NOTAM-PERM AIRAC AIP AMDT 07/26 WEF 09 JUL 2026.
AD 2-VTBS-1 AD 2.24 CHARTS RELATED TO AN AD
AD 2-VTBS-8 IAC-ICAO-ILS OR LOC Z RWY 19 CAT II, RWY 20L CAT II,
IAC-ICAO-RNP RWY 19, RWY 20L, RWY 20R
AD 2-VTBS-9 VFR ENTRY AND EXIT PROC FOR LGT ACFT CHART
RWY 19/20L/20R 01/02L/02R
VFR OVERFLY PROC FOR LGT ACFT CHART
RWY 19/20L/20R 01/02L/02R
VFR ENTRY AND EXIT PROC FOR HEL CHART
RWY 19/20L/20R 01/02L/02R
VFR OVERFLY PROC FOR HEL CHART
RWY 19/20L/20R 01/02L/02R"

VTBDC2661/26 (07 JUN 26)

"AD 2.24 CHARTS RELATED TO AN AD,
IAC-ICAO CHANGED ALT AT IF AS FLW:
AD2-VTBS 8-9 ILS OR LOC Z RWY 19 CAT II
:READ ALT2500 (2496) INSTEAD OF ALT3000
AD2-VTBS 8-13 ILS OR LOC Z RWY 20L CAT II

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 6/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

:READ ALT3500 (3496) INSTEAD OF ALT4000
AD2-VTBS 8-23 RNP RWY 19 :READ ALT2500 (2496) INSTEAD OF ALT3000
AD2-VTBS 8-25 RNP RWY 20L :READ ALT3500 (3496) INSTEAD OF ALT4000
AD2-VTBS 8-27 RNP RWY 20R :READ ALT3500 (3492) INSTEAD OF ALT4000
REF AIRAC AIP AMDT AD2-VTBS-8-9, AD2-VTBS-8-13, AD2-VTBS-8-23,
AD2-VTBS-8-25, AD2-VTBS-8-27"

EGLL / LHR

EGGNA2734/26 (17 JUL 26)

"VOR/DME LON/LONDON 113.600 MHZ CH83X. THERE MAY BE OBS OF DVOR
BEARING FLUCTUATIONS WI THE 155-195 DEG. MAG. SECTOR RADIALS FM THE
LONDON VOR/DME STATION, DUE TEMPO MOBILE CRANE IN THE VCY"

// (COM-INFO) //

THA 00128/12 (10 JUL 26)

COM INFO:-ALL FLIGHTS SHOULD BE ON BLOCK NOT EARLIER THAN 15 MINUTES BEFORE STA IN ORDER TO
AVOID THE EFFECT OF FUTURE SLOT.
(ISSUED 15SEP22/TN007/22/PA/UFN)

--FLT TO LHR , SHALL NOT ARRIVE BEFORE 0600LT DUE TO CURFEW TIME.
(UPDATE 12DEC24/OP-INFO)

EGGNA2640/26 (10 JUL 26)

14 JUL 2026 08:00-17 JUL 2026 17:00
0800-1700
UAS OPR WI AREA BOUNDED BY 512214N 0003830W - 512159N 0003810W -
512157N 0003814W - 512155N 0003819W - 512150N 0003828W -
512149N 0003831W - 512147N 0003834W - 512144N 0003843W -
512206N 0003852W - 512211N 0003841W - 512214N 0003830W (WINDLESHAM).
MAX HGT 400FT AGL. FOR INFO 07780 495444. AR-2026-6154/01.
F) SFC
G) 600FT AMSL

EGGNA2639/26 (10 JUL 26)

18 JUL 2026 21:30-18 JUL 2026 21:45
LASER DISPLAY WI 1NM RADIUS OF 512932N 0003318W (LANGLEY). FOR
INFO 07460869343. AR-2026-6086/01.
F) SFC
G) UNL

EGGNA2579/26 (10 JUL 26)

MON-FRI 0800-1400
"UAS OPR WI AREA BOUNDED BY 513046N 0003005W - 513032N 0003007W -
513035N 0002935W - 513047N 0002943W - 513046N 0003005W (IVER,
BUCKINGHAMSHIRE). MAX HGT 230FT AGL. FOR INFO 07745 966840.
AR-2026-5918/01."
F) SFC
G) 400FT AMSL

EGGNA2538/26 (10 JUL 26)

RWY 09L/27R REDUCED RWY DECLARED DISTANCES AND LGT DUE PHASE 3 OF
RWY RESURFACING WORKS. ALL OPERATORS SHALL REFER TO AIP SUPPLEMENT
047/2026

EGGNA2504/26 (10 JUL 26)

RWY 09L/27R ENRTY/EXIT A10W CLSD.

EGGNA2122/26 (07 JUN 26)

RWY 27R MANDATORY INFO SIGN AT A1 ON EASTERN SIDE NOT AVBL DUE WIP

EGGNA2057/26 (06 JUN 26)

TWY B (SOUTH) CLSD BTN ITS JUNCTIONS WITH TWY E AND TWY F DUE WIP.

EGGNA2029/26 (06 JUN 26)

NDB BUR/BURNHAM 421KHZ U/S

EGGNA1991/26 (06 JUN 26)

TRIGGER NOTAM - AIP SUP 054/26 WEF 13 JUL 2026 UNTIL 24 JUL 2026.
LONDON HEATHROW AIRPORT (EGLL) - TEMPORARY TANGO SIDS FARNBOROUGH
INTERNATIONAL AIRSHOW 2026

EGGNA1912/26 (25 MAY 26)

RWY 27R MANDATORY INFO SIGN AT A2 ON EASTERN SIDE REMOVED DUE WIP.

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 7/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

EGGNA1484/26 (21 APR 26)

INSTRUMENT APPROACH CHART - RNP RWY 27R - MOCA BETWEEN IVLAR AND L27RF TO INCREASE FROM 900 (822) TO 1100 (1022).
UK AIP AD 2.EGLL-8-12 REFERS.

EGGNA1483/26 (21 APR 26)

INSTRUMENT APPROACH CHART - RNP RWY 27L - MOCA BETWEEN NEKSA AND L27LF TO INCREASE FROM 900 (823) TO 1100 (1023).
UK AIP AD 2.EGLL-8-9 REFERS.

EGGNA1482/26 (21 APR 26)

INSTRUMENT APPROACH CHART - ILS/DME I-RR RWY 27R - PROCEDURE OCA(H)
FOR CAT I ILS TO INCREASE AS FOLLOWS:
CAT C INCREASE FROM 247 (169) TO 249 (171)
CAT D INCREASE FROM 263 (185) TO 268 (190)
UK AIP AD 2.EGLL-8-10 REFERS.

EGGNA1479/26 (21 APR 26)

INSTRUMENT APPROACH CHART - ILS/DME I-LL RWY 27L - PROCEDURE OCA(H)
FOR CAT II ILS TO INCREASE AS FOLLOWS:
CAT D INCREASE FROM 174 (97) TO 177 (100)
UK AIP AD 2.EGLL-8-7 REFERS.

EGGNA1477/26 (21 APR 26)

INSTRUMENT APPROACH CHART - ILS/DME I-LL RWY 27L - PROCEDURE OCA(H)
FOR CAT I ILS TO INCREASE AS FOLLOWS:
CAT B INCREASE FROM 238 (161) TO 241 (164)
CAT C INCREASE FROM 252 (175) TO 255 (178)
CAT D INCREASE FROM 270 (193) TO 273 (196)
UK AIP AD 2.EGLL-8-7 REFERS.

EGGNA1473/26 (21 APR 26)

INSTRUMENT APPROACH CHARTS - VM(C)OCA(OCH AAL) CAT B MINIMA TO BE INCREASED FROM 770 (687) TO 800 (717).
UK AIP AD 2.EGLL-8-1 TO 8-12.

EGGNA1481/26 (21 APR 26)

INSTRUMENT APPROACH CHART - RNP RWY 09R - MOCA BETWEEN BENPA AND L09RF TO INCREASE FROM 800 (725) TO 900 (825).
UK AIP AD 2.EGLL-8-6 REFERS.

EGGNA1480/26 (21 APR 26)

INSTRUMENT APPROACH CHART - ILS/DME I-RR RWY 27R - PROCEDURE OCA(H)
FOR CAT II ILS TO INCREASE AS FOLLOWS:
CAT D INCREASE FROM 171 (93) TO 172 (94)
UK AIP AD 2.EGLL-8-10 REFERS.

EGGNA1475/26 (21 APR 26)

INSTRUMENT APPROACH CHART - ILS/DME I-BB RWY 09R - PROCEDURE OCA(H)
FOR CAT I ILS TO INCREASE AS FOLLOWS:
CAT A INCREASE FROM 215 (140) TO 221 (146)
CAT B INCREASE FROM 226 (151) TO 233 (158)
CAT C INCREASE FROM 240 (165) TO 248 (173)
CAT D INCREASE FROM 258 (183) TO 266 (191)
UK AIP AD 2.EGLL-8-4 REFERS.

EGGNA1478/26 (21 APR 26)

INSTRUMENT APPROACH CHART - RNP RWY 09L - PROCEDURE OCA(H) FOR LNAV/VNAV TO INCREASE AS FOLLOWS:
CAT A INCREASE FROM 450 (371) TO 500 (421)
CAT B INCREASE FROM 460 (381) TO 510 (431)
CAT C INCREASE FROM 470 (391) TO 520 (441)
UK AIP AD 2.EGLL-8-3 REFERS.

EGGNA1476/26 (21 APR 26)

INSTRUMENT APPROACH CHART - ILS/DME I-BB RWY 09R - PROCEDURE OCA(H)
FOR CAT II ILS TO INCREASE AS FOLLOWS:
CAT B INCREASE FROM 134 (59) TO 136 (61)

CAT C INCREASE FROM 148 (73) TO 151 (76)
CAT D INCREASE FROM 165 (90) TO 174 (99)
UK AIP AD 2.EGLL-8-4 REFERS.

EGGNA1474/26 (21 APR 26)

INSTRUMENT APPROACH CHART - ILS/DME I-AA RWY 09L - PROCEDURE
OCA(H)
FOR CAT I ILS TO INCREASE AS FOLLOWS:
CAT A INCREASE FROM 222 (143) TO 224 (145)
CAT B INCREASE FROM 234 (155) TO 236 (157)
CAT C INCREASE FROM 248 (169) TO 251 (172)
CAT D INCREASE FROM 267 (188) TO 271 (192)
UK AIP AD 2.EGLL-8-1 REFERS.

EGKK / LGW

EGGNA2729/26 (16 JUL 26)

"RWY 08R/26L 145M SOUTH OF RWY CENTRE LINE AND 8FT HIGH, PLANT
EQUIPMENT PARKED DUE WIP"

*EGGNA2662/26 (12 JUL 26)

13 JUL 2026 22:00-18 JUL 2026 04:30
2200-0430
RWY 08R/26L CLSD. RWY 08L/26R IN USE 2200-0430. LIGHTS FOR THE
CLSD
RWY 08R/26L AND PARALLEL TWY NOT VISIBLE ON THE APCH. FROM
2200-2210 AND 0420-0430 NEITHER RWY 08R/26L OR RWY 08L/26R WILL BE
AVBL TO ALLOW FOR THE CHANGE OF RWY. LAST DEPARTURE 5 MINS BEFORE.

EGGNA2661/26 (12 JUL 26)

12 JUL 2026 04:05-18 JUL 2026 04:00
TWY YANKEE IS CLSD

EGGNA2487/26 (30 JUN 26)

"TWY ECHO AVBL FOR ACFT VACATING RWY 26L VIA ECHO ROMEO RAPID EXIT
TWY. ACFT VACATING AT ECHO ROMEO IS TO CROSS RWY 08L/26R ONTO TWY
JULIET VIA TWY ECHO, WITHOUT STOPPING ON THE RUNWAY EXIT TWY. TWY
ECHO AVAILABLE FOR NORTHBOUND ACFT ONLY.
UK AIP SUP 100/2025 REFERS."

ADDITIONAL INFORMATION

EGSS / STN

EGGNA2141/26 (08 JUN 26)

0700-2100
FLYING OF LARGE MODEL ACFT WI 0.5NM RADIUS OF 515642N 0001607E
(HENHAM). FOR INFO 07847 427866. AR-2026-4816/01.
F) SFC
G) 2000FT AMSL

EGGNA6612/22 (01 NOV 23)

"SRA APPROACHES TO RWY 04 AND RWY 22 NOT AVBL AND PERM REMOVED
FROM THE UK AIP.
UK AIP AD 2.EGSS-8-3, AD 2.EGSS-8-7 REFERS."

EGCC / MAN

EGGNJ2171/26 (15 JUL 26)

"TUE-FRI 0600-2300, SAT 1200-2300"
"TEMPO DANGER AREA (TDA) EGD392D INSTALLED WI AREA BOUNDED BY
532742N 0021050W - 532801N 0021059W - 532812N 0021113W -
532816N 0021124W - 532818N 0021132W - 532817N 0021216W -
532821N 0021217W - 532819N 0021202W - 532828N 0021233W -
532830N 0021235W - 532830N 0021234W - 532823N 0021211W -
532819N 0021201W - 532821N 0021146W - 532821N 0021142W -
532817N 0021117W - 532810N 0021040W - 532808N 0021017W -
532813N 0020934W - 532812N 0020934W - 532807N 0021007W -
532808N 0021037W - 532813N 0021106W - 532811N 0021107W -
532801N 0021056W - 532742N 0021048W - 532742N 0021050W
(GORTON, MANCHESTER). BEYOND VISUAL LINE OF SIGHT (BVLOS) UAS OPS
WITHOUT VISUAL OBSERVERS CONTAINED WHOLLY WI THE TDA. MAX HGT
200FT AGL. EMERG SERVICES ACFT MAY ENTER THE AIRSPACE IN
ACCORDANCE WITH LOCAL DECONFLICTION AGREEMENTS. FOR INFO 07484

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 9/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

424457. AR-2026-4066/08."
F) SFC
G) 500FT AMSL

EGGNJ2170/26 (15 JUL 26)

"TUE-FRI 0600-2300, SAT 1200-2300"
"TEMPO DANGER AREA (TDA) EGD392C INSTALLED WI AREA BOUNDED BY:
532818N 0021216W - 532817N 0021216W - 532817N 0021221W -
532815N 0021246W - 532800N 0021222W - 532758N 0021209W -
532756N 0021205W - 532752N 0021201W - 532749N 0021159W -
532746N 0021159W - 532739N 0021159W - 532735N 0021158W -
532720N 0021150W - 532719N 0021151W - 532726N 0021154W -
532733N 0021158W - 532739N 0021203W - 532739N 0021207W -
532755N 0021222W - 532756N 0021220W - 532801N 0021227W -
532814N 0021246W - 532825N 0021310W - 532834N 0021333W -
532835N 0021332W - 532825N 0021307W - 532818N 0021252W -
532818N 0021233W - 532822N 0021229W - 532821N 0021217W -
532818N 0021216W (ARDWICK, MANCHESTER). BEYOND VISUAL LINE OF
SIGHT (BVLOS) UAS OPS WITHOUT VISUAL OBSERVERS CONTAINED WHOLLY
WI THE TDA. MAX HGT 200FT AGL. EMERG SERVICES ACFT MAY ENTER THE
AIRSPACE IN ACCORDANCE WITH LOCAL DECONFLICTION AGREEMENTS.
FOR INFO 07484 424457. AR-2026-4067/09."
F) SFC
G) 400FT AMSL

EGGNJ2138/26 (14 JUL 26)

"RESTRICTED AREA (TEMPORARY) INSTALLED (CHEW RESERVOIR, MANCHESTER)
WI 2NM RADIUS OF PSN 533044N 0015647W. APPLIES TO ALL ACFT INCLUDING
ANY SMALL BALLOON, ANY KITE, ANY UAS AND ANY PARACHUTE INCLUDING A
PARASCENDING PARACHUTE OR PARAMOTOR. PILOTS ARE FORBIDDEN TO FLY
WITHIN THE DESIGNATED AREA WITHOUT THE PERMISSION EMERGENCY
CONTROLLING AUTHORITY DERBYSHIRE POLICE CTC TEL 030 0122 6999. THESE
RESTRICTIONS DO NOT APPLY TO ACFT MAKING AN APPROACH TO, OR
DEPARTURE FROM, MANCHESTER AIRPORT WHILST UNDER THE CONTROL OF
MANCHESTER RADAR OR TERMINAL CONTROL PRESTWICK CENTRE. ATC UNITS
CLOSE TO THE AREA ARE REQUESTED TO ADVISE AIRCRAFT ON THEIR
FREQUENCIES OF THE CONTENTS OF THIS NOTAM. RESTRICTION OF
FLYING REGULATIONS MADE UNDER ARTICLE 239 OF THE AIR NAV ORDER
2016. AR-2026-6265/03."
F) SFC
G) 3000FT AMSL

EGGNA2477/26 (29 JUN 26)

ILS RWY 05L U/S

EGGNA2098/26 (04 JUN 26)

"RWY 23R, 05L AND 05R RNP APPROACHES NOT AVBL. UK AIP AD2
EGCC-8-4, 8-8, 8-12 AND 8-15 REFER."

EGGNA1980/26 (27 MAY 26)

INCREASED BIRD ACTIVITY ACROSS THE AIRFIELD

EGGNA1873/26 (18 MAY 26)

"THE FOLLOWING RAISED MINIMA APPLY DUE CRANE OPS:
RWY 23R LNAV OCA (OCH) 690 (441) FOR ACFT CAT A,B,C AND D.
RWY 23R LNAV VNAV OCA (OCH) 570 (321) FOR ACFT CAT A
RWY 23R LNAV VNAV OCA (OCH) 590 (341) FOR ACFT CAT B AND C
RWY 23R LNAV VNAV OCA (OCH) 610 (361) FOR ACFT CAT D"

EGGNA1857/26 (17 MAY 26)

TWY ECHO CLOSED BTN HOLDING POINTS E9 AND E10 DUE WIP. TEMPORARY
DIVERTED CENTRELINE AVBL. FOLLOW ME SERVICE AVBL HN AND LVP

LFPG / CDG

// (COM-INFO) //

THA 00133/12 (10 JUL 26)

COM INFO--PILOT SHOULD PLAN TO LAND AT CDG AFTER 0600LT,
TO AVOID EXTRA CHARGES.
RMK/1. A/C ON BLOCK DUE 2200-0600LT,
HIGHER RATE OF PARKING FEE WILL BE APPLIED.
2. NOISE TAX FOR FLT MOVEMENT DUR 2200-0600LT,
HIGHER RATE WILL BE APPLIED. (ISSUED/28JUN/TN028/14/OS-A380/UFN)

LFFAA4662/26 (10 JUL 26)

TAXIWAY M FROM BM4 TO EM5 INCLUDED AND TAXIWAY EM4 CLOSED.

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 10/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

LFFAA4644/26 (10 JUL 26)

AIP SUP 096/26 - PHASE 1 ACTIVATED

LFFAA4500/26 (10 JUL 26)

1230-1500
"FOLLOWING ARRIVAL PROCEDURES CAN BE FLIGHT PLANNED BETWEEN
1230-1500 (IAF FLYING HOUR) :
.IF LFPG FACING WEST :
-STAR LUKIP 9X, BIBAX 9X FOR MOPAR ARRIVALS,
-STAR ROMGO 9X, KEPER 9X, SABLE 9X, KOVAK 9X FOR BANOX ARRIVALS,
.IF LFPG FACING EAST :
-STAR TRO 9X, MOU 9X, TINIL 9X, PIBAT 9X, EPL 9X, RLP 9X, DJL 9X
FOR OKIPA ARRIVALS,
-STAR ENORI 9X, MOPII 9X, RAPOR 9X FOR LORNI ARRIVALS,
.STANDARD PROC STAR 9E / 9W AND STANDARD INITIAL APCH PROC 1E / 1N
/ 1W CAN BE GIVEN BY ATC ACCORDING TO TACTICAL CONDITIONS (METEO,
TRAFFIC, RUNWAYS CONFIGURATIONS,...)."

LFFAA4164/26 (10 JUL 26)

TWY MD2 CLSD.

LFFAA3923/26 (10 JUL 26)

STAR RNAV ENORI 9J RWY 26L 26R 27L 27R NOT AVBL.

LFFAA3857/26 (10 JUL 26)

TRIPLE AXIS TWY A4 NOT AVBL
USE ONLY CENTRAL AXIS A4.

LFFAA3840/26 (10 JUL 26)

"FLW STAR MODIFIED- REF AIP FRANCE :
AD2 LFPG STAR RWY EAST RNAV BIBAX LUKIP 9E 9D
AD2 LFPG STAR RWY WEST RNAV BIBAX LUKIP 9W 9V
AD2 LFPG STAR RWY WEST RNAV BIBAX LUKIP 9P
READ :
MSA MOBRO 2400FT,
MSA MOPAR 2400FT,
READ :
MOCA HOLDING BIBAX 1900FT,
MOCA HOLDING LUKIP 2000FT,
MOCA HOLDING MOPAR 2200FT,
MOCA HOLDING ROU 2400FT."

LFFAA3740/26 (10 JUL 26)

IMPLEMENTATION OF A NEW DEPARTURE SEQUENCING SYSTEM (GLD) : THE
DEPARTURE SEQUENCING ALGORITHM AND TSAT CALCULATION ARE MODIFIED.
RULES RELATED TO TOBT/EOBT MANAGEMENT AND SEQUENCE EXIT CONDITIONS
(SEQOUT) ARE UPDATED.
PLEASE REFER TO : WWW.CDMPARIS.NET WEBSITE FOR FURTHER INFORMATION

LFFAA3623/26 (06 JUN 26)

TRIGGER NOTAM - AIRAC AIP SUP 124/26.
REHABILITATION WORKS OF PART OF TWY T WITH CLOSURE OF A PART OF THE
TWY AND W4 AND W5 HIGH SPEED TURN-OFFS CLOSURE.
WORKS ACTIVATION PHASE ANNOUNCED BY NOTAM.
THIS AIP SUP IS AVBL AT WWW.SIA.AVIATION-CIVILE.GOUV.FR

LFFAA2935/26 (06 JUN 26)

TRIGGER NOTAM - AIRAC AIP SUP 096/26.
PHASED REHABILITATION OF THE M TAXIWAY.
WORKS PHASES WILL BE ACTIVATED BY NOTAM.
THIS AIP SUP IS AVBL AT WWW.SIA.AVIATION-CIVILE.GOUV.FR

LFFAF0822/26 (06 JUN 26)

DME 'CGN' CH100Y U/S.

LFFAA2208/26 (12 APR 26)

TWY BD4 CLSD

LFFAA4055/25 (04 OCT 25)

TWY EM5 LIMITED TO ACFT WITH A MAXIMUM WINGSPAN OF 36M FROM STAND
EN81.
REF AD 2 LFPG.20-3.3.2.2 LIMITATIONS ACCESSIBILITY.

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

LFFAA3549/25 (04 JUL 25)

"REF :
AD2 LFPG STAR RWY EAST RNAV BIBAX LUKIP
AD2 LFPG STAR RWY EAST RNAV EPL TRO
AD2 LFPG STAR RWY EAST RNAV KEPER ROMGO
AD2 LFPG STAR RWY EAST RNAV MATIX VEDUS
AD2 LFPG STAR RWY EAST RNAV MOFIL VEDUS
AD2 LFPG STAR RWY EAST RNAV TINIL
AD2 LFPG STAR RWYWEST RNAV BIBAX LUKIP 01
AD2 LFPG STAR RWY WEST RNAV BIBAX LUKIP 02
AD2 LFPG STAR RWY WEST RNAV BIBAX LUKIPH
AD2 LFPG STAR RWY WEST RNAV EPL TRO
AD2 LFPG STAR RWY WEST RNAV KEPER
AD2 LFPG STAR RWY WEST RNAV KEPER ROMGO
AD2 LFPG STAR RWY WEST RNAV MATIX VEDUS
READ :
MSA BANOX 2700FT,
MSA LORNI 2700FT,
MSA MOBRO 2400FT,
MSA MOPAR 2400FT,
MSA OKIPA 2300FT,.
LIRE
MOCA HOLDING BANOX 2700FT,
MOCA HOLDING BIBAX 1900FT,
MOCA HOLDING ENORI 2400FT,
MOCA HOLDING LORNI 2100FT,
MOCA HOLDING LUKIP 2000FT,
MOCAHOLDING MOPAR 2200FT,
MOCA HOLDING NANOP 2900FT,
MOCA HOLDING OKIPA 2300FT,
MOCA HOLDING ROMGO 2700FT,
MOCA HOLDING ROU 2400FT,
MOCA HOLDING XERAN 2800FT."

LFFAF0990/22 (09 NOV 23)

VOR PART OF VOR/DME PGS 117.050MHZ NOT AVBL (COMPLETELY WITHDRAWN

ENROUTE INFORMATION

ASP / ASIA/PACIFIC
N I L

THA / THAILAND
N I L

VTBB / BANGKOK FIR

VTBDC4027/26 (17 JUL 26)

"DUE TO VT D41A ACT FPL PROC FOR ACFT OPR FM/TO VTCC DETAIL AS FLW:
1. PERIOD MON-FRI 0000-1100
DEP/OVERFLY DEST/OVERFLY RTE
VTCC VTCT W12 IKISU W22
VTCC PONUK R207 IKISU W22 CTR A581
VTCT VTCC W22 IKISU W12
PONUK VTCC Y27 DUBEN Y28 CRIST R207 (FOR RNAV)
PONUK VTCC A581 CTR W22 IKISU R207 (FOR NON-RNAV)
2. PERIOD MON-FRI 1101-2359, SAT SUN H24
DEP/OVERFLY DEST/OVERFLY RTE
VTCC VTCT W20
VTCC PONUK A581
VTCT VTCC W20
PONUK VTCC A581"

VTBDC4018/26 (16 JUL 26)

17 JUL 2026 00:00-17 JUL 2026 23:59
CDR Y5 (RNAV 2) AVBL FOR FLIGHT PLANNING AS FLW:
PERIOD : MEA LOWER/UPPER LIMITS
0000-2359 FL130/FL460

VTBDJ5614/26 (16 JUL 26)

DAILY 0100-0230 0600-1100
"UNMANNED AIRCRAFT WILL TAKE PLACE WI AREA 3NM EITHER SIDE OF
A LINE: 143000.00N1022800.00E-143107.26N1051100.12E
(SI SAKET, UBON RATCHATHANI, BURIRAM, SURIN AND
NAKHON RATCHASIMA PROVINCE)

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 12/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

RMK: ACFT MAY FILE FPL ON AFFECTED RTE BUT EXP RADAR VECTORED
BY ATC SUBJECTED TO COORDINATION BTN CIV/MIL ATC"
F) FL200
G) FL250

VTBDJ5613/26 (16 JUL 26)

DAILY 0100-0230 0600-1100
"UNMANNED AIRCRAFT WILL TAKE PLACE WI AREA 3NM EITHER SIDE OF
A LINE:151638.34N1001745.12E-145407.02N1004920.52E-
143000.00N1022800.00E
(CHAINAT, NAKHON SAWAN, SARABURI, LOP BURI, BURI RAM
AND NAKHON RATCHASIMA PROVINCE)
RMK: ACFT MAY FILE FPL ON AFFECTED RTE BUT EXP RADAR VECTORED
BY ATC SUBJECTED TO COORDINATION BTN CIV/MIL ATC"
F) FL150
G) FL200

*VTBDJ5584/26 (15 JUL 26)

DAILY 0100-1100
"ROCKET (BANGFAI) FRNG WILL TAKE PLACE RADIUS 5NM CENTRE
160222.20N1040626.60E (SELAPHUM DISTRICT ROI ET PROVINCE)
RMK: COOR CTC TEL +668 8257 4191, +666 2268 1123"
F) GND
G) 19000FT AGL

VTBDJ5304/26 (29 JUN 26)

"JUN 29 0815-2359, JUN 30 0000-1659 2200-2359, JUL 01 2200-SEP 30
1659"
"UNMANNED AIRCRAFT WILL TAKE PLACE WI AREA
144705N1033019E-143541N1051246E-142051N1051232E-
141826N1030616E-142521N1030558E-144705N1033019E
(SI SAKET, UBON RATCHATHANI, BURIRAM AND SURIN PROVINCE
EXCLUDING PHNOM PENH FIR)
RMK: ACFT MAY FILE FPL ON AFFECTED RTE BUT EXP RADAR VECTORED BY
ATC SUBJECTED TO COORDINATION BTN CIV/MIL ATC"
F) 8000FT AMSL
G) FL170

VTBDC2950/26 (30 MAY 26)

"TRIGGER NOTAM-PERM AIRAC AIP AMDT 07/26 WEF 09 JUL 2026.
GEN 0.4 CHECKLIST OF AIP PAGES
GEN 3.2 ANC
GEN 3.4 COM AND NAV SER
GEN 4.1 AD/HLP CHARGES
ENR 2.1 FIR, UIR AND CTA
ENR 6 EN-ROUTE CHARTS"

VTBDC2855/26 (26 MAY 26)

"AIRLINES AND AIR OPERATORS CARRYING PASSENGERS FROM
THE DEMOCRATIC REPUBLIC OF THE CONGO AND THE REPUBLIC OF UGANDA
1. PURSUANT TO THE RESOLUTION OF THE NATIONAL COMMUNICABLE DISEASE
COMMITTEE, EFFECTIVE FROM 27 MAY 2026 AT 1800 HOURS (LOCAL TIME)
ONWARDS, PASSENGERS AND CREW MEMBERS DEPARTING FROM THE DEMOCRATIC
REPUBLIC OF THE CONGO (DR CONGO) AND THE REPUBLIC OF UGANDA SHALL BE
PERMITTED TO ENTER THE KINGDOM OF THAILAND ONLY VIA SUVARNABHUMI
AIRPORT AND SHALL BE SUBJECT TO A MANDATORY QUARANTINE PERIOD OF
TWENTY-ONE (21) DAYS, CALCULATED FROM THE DATE OF DEPARTURE FROM
THE AFFECTED AREAS, IN ACCORDANCE WITH THE PRESCRIBED PUBLIC
HEALTH PROCEDURES.
2. ALL AIRLINES AND AIR OPERATORS CARRYING PASSENGERS FROM
THE ABOVE-MENTIONED AREAS ARE REQUESTED TO COMPLY WITH AND IMPLEMENT
THE PRESCRIBED MEASURES ACCORDINGLY."

// (COM-INFO) //

THA 00126/26 (14 MAY 26)

COM INFO:--REF AIP SUP A19/26;
1
INTRODUCTION
With effect from 14 May 2026 at 0001 UTC to 31 December 2026 at 0001 UTC, the purpose of this
AIRAC AIP Supplement is to inform all
concerned regarding Temporary suspension of SURAT THANI DVOR/DME (STN) due to relocation
details are as follows.
2
THE PERIOD OF TEMPORARY SUSPENSION
STN DVOR/DME will be temporarily suspension from 14 May 2026 at 0001 UTC to 31 December 2026
at 0001 UTC.
3
FLIGHT PROCEDURE

A temporary reporting point name SAPUD (090746.24N 0990805.09E) will be established at the same coordinates of SURAT THANI DVOR/DME (STN) for ATS routes G458, W17, W24, W28, W32 and Y8 and a portion of ATS route G458 between STN and MENEX will be suspended until STN normal operations resume.

4
FLIGHT PLANNING PROCEDURES
Reference to the AIP-THAILAND part ENR 1.10 item 4.1.1.1, 4.1.1.2 a, 4.1.1.2 b, 4.1.1.3 a, 4.1.1.3 b non-RNAV2 approved aircraft. To maintain efficiency of ATS during SURAT THANI DVOR/DME (STN) relocation, non-RNAV approved aircraft that intend to operate on G458 between SAPUD and MENEX shall file flight plan, depending on ACFT capability.

5
CONTACT
Unit: Air Traffic Navigation Systems Engineering Department, Aeronautical Radio of Thailand Ltd.
Email: pariwat.ch@aerorhai.co.th

6
VALIDITY
This AIRAC AIP Supplement will remain current until 31 December 2026 at 0001 UTC. Any changes to this AIRAC AIP Supplement will be notified by NOTAM.

MMR / MYANMAR
N I L

VYYF / YANGON FIR
N I L

IND / INDIA
N I L

VECF / KOLKATA FIR

// (COM-INFO) // THA 00156/13 (16 JUL 26)

COM INFO:--1.Route P646 segment DOPID - Jamshedpur VOR (JJS) available only between 1630UTC to 2330UTC.

VOMMA2197/26 (16 JUL 26)

17 JUL 2026 00:00-17 JUL 2026 23:59
AIRSPACE USE PLAN (AUP)
TSA/TRA/AMC-MANAGEABLE AIRSPACE ACT AS FLW:
NR AIRSPACE ID TIME FM TIME TO LOWER FL UPPER FL
1 TRA503(A) ?PUNE? 0130 1200 FL325 FL460
2 TRA503(A) ?PUNE? 1330 1730 FL325 FL460
3 TRA503(B) ?PUNE? 0130 1200 FL325 FL460
4 TRA503(B) ?PUNE? 1330 1730 FL325 FL460
5 TRA509A 0000 2359 SFC FL270
6 TRA509B 0130 1730 FL270 UNL
7 TRA509C 0130 1730 FL270 UNL
8 TRA601(A) ?PANAGARH? 0102 1059 GND 4000 FT AMSL
9 TRA601(B) ?PANAGARH? 0102 1059 GND FL105
10 TRA601(C) ?PANAGARH? 0102 1059 GND FL105
11 TRA604 ?TEZPUR? 0130 1130 FL130 FL380
12 TRA604 ?TEZPUR? 1200 1829 FL130 FL380
13 TRA607(A) ?CHABUA? 0130 1700 FL325 FL460
14 TRA607(B) ?CHABUA? 0130 1700 FL325 FL460
15 TRA607(C) ?CHABUA? 0130 1700 FL325 FL460
16 TRA608 ?GORAKHPUR? 0330 1030 FL325 FL380
17 TRA609(A) ?HASHIMARA? 0230 1130 FL325 FL500
18 TRA609(A) ?HASHIMARA? 1300 1700 FL325 FL500
19 TRA609(B) ?HASHIMARA? 0230 1130 FL325 FL500
20 TRA609(B) ?HASHIMARA? 1300 1700 FL325 FL500
21 TRA610 ?GUWAHATI? 0230 1130 FL325 FL500
22 TRA610 ?GUWAHATI? 1300 1700 FL325 FL500
23 TRA612(A) ?TEZPUR? 0130 1130 FL325 FL380
24 TRA612(A) ?TEZPUR? 1200 1829 FL325 FL380
25 TRA612(B) ?TEZPUR? 0130 1130 FL325 FL380
26 TRA612(B) ?TEZPUR? 1200 1829 FL325 FL380
27 TRA612(C) ?TEZPUR? 0130 1130 FL325 FL380
28 TRA612(C) ?TEZPUR? 1200 1829 FL325 FL380
29 TRA805(A) ?VISHAKH
HAPATNAM? 0000 2359 SFC 5500 FT AMSL
30 TRA805(B) ?VISHAKHAPATNAM? 0100 1700 FL145 FL235
31 TRA805(C) ?VISHAKHAPATNAM? 0100 1700 FL235 FL275
32 TRA806(A) ?COCHIN? 0300 1730 6000 FT AMSL 6000 FT AMSL
33 TRA806(B) ?COCHIN? 0300 1730 FL060 FL170
34 TRA806(C) ?COCHIN? 0300 1730 FL150 FL170

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 14/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

35 TRA806(D) ?COCHIN? 0300 2100 FL060 FL130
36 TRA806(E) ?COCHIN? 0300 2100 FL060 FL170
37 TRA806(F) ?COCHIN? 0300 2100 FL060 FL130
38 TRA806(G) ?COCHIN? 0300 2100 FL060 FL170
39 TRA807(A) ?SULUR? 0230 1159 GND 9000 FT AMSL
40 TRA807(D) ?SULUR? 0230 1029 FL275 FL400
41 TRA807(D) ?SULUR? 1330 1629 FL275 FL400
42 TRA807(E) ?SULUR? 0230 1829 GND 3000 FT AMSL
43 TRA807(E) CORRIDOR1?SULUR? 0230 1829 GND 3000 FT AMSL
44 TRA807(E) CORRIDOR2?SULUR? 0230 1829 GND 5000 FT AMSL
45 TSA602 ?DUDHKUNDI? 0000 2359 GND FL215
46 TSA801(B) ?THANJAVUR? 0330 0729 MSL FL135
47 TSA801(B) ?THANJAVUR? 0830 1029 MSL FL135
48 TSA801(B) ?THANJAVUR? 1330 1729 MSL FL135
49 TSA802(A) ?RAMNAD? 0300 1200 FL060 FL100
50 TSA802(B) ?RAMNAD? 0300 1200 FL060 FL100
51 TSA802(C) ?RAMNAD? 0300 1200 FL090 FL120
52 TSA802(D) ?RAMNAD? 0300 1200 FL090 FL120
53 TSA803(A) ?VISHAKHAPATNAM? 0100 1700 SFC FL235
54 TSA803(B) ?VISHAKHAPATNAM? 0100 1700 SFC FL145
55 TSA803(C) ?VISHAKHAPATNAM? 0100 1700 SFC FL235
CONDITIONAL RTE (CDR2) AVBL AS FLW:
NR CDR2 ID TIME FM TIME TO LOWER FL UPPER FL
1 J1 0000 0129 FL080 FL410
2 J1 0130 0329 FL290 FL410
3 J1 0631 1130 FL290 FL410
4 J1 1131 1830 FL080 FL410
5 J3 1830 2359 FL100 FL250
6 J4 0000 0030 FL110 FL460
7 J4 0031 1258 FL330 FL460
8 J4 1259 1829 FL250 FL460
9 J4 1830 2359 FL110 FL460
10 J5 0000 0129 FL260 FL460
11 J5 1201 1329 FL260 FL460
12 J5 1731 2359 FL260 FL460
13 J8 1131 1159 FL130 FL380
14 J10 1131 1159 FL130 FL380
15 J11 1131 1159 FL130 FL380
16 J13 1230 1329 FL140 FL400
17 J13 1630 1825 FL280 FL400
18 J14 0101 0229 FL110 FL460
19 J14 0230 1029 FL410 FL460
20 J14 1030 1159 FL280 FL460
21 J14 1200 1329 FL110 FL460
22 J14 1330 1629 FL410 FL460
23 J14 1630 1729 FL280 FL460
24 J15 0000 0229 FL110 FL460
25 J15 0230 1029 FL410 FL460
26 J15 1030 1159 FL280 FL460
27 J15 1200 1329 FL110 FL460
28 J15 1330 1629 FL410 FL460
29 J15 1630 1829 FL280 FL460
30 J15 1830 2359 FL110 FL460
31 J16 0101 0229 FL110 FL400
32 J16 1630 1729 FL280 FL400
33 J17 0015 0300 FL110 FL460
34 J17 1130 1310 FL110 FL460
35 J17 1435 1935 FL110 FL460
36 J18 0000 0300 FL110 FL460
37 J18 1130 2359 FL110 FL460
38 J26 0000 0030 FL145 FL460
39 J26 0031 1258 FL330 FL460
40 J26 1259 1829 FL250 FL460
41 J26 1830 2359 FL145 FL460
42 J27 0000 0030 FL110 FL460
43 J27 0031 1258 FL330 FL460
44 J27 1259 1829 FL250 FL460
45 J27 1830 2359 FL110 FL460
46 J29 0000 0129 FL150 FL250
47 J29 1201 1329 FL150 FL250
48 J29 1731 2359 FL150 FL250
49 J36 1330 2359 FL110 FL245
50 J39 0000 0129 FL170 FL460
51 J39 0130 0329 FL290 FL460
52 J39 0631 1130 FL29
0 FL460
53 J39 1131 2359 FL170 FL460
54 J41 0100 0129 FL330 FL460
55 J41 1201 1329 FL330 FL460
56 J42 1830 2359 FL110 FL245
57 J44 0000 0201 FL110 FL210

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 15/92

Trans ID: 5066710

Creation Time: 17.07.2026 09:24UTC

58 J44 1150 1800 FL110 FL210
59 J45 0000 0030 FL110 FL460
60 J45 0031 1258 FL330 FL460
61 J45 1259 1829 FL250 FL460
62 J45 1830 2359 FL110 FL460
63 J46 0000 0030 FL110 FL460
64 J46 0031 1258 FL330 FL460
65 J46 1259 1829 FL250 FL460
66 J46 1830 2359 FL110 FL460
67 J47 0100 0129 FL170 FL410
68 J47 0130 0329 FL290 FL410
69 J47 0631 1130 FL290 FL410
70 J47 1131 1300 FL170 FL410
71 J48 0631 0930 FL290 FL410
72 J56 0000 2359 FL080 FL250
73 J57 0200 0229 FL080 FL250
74 J57 0230 0329 FL220 FL250
75 J57 1031 1530 FL220 FL250
76 J59 0200 1530 FL110 FL410
77 J63 0000 0030 FL110 FL410
78 J63 0031 1829 FL255 FL410
79 J63 1830 2359 FL110 FL410
80 J65 0000 0129 FL150 FL460
81 J65 1201 1329 FL150 FL460
82 J65 1731 2359 FL150 FL460
83 J66 0000 0030 FL110 FL250
84 J66 1330 2359 FL110 FL250
85 J67 0000 0030 FL110 FL255
86 J67 1330 2359 FL110 FL255
87 J71 0200 0329 FL330 FL460
88 J71 0330 1030 FL400 FL460
89 J71 1031 1256 FL330 FL460
90 J71 1257 1511 FL220 FL460
91 J71 1512 1730 FL330 FL460
92 J71 1731 1930 FL250 FL460
93 J71 1931 2000 FL110 FL460
94 J73 0100 0329 FL330 FL410
95 J73 0631 1300 FL330 FL410
96 J75 0000 0030 FL110 FL400
97 J75 0031 1258 FL330 FL400
98 J75 1259 1829 FL250 FL400
99 J75 1830 2359 FL110 FL400
100 J82 0000 2359 FL330 FL400
101 J83 0200 1900 FL110 FL400
102 J89 0000 0030 FL110 FL245
103 J89 1830 2359 FL110 FL245
104 J92 0200 0229 FL110 FL380
105 J92 0230 0329 FL220 FL380
106 J92 1031 1400 FL220 FL380
107 J93 0000 0030 FL150 FL460
108 J93 1830 2359 FL150 FL460
109 J95 0000 0201 FL110 FL460
110 J95 0202 0300 FL255 FL460
111 J95 1130 1149 FL255 FL460
112 J95 1150 2359 FL110 FL460
113 J96 0000 0300 FL110 FL250
114 J96 1130 2359 FL110 FL250
115 J97 0000 0030 FL080 FL245
116 J97 1830 2359 FL080 FL245
117 J98 0000 0040 FL160 FL280
118 J98 1257 1511 FL220 FL280
119 J98 1731 1930 FL250 FL280
120 J98 1931 2359 FL160 FL280
121 J104 0000 0129 FL110 FL380
122 J104 1201 1329 FL110 FL380
123 J104 1731 2359 FL110 FL380
124 J105 0230 0329 FL220 FL460
125 J105 0330 1030 FL400 FL460
126 J105 1031 1300 FL220 FL460
127 J107 1830 2359 FL110 FL255
128 J116 0000 0129 FL080 FL250
129 J116 1201 1329 FL080 FL250
130 J116 1731 2359 FL080 FL250
131 J120 0000 2359 FL085 FL460
132 J121 0000 2359 FL085 FL460
133 J122 0000 2359 FL085 FL460
134 Z2 0000 0329 FL330 FL460
135 Z2 0330 1030 FL400 FL460
136 Z2 1031 2359 FL330 FL460
137 Z5 0000 0129 FL290 FL460
138 Z5 1201 1329 FL290 FL460

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 16/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

139 Z5 1731 2359 FL290 FL460
140 Z12 0000 2359 FL330 FL460
141 Z13 0000 0229 FL110 FL410
142 Z13 0230 0329 FL220 FL410
143 Z13 0330 1030 FL400 FL410
144 Z13 1031 1630 FL220 FL410
145 Z13 1631 2359 FL110 FL410
146 Z14 0000 2359 FL330 FL460

NOTE: AIRSPACE USERS AND ATC UNITS ARE REQUIRED TO ENSURE THAT
AIRSPACE ACTIVITIES ARE NOT CONFLICTING WITH OTHER NOTAMS FOR
AIRSPACE CLOSURES.

F) SFC
G) UNL

***VECCA1479/26 (16 JUL 26)**

"14 15 21 0430-1200, 22 23 0631-0929 1131-1200"
"ARTILLERY FRNG ACT BY PXE INPR WI AREA BOUNDED BY
POINT A 212730.00N 0870200.00E,
POINT C 211140.00N 0871900.00E,
POINT B 210400.00N 0865130.00E AND THEN ALONG THE COASTLINE TO
POINT A 212730.00N 0870200.00E EXC COMMON AREA OF VED-53"
F) SFC
G) 83000FT AMSL

***VECCA1415/26 (16 JUL 26)**

14 15 21-23 1201-1300
"ARTILLERY FRNG ACT BY PXE INPR WI AREA BOUNDED BY
POINT A 212730.00N 0870200.00E,
POINT C 211140.00N 0871900.00E,
POINT B 210400.00N 0865130.00E AND THEN ALONG THE COASTLINE TO
POINT A 212730.00N 0870200.00E."
F) SFC
G) 83000FT AMSL

***VECCA1412/26 (16 JUL 26)**

07-11 13 16-18 20 24 25 27-31 1201-1300
"ARTILLERY FRNG ACT BY PXE INPR WI AREA BOUNDED BY
POINT A 212730.00N 0870200.00E,
POINT C 211140.00N 0871900.00E,
POINT B 210400.00N 0865130.00E AND THEN ALONG THE COASTLINE TO
POINT A 212730.00N 0870200.00E."
F) SFC
G) 25000FT AMSL

***VECCA1409/26 (16 JUL 26)**

"07 11 13 16-18 20 25 27-31 0200-1200, 08-10 0200-0459 0701-0859
1101-1200, 24 0200-0429 0631-0929 1131-1200, 14 15 21-23 0200-0429"
"ARTILLERY FRNG ACT BY PXE INPR WI AREA BOUNDED BY
POINT A 212730.00N 0870200.00E,
POINT C 211140.00N 0871900.00E,
POINT B 210400.00N 0865130.00E AND THEN ALONG THE COASTLINE TO
POINT A 212730.00N 0870200.00E EXC COMMON AREA OF VED-53"
F) SFC
G) 25000FT AMSL

VIDPG0761/26 (16 JUL 26)

AMEND FOLLOWING IN REMARKS COLUMN OF AIP INDIA SECTION ENR 2.2:
1) AMEND JEYPORE APP FREQUENCY IN REMARK 3 AS 118.450 MHZ IN PLACE
OF 1118.450 MHZ.
2) AMEND UTKELA APP FREQUENCY IN REMARK 5 AS 118.250 MHZ IN PLACE
OF 1118.250 MHZ.
3) AMEND VELLORE APP FREQUENCY IN REMARK 3 AS 118.500 MHZ IN PLACE
OF 1118.500 MHZ.
AMEND ACCORDINGLY.

VECCA1355/26 (16 JUL 26)

GNSS SIGNAL INTERFERENCE/LOSS REPORTED IN KOLKATA FIR.
ALL ACFT TO EXER CTN.

VIDPA1408/26 (16 JUL 26)

"JUL 01-02 06 08-09 13 15-16 20 22-23 27 29-30 0200-0730
1300-1629, JUL 03 07 10 14 21 24 28 31 0200-0730"
"IN ADDN TO RTE AVBL OF ATS RTE L509 BTN GAYA DVOR (GGC) AND SULOM
(VIDF/OPLR) FM 1630-2230 UTC DLY, ATS RTE L509 BTN GAYA DVOR (GGC)
AND SULOM (VIDF/OPLR) ALSO AVBL AT OR ABV FL330 ON ABV MENTIONED
DATES AND TIMINGS. ALL OTHER RTE SPECIFICATIONS/ RESTRICTIONS FOR
ATS RTE L509 AS PUBLISHED IN E-AIP INDIA ENR 3.1 SHALL BE APPLICABLE

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 17/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

ON ABV MENTIONED DATES AND TIMINGS. INTL OVERFLYING FLT TRANSITING THRU DELHI FIR (VIDF) ENCOURAGED TO FPL VIA ATS RTE L509 INSTEAD OF ATS RTE M890 AS TFC CONGESTION EXP OVER LUCKNOW VOR (LKN) DRG PERIOD OF AIR EXER. FLT MAY ALSO BE RE RTE DYNAMICALLY VIA ATS RTE L509 BY ATC."

F) FL330
G) FL460

***VIDPA1359/26 (16 JUL 26)**

"01-02 06-09 13-16 20-23 27-30 0130-0329 0631-1130 1626-1830, 03 10 17 24 31 0130-0329 0631-1130"

AIRSPACE BOUNDED WI COORD (EX-ROME0):
273705N0780907E - 265812N0795114E - 264038N0800214E -
250612N0791341E - 250920N0772625E - 262242N0772304E -
263754N0775411E - 264208N0781515E - 273705N0780907E
NOT AVBL DUE AIR EXER (EXCLUDING DANGER AREA FALLING WI EXER AREA).
DRG EXER PERIOD FLW RESTRICTIONS APPLY:
1.ATS RTE W33 NOT AVBL. ALTN RTE AVBL FOR CIVIL SKED FLIGHT
OPERATING BTN DELHI AND KKJ.
FOR EASTBOUND : DPN-W19 BPL-W68-KKJ OR DPN-ALI-PAVRU-LKN-KCH-KKJ AND
FOR WESTBOUND : KKJ-W68-BPL-W20-DPN OR KKJ-KCH-JAL-SSB-DPN.
2. ATS RTE W10N BTN BILAN AND POSIG NOT AVBL.
3. ATS RTE W10S BTN AGRA VOR (AGG) AND BILAN NOT AVBL.
4. ATS RTE W13 BTN KKJ-MULMO NOT AVBL.
5. AIRLINE SHALL COORDINATE IN ADVANCE WITH INDIAN AIRFORCE (IAF)
FOR ARR/DEP ACFT TO/FM AERODROMES FALLING IN EXER AREA.
F) GND
G) FL270

***VIDPA1358/26 (16 JUL 26)**

"01-02 06-09 13-16 20-23 27-30 0330-0630 1430-1625, 03 10 17 24 31 0330-0630"

AIRSPACE BOUNDED WI COORD (EX-ROME0):
273705N0780907E - 265812N0795114E - 264038N0800214E -
250612N0791341E - 250920N0772625E - 262242N0772304E -
263754N0775411E - 264208N0781515E - 273705N0780907E
NOT AVBL DUE AIR EXER (EXCLUDING DANGER AREA FALLING WI EXER AREA).
DRG EXER PERIOD FLW RESTRICTIONS APPLY:
1.ATS RTE L759 BTN DELHI VOR (DPN) AND KHAJURAHO VOR (KKJ) NOT AVBL.
ALTN RTE AVBL: DPN DCT ALI G452 LKN KCH KKJ OR DPN-W19-BPL-W68-KKJ.
2. ATS RTE L760 BTN KHAJURAHO VOR (KKJ) AND DELHI VOR (DPN) NOT
AVBL.
ALTN RTE AVBL: KKJ-KCH- JAL-SSB-DPN OR KKJ-W68-BPL-W20-DPN.
3. ATS RTE W33 NOT AVBL.
4. ATS RTE W10N BTN BILAN AND POSIG NOT AVBL.
5. ATS RTE W10S BTN AGRA VOR (AGG) AND BILAN NOT AVBL.
6. ATS RTE W13 BTN KKJ-MULMO NOT AVBL.
7. AIRLINE SHALL COORDINATE IN ADVANCE WITH INDIAN AIRFORCE (IAF)FOR
ARR/DEP ACFT TO/FM AERODROMES FALLING IN EXER AREA.
F) GND
G) FL460

***VGHSA0183/26 (16 JUL 26)**

"BTN 0000-1600 ON MONDAY, TUESDAY AND WEDNESDAY OF EVERY WEEK FROM
01 JUL 2026 TO 29 JUL 2026
BANGLADESH NAVY SHIPS WILL CARRY OUT ANTI AIR FRNG PRACTICE WITHIN
THE AREA VGD-32."
F) SFC
G) FL400

***VGHSA0185/26 (16 JUL 26)**

"BTN 0000-1600 ON MONDAY, TUESDAY AND WEDNESDAY OF EVERY WEEK FROM
01 JUL 2026 TO 29 JUL 2026
BANGLADESH NAVY SHIPS WILL CARRY OUT ANTI AIR FRNG PRACTICE WITHIN
THE AREA VGD-34."
F) SFC
G) FL400

VIDPG0742/26 (16 JUL 26)

INDIAN AIRSPACE NOT AVBL FOR PAKISTAN REGISTERED ACFT
AND ACFT OPERATED/OWNED OR LEASED BY PAKISTAN AIRLINES/OPERATORS
INCLUDING MILITARY FLIGHTS. FROM GND - UP TO UNL.
19 JUN 26 11:52 UNTIL 23 JUL 26 23:59 ESTIMATED

VIDPG0740/26 (16 JUL 26)

"REFER AIPS 104/2026, FLW AMENDMENTS ARE MADE:
1. ATS ROUTE W32 SEGMENT BIDX - TR134/314 DEG(M) 303.8NM

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 18/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

3900FT(MOCA) - LEGIN IS AMENDED AS BIDX - TR134/314 DEG(M) 303.8NM
2000FT(MOCA) -LEGIN.
AMEND ACCORDINGLY."

VIDPG0739/26 (16 JUL 26)

"REFER EAIP INDIA SECTION ENR 4.4, FLW AMENDMENTS ARE MADE:
1. DELETE WAYPOINT AKSAN FROM ENR 4.4 NAME CODE DESIGNATORS FOR
SIGNIFICANT POINTS
2. DELETE WAYPOINT BITEM FROM ENR 4.4 NAME CODE DESIGNATORS FOR
SIGNIFICANT POINTS
AMEND ACCORDINGLY."

VIDPG0709/26 (16 JUL 26)

"REFER EAIP INDIA SECTION ENR 2.1, FOLLOWING AMENDEMENTS ARE MADE
IN 2.1.1 FLIGHT INFORMATION REGION:
1. INSERT IN COLUMN NAME FREQUENCY/PURPOSE OF ROW NAME KOLKATA UPPER
CONTROL AREA-SECTOR URP 134.375 MHZ (BACKUP FREQUENCY)
AMEND ACCORDINGLY."

VIDPG0707/26 (16 JUL 26)

"REFER EAIP INDIA SECTION ENR 3.1, FOLLOWING AMENDMENTS ARE MADE
IN REMARKS
COLUMN OF ATS ROUTES W12, W49, W50, W66, W76, W86, W100, W102, W108,
W138, W140, W149, W150, W160, A791, V15, V60, V62, V77, V78, V79,
G450, J46, J75:
1. INSERT KOLKATA URP SECTOR (UPPER RAIPUR) BACKUP FREQUENCY:
134.375 MHZ
AMEND ACCORDINGLY"

VIDPG0708/26 (16 JUL 26)

"REFER EAIP INDIA SECTION ENR 3.2, FOLLOWING AMENDMENTS ARE MADE
IN REMARKS
COLUMN OF ATS ROUTES L759, Q16, Q17, Q19, Q20, Q29, Z14, T1, P628,
M875:
1. INSERT KOLKATA URP SECTOR (UPPER RAIPUR) BACKUP FREQUENCY:
134.375 MHZ.
AMEND ACCORDINGLY."

VECCA1154/26 (16 JUL 26)

"TRIAL OPS OF SECT KOLKATA OCEANIC NORTH AVBL ON OPPORTUNITY BASIS
WI AREA BOUNDED BY COORD:
182558N 0861115E,
201507N 0872651E,182318N 0920000E THEN ALONG INDIA-MYANMAR FIR BDRY
TO 161035N 0920000E AND 182558N 0861115E.
AIRSPACE CLASSIFIED AS CLASS : E WI ATS RTE AND CLASS: G OUTSIDE ATS
RTE UNIT PROVIDING SER:KOLKATA OCAENIC NORTH FREQ 123.775 MHZ ACTUAL
TIMINGS WILL BE DECIDED BY KOLKATA ATC AND ACFT SHALL BE ADVISED
ACCORDINGLY.
FROM SFC TO UNL"

VECCA1153/26 (16 JUL 26)

"TRIAL OPS OF SECT KOLKATA OCEANIC SOUTH AVBL ON OPPORTUNITY BASIS
WI AREA BOUNDED BY COORD:
182558N 0861115E, 161035N 0920000E THEN ALONG INDIA-MYANMAR FIR BDRY
TO 140000N 0920000E THEN ALONG KOLKATA-CHENNAI FIR BDRY TO 154200N
0855400E,163721N 0845647E AND 182558N 0861115E.
AIRSPACE CLASSIFIED AS CLASS : E WI ATS RTE AND CLASS: G OUTSIDE ATS
RTE UNIT PROVIDING SER:KOLKATA OCAENIC SOUTH FREQ 128.300 MHZ ACTUAL
TIMINGS WILL BE DECIDED BY KOLKATA ATC.
FROM SFC TO UNL"

VIDPG0686/26 (16 JUL 26)

TRIGGER NOTAM- PERM AIRAC AIP AMDT 06/2026 WEF 09 JUL 2026. AIRAC
AIP AMDT 06/2026 UPLOADED ON AIM INDIA WEBSITE.

VECCA1019/26 (16 JUL 26)

OPPORTUNITY BASIS TRIAL OPS OF SECTOR UPPER BHUBANESWAR (UBS)
INPR WI AREA BOUNDED BY:
P9: 195331.08N 0804815.53E
P10: 182447.34N 0800549.06E
SAPNU
XOPOX
P11: 160620.64N 0843429.68E
P12: 201517.19N 0872703.15E
P13: 205140.37N 0862158.87E
BBS VOR

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 19/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

P18: 195350.22N 0842614.93E
AND P9: 195331.08N 0804815.53E.
AIRSPACE CLASSIFIED AS CLASS: D
UNIT PROVIDING SER: KOLKATA CTL / KOLKATA RADAR
FREQ: 132.350 MHZ
ACTUAL TIMINGS WILL BE DECIDED BY WSO KOLKATA AND ACFT SHALL BE
ADVISED ACCORDINGLY.
FROM 25500FT AMSL TO 46000FT AMSL

VECCA1018/26 (16 JUL 26)

OPPORTUNITY BASIS TRIAL OPS OF SECTOR UPPER RAIPUR (URP) INPR WI
AREA BOUNDED BY:
P7: 223342.78N 0801441.50E
TEGIG
P8: 203427.40N 0810337.65E
P9: 195331.08N 0804815.53E
P18: 195350.22N 0842614.93E
BBS VOR
P13: 205140.37N 0862158.87E
P14: 224646.10N 0842032.87E
AND P7: 223342.78N 0801441.50E.
AIRSPACE CLASSIFIED AS CLASS: D
UNIT PROVIDING SER: KOLKATA CTL/KOLKATA RADAR
FREQ: 125.900 MHZ ACTUAL TIMINGS WILL BE DECIDED BY WSO KOLKATA AND
ACFT SHALL BE ADVISED ACCORDINGLY.
FROM 25500FT AMSL TO 46000FT AMSL

VECCA1017/26 (16 JUL 26)

OPPORTUNITY BASIS TRIAL OPS OF SECTOR UPPER KHAJURAHO (UKJ) INPR W
I
AREA BOUNDED BY:
P3: 262359.43N 0801240.56E
P4: 251831.86N 0800851.21E
P5: 253601.78N 0793534.75E
P6: 250839.00N 0790132.87E
ASOPO
P7: 223342.78N 0801441.50E
P14: 224646.10N 0842032.87E
LAPAN
P15: 241326.46N 0840859.31E
ALH VOR
AND P3: 262359.43N 0801240.56E.
AIRSPACE CLASSIFIED AS CLASS: D
UNIT PROVIDING SER: KOLKATA CTL / KOLKATA RADAR
FREQ: 124.650 MHZ
ACTUAL TIMINGS WILL BE DECIDED BY WSO KOLKATA AND ACFT
SHALL BE ADVISED ACCORDINGLY.
FROM 25500FT AMSL TO 46000FT AMSL

VECCA1016/26 (16 JUL 26)

OPPORTUNITY BASIS TRIAL OPS OF SECTOR UPPER VARANASI (UBN) INPR WI

AREA BOUNDED BY:
P1: 273339.10N 0824136.34E?
P2: 270921.85N 0813515.75E?
P3: 262359.43N 0801240.56E?
ALH VOR?
P15: 241326.46N 0840859.31E?
GGC VOR?
P16: 244425.25N 0851849.17E?
P17: 265328.59N 0850151.53E?
THEN ALONG THE BORDER OF NEPAL AND INDIA TO
P1: 273339.10N 0824136.34E.
AIRSPACE CLASSIFIED AS CLASS: D
UNIT PROVIDING SER: KOLKATA CTL / KOLKATA RADAR
FREQ: 127.525 MHZ ACTUAL TIMINGS WILL BE DECIDED BY WSO KOLKATA AND
ACFT SHALL BE ADVISED ACCORDINGLY.
FROM 25500FT AMSL TO 46000FT AMSL

*VECCA0988/26 (16 JUL 26)

VED 232 LPR KHAMARIA JABALPUR ACT
F) SFC
G) 25000FT AMSL

*VECCA0759/26 (16 JUL 26)

0230-1030
VED 71 ACT.
F) GND

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 20/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

G) 35000FT AMSL

VIDF / DELHI FIR

// (COM-INFO)//

THA 00123/12 (16 JUL 26)

COM INFO---ATS ROUTE RESTRICTIONS AS FOLLOWS:

- P646 (RNP10) DOPID-JJS AVAILABLE BETWEEN 1630-2330 UTC, (FL280/FL460),
- M875(RNP10) KAKID-GUGAL AVAILABLE BETWEEN 1630-2230 UTC, (FL280/FL460),
- L509 (RNP10) GGC-SULOM AVAILABLE BETWEEN 1630-2230 UTC, (FL320/FL460),
- M770 (RNP10) BUBKO-JJS AVAILABLE ONLY BETWEEN 1630-2330 UTC.
- L333 (RNP10) KKJ-MERUN AVAILABLE BETWEEN 1630-0030 UTC, (FL300/FL460)
- B209 (CDR1) REALIGNED JJS-KKJ (H24-FL75/FL460)
RMK/ROUTE SEGMENT JJS-KKJ IS NOT AVAILABLE FOR AIRCRAFT INTENDING TO USE
L759 AFTER KKJ AND OVER-FLYING DELHI VOR (DPN)
- J1 ESTABLISHMENT OF CDR3 ROUTE J1 KKJ-JJP (FL75/FL460)
RMK/ROUTE TO BE FLOWN ON ATC INSTRUCTION ONLY, NOT AVBL FOR FLT PLANNING.
(REF AIP INDIA AND AIP SUP 76/14, 77/14/PERM)

--PILOTS FLYING ON AWY M890, L509, A466E, A466W, ARE REQUESTED TO CONTACT
ALPHA CONTROL ON 119.7MHZ PRIOR TO CROSSING THE DELHI AND LAHORE FIR
BOUNDARIES. (ISSUED 15JAN07/TN074/07/CHECKED 07JAN22/OB/UFN)

VIDPA1589/26 (16 JUL 26)

17 JUL 2026 00:00-17 JUL 2026 23:59

AIRSPACE USE PLAN (AUP)

TSA/TRA /AMC-MANAGEABLE AIRSPACE ACT AS FLW :

NR AIRSPACE ID TIME FM TIME TO LOWER FL UPPER FL

- 1 TRA503(A) ?PUNE? 0130 1200 FL325 FL460
- 2 TRA503(A) ?PUNE? 1330 1730 FL325 FL460
- 3 TRA503(B) ?PUNE? 0130 1200 FL325 FL460
- 4 TRA503(B) ?PUNE? 1330 1730 FL325 FL460
- 5 TRA506(A) ?JAMNAGAR? 0400 0900 FL325 FL360
- 6 TRA506(B) ?JAMNAGAR? 0400 0900 FL325 FL360
- 7 TRA509A 0000 2359 SFC FL270
- 8 TRA509B 0130 1730 FL270 UNL
- 9 TRA509C 0130 1730 FL270 UNL
- 10 TSA701 (A) ADAMPUR 0000 2359 FL145 FL280
- 11 TSA701 (B) ADAMPUR 0000 2359 GND FL280
- 12 TRA702 (A) SRINAGAR 0300 1130 FL170 FL310
- 13 TRA702 (A) SRINAGAR 1400 1830 FL170 FL310
- 14 TRA702 (B) SRINAGAR 0300 1130 GND FL310
- 15 TRA702 (B) SRINAGAR 1400 1830 GND FL310
- 16 TRA706(A) GWALIOR 0330 0630 FL325 FL460
- 17 TRA706(B) GWALIOR 0330 0630 FL325 FL460
- 18 TRA706(C) GWALIOR 0330 0630 FL325 FL460
- 19 TRA709(C) JODHPUR 0130 1200 FL325 FL380
- 20 TRA709(C) JODHPUR 1300 1829 FL325 FL380
- 21 TRA711(A) AGRA 0330 0630 FL325 FL460
- 22 TRA711(B) AGRA 0330 0630 FL325 FL460
- 23 TSA722 GRASS BIR - 13 0130 1130 GND FL270

CONDITIONAL ROUTE (CDR2) AVBL AS FLW :

NR CDR2 ID TIME FM TIME TO LOWER FL UPPER FL

- 1 J1 0000 0129 FL080 FL410
- 2 J1 0130 0329 FL290 FL410
- 3 J1 0631 1130 FL290 FL410
- 4 J1 1131 1830 FL080 FL410
- 5 J2 0000 0129 FL110 FL460
- 6 J2 1201 1329 FL110 FL460
- 7 J2 1731 2359 FL110 FL460
- 8 J3 1830 2359 FL100 FL250
- 9 J5 0000 0129 FL260 FL460
- 10 J5 1201 1329 FL260 FL460
- 11 J5 1731 2359 FL260 FL460
- 12 J6 0100 1600 FL140 FL410
- 13 J19 0231 0400 FL210 FL410
- 14 J20 0000 0129 FL110 FL410
- 15 J20 0130 0329 FL290 FL410
- 16 J20 0631 1130 FL290 FL410
- 17 J20 1131 2359 FL110 FL410
- 18 J21 0000 0059 FL140 FL410
- 19 J21 0100 1257 FL320 FL410
- 20 J21 1258 1456 FL140 FL410
- 21 J21 1457 1830 FL320 FL410
- 22 J21 1831 2359 FL140 FL410
- 23 J22 0000 2030 FL290 FL410
- 24 J24 0000 2359 FL345 FL460
- 25 J29 0000 0129 FL150 FL250
- 26 J29 1201 1329 FL150 FL250
- 27 J29 1731 2359 FL150 FL250

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 21/92

Trans ID: 5066710

Creation Time: 17.07.2026 09:24UTC

28 J36 1330 2359 FL110 FL245
29 J38 0100 0129 FL170 FL410
30 J38 0130 0329 FL290 FL410
31 J38 0631 1130 FL290 FL410
32 J38 1131 1300 FL170 FL410
33 J39 0000 0129 FL170 FL460
34 J39 0130 0329 FL290 FL460
35 J39 0631 1130 FL290 FL460
36 J39 1131 2359 FL170 FL460
37 J40 0000 0129 FL330 FL460
38 J40 1201 1329 FL330 FL460
39 J40 1731 2359 FL330 FL460
40 J41 0100 0129 FL330 FL460
41 J41 1201 1329 FL330 FL460
42 J42 1830 2359 FL110 FL245
43 J43 0000 0129 FL170 FL410
44 J43 0130 0329 FL290 FL410
45 J43 0631 1130 FL290 FL410
46 J43 1131 1700 FL170 FL410
47 J47 0100 0129 FL170 FL410
48 J47 0130 0329 FL290 FL410
49 J47 0631 1130 FL290 FL410
50 J47 1131 1300 FL170 FL410
51 J48 0631 0930 FL290 FL410
52 J50 0000 0129 FL110 FL460
53 J50 0130 1200 FL400 FL460
54 J50 1201 1259 FL110 FL460
55 J50 1300 1829 FL400 FL460
56 J50 1830 2359 FL110 FL460
57 J51 0000 0129 FL170 FL460
58 J51 0130 1200 FL400 FL460
59 J51 1201 1259 FL330 FL460
60 J51 1300 1829 FL400 FL460
61 J51 1830 2359 FL170 FL460
62 J52 0000 0129 FL110 FL460
63 J52 0130 0329 FL290 FL460
64 J52 0631 1130 FL290 FL460
65 J52 1131 2359 FL110 FL460
66 J53 0100 0229 FL080 FL250
67 J55 0000 0229 FL090 FL250
68 J55 1301 1359 FL090 FL250
69 J55 1731 2359 FL090 FL250
70 J56 0000 2359 FL080 FL250
71 J58 0100 1300 FL330 FL410
72 J59 0200 1530 FL110 FL410
73 J60 0100 0129 FL170 FL460
74 J60 0130 0329 FL290 FL460
75 J60 0631 1130 FL290 FL460
76 J60 1131 1440 FL170 FL460
77 J61 0000 0229 FL110 FL460
78 J61 0230 0359 FL330 FL460
79 J61 0400 0900 FL380 FL460
80 J61 0901 1300 FL330 FL460
81 J61 1301 1359 FL110 FL460
82 J61 1400 1730 FL330 FL460
83 J61 1731 2359 FL110 FL460
84 J62 0000 0129 FL110 FL460
85 J62 0130 1200 FL400 FL460
86 J62 1201 1259 FL110 FL460
87 J62 1300 1829 FL400 FL460
88 J62 1830 2359 FL110 FL460
89 J65 0000 0129 FL150 FL460
90 J65 1201 1329 FL150 FL460
91 J65 1731 2359 FL150 FL460
92 J67 0000 0030 FL110 FL255
93 J67 1330 2359 FL110 FL255
94 J68 0231 0400 FL110 FL410
95 J69 0231 0400 FL110 FL410
96 J70 0231 0400 FL110 FL410
97 J71 0200 0329 FL330 FL460
98 J71 0330 1030 FL400 FL460
99 J71 1031 1256 FL330 FL460
100 J71 1257 1511 FL220 FL460
101 J71 1512 1730 FL330 FL460
102 J71 1731 1930 FL250 FL460
103 J71 1931 2000 FL110 FL460
104 J72 0100 1600 FL330 FL410
105 J73 0100 0329 FL330 FL410
106 J73 0631 1300 FL330 FL410
107 J74 0100 1600 FL330 FL410
108 J81 0100 1600 FL330 FL400

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 22/92

Trans ID: 5066710

Creation Time: 17.07.2026 09:24UTC

109 J82 0000 2359 FL330 FL400
110 J83 0200 1900 FL110 FL400
111 J84 0000 0229 FL110 FL250
112 J84 1301 1359 FL110 FL250
113 J84 1731 2359 FL110 FL250
114 J85 0000 0229 FL110 FL250
115 J85 1301 1359 FL110 FL250
116 J85 1731 2359 FL110 FL250
117 J86 0000 0229 FL110 FL290
118 J86 1301 1359 FL110 FL290
119 J86 1731 2359 FL110 FL290
120 J87 0100 0229 FL110 FL290
121 J88 0100 0229 FL110 FL290
122 J89 0000 0030 FL110 FL245
123 J89 1830 2359 FL110 FL245
124 J93 0000 0030 FL150 FL460
125 J93 1830 2359 FL150 FL460
126 J94 0030 0229 FL110 FL250
127 J94 1301 1359 FL110 FL250
128 J98 0000 0040 FL160 FL280
129 J98 1257 1511 FL220 FL280
130 J98 1731 1930 FL250 FL280
131 J98 1931 2359 FL160 FL280
132 J100 0000 0229 FL080 FL280
133 J100 1301 1359 FL080 FL280
134 J100 1731 2359 FL080 FL280
135 J101 0100 0229 FL080 FL280
136 J102 0100 0229 FL080 FL280
137 J103 0000 0229 FL080 FL280
138 J103 1301 1359 FL080 FL280
139 J103 1731 2359 FL080 FL280
140 J104 0000 0129 FL110 FL380
141 J104 1201 1329 FL110 FL380
142 J104 1731 2359 FL110 FL380
143 J107 1830 2359 FL110 FL255
144 J110 0000 2359 FL345 FL400
145 J115 0100 0129 FL080 FL250
146 J115 1201 1329 FL080 FL250
147 J115 1731 2359 FL080 FL250
148 J116 0000 0129 FL080 FL250
149 J116 1201 1329 FL080 FL250
150 J116 1731 2359 FL080 FL250
151 J119 0000 0040 FL110 FL460
152 J119 0041 1256 FL330 FL460
153 J119 1257 1511 FL110 FL460
154 J119 1512 1730 FL330 FL460
155 L639 0000 2359 FL290 FL460
156 Z1 0000 2359 FL330 FL460
157 Z2 0000 0329 FL330 FL460
158 Z2 0330 1030 FL400 FL460
159 Z2 1031 2359 FL330 FL460
160 Z3 0231 0400 FL210 FL410
161 Z4 0231 0400 FL210 FL410
162 Z5 0000 0129 FL290 FL460
163 Z5 1201 1329 FL290 FL460
164 Z5 1731 2359 FL290 FL460
165 Z6 0000 2359 FL330 FL460
166 Z7 0000 2359 FL290 FL460
167 Z8 0000 0129 FL330 FL460
168 Z8 0130 1200 FL400 FL460
169 Z8 1201 1259 FL330 FL460
170 Z8 1300 1829 FL400 FL460
171 Z8 1830 2359 FL290 FL460
172 Z9 0200 1200 FL400 FL410
173 Z9 1201 1259 FL330 FL410
174 Z9 1300 1730 FL400 FL410
175 Z10 0000 2359 FL330 FL460
176 Z11 0231 0400 FL210 FL410
177 Z13 0000 0229 FL110 FL410
178 Z13 0230 0329 FL220 FL410
179 Z13 0330 1030 FL400 FL410
180 Z13 1031 1630 FL220 FL410
181 Z13 1631 2359 FL110 FL410
182 Z14 0000 2359 FL330 FL460
183 Z15 0000 0129 FL290 FL410
184 Z15 0130 1200 FL400 FL410
185 Z15 1201 1259 FL290 FL410
186 Z15 1300 1630 FL400 FL410
187 Z16 0000 0129 FL160 FL400
188 Z16 0130 0329 FL290 FL400
189 Z16 0631 1130 FL290 FL400

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 23/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

190 Z16 1131 2359 FL160 FL400

NOTE: AIRSPACE USERS AND ATC UNITS ARE REQUIRED TO ENSURE THAT
AIRSPACE ACTIVITIES ARE NOT CONFLICTING WITH OTHER NOTAM FOR
AIRSPACE CLOSURES.

F) SFC

G) UNL

VIDPA1483/26 (16 JUL 26)

0030-1230

AERIAL SURVEY OPERATION IN J AND K SECTORS AREAS BOUNDED BY
COORD:

(AREA P1)

341203.481N0751226.154E- 341700.240N0752412.240E-

341315.600N0753155.560E- 332128.688N0753131.292E-

332359.607N0751133.767E- 335222.502N0750559.170E-

341203.481N0751226.154E.

(AREA P2)

342354.930N0743449.181E- 342719.604N0744743.047E-

340616.380N0750849.220E- 335709.372N0750017.443E-

342354.930N0743449.181E.

(AREA P3)

333537.948N0744204.167E- 333840.815N0750841.083E-

332952.296N0751310.828E- 332629.249N0744429.808E-

333537.948N0744204.167E

(AREA P4)

342347.970N0741107.800E- 343125.196N0742816.262E-

342551.397N0743711.724E- 340849.222N0743111.883E-

342347.970N0741107.800E.

(AREA P5)

335054.199N0743158.287E- 340035.222N0743738.613E-

334148.123N0745117.505E- 333752.320N0744015.480E-

335054.199N0743158.287E

F) FL070

G) FL160

VIDPA1444/26 (16 JUL 26)

GNSS SIGNAL INTERFERENCE/LOSS REPORTED IN DELHI FIR. ALL ACFT TO
EXER CTN.

VIDPG0761/26 (16 JUL 26)

AMEND FOLLOWING IN REMARKS COLUMN OF AIP INDIA SECTION ENR 2.2:

1) AMEND JEYPORE APP FREQUENCY IN REMARK 3 AS 118.450 MHZ IN PLACE
OF 1118.450 MHZ.

2) AMEND UTKELA APP FREQUENCY IN REMARK 5 AS 118.250 MHZ IN PLACE
OF 1118.250 MHZ.

3) AMEND VELLORE APP FREQUENCY IN REMARK 3 AS 118.500 MHZ IN PLACE
OF 1118.500 MHZ.

AMEND ACCORDINGLY.

VIDPG0760/26 (16 JUL 26)

"REFER EAIP INDIA SECTION ENR 3.1, FOLLOWING AMENDMENT IS MADE IN
ATS ROUTE R218:
TEXT R218 (JJP-TASIB) IS AMENDED AS R218 (JJP-HIS)
AMEND ACCORDINGLY)."

VIDPG0757/26 (16 JUL 26)

REFER EAIP INDIA SECTION ENR 5.2 THE FOLLOWING CHANGES ARE MADE
IN REMARKS COLUMN:

1. IN TSA722 (GRASS BIR-13) REMARK 6: TSA VALID UNTIL 12TH JULY 2026
REPLACED BY TSA VALID UNTIL 12TH JULY 2029.

AMEND ACCORDINGLY.

F) SFC

G) UNL

VIDPA1408/26 (16 JUL 26)

"JUL 01-02 06 08-09 13 15-16 20 22-23 27 29-30 0200-0730

1300-1629, JUL 03 07 10 14 21 24 28 31 0200-0730"

"IN ADDN TO RTE AVBL OF ATS RTE L509 BTN GAYA DVOR (GGC) AND SULOM
(VIDF/OPLR) FM 1630-2230 UTC DLY, ATS RTE L509 BTN GAYA DVOR (GGC)
AND SULOM (VIDF/OPLR) ALSO AVBL AT OR ABV FL330 ON ABV MENTIONED
DATES AND TIMINGS. ALL OTHER RTE SPECIFICATIONS/ RESTRICTIONS FOR
ATS RTE L509 AS PUBLISHED IN E-AIP INDIA ENR 3.1 SHALL BE APPLICABLE
ON ABV MENTIONED DATES AND TIMINGS. INTL OVERFLYING FLT TRANSITING
THRU DELHI FIR (VIDF) ENCOURAGED TO FPL VIA ATS RTE L509 INSTEAD OF
ATS RTE M890 AS TFC CONGESTION EXP OVER LUCKNOW VOR (LKN) DRG PERIOD
OF AIR EXER. FLT MAY ALSO BE RE RTE DYNAMICALLY VIA ATS RTE L509 BY
ATC."

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 24/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

F) FL330
G) FL460

VIDPA1409/26 (16 JUL 26)

"DAILY 0430-0930, 1230-1530"
ARMY DRONE OPS PLANNED WITHIN 3NM RADIUS AROUND COORD
303140N0793410E(AULI).
F) GND
G) 14000FT AMSL

*VIDPA1359/26 (16 JUL 26)

"01-02 06-09 13-16 20-23 27-30 0130-0329 0631-1130 1626-1830, 03
10 17 24 31 0130-0329 0631-1130"
AIRSPACE BOUNDED WI COORD (EX-ROME0):
273705N0780907E - 265812N0795114E - 264038N0800214E -
250612N0791341E - 250920N0772625E - 262242N0772304E -
263754N0775411E - 264208N0781515E - 273705N0780907E
NOT AVBL DUE AIR EXER (EXCLUDING DANGER AREA FALLING WI EXER AREA).
DRG EXER PERIOD FLW RESTRICTIONS APPLY:
1.ATS RTE W33 NOT AVBL. ALTN RTE AVBL FOR CIVIL SKED FLIGHT
OPERATING BTN DELHI AND KKJ.
FOR EASTBOUND : DPN-W19 BPL-W68-KKJ OR DPN-ALI-PAVRU-LKN-KCH-KKJ AND
FOR WESTBOUND : KKJ-W68-BPL-W20-DPN OR KKJ-KCH-JAL-SSB-DPN.
2. ATS RTE W10N BTN BILAN AND POSIG NOT AVBL.
3. ATS RTE W10S BTN AGRA VOR (AGG) AND BILAN NOT AVBL.
4. ATS RTE W13 BTN KKJ-MULMO NOT AVBL.
5. AIRLINE SHALL COORDINATE IN ADVANCE WITH INDIAN AIRFORCE (IAF)
FOR ARR/DEP ACFT TO/FM AERODROMES FALLING IN EXER AREA.
F) GND
G) FL270

*VIDPA1358/26 (16 JUL 26)

"01-02 06-09 13-16 20-23 27-30 0330-0630 1430-1625, 03 10 17 24 31
0330-0630"
AIRSPACE BOUNDED WI COORD (EX-ROME0):
273705N0780907E - 265812N0795114E - 264038N0800214E -
250612N0791341E - 250920N0772625E - 262242N0772304E -
263754N0775411E - 264208N0781515E - 273705N0780907E
NOT AVBL DUE AIR EXER (EXCLUDING DANGER AREA FALLING WI EXER AREA).
DRG EXER PERIOD FLW RESTRICTIONS APPLY:
1.ATS RTE L759 BTN DELHI VOR (DPN) AND KHAJURAHO VOR (KKJ) NOT AVBL.
ALTN RTE AVBL: DPN DCT ALI G452 LKN KCH KKJ OR DPN-W19-BPL-W68-KKJ.
2. ATS RTE L760 BTN KHAJURAHO VOR (KKJ) AND DELHI VOR (DPN) NOT
AVBL.
ALTN RTE AVBL: KKJ-KCH- JAL-SSB-DPN OR KKJ-W68-BPL-W20-DPN.
3. ATS RTE W33 NOT AVBL.
4. ATS RTE W10N BTN BILAN AND POSIG NOT AVBL.
5. ATS RTE W10S BTN AGRA VOR (AGG) AND BILAN NOT AVBL.
6. ATS RTE W13 BTN KKJ-MULMO NOT AVBL.
7. AIRLINE SHALL COORDINATE IN ADVANCE WITH INDIAN AIRFORCE (IAF)FOR
ARR/DEP ACFT TO/FM AERODROMES FALLING IN EXER AREA.
F) GND
G) FL460

VIDPG0742/26 (16 JUL 26)

INDIAN AIRSPACE NOT AVBL FOR PAKISTAN REGISTERED ACFT
AND ACFT OPERATED/OWNED OR LEASED BY PAKISTAN AIRLINES/OPERATORS
INCLUDING MILITARY FLIGHTS. FROM GND - UP TO UNL.
19 JUN 26 11:52 UNTIL 23 JUL 26 23:59 ESTIMATED

VIDPG0741/26 (16 JUL 26)

"REF EAIP INDIA SECTION ENR 3.1, FLW AMENDMENTS ARE MADE IN
REMARKS SECTION OF ATS RTE V12:
DELETE POINT NR.2 OF REMARKS SECTION THE ROUTE SEGMENT IKAVA - KOTA
NDB (KO) IS TREATED AS EASTBOUND."

VIDPG0738/26 (16 JUL 26)

"REFER EAIP INDIA SECTION ENR 3.1, FLW AMENDMENTS ARE MADE :
1. DELETE ATS ROUTE V48 (BBZ - AKSAN)
AMEND ACCORDINGLY."

*VIDPA1320/26 (16 JUL 26)

VID 129 ACT. NO ACFT PERMITTED TO OVERFLY WI VID 129
F) GND
G) 20000FT AMSL

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 25/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

*VIDPA1300/26 (16 JUL 26)

DAILY 0030-1630
TSA707 MANDALTHANG FLD FRNG RANGE ACT.
F) GND
G) 40000FT AMSL

VIDPG0686/26 (16 JUL 26)

TRIGGER NOTAM- PERM AIRAC AIP AMDT 06/2026 WEF 09 JUL 2026. AIRAC
AIP AMDT 06/2026 UPLOADED ON AIM INDIA WEBSITE.

VIDPG0629/26 (29 MAY 26)

"REF SUP 84/2026 REGARDING ESTABLISHMENT OF TEMPO RESERVED AREA
TRA509A, TRA509B AND TRA509C. AT SERIAL NR 1, THE TEXT MUMBAI FIR IS
AMD AS MUMBAI AND CHENNAI FIRS."
F) SFC
G) UNL

VIDPG0558/26 (29 MAY 26)

"PERFORMANCE BASED LONGITUDINAL SEPARATION MINIMA OF 30NM/ 5MIN
BASED ON PBCS CRITERIA WILL BE APPLIED WITHIN WP AGELA AND IGOGU ON
ATS ROUTE N571 BTN ACFT HAVING FUNCTIONAL ADS-C AND CPDLC HAVING
OPERATIONAL APPROVAL FOR RNP2/RNP4, RCP240 AND RSP180 ON OPPORTUNITY
BASIS AS AN OPERATIONAL TRIAL. ACFT TO INDICATE RNP2/RNP4, ADS-C,
CPDLC, RCP240, RSP180 AVAILABILITY IN RESPECTIVE FIELDS OF FPL."
11 MAY 26 09:46 UNTIL 12 AUG 26 23:59 ESTIMATED

VIDPG0529/26 (29 MAY 26)

"LONGITUDINAL SEPARATION MINIMA OF 20NM BASED ON SPACE BASED ADS-B
SURVEILLANCE WILL BE APPLIED ON OPPORTUNITY BASIS FOR ACFT PASSING
WPT PARAR H24. ACFT WITH RNP2/RNP4 APPROVAL, FUNCTIONAL ADS-B OUT,
CPDLC WITH RCP240 CONNECTION ON VABF WILL BE SUBJ TO THIS
SEPARATION. THIS WILL BE APPLIED ON ATS RTE N571 BTN WPT PARAR AND
WPT SUGID ON TRIAL BASIS. ACFT TO INDICATE RNP2/RNP4, CPDLC, RCP240,
ADS-B AVAILABILITY IN RESPECTIVE FIELDS OF FPL."
27 APR 26 05:15 UNTIL 28 JUL 26 23:59 ESTIMATED

MID / MIDDLE EAST

N I L

PAK / PAKISTAN

N I L

OPLR / LAHORE FIR

OPKCA0420/26 (17 JUL 26)

PAKISTAN AIRSPACE NOT AVBL FOR INDIAN REGISTERED
ACFT AND ACFT OPERATED/OWNED OR LEASED BY INDIAN
AIRLINES/OPERATORS INCLUDING MILITARY FLIGHTS.
F) GND
G) UNL
17 JUL 26 06:35 UNTIL 23 AUG 26 23:59 ESTIMATED

// (COM-INFO)//

THA 00049/26 (16 JUL 26)

COM INFO:--REF AIP SUP S09/26;
GPS (GNSS) RADIO FREQUENCY SIGNAL INTERFERENCE
1. From 1st January 2026 to 31st December, 2026.
2. OPKR / OPLR.
3. Occasionally GPS signal interferences have been reported 100NM around AIIAP Lahore (OPLA),
IIAP Islamabad (OPIS), JIAP Karachi (OPKC), and also in some other parts of Karachi and Lahore
FIRs. All pilots promptly report to ATC of such interference with appropriate details. During
frequency interference, take necessary measures for safe and efficient continuation of flight
navigation and in case of navigational difficulty, notify ATC for assistance.

--REF AIP SUP S-33/26,
NON AVAILABILITY OF AIR TRAFFIC SERVICES IN KABUL FIR
(Replaces AIP Supplement S-01/26)
1. From 1st July, 2026 to 31st December, 2026.
2. OPKR / OPLR.
3. GND / UNL.
4. During non-availability of Air Traffic Services (ATS) in Kabul FIR,
all traffic entering Karachi and Lahore FIR shall contact Karachi,
Lahore and Islamabad ACC 15 minutes prior as per following, details:

- i. N636 SERKA KARACHI ACC WEST 128.350 MHz 121.650 MHz
- ii. P628 ASLUM LAHORE ACC WEST 124.100 MHz 118.950 MHz

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 26/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

- iii. L750 BIROS LAHORE ACC WEST 124.100 MHz 118.950 MHz
- iv. N644 DOBAT LAHORE ACC WEST 124.100 MHz 118.950 MHz
- v. L509 LAJAK ISLAMABAD ACC 120.750 MHz 125.750 MHz
- vi. P500 MOTMO ISLAMABAD ACC 120.750 MHz 125.750 MHz
- 5. Flights entering / exiting via MOTMO (P500) will be accepted and / or handed over directly between Islamabad ACC and Dushanbe ACC.
- 6. Any flight intends to transit from Karachi or Lahore FIR to Kabul FIR at their own risk (except for ATS route P500 via MOTMO) will be provided ATS till transfer of control points. Fifteen (15) minutes separation will be applicable at same level (as per Kabul ATM contingency plan).
- 7. For availability of flight levels and TIBA procedures in Kabul FIR, see latest NOTAMS issued by Kabul NOF in this regard.
- 8. This AIP Supplement replaces AIP Supplement S-01/26 dated 01st January, 2026.

// (COM-INFO)//

THA 00124/12 (16 JUL 26)

COM INFO--AWY RESTRICTION AS FOLLOWS:

- 1) M875 SEGMENT (SITAX-SAJAN-DI-LEBIB-JHANG-NITIV-GUGAL V.V.) AVAILABLE ONLY BETWEEN 1500-2359 UTC (FL290-FL410), RMK/FL280 AVAILABLE BETWEEN 2000-2400 UTC.
 - 1.1) AWY A466 (SULOM-SITAX V.V.) AVBL 24HRS
 - 1.2) AWY N644 (DI-DOBAT V.V.) AVBL 24HRS,
- 2) L509 SEGMENT (SULOM-INDEX-NONIB-HANGU-LAJAK V.V.) AVAILABLE:
 - BETWEEN 1500-2359 UTC (FL300-410)
 - BETWEEN 1900-2359 UTC (FL280-410)
 - 2.1) T400 (SULOM-PS V.V.) AVBL 24HRS
 - 2.2) P500 (DI-MOTMO V.V.) AVBL 24HRS(REF AIP PAKISTAN PAGE ENR 3.2/OW-INFO)

OPKCA0411/26 (13 JUL 26)

LAKPASS MSSR NOT AVBL WI 250NM AROUND LAKPASS DUE OPR REASON. DRG THE PERIOD ADS-B DATA OF LAKPASS AND MSSR/ADS-B DATA OF OTHER STATIONS WILL REMAIN AVBL AT LAHORE AND KARACHI ACC. NON-RADAR PROCEDURAL CONTROL WILL PROVIDED TO NON ADS-B EQUIPPED ACFT IN AREAS WITH AFFECTED SURVEILLANCE COVERAGE.
13 JUL 26 10:16 UNTIL 07 AUG 26 23:59 ESTIMATED

AFG / AFGHANISTAN

N I L

OAKX / KABUL FIR

OAKBG0263/26 (16 JUL 26)

KABUL FIR ATM CONTINGENCY PLAN NEW VERSION 4.0 IS ACTIVATED
REFERENCE PUBLISHED ON AIS MAIN WEBPAGE [HTTPS://WWW.AFGAIS.COM/](https://www.afgaiss.com/).
15 JUL 26 23:00 UNTIL 05 SEP 26 23:59 ESTIMATED

// (COM-INFO) //

THA 00180/13 (17 JUN 26)

- COM INFO--According to active NOTAMs below routes are not available:
- A. LAJAK-L509-TAPIS-P173-DAVET (vice versa)
 - B. SITAX-M875-AMDAR (vice versa) (OW-INFO/UFN)

** G0168/26 **

OAKBG0168/26 (17 JUN 26)

FLIGHTS SHALL NOT CHANGE THEIR CRUISING FLIGHT LEVEL OR CRUISING IAS/MACH NUMBER WITHIN THE KABUL FIR EXCEPT IN CASE OF TRAFFIC AVOIDANCE OR EMERGENCY.
23 APR 26 05:00 UNTIL 20 JUL 26 23:59 ESTIMATED

** G0219/26 **

*OAKBG0219/26 (17 JUN 26)

ALL AIRCRAFT OPERATING INTO THE KABUL FIR SHALL FOLLOW BELOW HIGH AND LOW SECTORS FLT LEVELS.
HIGH SECTOR:
AWY A453 CLOSED
AWY Z627 CLOSED
FIRUZ-P500-MOTMO (FL300-FL510)
AMDAR-M875-TAPIS-L509-LAJAK (FL300-FL510)
LEMOD-N644-DOBAT (FL320-FL510)
RANAH-L750-BIROS (FL320-FL510)
ASLUM-P628-PAMTU (FL320-FL510)
SOKAM-UL333-SERKA (FL320-FL510)
LOW SECTOR:
GADER-A453-TAPIS (FL170-FL290)
PAROD-G202-RIMPA (FL160-FL290)
GADER-G206 -TAPIS (FL180-FL290)

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 27/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

PAROD-M375-KHOLM (FL190-FL290)
SAKUX-V338-TAPIS (FL190-FL290)
PAROD-V390-SERKA (FL190-FL290)
SAKUX-V717-OLDEX (FL160-FL290)
RARNU-Z627-BUDBO (FL260-FL290).
12 JUN 26 05:25 UNTIL 08 SEP 26 23:59 ESTIMATED

**** G0220/26 ****

***OAKBG0220/26 (17 JUN 26)**

ALL OVERFLIGHTS SHALL USE THE FOLLOWING LATERALLY DE-CONFLICTED
HIGH ROUTES (HIGH SECTOR) STARTING AT FL320-FL510 EXCEPT ON M875/L509
ROUTES SHALL USE FL300-FL510 AND P500 SHALL USE FL300-FL510
TRANSMISSION SHALL TAKE PLACE EVERY 5 MINUTES ON TIBA FREQ 125.2MHZ
FOR THE TEMPORARY PURPOSE ONLY.
1. FIRUZ-P500-MOTMO (FL300-FL510)
2. AMDAR-M875-TAPIS-L509-LAJAK (FL300-FL510)
3. LEMOD-N644-DOBAT (FL320-FL510)
4. RANAH-L750-BIROS (FL320-FL510)
5. PAMTU-P628-ASLUM (FL320-FL510)
6. SOKAM-UL333-SERKA (FL320-FL510).
12 JUN 26 05:25 UNTIL 08 SEP 26 23:59 ESTIMATED

**** G0198/26****

OAKBG0198/26 (17 JUN 26)

ATS NOT AVAILABLE IN THE KABUL FIR.
25 MAY 26 07:00 UNTIL 20 AUG 26 23:59 ESTIMATED

OAKBG0221/26 (17 JUN 26)

NAVIGATION AND ANTI-COLLISION LIGHTS SHALL BE DISPLAYED
AT ALL TIMES.
12 JUN 26 05:25 UNTIL 08 SEP 26 23:59 ESTIMATED

OAKBG0222/26 (17 JUN 26)

"1: ALL AIRCRAFT FLYING ON M875 AMDAR-TAPIS L509-LAJAK SHALL
BE OFFSET 8NM TO THE RIGHT OF CENTER LINE AT DOSHI, AFTER PASSING
POSITION GIDOG RESUMED CENTRELINE, DUE TO ACTIVE PROHIBITED AREA
(OAP)201.
2: ALL AIRCRAFT FLYING ON L509 LAJAK- TAPIS- M875 AMDAR SHALL
BE OFFSET 8NM TO THE LEFT OF CENTERLINE AT POSITION GIDOG UNTIL
DOSHI, AFTER PASSING DOSHI RESUMED CENTRELINE, DUE TO ACTIVE
PROHIBITED AREA (OAP)201."
12 JUN 26 05:25 UNTIL 08 SEP 26 23:59 ESTIMATED

OAKBG0223/26 (17 JUN 26)

AFGHANISTAN FIR IS UNCONTROLLED CLASS G AIRSPACE.
ALL INTERNATIONAL AND DOMESTIC AIRLINES ARE REQUESTED TO FILL
FLIGHT PERMISSIONS FORM AT LEAST 72 HOURS PRIOR FLIGHT AND
SHALL EMAIL TO FLIGHTPERMISSIONS.ACAA(A)GMAIL.COM
FOR PROCESSING PERMISSIONS.
12 JUN 26 05:25 UNTIL 08 SEP 26 23:59 ESTIMATED

OAKBG0216/26 (17 JUN 26)

"IN THE EVENT OF EMERGENCY DESCENT, THE PROCEDURES IN
ICAO DOC 4444 PANS-ATM SECTION 15.1.4.2 APPLY EXCEPT THAT
IN LIEU OF ADVISING ATS OF THE EMERGENCY DESCENT THE PILOT
SHALL BROADCAST ON THE RELEVANT TIBA FREQUENCY.
FLIGHTS OPERATING IN THE KABUL FIR SHALL COMPLY WITH TIBA
PROCEDURES DEFINED IN ICAO ANNEX-11 ATTACHMENT B AND
DESCRIBED USING THE FOLLOWING FREQUENCIES.
ALL OVERFLIGHTS SHALL COMPLY WITH TIBA PROCEDURE FOR
BROADCAST INTENTIONS ON FREQ 125.2MHZ 10 MINS PRIOR ENTERING
TO FIR. ARRIVAL AND DEPARTURE OPERATIONS AS FOLLOWS:
1. KABUL OAKB - 120.6MHZ
2. MAZAR-E-SHARIF OAMS - 135.35MHZ
3. KANDAHAR OAKN - 125.5MHZ
4. HERAT OAHR - 123.35MHZ
IN ADDITION TO THE ABOVE-MENTIONED TIBA BROADCASTS PILOTS
SHALL BROADCAST THEIR INTENTIONS INCLUDING RUNWAY, DEPARTURE
TRACK AND INTEND CRUISING LEVEL ON THE RELEVANT TIBA
FREQUENCIES NOT LESS THAN 10 MINUTES BEFORE TAKEOFF."
10 JUN 26 06:00 UNTIL 05 SEP 26 23:59 ESTIMATED

OAKBG0217/26 (17 JUN 26)

PILOTS ARE RESPONSIBLE AT ALL TIMES FOR TERRAIN CLEARANCE.
10 JUN 26 06:00 UNTIL 05 SEP 26 23:59 ESTIMATED

OAKBG0218/26 (17 JUN 26)

PILOTS ARE RESPONSIBLE AT ALL TIMES FOR SEPARATION FROM

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 ELL 0615+

OTHER TRAFFIC SSR TRANSPONDERS SHALL BE OPERATED AT ALL TIMES.
FLIGHTS ENTERING THE KABUL FIR SHALL CONTINUE TO SQUAWK THE LAST
ASSIGNED SSR CODE FLIGHTS DEPARTING AERODROMES WITH THE KABUL FIR
SHALL SQUAWK CODE A2000 (UNTIL ASSIGNED) A NEW CODE BY THE FIRST
RELEVANT ATS UNIT.
10 JUN 26 06:00 UNTIL 05 SEP 26 23:59 ESTIMATED

OAKBG0215/26 (17 JUN 26)

NON-RVSM OPERATIONS ARE NOT PERMITTED.
06 JUN 26 10:00 UNTIL 02 SEP 26 23:59 ESTIMATED

OAKBG0199/26 (17 JUN 26)

FLIGHTS MAY BE SUBJECT TO DELAYING ACTION PRIOR TO
ENTERING THE KABUL FIR TO ENSURE 15 MINUTES LONGITUDINAL
SPACING FROM PRECEDING TRAFFIC AT THE SAME LEVEL.
25 MAY 26 07:00 UNTIL 20 AUG 26 23:59 ESTIMATED

OAKBG0197/26 (17 JUN 26)

"FLIGHTS DEPARTING THE KABUL FIR SHALL CONTACT THE RELEVANT
ACC IN THE NEXT FIR ENTERED NOT LESS THAN 15 MINUTES BEFORE THE
FIR BOUNDARY POINT, ON IN ACCORDANCE WITH ANY OTHER REQUIREMENT
SPECIFIED BY THE RELEVANT AUTHORITY FOR THE FIR."
23 MAY 26 05:45 UNTIL 18 AUG 26 23:59 ESTIMATED

OAKBG0193/26 (17 JUN 26)

ALL CLIMB AND DESCENT SHOULD BE CARRIED OUT 5NM TO THE RIGHT OF
TRACK EXCEPT FOR ARRIVING AND DEPARTING TRAFFIC WHILE OPERATING MSA
SHOULD FOLLOW THE PUBLISHED INSTRUMENT FLIGHT PROCEDURE.
22 MAY 26 16:31 UNTIL 17 AUG 26 23:59 ESTIMATED

OAKBG0185/26 (05 MAY 26)

"P173 ROUTE IS CLOSED, DUE TO CONGESTION WITH LOW AIRWAYS."
04 MAY 26 07:41 UNTIL 31 JUL 26 23:59 ESTIMATED

*OAKBG0171/26 (05 MAY 26)

ALL FLIGHTS ARRIVING OR DEPARTING FROM AERODROMES IN KABUL FIR
SHALL FILL FLIGHT PLAN AND OPERATE AT CRUISING LEVEL AT OR BELOW
FL290. TRANSMISSION SHALL TAKE PLACE EVERY 5 MINUTES ON TIBA FREQ
125.2 MHZ FOR THE TEMPORARY PURPOSE ONLY.
25 APR 26 04:20 UNTIL 21 JUL 26 23:59 ESTIMATED

OAKBG0169/26 (05 MAY 26)

PILOTS IN COMMAND AND/OR AIRCRAFT OPERATORS ARE
SOLELY RESPONSIBLE FOR SAFETY AND SECURITY ASSESSMENT
FOR ANY PLANNED OPERATIONS IN THE KABUL FIR.
23 APR 26 05:00 UNTIL 20 JUL 26 23:59 ESTIMATED

OAKBG0170/26 (05 MAY 26)

"VFR ACFT WILL FLY IN ACCORDANCE WITH VFR PORTION OF THE
TABLE OF CRUISING LEVELS IN APPENDIX-3 OF ICAO ANNEX-2
(ALSO REFERRED TO AS SEMI-CIRCULAR CRUISING LEVELS 0-179
DEGREES ODD FLIGHT LEVELS,180-359 DEGREES EVEN FLIGHT LEVELS."
23 APR 26 05:00 UNTIL 20 JUL 26 23:59 ESTIMATED

EUR / EUROPE
N I L

TKM / TURKMENISTAN
N I L

UTAV / TURKMENABAT FIR

UUUUU0245/26 (29 JUN 26)

01-03 06-10 13-17 20-24 27-31 0330-1700
"ATS RTE SEGMENTS CLSD:
A847 TURKMENABAT LBA-OLCHE,
B362 TURKMENABAT LBA-NURSA,
A230 DERKI-DUTAR,
A118 TURKMENABAT LBA-VATIN,
A117 TURKMENABAT LBA-DUTAR.
FROM SFC TO FL100"

*UUUUU0242/26 (29 JUN 26)

01-03 06-10 13-17 20-24 27-31 0200-1700

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 29/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

"ATS RTE SEGMENTS CLSD:
B361 RAPTA-RARUN,
A125 RARUN-ABNEP.
FROM SFC TO FL170"

*UUUUU00244/26 (29 JUN 26)

01-03 06-10 13-17 20-24 27-31 0200-1700
RESTRICTED AREA ACT:
3744N06457E-3748N06503E-3745N06503E-3745N06505E-3741N06509E-
3739N06505E-3744N06457E.
F) SFC
G) FL170

// (COM-INFO) //

THA 00182/13 (21 MAR 25)

COM INFO:--ACFT crews entering Turkmenistan airspace from airspace of Afganistan and Iran shall establish communication with Turkmenistan ATC units at 81-108NM before crossing FIR boundary.

ACFT crews entering Turkmenistan airspace from airspace of Azerbaijan, Kazakhstan and Uzbekistan do not need to establish communication with Turkmenistan ATC units before crossing FIR boundary unless otherwise instructed by ATC units.

ACFT flying from Kabul FIR to Turkmenabat FIR (A909 LEMOD, L750 RANAH) must establish contact with Turkmenabat Control on 134.500MHz (backup 128.500MHz) within 10min to the entrance to Turkmenabat FIR.

ACFT flying from Turkmenabat FIR to Kabul FIR, ATS service will be provided to the border of Turkmenabat
FIR with a 15min interval along one route and at one echelon.
(ISSUED 16JAN25/REF CRAR Turkmenistan/C-20/UFN)

UTAA / ASHGABAT FIR

*UUUUU00257/26 (30 JUN 26)

01-03 06-10 13-17 20-24 27-31 0300-1700
"RESTRICTED AREA ACT:
CIRCLE RADIUS 5KM, CENTRE 3729N06140E."
F) SFC
G) FL230

*UUUUU00256/26 (30 JUN 26)

01-03 06-10 13-17 20-24 27-31 0300-1700
ATS RTE A847 CLSD WI SEGMENT NINOP-OLADI.
FROM SFC TO FL230

UUUUU00245/26 (29 JUN 26)

01-03 06-10 13-17 20-24 27-31 0330-1700
"ATS RTE SEGMENTS CLSD:
A847 TURKMENABAT LBA-OLCHE,
B362 TURKMENABAT LBA-NURSA,
A230 DERKI-DUTAR,
A118 TURKMENABAT LBA-VATIN,
A117 TURKMENABAT LBA-DUTAR.
FROM SFC TO FL100"

UUUUU00247/26 (29 JUN 26)

01-03 06-10 13-17 20-24 27-31 0300-1700
"ATS RTE SEGMENTS CLSD:
A909 NINOP-LEMOD,
B801 NINOP-RANAH.
FROM SFC TO FL070"

*UUUUU00241/26 (29 JUN 26)

01-03 06-10 13-17 20-24 27-31 0300-1700
ATS RTE B449 SEGMENT KEMOR-ZAMIR CLSD.
FROM SFC TO FL170

UUUUU00234/26 (29 JUN 26)

01-03 06-10 13-17 20-24 27-31 0300-1700
ATS RTE P130 SEGMENT MAMED-ARBAT CLSD.
FROM SFC TO FL070

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 30/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

*UUUUU00235/26 (29 JUN 26)

01-03 06-10 13-17 20-24 27-31 0300-1700
"ATS RTE SEGMENTS CLSD:
P130 ARBAT-DOGAM,
B449 SAHET-ETRAP.
FROM SFC TO FL270"

UTAK / TURKMENBASHI FIR

*UUUUU00261/26 (14 JUL 26)

16 17 28-31 0400-1300
"ATS RTE SEGMENTS CLSD:
B143 METKA-TUNEK,
A240 TABAB-TURKMENBASHI KRS.
VECTERING FOR BYPASS RTE PROVIDED.
FROM SFC TO FL330"

*UUUUU00252/26 (29 JUN 26)

16 17 28-31 0400-1300
RESTRICTED AREA ACT:
4103N05212E-4041N05248E-4020N05244E-4042N05212E-4103N05212E.
F) SFC
G) FL330

*UUUUU00236/26 (29 JUN 26)

01-03 06-10 13-17 20-24 27-31 0300-1700
ATS RTE V305 SEGMENT KESEK-LA (BALKANABAT NDB) CLSD.
FROM SFC TO FL150

*UUUUU00238/26 (29 JUN 26)

01-03 06-10 13-17 20-24 27-31 0300-1700
"ATS RTE SEGMENTS CLSD:
G667 NESIR-SAVUZ,
R373 TIMGA-TABUN,
B711 OGLID-NESIR.
FROM SFC TO FL120"

*UUUUU00235/26 (29 JUN 26)

01-03 06-10 13-17 20-24 27-31 0300-1700
"ATS RTE SEGMENTS CLSD:
P130 ARBAT-DOGAM,
B449 SAHET-ETRAP.
FROM SFC TO FL270"

UUUUU00233/26 (17 JUN 26)

UTAK TAR U/S.

AZE / AZERBAIJAN
N I L

UBBA / BAKU FIR

*UBBUA00203/26 (30 JUN 26)

TEMPORARY RESTRICTION FOR FLIGHT OPERATIONS BETWEEN THE
AERODROMES OF THE REPUBLIC OF AZERBAIJAN AND THE FOLLOWING
AERODROMES OF THE RUSSIAN FEDERATION ARE APPLIED UNTIL FURTHER
NOTICE:
ASTRAKHAN - URWA
GROZNY - URMG
KAZAN - UWKD
MAKHACHKALA - URML
MINERALNYYE VODY - URMM
NIZHNY NOVGOROD - UWGG
SAMARA - UWWW
SARATOV - UWSG
SOCHI - URSS
UFA - UWUU
VLADIKAVKAZ - URMO
VOLGOGRAD - URWW
ANY FLIGHT REQUESTS WILL BE CONSIDERED AFTER AGREED FLIGHT ROUTES ON
AN EXCEPTIONAL BASIS.
RESTRICTION NOT APPLICABLE TO EMERGENCY LANDING.
30 JUN 26 13:00 UNTIL 30 SEP 26 23:59 ESTIMATED

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 31/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

UBBUA0131/26 (28 MAY 26)

"TRIGGER NOTAM PERM AIRAC AIP AMDT 03/2026 WEF 09 JUL 2026
UBBA ENR 2.1-FIR, CTA, TMA TABLE UPDATED.
UBBA ENR 2.1.1-BAKU CTA SECTORIZATION TABLE IMPLEMENTED.
UBBA ENR 3.3-AREA NAVIGATION (RNAV) ROUTES TABLE UPDATED.
UBBA ENR 6.1-1-EN-ROUTE CHART UPDATED."

// (COM-INFO) //

THA 00249/25 (05 APR 26)

COM INFO:--Dispatch Note:
Portion ADEKI-RASAM is not available for eastbound traffic.

GEO / GEORGIA
N I L

UGGG / TBILISI FIR
N I L

TUR / TURKEY
N I L

LTAA / ANKARA FIR

*LTAAA3114/26 (15 JUL 26)

JUL 16-17 21-23 28-29 AUG 04-06 18-20 25-26 SEP 01-03 08-09 15-17
22-23 29-30 OCT 01 06-07 13-15 1200-1500
SEE NOTAM: A3113/26
RNAV ROUTES AND SEGMENTS AFFECTED DURING EXERCISE AS FLW:
1- AWY UT244 EDASA-OKMOT SEGMENT CLSD.
2- AWY UL742 REDNO-OKMOT SEGMENT CLSD.
VERTICAL LIMITS: FL290-FL350

*LTAAA3113/26 (15 JUL 26)

JUL 16-17 21-23 28-29 AUG 04-06 18-20 25-26 SEP 01-03 08-09 15-17
22-23 29-30 OCT 01 06-07 13-15 1200-1500
EXERCISE WILL TAKE PLACE.
RMK: AIR TRAFFIC FLOW REGULATION NOTAM SHALL BE ISSUED.
AREA: 391123N0320151E 391021N0320352E 381800N0312936E
383114N0310744E 385023N0305859E 391123N0320151E
F) FL290
G) FL350

*LTAAA3089/26 (15 JUL 26)

17 JUL 2026 19:01-26 JUL 2026 23:59
SEE NOTAM: A3088/26
RNAV ROUTES AND SEGMENTS AFFECTED DURING ROCKET FIRING AS FLW:
1. AWY L/UL621 BUMOM-BUK SEGMENT CLSD.
VERTICAL LIMITS: SFC-43000FT AMSL

*LTAAA3088/26 (15 JUL 26)

17 JUL 2026 19:01-26 JUL 2026 23:59
ROCKET FIRING WILL TAKE PLACE WI(LTTSA-18R):
381618N0333333E 382722N0335408E 390248N0332052E
385427N0330626E 384602N0330730E 381618N0333333E
RMK: AIR TRAFFIC FLOW REGULATION NOTAM SHALL BE ISSUED.
F) SFC
G) 43000FT AMSL

*LTAAA3086/26 (13 JUL 26)

14 JUL 2026 05:00-17 JUL 2026 19:00
0500-1900
ROCKET FIRING WILL TAKE PLACE WI(LTTSA-18R):
384509N0330743E 384557N0330708E 385431N0330626E
390251N0332049E 385423N0332911E 384509N0330743E
F) SFC
G) 49000FT AMSL

*LTAAA3075/26 (11 JUL 26)

RESTRICTED AREA: CENTERED ON 382049N0374741E WITH RADIUS 14NM
WI MALATYA MIL TMA.
VERTICAL LIMITS: SFC-80000FT AMSL

AIRSPACE IS NOT DECONFLICTED FROM CIVIL AIRSPACE. TURKIYE AIRSPACE
IS SOVEREIGN. USER IS RESPONSIBLE FOR OBTAINING CIVIL OR MILITARY
CLEARANCE TO ENTER AND OPERATE IN THIS AIRSPACE IN ACCORDANCE WITH

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 32/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

HOST NATION REGULATIONS. REFER TO SPINS FOR C2 DETAILS.
F) SFC
G) UNL

LTAAA3070/26 (11 JUL 26)

"RESTRICTED AREA WI KONYA MIL TMA
CENTERED ON 375725N0323312E WITH RADIUS 11NM
VERTICAL LIMITS: SFC-80000FT AMSL

NOTE1: WHEN AIR DEFENCE SYSTEMS ARE IN NORMAL STATUS, ALL MIL/CIV
TFCS WILL NOT BE AFFECTED.

NOTE2: WHEN AIR DEFENCE SYSTEMS BECOME ACTIVE, ALL TFCS WI(10NM) OF
KONYA AD WILL BE DIRECTED TO LAND BY THE KONYA APCH, AND TFCS
OUTSIDE(10NM) WILL BE HELD AT POINTS OUTSIDE THE AREA AS DEEMED
APPROPRIATE BY KONYA APCH.
NECESSARY COORDINATIONS WILL BE ESTABLISHED TO ENSURE THAT FLIGHTS
FROM KTO KARATAY UNIVERSITY AIR PARK DO NOT AFFECT THE AREA.
DEPARTURES FROM KONYA AD WILL NOT BE PERMITTED.

NOTE3: DUE TO TWO-WAY COMMUNICATION IS MANDATORY IN THIS AREA,
MAINTAINING CONTINUOUS AND REAL-TIME RADIO CONTACT WITH ANKARA ACC
OR KONYA ATC IS CRITICAL. CONTINUOUS LISTENING WILL BE KEPT ON THE
GUARD CHANNEL."
F) SFC
G) UNL

*LTAAA2943/26 (03 JUL 26)

06 JUL 2026 05:00-17 JUL 2026 19:00
0500-1900
ROCKET FIRING WILL TAKE PLACE WI(LTTSA-18R):
382722N0335408E 381618N0333333E 384511N0330746E
385423N0332910E 382722N0335408E
RMK: AIR TRAFFIC FLOW REGULATION NOTAM SHALL BE ISSUED.
F) SFC
G) 49000FT AMSL

*LTAAA2944/26 (03 JUL 26)

06 JUL 2026 05:00-17 JUL 2026 19:00
0500-1900
SEE NOTAM: A2943/26
RNAV ROUTES AND SEGMENTS AFFECTED DURING ROCKET FIRING AS FLW:
1. AWY L/UL621 BUMOM-BUK SEGMENT CLSD.
VERTICAL LIMITS: SFC-49000FT AMSL

*LTAAA2941/26 (01 JUL 26)

SEE NOTAM: A2940/26
RNAV ROUTES AND SEGMENTS AFFECTED DURING FIRING EXERCISE AS FOLLOWS:
1. AWY UM860 NINVA-SRT SEGMENT CLSD.
2. AWY UM688 OTKEP-RATVO SEGMENT CLSD.
3. AWY UT332 OTKEP-KABAN SEGMENT CLSD.
4. AWY UT301 NARLI-LUMOM SEGMENT CLSD.
VERTICAL LIMITS: 31000FT AMSL-33000FT AMSL

*LTAAA2940/26 (01 JUL 26)

GUN FIRING WILL TAKE PLACE.
AREA: 371826N0424330E 372900N0423000E 374559N0423000E
373700N0443600E 372644N0443448E 371707N0444836E 371411N0444435E
371018N0444602E 371134N0443821E 370724N0443226E 365859N0441748E
370611N0441115E 371018N0441726E 371613N0441429E 372000N0440336E
371247N0435057E 371510N0433045E 372246N0430751E 371916N0425718E
372257N0424659E 371826N0424330E
RMK: AIR TRAFFIC FLOW REGULATION NOTAM SHALL BE ISSUED.
AREA CLSD TO TFC BTN FL310-FL330.
F) 31000FT AMSL
G) 33000FT AMSL

LTAAA2931/26 (01 JUL 26)

"RESTRICTED AREA WI ADANA MIL TMA:
CENTERED ON 370006N0352532E WITH RADIUS 14NM
VERTICAL LIMITS: SFC-80000FT AMSL

NOTE 1: WHEN AIR DEFENCE SYSTEMS ARE IN NORMAL STATUS, ALL MIL/CIV
TFCS WILL NOT BE AFFECTED.

NOTE 2: WHEN AIR DEFENCE SYSTEMS BECOME ACTIVE, ALL TFCS WI (10NM)
OF INCIRLIK AD, CUKUROVA INTERNATIONAL AD, SAKIRPASA AD AND HUR AD

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 33/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

WILL BE SEQUENCED FOR LDG BY INCIRLIK APCH.
TFCS OUTSIDE (10NM) WILL BE PUT ON HOLD AT APPROPRIATE POINTS NORTH
OF THE AREA. DEP TFCS FROM THE AFFECTED AERODROMES WILL NOT BE
PERMITTED.

NOTE 3: DUE TO THE REQUIREMENT FOR TWO-WAY COMMUNICATION, CONTINUOUS
AND REAL-TIME RTF CONTACT WITH ANKARA ACC OR INCIRLIK ATC IS
ESSENTIAL. CONTINUOUS MONITORING OF THE GUARD FREQ IS REQUIRED."

F) SFC
G) UNL

*LTAAA2930/26 (01 JUL 26)

"RESTRICTED AREA WI ADANA MIL TMA:
373949N0353344E 370015N0352513E 363911N0344154E 363221N0344838E
362534N0350031E 362238N0350823E 362051N0351638E 362013N0352514E
362051N0353345E 362234N0354204E 362538N0354952E 362935N0355657E
363422N0360318E 364006N0360817E 364619N0361201E 365316N0361414E
370006N0361513E 370704N0361427E 371351N0361214E 372003N0360840E
372559N0360350E 373059N0355726E 373453N0354956E 373819N0354208E
374002N0353342E 373949N0353344E
VERTICAL LIMITS: SFC-70000FT AMSL

NOTE 1: WHEN AIR DEFENCE SYSTEMS ARE IN NORMAL STATUS, ALL MIL/CIV
TFCS WILL NOT BE AFFECTED.

NOTE 2: WHEN AIR DEFENCE SYSTEMS BECOME ACTIVE, ALL TFCS WI (10NM)
OF INCIRLIK AD, CUKUROVA INTERNATIONAL AD, SAKIRPASA AD AND HUR AD
WILL BE SEQUENCED FOR LDG BY INCIRLIK APCH.
TFCS OUTSIDE (10NM) WILL BE PUT ON HOLD AT APPROPRIATE POINTS NORTH
OF THE AREA. DEP TFCS FROM THE AFFECTED AERODROMES WILL NOT BE
PERMITTED.

NOTE 3: DUE TO THE REQUIREMENT FOR TWO-WAY COMMUNICATION, CONTINUOUS
AND REAL-TIME RTF CONTACT WITH ANKARA ACC OR INCIRLIK ATC IS
ESSENTIAL. CONTINUOUS MONITORING OF THE GUARD FREQ IS REQUIRED."

F) SFC
G) UNL

*LTAAA2899/26 (01 JUL 26)

"SEE NOTAM: A2896/26
RNAV ROUTE AND SEGMENTS AFFECTED DURING FIRING ACTIVITY AS FOLLOWS:
1. AWY M/UM860 NINVA-SRT SEGMENT CLOSED.
2. AWY M/UM688 OTKEP-RATVO SEGMENT CLOSED.
3. AWY T/UT332 OTKEP-KABAN SEGMENT CLOSED.
4. AWY UT301 INLAP-LUMOM SEGMENT CLOSED.
5. AWY T301 INLAP-YKV SEGMENT CLOSED.
VERTICAL LIMITS FOR ABOVE ROUTES: SFC-FL310
6. HAKKARI YUKSEKOVA SELAHADDIN EYYUBI AIRPORT(LTCW) PLANNING TAKE
-OFF/LANDING SHALL USE THE ROUTE WITH DETAILS PROVIDED BELOW,WHEN
DEEMED NECESSARY BY ATC
ROTA: VAN VOR(382758N0431930E)-RUPOM(375016N0435725E)-
YKV VOR(373257N0441433E)
MAG TRACK: 137/317(VAN VOR-YKV VOR)
DISTANCE: BTN VAN VOR-RUPOM 48.1NM
BTN RUPOM-YKV VOR 22.0NM
FLIGHT LEVELS:BTN VAN VOR-RUPOM FL220
BTN RUPOM-YKV VOR MIN FL180"

LTAAA2897/26 (01 JUL 26)

IT IS REPORTED BY PILOTS THAT GPS SIGNALS CAN NOT BE RECEIVED
OCCASSIONALY IN SOME PARTS OF TURKISH AIRSPACE.
PILOTS WHO PLAN RNAV FLIGHT OR EXECUTE RNAV/RNP PROCEDURES WITHIN
TURKISH AIRSPACE ARE ADVISED TO BE CAUTIOUS ABOUT GPS SIGNAL LOSES.
30 JUN 26 08:00 UNTIL 30 SEP 26 08:00 ESTIMATED

*LTAAA2896/26 (01 JUL 26)

"FIRING EXERCISE WILL TAKE PLACE.
RMK: AIR TRAFFIC FLOW REGULATION NOTAM WILL BE ISSUED.
AREA: 371830N0424330E 372900N0423000E 374600N0423000E
373700N0443600E 372652N0443448E 371708N0444846E 371412N0444435E
371018N0444604E 371142N0443823E 370725N0443227E 365859N0441749E
370611N0441117E 371018N0441726E 371613N0441429E 372001N0440344E
371247N0435057E 371512N0433045E 372247N0430752E 371916N0425718E
372258N0424706E 371830N0424330E
1ST NOTE: IFR TRAFFICS DEPARTING OR LANDING FROM LTCV,LTCL, LTCW,
LTCI AIRPORTS AND IFR TRAFFICS LANDING THROUGH TO OR DEPARTING FROM
BAGHDAD FIR ARE EXCLUDED. THESE TRAFFIC'S AREA USAGE REQUESTS SHALL
BE DECIDED UPON THE COORDINATION BETWEEN ANKARA ACC AND BIKIM.
2ND NOTE: FOLLOW ALONG BORDER OF TURKISH-IRAQ, TURKISH-IRAN. IT IS

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 34/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

STRICTLY ADVISED NOT TO MAKE AVOIDANCE MANEUVERES TOWARDS THIS AREA."
F) SFC
G) FL310

LTAAA2877/26 (29 JUN 26)

0300-0530
UNMANNED ACFT FLIGHT WILL TAKE PLACE WI: 381620N0333332E
383620N0332100E 383559N0334632E 382721N0335410E 381620N0333332E
F) SFC
G) 40000FT AMSL

*LTAAA2786/26 (25 JUN 26)

0500-1400 EXC SAT SUN
EXERCISE(SUPERSONIC SPEED) WILL TAKE PLACE WI ESKISEHIR MILITARY
TMA:393500N0310300E 393500N0314000E 392500N0314500E 391100N0310300E
393500N0310300E
F) 12000FT AMSL
G) 50000FT AMSL

*LTAAA2685/26 (23 JUN 26)

SEE NOTAM: A2677/26
ATS ROUTES AND SEGMENTS AFFECTED DURING EXERCISE FLIGHT (WITHOUT
FIRING) AS FOLLOWS
1.AWY W197 SRT-ABDIK SEGMENT CLOSED.
2.AWY R21 KABAN-SRT SEGMENT CLOSED.
VERTICAL LIMITS: FL170-FL260

*LTAAA2686/26 (23 JUN 26)

KABAN FIR BDRY CLSD TO ALL TFC AT AND BELOW FL310

*LTAAA2684/26 (23 JUN 26)

SEE NOTAM: A2677/26
RNAV ROUTES AND SEGMENTS AFFECTED DURING EXERCISE FLIGHT (WITHOUT
FIRING) AS FOLLOWS
1.AWY T333 SRT-LESRI SEGMENT CLOSED.
2.AWY M860 EFFEZ-SRT SEGMENT CLOSED.
3.AWY T306 SRT-ABDIK SEGMENT CLOSED.
VERTICAL LIMITS: FL170-FL260

*LTAAA2683/26 (23 JUN 26)

"SEE NOTAM: A2679/26
RNAV ROUTES AND SEGMENTS AFFECTED DURING EXERCISE FLIGHT (WITHOUT
FIRING) AS FOLLOWS
1.AWY L/UL614 ULSAB-DERIL SEGMENT CLOSED.
2.AWY M/UM860 RENGİ-EFFEZ SEGMENT CLOSED.
3.AWY M/UM688 ULTED-RATVO SEGMENT CLOSED.
4.AWY UT253 RENGİ-OTKEP SEGMENT CLOSED.
5.AWY UT301 ULTED-YKV SEGMENT CLOSED.
6.AWY T/UT36 ULTED-ALRAM SEGMENT CLOSED.
7.AWY UT888 ALRAM-BAYIR SEGMENT CLOSED.
8.AWY UL718 ULSAB-ESOTA SEGMENT CLOSED.
9.AWY T/UT333 BEYAZ-ESOTA SEGMENT CLOSED.
10.AWY T/UT332 BEYAZ-EFFEZ SEGMENT CLOSED.
11.AWY T301 NARLI-YKV SEGMENT CLOSED.
12.AWY R/UR21 KABAN-SRT SEGMENT CLOSED.
13.AWY T/UT306 SRT-ABDIK SEGMENT CLOSED.
VERTICAL LIMITS FOR ABOVE RTS: FL240-FL310
14.HAKKARI YUKSEKOVA SELAHADDIN EYYUBI AIRPORT(LTCW),ACFT PLANNING
TAKE-OFF/LANDING SHALL USE THE ROUTE WITH DETAILS PROVIDED BELOW
WHEN DEEMED NECESSARY BY ATC
ROUTE: VAN VOR(382758N0431930E)-RUPOM(375016N0435725E)-
YKV VOR(373257N0441433E)
MAG TRACK: 137/317(VAN VOR-YKV VOR)
DISTANCE:
BTN VAN VOR-RUPOM 48.1NM
BTN RUPOM-YKV VOR 22.0NM
FLIGHT LEVELS:
BTN VAN VOR-RUPOM FL220
BTN RUPOM-YKV VOR MIN FL180"

*LTAAA2679/26 (23 JUN 26)

"EXERCISE WILL TAKE PLACE (WITHOUT FIRING) (H24)
AIR TRAFFIC FLOW REGULATION NOTAM WILL BE ISSUED
AREA: 373700N0443600E 375000N0413000E 382000N0413000E
382034N0432322E 375755N0441520E 375312N0441322E 375121N0441754E
375038N0442316E 374513N0442817E 374603N0443342E 374218N0443637E
373923N0443329E 373700N0443600E

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 35/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

RMK: IFR TRAFFICS DEPARTING OR LANDING FROM LTCV ,LTCL, LTCW , LTCI AIRPORTS AND IFR TRAFFICS LANDING THROUGH TO OR DEPARTING FROM BAGHDAD FIR ARE EXCLUDED. THESE TRAFFIC'S AREA USAGE REQUESTS SHALL BE DECIDED UPON THE COORDINATION BETWEEN ANKARA ACC AND BIKIM. THE PILOTS OF AIRCRAFT THAT ARE MAKING AVOIDANCE MANEUVERS OUTSIDE THE AIRWAY OR UNABLE COMPLY WITH THE FLIGHT LEVELS, SHALL INFORM ATC UNIT IMMEDIATELY.

IN SUCH A CASE, FLIGHT WILL BE CONTINUED SAFELY WITHIN EXERCISE AREA BY MEANS OF CIVIL/MILITARY COORDINATION
TRAFFIC FLYING ON AWYS G/UG8, T/UT888 AND T/UT36 SHALL MAKE AVOIDANCE MANEUVERS TO THE NORTH OF THE AWY IN ORDER TO AVOID FIRING EXERCISE AREAS."

F) 24000FT AMSL

G) 31000FT AMSL

*LTAAA2677/26 (23 JUN 26)

"EXERCISE WILL TAKE PLACE (WITHOUT FIRING) (H24).
AIR TRAFFIC FLOW REGULATION NOTAM SHALL BE ISSUED.
AREA: 375000N0413000E 372200N0413000E 372200N0423000E
374600N0423000E 375000N0413000E

RMK: IFR TRAFFICS DEPARTING OR LANDING FROM LTCV ,LTCL, LTCW, LTCI AIRPORTS AND IFR TRAFFICS LANDING THROUGH TO OR DEPARTING FROM BAGHDAD FIR ARE EXCLUDED. THESE TRAFFIC'S AREA USAGE REQUESTS SHALL BE DECIDED UPON THE COORDINATION BETWEEN ANKARA ACC AND BIKIM. THE PILOTS OF AIRCRAFT THAT ARE MAKING AVOIDANCE MANEUVERS OUTSIDE THE AIRWAY OR UNABLE COMPLY WITH THE FLIGHT LEVELS, SHALL INFORM ATC UNIT IMMEDIATELY. IN SUCH A CASE, FLIGHT WILL BE CONTINUED SAFELY WITHIN EXERCISE AREA BY MEANS OF CIVIL/MILITARY COORDINATION. TRAFFIC FLYING ON AWYS R/UR21, M/UM860 AND UT334 SHALL MAKE AVOIDANCE MANEUVERS TO THE WEST OF THE AWY IN ORDER TO AVOID FIRING EXERCISE AREAS."

F) 17000FT AMSL

G) 26000FT AMSL

LTAAA2418/26 (06 JUN 26)

"TRIGGER NOTAM-PERM AIRAC AIP AMDT 07/26 WEF 09 JUL 2026
CHANGES OF ENR 1.3 INSTRUMENT FLIGHT RULES, ENR 3.1 CONVENTIONAL NAVIGATION ROUTES, ENR 3.2 AREA NAVIGATION(RNAV) ROUTES, ENR 4.4 NAME CODE DESIGNATORS FOR SIGNIFICANT POINTS, ENR 6.1 ATS/RNAV ROUTE CHART, ENR 6.3 FREE ROUTE AIRSPACE CHART, GEN 2.5 LIST OF RADIO NAVIGATION AIDS"

LTAAA2369/26 (06 JUN 26)

RNAV AIR CORRIDOR IDENTIFIED AS UM861 REVISED AS FOLLOWS:

BTN NISAP-TEVDA TRACK MAG:318/138 EVEN/ODD

BTN TEVDA-BUK:317/137 EVEN/ODD

BTN BUK-RAKUR:339 EVEN

OTHER INFORMATION NOT CHANGED.

REF AIP ENR 3.2

03 JUN 26 14:15 UNTIL 03 SEP 26 13:00 ESTIMATED

LTAAA2362/26 (06 JUN 26)

"JUN 04 08 10 12 16 18 22 24 26 30 0600-2059, JUL 02 06 08 10 14
16 20 22 24 28 30 0600-2059, AUG 03 05 07 11 13 17 0600-2059"

UNMANNED ACFT TEST FLT WILL TAKE PLACE WI:

385513N0312028E 390936N0320156E 384213N0314248E 385513N0312028E

F) 13000FT AMSL

G) 35000FT AMSL

LTAAA2349/26 (06 JUN 26)

MON WED FRI 0915-1115

UNMANNED ACFT WILL TAKE PLACE

AREA: 381620N0333332E 382600N0332100E 383559N0334632E 382721N0335410E

381620N0333332E

F) SFC

G) 40000FT AMSL

*LTAAA2127/26 (21 MAY 26)

0700-1400 EXC SAT SUN

SEE NOTAM: A2125/26

ATS ROUTES AND SEGMENTS AFFECTED DURING TEST FLT AS FLW:

1. AWY W/UW100 SUMOL-INB SEGMENT CLSD.

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 36/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

2. AWY W/UW101 KUGOS-GAKSU SEGMENT CLSD.
VERTICAL LIMITS: SFC-40000FT AMSL

*LTAAA2126/26 (21 MAY 26)

0700-1400 EXC SAT SUN
SEE NOTAM: A2125/26
RNAV ROUTES AND SEGMENTS AFFECTED DURING TEST FLT AS FLW:
1. AWY M/UM854 SUMOL-INB SEGMENT CLSD.
2. AWY P/UP29 SUMOL-BIMVO SEGMENT CLSD.
3. AWY M/UM853 KUGOS-GAKSU SEGMENT CLSD.
VERTICAL LIMITS: SFC-40000FT AMSL

*LTAAA2125/26 (21 MAY 26)

0700-1400 EXC SAT SUN
TEST FLT WILL TAKE PLACE WI(LTSA-3R):
424456N0330020E 424432N0335425E 424030N0340849E 422530N0340633E
423400N0325953E 424456N0330020E
RMK: AIR TRAFFIC FLOW REGULATION NOTAM SHALL BE ISSUED.
F) SFC
G) 40000FT AMSL

LTAAA2027/26 (14 MAY 26)

URFA KORCIK MSSR UNRELIABLE BTN 250-360 DEGREES.

*LTAAA5879/25 (01 JAN 26)

"SEE NOTAM: A5860/25
RNAV ROUTE AND SEGMENTS AFFECTED BECAUSE OF THE AIR DEFENCE ZONE AND
ALTERNATIVE ROUTES ARE GIVEN BELOW:
A)
AWY UL601 CLOSED TO TRAFFIC BTN SEGMENTS KEMER-ADA-TUNLA.
AWY L601 CLOSED TO TRAFFIC BTN SEGMENTS KEMER-ADA
VERTICAL LIMITS:FL110-FL450

FLIGHTS SHALL BE PLANNED AS BELOW:
KEMER DCT ADKAR (364733N0351152E) OR
KEMER DCT ADKAR (364733N0351152E) DCT TUNLA OR
KEMER DCT ADKAR (364733N0351152E) T/UT470 MILBA OR
KEMER DCT ADKAR (364733N0351152E) DCT HTY. (MIN FL280)
DCT RAD ADKAR-MILBA SHALL NOT BE USED.

B)
CIVIL TRAFFICS OPERATING TO/FROM LTAF, LTDB AND LTDA AIRPORTS ARE
EXEMPTED FROM THESE REGULATIONS AND SHOULD CONTINUE TO USE AWYS,
SIDES, STARS AND INSTRUMENT APPROACH PROCEDURES PUBLISHED AT TURKISH
AIP. INCIRLIK RAPCON WILL PROVIDE AIR TRAFFIC CONTROL SERVICES TO
CIVIL TRAFFIC WITHIN ADANA MIL TMA AND VECTOR AROUND ADZ."

*LTAAA5862/25 (01 JAN 26)

"SEE NOTAM: A5860/25
ATS ROUTE AND SEGMENTS AFFECTED DURING THE AIR DEFENCE ZONE ARE
GIVEN BELOW.

A)
AWY W/UW75 CLSD TO TFC BTN SEGMENTS KEMER-ADA.
AWY W/UW74 CLSD TO TFC BTN SEGMENTS MANAZ-ADA-MILBA.
AWY W/UW84 CLSD TO TFC BTN SEGMENTS YAPZU-ADA.
AWY W/UW717 CLSD TO TFC.
VERTICAL LIMITS: FL110-FL450

FLIGHTS SHALL BE PLANNED AS BELOW:
AWY W/UW75
KEMER DCT ADKAR (364733N-0351152E) OR
KEMER DCT ADKAR (364733N-0351152E) DCT TUNLA OR
KEMER DCT ADKAR (364733N-0351152E) T/UT470 MILBA OR
KEMER DCT ADKAR (364733N-0351152E) DCT HTY
(MIN FL280)

AWY W/UW74
MANAZ DCT ADKAR (364733N-0351152E) OR
MANAZ DCT ADKAR (364733N-0351152E) T/UT470 MILBA OR
MANAZ DCT ADKAR (364733N-0351152E) DCT TUNLA OR
MANAZ DCT ADKAR (364733N-0351152E) DCT KEMER OR
MANAZ DCT ADKAR (364733N-0351152E) DCT HTY
MIN FL280)

AWY W/UW84
YAPZU DCT ADKAR (364733N-0351152E) OR
YAPZU DCT ADKAR (364733N-0351152E) T/UT470 MILBA OR
YAPZU DCT ADKAR (364733N-0351152E) DCT KEMER OR
YAPZU DCT ADKAR (364733N-0351152E) DCT HTY

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 37/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

(MIN FL280)

B)

CIVIL TRAFFICS OPERATING TO/FROM LTAF, LTDB AND LTDA AIRPORTS ARE EXEMPTED FROM THESE REGULATIONS AND SHOULD CONTINUE TO USE AWYS, SIDS, STARS AND INSTRUMENT APPROACH PROCEDURES PUBLISHED AT TURKISH AIP. INCIRLIK RAPCON WILL PROVIDE AIR TRAFFIC CONTROL SERVICES TO CIVIL TRAFFIC WITHIN ADANA MIL TMA AND VECTOR AROUND ADZ.)"

*LTAAA5860/25 (01 JAN 26)

AIR DEFENCE ZONE ESTABLISHED WITH THE FOLLOWING COORDINATES:
AREA: 365846N0352254E 370023N0352409E 370015N0353134E
365745N0353101E 365527N0352837E 365424N0352528E 365358N0352133E
365846N0352254E
NOTE: AIR TRAFFIC FLOW REGULATIONS AND ALTERNATIVE ROUTES NOTAMS SHALL BE ISSUED.
F) FL110
G) FL450

LTAAA1342/08 (08 SEP 25)

"WARNING

WITH REFERANS TO THE NOTE IN REMARKS COLUMN OF TURKISH AIP PAGES ENR 3.1-5, ENR 3.1-25, ENR 3.2-5, ENR 3.2-25, ENR 3.3-16 AND ENR 3.4-16 THE SEGMENT OF ATS ROUTES A/UA 28 BTN MUT-DOREN, AND THE SEGMENT OF ATS ROUTES N/UN131 AND W/UW83 BTN AYT VOR-DOREN WILL ONLY BE AUTHORIZED FOR TRAFFIC TO OR FROM ERCAN AIRPORT (LCEN). ALL OPERATORS SHALL FILE FLIGHT PLANS IN ACORDANCE WITH THESE REGULATIONS."

LTAAA5712/22 (17 OCT 23)

"AMEND TO READ AWY B/UB545 MUT VOR COORDINATE AS 365146N0331730E INSTEAD OF 373906N0321213E
REF AIP ENR 3.1.10 , ENR 3.2.10"

LTBB / ISTANBUL FIR

LTAAA3132/26 (16 JUL 26)

17 JUL 2026 18:00-18 AUG 2026 17:00
"NAVIGATIONAL WARNING TO ALL CONCERNED:

REF(A) GREEK WARNING NOTAM A2443/26
REF(B) TURKISH WARNING NOTAM A3095/26

TURKIYE REQUESTED THE GREEK AIS TO PROMULGATE APPROPRIATE NOTAM REGARDING THE UNMANNED ACFT FLIGHTS FOR THE ENVIRONMENTAL PROTECTION AND SAR SUPPORT MISSION. HOWEVER, THE NOTAM IN REF(A) PROMULGATED BY GREEK CAA IN RESPONSE TO THE TURKISH NOTAM REQUESTS IS IRRELEVANT.

THE VIEWS EXPRESSED IN TURKISH NAVIGATIONAL WARNING NOTAM IN REF(B) WITH RESPECT TO TURKISH ENVIRONMENTAL PROTECTION AND SAR SUPPORT MISSION WITHIN INTERNATIONAL WATERS AND AIRSPACE REMAIN UNCHANGED AND THE NOTAM IN REF(B) IS VALID AND EFFECTIVE. THE GREEK NOTAM IN REF(A) IS NULL AND VOID.

TURKIYE ALSO WOULD LIKE TO EMPHASIZE THAT NO FURTHER EXPLANATION WILL BE GIVEN TO ANY OBJECTION RAISED TO THE TURKISH NOTAM IN REF (B) ."

LTAAA2921/26 (01 JUL 26)

"PLEASE AMEND TO READ 'T/UT777(RNAV 5)' INSTEAD OF 'P/UP777(RNAV5)' AT AIP TURKIYE ENR 3.2

REF AIP TURKIYE ENR 3.2, 4.4, 6.1"

LTAAA2897/26 (01 JUL 26)

IT IS REPORTED BY PILOTS THAT GPS SIGNALS CAN NOT BE RECEIVED OCCASIONALLY IN SOME PARTS OF TURKISH AIRSPACE. PILOTS WHO PLAN RNAV FLIGHT OR EXECUTE RNAV/RNP PROCEDURES WITHIN TURKISH AIRSPACE ARE ADVISED TO BE CAUTIOUS ABOUT GPS SIGNAL LOSSES. 30 JUN 26 08:00 UNTIL 30 SEP 26 08:00 ESTIMATED

*LTAAA2794/26 (25 JUN 26)

0500-1400 EXC SAT SUN
EXERCISE(SUPERSONIC SPEED) WILL TAKE PLACE WI IZMIR
TMA:391757N0263816E 392238N0265728E 390635N0265920E 390000N0270000E
385818N0265750E 390132N0264535E 391757N0263816E
F) 23000FT AMSL

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 38/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

G) 50000FT AMSL

LTAAA2761/26 (25 JUN 26)

UNMANNED ACFT WILL TAKE PLACE

AREA: 403640N0260513E 403419N0260304E 402537N0262018E
403032N0263635E 403757N0263201E 403605N0262720E 403640N0260513E

F) 10000FT AMSL

G) 35000FT AMSL

LTAAA2760/26 (25 JUN 26)

UNMANNED ACFT WILL TAKE PLACE.

AREA: 404615N0261531E 403640N0260513E 403605N0262720E
404640N0265343E 404745N0265340E 404615N0261531E

F) 3000FT AMSL

G) 35000FT AMSL

LTAAA2762/26 (25 JUN 26)

UNMANNED ACFT WILL TAKE PLACE WI AREA:

403757N0263201E 403032N0263635E 403554N0265013E
404330N0264547E 403757N0263201E

F) SFC

G) 35000FT AMSL

LTAAA2418/26 (06 JUN 26)

"TRIGGER NOTAM-PERM AIRAC AIP AMDT 07/26 WEF 09 JUL 2026
CHANGES OF ENR 1.3 INSTRUMENT FLIGHT RULES, ENR 3.1 CONVENTIONAL
NAVIGATION ROUTES, ENR 3.2 AREA NAVIGATION(RNAV) ROUTES, ENR 4.4
NAME CODE DESIGNATORS FOR SIGNIFICANT POINTS, ENR 6.1 ATS/RNAV ROUTE
CHART, ENR 6.3 FREE ROUTE AIRSPACE CHART, GEN 2.5 LIST OF RADIO
NAVIGATION AIDS"

LTAAA3208/06 (27 SEP 25)

"NAVIGATIONAL WARNING TO ALL CONCERNED:

THE CONSIDERABLE PORTION OF THE AWYS G/UG18,L/UL609,R/UR19 AND
L/UL995 CROSS OVER THE SOVEREIGN AIR SPACE OF TURKEY AND REMAINS
WITHIN MILAS TMA.FOR THE SAFETY OF FLIGHTS AND SECURITY REASONS,
ALL AIRCRAFT USING LARKI 3723.9N-02650.3E RHODES PORTION OF THE AWYS
G/UG18,L/UL609,AND:KOPAR 3650.9N-02642.0E RHODES PORTION OF THE AWYS
R/UR19,L/UL995 SHALL ALWAYS FLY AT OR ABOVE FL250 DURING THEIR
FLIGHTS WITHIN TURKISH AIRSPACE."

BGR / BULGARIA

N I L

LBSR / SOFIA FIR

LBSFA0830/26 (14 JUL 26)

"DME VIT CH 81Y RANGE OF OPR:

SECTOR 029DEG - 090DEG 100NM,
SECTOR 091DEG - 028DEG 160NM."

14 JUL 26 07:05 UNTIL 09 OCT 26 12:00 ESTIMATED

LBSFA0769/26 (01 JUL 26)

"UKRAINE CRISIS:

ONGOING MILITARY ACTIVITY IN UKRAINE AND
ALONG BORDER UKRAINE/RUSSIA AND ALONG BORDER UKRAINE/BELARUS
AS WELL AS THE USE OF WIDE RANGE OF GROUND AND AIRBORNE WARFARE
SYSTEMS POSES A HIGH RISK FOR CIVIL FLIGHTS OPERATING AT ALL
ALTITUDES AND FLIGHT LEVELS.
AIR CARRIERS AND CAPTAINS OF ACFT IN CHARGE OF AIR SERVICE MANAGED
BY CARRIERS HOLDERS OF OPERATING LICENCE ISSUED BY THE REPUBLIC OF
BULGARIA, WHETHER THEY ARE CONTRACTUAL CARRIERS AND/OR DE FACTO
CARRIERS, OR PERFORMING AIR SERVICE WITH COMMERCIAL CHARTER
AGREEMENT OR WITH CODE SHARING AND TO ALL FLIGHTS PERFORMED WITH
BULGARIAN ACFT REGISTRATION ARE REQUESTED TO:
- NOT ENTER FIR LVIV /UKLV/, FIR KYIV /UKBV/, UIR KYIV /UKBU/,
FIR DNIPROPETROVSK /UKDV/, FIR SIMFEROPOL /UKFV/ AND
FIR ODESA /UKOV/."

01 JUL 26 15:11 UNTIL 31 JUL 26 23:59 ESTIMATED

LBSFA0768/26 (01 JUL 26)

"BULGARIAN AIR CARRIERS AND CAPTAINS OF ACFT IN CHARGE OF AIR
SERVICE MANAGED BY CARRIERS HOLDERS OF OPERATING LICENCE ISSUED BY
BULGARIAN CAA, WHETHER THEY ARE CONTRACTUAL CARRIERS AND/OR DE FACTO
CARRIERS, OR PERFORMING AIR SERVICE WITH COMMERCIAL CHARTER
AGREEMENT OR WITH CODE SHARING AND TO ALL FLIGHT PERFORMED WITH

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 39/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

BULGARIAN ACFT REGISTRATION, ARE NOT ALLOWED TO CONDUCT OPERATIONS IN BELARUSIAN AIRSPACE /FIR MINSK - UMMV/ UNLESS THE USE OF THAT AIRSPACE IS DEEMED NECESSARY TO ENSURE SAFE OPERATION IN CASE OF UNFORESEEN CIRCUMSTANCES. FOREIGN AIR CARRIERS INBOUND EU ARE RECOMMENDED TO AVOID BELARUS MINSK FIR /UMMV/."

01 JUL 26 15:03 UNTIL 31 JUL 26 23:59 ESTIMATED

LBSFA0767/26 (01 JUL 26)

"AIRCRAFT OPERATED BY BELARUSIAN AIR CARRIERS, INCLUDING AS A MARKETING CARRIER IN CODE-SHARING OR BLOCKED-SPACE ARRANGEMENTS, ARE PROHIBITED TO LAND IN, TAKE OFF FROM OR OVERFLY TERRITORY OF THE REPUBLIC OF BULGARIA, EXCEPT IN THE CASE OF AN EMERGENCY LANDING, AN EMERGENCY OVERFLIGHT OR HUMANITARIAN FLIGHTS.

NOTE:

HUMANITARIAN FLIGHTS ARE REQUIRED TO OBTAIN PRIOR PERMISSION BY THE BULGARIAN MINISTRY OF FOREIGN AFFAIRS - CONSULAR DEPARTMENT FOR OPERATIONS TO/FROM THE AIRPORTS OR OVERFLYING THE TERRITORY OF REPUBLIC OF BULGARIA."

01 JUL 26 14:59 UNTIL 24 SEP 26 23:59 ESTIMATED

LBSFA0766/26 (01 JUL 26)

"UKRAINIAN CRISIS:

IT SHALL BE PROHIBITED FOR ANY ACFT OPERATED BY RUSSIAN AIR CARRIERS, OR FOR ANY RUSSIAN REGISTERED ACFT, OR FOR ANY NON-RUSSIAN-REGISTERED ACFT WHICH IS OWNED OR CHARTERED, OR OTHERWISE CONTROLLED BY ANY RUSSIAN NATURAL OR LEGAL PERSON, ENTITY OR BODY, TO LAND IN, TAKE-OFF FROM OR OVERFLY THE TERRITORY OF THE REPUBLIC OF BULGARIA.

THE PROHIBITION SHALL NOT APPLY IN THE CASE OF AN EMERGENCY LANDING OR AN EMERGENCY OVERFLIGHT AND TO ACFT THAT HAVE A MAXIMUM SEATING CAPACITY OF 4 PERSONS AND A MAXIMUM TAKE-OFF MASS OF NO MORE THAN 2000KG WHEN USED FOR PRIVATE, NON-CORPORATE, FLIGHTS FOR RECREATIONAL PURPOSES OR FOR THE PURPOSE OF TRAINING FOR PRIVATE PILOT LICENSES AND RELATED RATINGS WITH UNION TRAINING PROVIDERS."

01 JUL 26 14:57 UNTIL 24 SEP 26 23:59 ESTIMATED

LBSFA0412/26 (01 MAY 26)

GNSS JAMMING AND SPOOFING OCCURRENCES HAVE BEEN REPORTED WITHIN LBSR FIR. CONVENTIONAL NAVAIDS AVAILABLE. AIR CREWS TO REMAIN VIGILANT AND REPORT TO ATC. 28 APR 26 08:28 UNTIL 27 JUL 26 12:00 ESTIMATED

ROU / ROMANIA

N I L

LRBB / BUCHAREST FIR

LRBBA3810/26 (08 JUL 26)

"GNSS OUTAGE:

OCCASIONALLY GNSS SIGNAL JAMMING AND/OR POSSIBLE SPOOFING WERE ENCOUNTERED AND REPORTED BY ACFT OVERFLYING OR LANDING IN BUCURESTI FIR. AIRCREWS SHALL EXERCISE CAUTION WHEN USING FLIGHT NAVIGATION BASED ON THESE SENSORS IN DIFFERENT PHASES OF THE FLIGHT. IN BUCURESTI FIR CONVENTIONAL NAVIGATION INFRASTRUCTURE AVAILABLE. FOR MORE INFORMATION, ALSO CONSULT EASA SIB NO. 2022-02R4"

LRBBA3636/26 (01 JUL 26)

DVOR/DME STJ 113.200MHZ/CH 79X U/S
30 JUN 26 04:48 UNTIL 31 JUL 26 23:00 ESTIMATED

LRBBA3459/26 (23 JUN 26)

"OPERATIONS IN FLIGHT INFORMATION REGIONS

ONGOING MILITARY ACTIVITY IN UKRAINE AND ALONG THE BORDER OF UKRAINE/RUSSIA AND USE OF A WIDE RANGE OF GROUND AND AIRBORNE WARFARE SYSTEMS POSES A HIGH RISK FOR CIVIL FLIGHTS OPERATING AT ALL ALTITUDES AND FLIGHT LEVELS. ROMANIAN AIR OPERATORS AND OWNERS OF ACFT REGISTERED IN ROMANIA ARE ADVISED NOT TO ENTER FIR LVIV (UKLV), FIR KYIV (UKBV), FIR DNIPROPETROVSK (UKDV), FIR SIMFEROPOL (UKFV), FIR ODESA (UKOV), FIR ROSTOV (URRV) AND TO TAKE ALL POTENTIAL RISK INTO ACCOUNT IN RISK ASSESSMENT AND FLIGHT PLANNING DECISIONS WHEN OPERATING 200NM SURROUNDING THE BORDERS WITH UKRAINE IN THE FIR MOSCOW (UUWW) AND FIR ROSTOV (URRV)."

22 JUN 26 06:37 UNTIL 21 SEP 26 23:59 ESTIMATED

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 ELL 0615+

Page 40/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

LRBBA3034/26 (06 JUN 26)

DAILY 0800-1810
ATS ROUTE T139 BETWEEN CRV AND PANZU CLSD FOR FLIGHT PLANNING
03 JUN 26 08:58 UNTIL 31 JUL 26 18:10 ESTIMATED

LRBBA3033/26 (06 JUN 26)

DAILY 0800-1810
ATS ROUTE T226 BETWEEN NAVOD AND ELDET CLSD FOR FLIGHT PLANNING
03 JUN 26 08:55 UNTIL 31 JUL 26 18:00 ESTIMATED

LRBBA2923/26 (29 MAY 26)

"TRIGGER NOTAM - AIRAC AIP AMDT 07/26 EFFECTIVE DATE 09 JUL 2026
GEN - SUNRISE/SUNSET TABLES UPDATED.
AD - LRCL - APRON 1 STRENGTH UPDATED,
- TWY A AND TWY D STRENGTH UPDATED."

LRBBA2924/26 (29 MAY 26)

TRIGGER NOTAM - AIRAC AIP SUP 03/26 EFFECTIVE DATE 09 JUL 2026
- LRBB - SMARDAN WIND FARM UNDER CONSTRUCTION

LRBBA2589/26 (16 MAY 26)

"ROMANIAN AIR OPERATORS INVOLVED IN AIR OPERATIONS IN ACCORDANCE
WITH COMMISSION REGULATION (EU) 965/2012 SHALL NOT CONDUCT
OPERATIONS IN FIR MINSK (UMMV), UNLESS THE USE OF THAT AIRSPACE
IS DEEMED NECESSARY TO ENSURE SAFE OPERATION IN CASE OF
UNFORESEEN CIRCUMSTANCES.
THE FLIGHT PLANS WILL BE FILLED ACCORDINGLY."
14 MAY 26 13:43 UNTIL 14 AUG 26 23:59 ESTIMATED

LRBBA2588/26 (16 MAY 26)

"ANY AIRCRAFT OPERATED BY AN AIR TRANSPORT UNDERTAKING HOLDING
A VALID OPERATING LICENCE OR EQUIVALENT ISSUED BY THE COMPETENT
AUTHORITIES OF BELARUS, INCLUDING AS A MARKETING CARRIER IN
CODE-SHARING OR BLOCKED-SPACE ARRANGEMENTS, ARE PROHIBITED TO
TAKE OFF FROM, LAND IN OR OVERFLY THE ROMANIAN TERRITORY EXCEPT
IN THE CASE OF AN EMERGENCY LANDING OR AN EMERGENCY OVERFLIGHT."
14 MAY 26 13:42 UNTIL 14 AUG 26 23:59 ESTIMATED

LRBBA2091/26 (24 APR 26)

"FLIGHT RESTRICTIONS
MILITARY INVASION OF UKRAINE BY RUSSIAN FEDERATION - ROMANIAN
AIR OPERATORS AND OWNERS OF AIRCRAFT REGISTERED IN ROMANIA SHALL
NOT ENTER FIR KYIV (UKBU), FIR LVIV (UKLV), FIR KYIV (UKBV),
FIR DNIPROPETROVSK (UKDV), FIR SIMFEROPOL (UKFV), FIR ODESA
(UKOV), FIR ROSTOV-NA-DONU (URRV).
SAID OPERATORS AND AIRCRAFT OWNERS SHALL ALSO AVOID FLIGHT
OPERATIONS WITHIN THE BUFFER ZONE EXTENDING OUT TO 200NM ALONG
THE UKRAINE/RUSSIA BORDER.
OPERATIONS WITHIN THE FIR CHISINAU (LUUU) AIRSPACE SHALL ONLY
BE UNDERTAKEN IN COMPLIANCE WITH APPLICABLE AERONAUTICAL
PUBLICATIONS ISSUED BY REPUBLIC OF MOLDOVA.
OPERATORS ARE REMINDED THAT OPERATIONS WITHIN FIR MINSK (UMMV)
ARE PROHIBITED IN ACCORDANCE WITH EASA SAFETY DIRECTIVES
SD-2021-02 AND SD-2021-03.
ADDITIONAL RISK ASSESSMENT AND FLIGHT PLANNING DECISIONS SHALL
BE TAKEN BEFORE OPERATING IN THE FOLLOWING AIRSPACE:
MOSCOW (UUVV)"
23 APR 26 12:02 UNTIL 23 JUL 26 23:59 ESTIMATED

LRBBA2090/26 (24 APR 26)

"FLIGHT RESTRICTIONS.
UKRAINIAN CRISIS - ALL RUSSIAN REGISTERED AIRCRAFT AND AIRCRAFT
OWNED, CHARTERED OR OPERATED BY NATURAL OR LEGAL PERSONS FROM
THE RUSSIAN FEDERATION OR BY OPERATORS HOLDING AIR OPERATOR
CERTIFICATE (AOC) ISSUED BY THE RUSSIAN FEDERATION AUTHORITIES
ARE PROHIBITED TO ENTER, EXIT OR OVERFLY ROMANIAN AIRSPACE
EXCEPT HUMANITARIAN, SAR AND LEASED AIRCRAFT ONE-WAY RETURN
FLIGHTS WITH THE PERMISSION OF THE APPROPRIATE ROMANIAN
AUTHORITIES AND IN CASE OF EMERGENCY LANDING OR EMERGENCY
OVERFLIGHT."
23 APR 26 11:50 UNTIL 23 JUL 26 23:59 ESTIMATED

HUN / HUNGARY
N I L

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 41/92

Trans ID: 5066710

Creation Time: 17.07.2026 09:24UTC

LHCC / BUDAPEST FIR

*LHBPA4328/26 (03 JUL 26)

MILITARY INVASION OF UKRAINE BY RUSSIAN FEDERATION AIRSPACE
RESERVATION ACTIVATED DUE TO MILITARY OPERATIONS AND UNMANNED
AIRCRAFT OPERATIONS WITHIN AREA BOUNDED BY THE FOLLOWING COORD
POINTS:
480305N0204807E
481105N0210601E
481610N0213840E
474622N0223329E
STATE BORDER
473104N0220055E
474137N0215008E
474730N0213710E
474559N0213335E
480305N0204807E (KP FIXW HIGH).
THE AIRSPACE IS SEGREGATED AND SHALL BE AVOIDED ACCORDING TO AIP
HUNGARY ENR 5.3.
FURTHER INFO ABOUT THE ACTUAL OPR HR VIA TEL: +36 88 543 036.
F) 9500FT AMSL
G) FL315

*LHBPA4323/26 (03 JUL 26)

MILITARY INVASION OF UKRAINE BY RUSSIAN FEDERATION
AIRSPACE RESERVATION ACTIVATED DUE TO MILITARY AND UNMANNED AIRCRAFT
OPERATIONS WITHIN AREA BOUNDED BY THE FOLLOWING COORD POINTS:
481610N0213840E
482628N0213837E
STATE BORDER
482145N0215325E
475109N0224631E
STATE BORDER
474622N0223329E
481610N0213840E (WILEY CORRIDOR).
THE AIRSPACE IS SEGREGATED AND SHALL BE AVOIDED ACCORDING TO AIP
HUNGARY ENR 5.3.
FURTHER INFO ABOUT THE ACTUAL OPR HR VIA TEL: +36 88 543 036.
F) 9500FT AMSL
G) FL315

*LHBPA4319/26 (01 JUL 26)

MILITARY INVASION OF UKRAINE BY RUSSIAN FEDERATION
AIRSPACE RESERVATION ACTIVATED DUE TO MILITARY OPERATIONS AND
UNMANNED AIRCRAFT OPERATIONS WITHIN AREA BOUNDED BY THE FOLLOWING
COORD POINTS:
480305N0204807E
474559N0213335E
474730N0213710E
474137N0215008E
473104N0220055E
STATE BORDER
471828N0215336E
474133N0203516E
480305N0204807E (KP FW SOUTH).
THE AIRSPACE IS SEGREGATED AND SHALL BE AVOIDED ACCORDING TO AIP
HUNGARY ENR 5.3.
FURTHER INFO ABOUT THE ACTUAL OPR HR VIA TEL: +36 88 543 036.
F) 9500FT AMSL
G) FL315

*LHBPA4268/26 (01 JUL 26)

MILITARY INVASION OF UKRAINE BY RUSSIAN FEDERATION
AIRSPACE RESERVATION ACTIVATED DUE TO MILITARY OPERATIONS
WITHIN AREA BOUNDED BY THE FOLLOWING COORD POINTS:
481635N0201511E
STATE BORDER
482803N0202838E
474133N0203516E
471828N0215336E
STATE BORDER
470908N0214816E
473429N0202124E
481635N0201511E (PITOK-MEGIK).
THE AIRSPACE IS SEGREGATED AND SHALL BE AVOIDED ACCORDING TO AIP
HUNGARY ENR 5.3.
FURTHER INFO ABOUT THE ACTUAL OPR HR VIA TEL: +36 88 543 036.

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 42/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

F) FL245
G) FL315

LHBPA4073/26 (25 JUN 26)

"HUNGARIAN ATC SERVICE IS NOT ELIGIBLE TO GIVE ENTRY OR CROSSING CLEARANCE INTO THE UKRAINE AIRSPACE IN ANY CIRCUMSTANCES (E.G. DURING THUNDERSTORM AVOIDING ACTION) UNLESS AIRCRAFT IS EXEMPTED ACCORDING TO NOTAM REF NUMBER A0050/26 ISSUED BY UKKR NOF. HUNGARIAN ATS AND SEARCH AND RESCUE IS PROVIDED ONLY WITHIN BUDAPEST FIR. ATS IS NOT PROVIDED IN THE AIRSPACE OF UKRAINE ACCORDING TO NOTAM REF NUMBER A0050/26 ISSUED BY UKKR NOF. ENTERING INTO THE AIRSPACE OF UKRAINE CAN BE EXECUTED SOLELY AT PILOT DISCRETION, HUNGARIAN ATS CANNOT GUARANTEE THE CONTACT AND/OR THE APPROVAL OF THE UKRAINIAN ARMED FORCES FOR ENTERING INTO THE AIRSPACE OF UKRAINE, IRRESPECTIVE OF THE REASON."
23 JUN 26 11:20 UNTIL 22 SEP 26 23:59 ESTIMATED

LHBPA4009/26 (25 JUN 26)

NATIONAL AIR SEARCH AND RESCUE SYSTEM AVAILABLE FACILITIES
CHANGED FROM FROM MI-17/H-145M TO H-145M/H-225M.
18 JUN 26 09:30 UNTIL 17 SEP 26 16:00 ESTIMATED

AUT / AUSTRIA
N I L

LOVV / VIENNA FIR

LOWWA1621/26 (29 JUN 26)

"REF AIP AUSTRIA, ENR 4.4, ENR 6.8, ENR 6.9.
REMARKS/FRA-RELEVANCE OF FRA SIGNIFICANT POINT GESGI SHALL READ:
FRA(I). FRA(AD): LOAN"

LOWWA1531/26 (25 JUN 26)

"REF AIP AUSTRIA, GEN 3.4 ITEM 3.4.
INCREASED CPDLC USAGE WILL BE ENDEAVOURED BY ATC IN THE AREA OF RESPONSIBILITY OF ACC WIEN AND APP LOWW.
ALL DATA LINK EQUIPPED AIRCRAFT (CPDLC ATN VDL MODE 2) ARE REQUESTED TO LOG ON TO ACC WIEN / APP WIEN. THE DATA LINK ADDRESS FOR ACC WIEN/ APP WIEN IS LOVV.
FLIGHT CREWS SHALL EXPECT TO RECEIVE UPLINK MESSAGES ESPECIALLY IN SITUATIONS OF HIGH RTF FREQUENCY LOAD AND ARE REQUESTED TO REACT TO THEM ASAP."

LOWWA1533/26 (25 JUN 26)

"FOR EN-ROUTE OPERATIONS THE RESPECTIVE VOR SHALL BE SELECTED FOR NAVIGATION INSTEAD OF THE NDB IN CASE OF HOMONYMOUS IDENTIFIERS. THIS APPLIES TO KFT.
FLIGHT CREWS ARE ADVISED TO MONITOR THE CORRECT SELECTION OF THE VOR FOR EN-ROUTE OPERATIONS. IN CASE THE USAGE OF THE RESPECTIVE NDB IS REQUIRED, ATC SHALL BE INFORMED UPON INITIAL CONTACT."

DEU / GERMANY
N I L

EDUU / RHEIN UIR
N I L

EDMM / MUNICH FIR

EDDZB0587/26 (17 JUL 26)

18 JUL 2026 07:00-18 JUL 2026 18:00
"EXPECT LIMITED FLIGHT INFORMATION SERVICE DUE TO LACK OF PERSONNEL.
FREQUENCIES 125.100, 128.525, 132.650, 128.950, 120.650.
SECTOR CLOSURES AND REDUCED FREQUENCIES MAY OCCUR."

EDDZB0563/26 (16 JUL 26)

TRIGGER NOTAM - AIP SUP IFR 36/26 WEF 01 APR - 31 JUL 2026.
RESTRICTED AREA EDR OTTOBEUREN ESTABLISHED.
F) GND
G) FL500

EDDZB0561/26 (16 JUL 26)

TRIGGER NOTAM - AIP SUP IFR 34/26 WEF 09 JUL 2026 - UFN
CPDLC-LOGON CODES FOR SIDS IN GERMAN AIP.

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 43/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

*EDDZB0536/26 (07 JUL 26)

"17 1600-2200 , 18 19 0500-2200"
RESTRICTED AREA EDR95A (OHRDRUF) ADDN ACTIVE.
F) GND
G) 13500FT AMSL

EDDZB0512/26 (07 JUL 26)

"CORRECTION OF AIP SUP IFR 15/26 AND AIP SUP VFR 08/26 (RESTRICTED AREA EDR OTTOBEUREN) NEW TIMES OF ACTIVITY, PAGE 1 POINT 3 (TIMES OF ACTIVITY) SHOULD READ: 01 APR 2026 - 31 JUL 2026 DAILY 1930-0200."
F) GND
G) FL500

EDDZB0478/26 (23 JUN 26)

"PUBLICATION OF CTA/UTA IN DELEGATED AIRSPACE OVER AUSTRIAN TERRITORY:
IN GERMAN AIP CTA/UTA DATA ARE PUBLISHED IN ENR 2.1. EVEN THOUGH CTA/UTA ARE DESCRIBED CONSISTING OF THE FLW SECTORS, MUENCHEN CTA AND KARLSRUHE UTA END AT THE GERMAN-AUSTRIAN BORDER AND ARE NOT VALID OVERHEAD WIEN FIR (LOVV).
PUBLISHED BOUNDARIES OF ATC SECTORS EDUUALP 14-44, EDUAMM 14-44, EDMMZUG, EDMMTEG, EDMMTRU AND EDMMSTA ARE NOT AFFECTED.
(AIP GERMANY PAGES ENR 2.1-89FF REFER)."
16 JUN 26 05:43 UNTIL 16 SEP 26 23:59 ESTIMATED

EDDZB0436/26 (23 JUN 26)

"SECURITY - HAZARDOUS SITUATION IN LEBANON
CIVIL GERMAN AIR OPERATORS ARE RECOMMENDED NOT TO ENTER FIR BEIRUT.
POTENTIAL RISK FROM ANTI-AVIATION WEAPONRY, MILITARY OPERATIONS AND ARMED CONFLICTS."
03 JUN 26 08:42 UNTIL 03 SEP 26 23:59 ESTIMATED

EDDZB0437/26 (23 JUN 26)

SECURITY - HAZARDOUS SITUATION IN IRAN
CIVIL GERMAN AIR OPERATORS ARE RECOMMENDED NOT TO ENTER FIR TEHRAN (OIIX). POTENTIAL RISK TO AVIATION FROM ESCALATING CONFLICT AND ANTI-AVIATION WEAPONRY.
THIS NOTAM OVERRULES THE RECOMMENDATION PROVIDED IN THE CURRENTLY APPLICABLE AIC.
03 JUN 26 08:43 UNTIL 03 SEP 26 23:59 ESTIMATED

EDDZB0341/26 (25 MAY 26)

FOR FLIGHTS OVER OR NEAR CONFLICT ZONES OUTSIDE GERMANY REFER TO THE GERMAN AERONAUTICAL INFORMATION CIRCULAR (AIC).
14 MAY 26 03:32 UNTIL 14 AUG 26 23:59 ESTIMATED

EDDZB0337/26 (25 MAY 26)

"MILITARY INVASION OF UKRAINE BY RUSSIAN FEDERATION.
REROUTINGS, EXTENDED ROUTE PORTIONS BELOW FL245 AND DELAY MAY BE EXPECTED WITHIN LOWER AND UPPER GERMAN AIRSPACE DUE TO AIRSPACE RESTRICTIONS FOR THE EXECUTION OF MILITARY MISSIONS.
IT IS RECOMMENDED TO CONSIDER THE USE OF EXTRA-FUEL."
12 MAY 26 08:51 UNTIL 11 AUG 26 23:59 ESTIMATED

EDGG / LANGEN FIR

EDDZB0587/26 (17 JUL 26)

18 JUL 2026 07:00-18 JUL 2026 18:00
"EXPECT LIMITED FLIGHT INFORMATION SERVICE DUE TO LACK OF PERSONNEL.
FREQUENCIES 125.100, 128.525, 132.650, 128.950, 120.650.
SECTOR CLOSURES AND REDUCED FREQUENCIES MAY OCCUR."

EDDZB0561/26 (16 JUL 26)

TRIGGER NOTAM - AIP SUP IFR 34/26 WEF 09 JUL 2026 - UFN
CPDLC-LOGON CODES FOR SIDS IN GERMAN AIP.

EDDZB0497/26 (23 JUN 26)

GEDERN TACAN GED 110.80MHZ/CH45X U/S.
25 JUN 26 06:00 UNTIL 25 SEP 26 06:00 ESTIMATED

EDDZB0483/26 (16 JUN 26)

MUENSTER/OSNABRUECK NDB MYN 371KHZ OUT OF SERVICE.

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 44/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

EDDZB0478/26 (23 JUN 26)

"PUBLICATION OF CTA/UTA IN DELEGATED AIRSPACE OVER AUSTRIAN TERRITORY:
IN GERMAN AIP CTA/UTA DATA ARE PUBLISHED IN ENR 2.1. EVEN THOUGH CTA/UTA ARE DESCRIBED CONSISTING OF THE FLW SECTORS, MUENCHEN CTA AND KARLSRUHE UTA END AT THE GERMAN-AUSTRIAN BORDER AND ARE NOT VALID OVERHEAD WIEN FIR (LOVV).
PUBLISHED BOUNDARIES OF ATC SECTORS EDUUALP 14-44, EDUAMM 14-44, EDMMZUG, EDMMTEG, EDMMTRU AND EDMMSTA ARE NOT AFFECTED.
(AIP GERMANY PAGES ENR 2.1-89FF REFER)."
16 JUN 26 05:43 UNTIL 16 SEP 26 23:59 ESTIMATED

EDDZB0436/26 (23 JUN 26)

"SECURITY - HAZARDOUS SITUATION IN LEBANON
CIVIL GERMAN AIR OPERATORS ARE RECOMMENDED NOT TO ENTER FIR BEIRUT.
POTENTIAL RISK FROM ANTI-AVIATION WEAPONRY, MILITARY OPERATIONS AND ARMED CONFLICTS."
03 JUN 26 08:42 UNTIL 03 SEP 26 23:59 ESTIMATED

EDDZB0437/26 (23 JUN 26)

SECURITY - HAZARDOUS SITUATION IN IRAN
CIVIL GERMAN AIR OPERATORS ARE RECOMMENDED NOT TO ENTER FIR TEHRAN (OIIX). POTENTIAL RISK TO AVIATION FROM ESCALATING CONFLICT AND ANTI-AVIATION WEAPONRY.
THIS NOTAM OVERRULES THE RECOMMENDATION PROVIDED IN THE CURRENTLY APPLICABLE AIC.
03 JUN 26 08:43 UNTIL 03 SEP 26 23:59 ESTIMATED

EDDZB0341/26 (25 MAY 26)

FOR FLIGHTS OVER OR NEAR CONFLICT ZONES OUTSIDE GERMANY REFER TO THE GERMAN AERONAUTICAL INFORMATION CIRCULAR (AIC).
14 MAY 26 03:32 UNTIL 14 AUG 26 23:59 ESTIMATED

EDDZB0337/26 (25 MAY 26)

"MILITARY INVASION OF UKRAINE BY RUSSIAN FEDERATION.
REROUTINGS, EXTENDED ROUTE PORTIONS BELOW FL245 AND DELAY MAY BE EXPECTED WITHIN LOWER AND UPPER GERMAN AIRSPACE DUE TO AIRSPACE RESTRICTIONS FOR THE EXECUTION OF MILITARY MISSIONS.
IT IS RECOMMENDED TO CONSIDER THE USE OF EXTRA-FUEL."
12 MAY 26 08:51 UNTIL 11 AUG 26 23:59 ESTIMATED

EDDZB0237/26 (16 APR 26)

WIPPER VOR WYP 109.6MHZ OUT OF SERVICE.

EDDZC1537/22 (12 JUN 22)

HAMM DVOR/DME HMM 115.65 / CH103Y RANGE OF DVOR R199 LIMITED TO 39NM.

EDVV / HANNOVER UIR

N I L

LUX / LUXEMBOURG

N I L

BEL / BELGIUM

N I L

EBUR / BRUSSELS UIR

N I L

EBBU / BRUSSELS FIR

EBBRD0420/26 (15 JUL 26)

MINIMUM RADAR VECTORING ALTITUDE RAISED TO 4000 FT AMSL PSN
494841N 0055052E RADIUS 3 NM WITHIN LUXEMBOURG TMA ONE A. REF ELLX
AD 2.24 AD 2.ELLX-ATCSMAC.01. AIP WILL BE AMENDED ACCORDINGLY

NLD / NETHERLANDS

N I L

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 45/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

EHAA / AMSTERDAM FIR

EHAMA1595/26 (10 JUL 26)

"AMSTERDAM INFORMATION 124.300MHZ, EXPECT LIMITED RADIO COVERAGE
BELOW 1500FT BETWEEN EHRD CTR AND EHSE."
10 JUL 26 05:42 UNTIL 09 OCT 26 09:00 ESTIMATED

EHAMB0818/26 (09 JUL 26)

AMSTERDAM INFORMATION 119.175MHZ EXPECT LIMITED RADIO COVERAGE
BELOW 1500FT AROUND 541257N 0044938E (OIL RIG F15-A) RADIUS 30NM.
08 JUL 26 07:32 UNTIL 08 OCT 26 14:00 ESTIMATED

EHMCM3176/26 (27 JUN 26)

DAILY 2200-0430
DUE TO LACK OF PERSONNEL NO FIS AND ALRS SERVICE WILL BE PROVIDED
BELOW FL095 FROM 2200 TO 0430 IN THE FOLLOWING AREAS:
ALL NIEUW MILLIGEN TMA AND BELOW, EELDE TMA AND BELOW OUTSIDE OPR HR
OF GRONINGEN AIRPORT EELDE, MAASTRICHT TMA1 AND BELOW OUTSIDE OPR HR
OF MAASTRICHT AACHEN AIRPORT, ALL EINDHOVEN TMA AND BELOW EINDHOVEN
TMA1 OUTSIDE OPR HR OF EINDHOVEN AIRPORT, ALL LELYSTAD TMA.
22 JUN 26 22:00 UNTIL 22 SEP 26 04:30 ESTIMATED

EHMCM3174/26 (27 JUN 26)

DAILY 2200-0430
DUE TO LACK OF PERSONNEL NO ATC WILL BE PROVIDED BY MILATCC
SCHIPHOL BELOW FL095 FROM 2200 TO 0430 UNLESS PPR OBTAINED BEFORE
1500 VIA DUTCH MIL SUPERVISOR PHONE +31(0)88 747 5700.
THE FOLLOWING AREAS ARE AFFECTED:
ALL NIEUW MILLIGEN TMA, CTA NORTH, EELDE TMA, MAASTRICHT TMA1
OUTSIDE OPR HR OF MAASTRICHT AACHEN AIRPORT, ALL EINDHOVEN TMA,
LELYSTAD TMA 1 AND 2.
22 JUN 26 22:00 UNTIL 22 SEP 26 04:30 ESTIMATED

EHMCM3172/26 (27 JUN 26)

DUE TO LACK OF PERSONNEL NO OAT ATS WILL BE PROVIDED IN EHAA FIR
BY DUTCHMIL BTN GND AND FL245 UNLESS PPR IS OBTAINED VIA DUTCHMIL
SUPERVISOR PHONE +31(0)88 747 5700. PPR CAN BE OBTAINED DAILY BTN
0700-1500.
22 JUN 26 07:35 UNTIL 21 SEP 26 23:59 ESTIMATED

EHMCM2859/26 (07 JUN 26)

OUTSIDE OPERATING HRS OF EHBK AD, EXPECT LTD RADIO COVERAGE BELOW
4000FT AMSL ON DUTCH MIL INFO FREQ 132.350MHZ AND 341.600MHZ IN AND
BELOW MAASTRICHT TMA 1. FIS AND ALERTING SERVICE LTD AVBL IN AND
BELOW MAASTRICHT TMA 1 DURING THIS PERIOD OF TIME.

EHAMB0661/26 (28 MAY 26)

TRIGGER NOTAM - PERM AIRAC AIP AMDT 07/2026 WEF 09 JUL 2026:
ATS ROUTES MAG VAR 2025 IMPLEMENTED.

EHMCM2637/26 (28 MAY 26)

"MILITARY TRAFFIC WITH DEPARTURE OR DESTINATION ETNG OVERFLYING
EHAA FIR SHALL FILE A GAT FLIGHT PLAN, FILED IN ACCORDANCE WITH AIP
THE NETHERLANDS SECTION ENR 1.10 AND ACKNOWLEDGED BY IFPS."
23 MAY 26 06:58 UNTIL 22 AUG 26 23:59 ESTIMATED

EHAMB0581/26 (21 MAY 26)

LIMITED SURVEILLANCE COVERAGE OVER THE NORTH SEA BELOW FL055.
05 MAY 26 09:13 UNTIL 05 AUG 26 12:00 ESTIMATED

GBR / UNITED KINGDOM

N I L

EGTT / LONDON FIR/UIR

EGGNH4282/26 (16 JUL 26)

17 JUL 2026 08:00-17 JUL 2026 16:15
"0800-1100, 1315-1615"
AAR WILL TAKE PLACE IN AREA 10W
F) FL200
G) FL230

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

*EGGNM4941/26 (16 JUL 26)

17 JUL 2026 07:00-17 JUL 2026 16:30
THE FOLLOWING NORTH WALES MILITARY TRAINING AREAS ACTIVATED:
NORTH LOW 0700-1630 FL195-FL260
SOUTH LOW 0700-1630 FL195-FL260
F) FL195
G) FL260

*EGGNM4934/26 (16 JUL 26)

17 JUL 2026 06:30-17 JUL 2026 17:00
DANGER AREA EGD117 PENDINE ACTIVATED
F) SFC
G) 12000FT AMSL

EGGNJ2184/26 (16 JUL 26)

AIC Y 044/2026 TEMPORARY DANGER AREA (IN THE VICINITY OF Y70)
BVLOS RPAS OPERATIONS - AIC EXTENDED UNTIL 17 SEPTEMBER 2026.
F) FL200
G) FL230

EGGNV0020/26 (28 MAY 26)

SECURITY - HAZARDOUS SITUATION IN AFGHANISTAN. UK REGISTERED AIR
OPERATORS ARE ADVISED TO TAKE POTENTIAL RISK INTO ACCOUNT WITHIN FIR
KABUL (OAKX). POTENTIAL RISK FROM HEIGHTENED MILITARY ACTIVITY.
AR-2026-1616/02.
F) SFC
G) UNL

EGGNV0019/26 (21 MAY 26)

"SECURITY - HAZARDOUS SITUATION IN MALI.
UK CIVIL AIR OPERATORS ARE RECOMMENDED NOT TO ENTER FIR NIAMEY
(DRRR) AND FIR DAKAR (GOOO) WITHIN THE TERRITORY AND AIRSPACE OF
MALI BELOW 25,000 FT ABOVE GROUND LEVEL (AGL). POTENTIAL RISK
FROM ANTI-AIRCRAFT WEAPONRY AND HEIGHTENED MILITARY ACTIVITY.
THIS SUPERSEDES THE ADVICE IN THE CURRENT UK AIP ENR 1.1.
AR-2026-3729/01."
F) SFC
G) UNL

EGGNV0015/26 (23 APR 26)

SECURITY - HAZARDOUS SITUATION IN LEBANON. UK REGISTERED AIR
OPERATORS ARE RECOMMENDED NOT TO ENTER FIR BEIRUT (OLBB).
POTENTIAL RISK FROM HEIGHTENED MILITARY ACTIVITY. FOR MORE INFO
CONTACT UK DEPARTMENT FOR TRANSPORT 02070 826639 OR 02079 443111
OUT OF HOURS. AR-2026-3194/01.
F) SFC
G) UNL

LUX

N I L

AEROPLANE INFORMATION

AIRCRAFT CATEGORY = D
N I L

AIRCRAFT TYPE = B777
N I L

AIRCRAFT SUBTYPE = B773E
N I L

AIRCRAFT REGISTRATION = HSTTA
N I L

ADDITIONAL INFORMATION

VTBD / DMK

*VTBDC3935/26 (14 JUL 26)

16 17 18 20 1600-2200
RWY 03L/21R CLSD DUE TO WIP

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 47/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

VTBDC3934/26 (14 JUL 26)

"16 0600-1030, 20 1400-1600"
TXL T BTN TWY V AND TWY W CLSD DUE TO MIL OPR

*VTBDC3840/26 (10 JUL 26)

"10 1500-1600, 12 14 15 19 1600-2200"
RWY 03R/21L CLSD DUE TO WIP

VTBDC3646/26 (02 JUL 26)

RAPID EXIT TWY INDICATOR LGT RWY 21R TOWARD RAPID EXIT TWY O U/S

VTBDJ5310/26 (30 JUN 26)

"TEMPO RESTRICTED AREA ACT RADIUS 0.5NM CENTRE
135526.22N1003713.11E APPROVAL SHALL BE MADE BEFORE ENTERING,
EXCEPT DEP AND ARR ACFT AT VTBD PILOT IN COMMAND SHALL STRICTLY
COMPLY WITH ATC INSTRUCTION"
F) GND
G) 3000FT AGL

VTBDC2951/26 (30 MAY 26)

"TRIGGER NOTAM-PERM AIRAC AIP AMDT 07/26 WEF 09 JUL 2026.
AD 2-VTBD-1 AD 2.24 CHARTS RELATED TO AN AD
AD-2-VTBD-9 VFR ENTRY AND EXIT PROC FOR LGT ACFT CHART RWY 21L/21R,
RWY 03L/03R
VFR OVERFLY PROC FOR LGT ACFT CHART RWY 03L/03R,
RWY 21L/21R
VFR ENTRY AND EXIT PROC FOR HEL CHART RWY 21L/21R,
RWY 03L/03R
VFR OVERFLY PROC FOR HEL CHART RWY 03L/03R, RWY 21L/21R"

// (COM-INFO)//

THA 00435/14 (16 DEC 24)

COM INFO:-- DMK TG LINE MAINTENANCE WILL PROVIDE RAMP HANDLING SERVICE ON
TG FLIGHTS DIVERTED TO DMK, WHILE PIC MUST PERFORM REDUCE LINE CHECK
TO RELEASE AIRCRAFT. PRIOR TO FLIGHT DIVERSION TO DMK PLS INFORM
TOCC COMMAND CENTER (OC) VIA CUT FREQUENCY 129.325 MHZ
TO COORDINATE WITH DMK TG LINE MAINTENANCE IN ADVANCE FOR SMOOTH
HANDLING UPON ARRIVAL AT DMK
CONTACT POINTS FOR DMK LINE MAINTENANCE IN (24hrs)
AT DMK ARE AS FLW
1. TEL: 02-563-8178 (66-8178, 9999)
2. Email dmkkjcb@thaairways.com
(ISSUED 12DEC24/OP/UFN)

VTBU / UTP

// (COM-INFO)//

THA 00176/26 (15 JUL 26)

VTBU:--(NEW)+++Due to the unavailability of LAE at UTP Station.
In the event of a diversion to UTP, flight crews shall perform aircraft refueling in
accordance with the applicable refueling procedures specified in the respective Fleet FCOM.
(ISSUED 02JUL26/BKKOC/UFN)

VTBDC3670/26 (03 JUL 26)

ILS RWY 18 U/S DUE TO MAINT

VTBDC3332/26 (03 JUL 26)

OBST MACHINE HGT 68.61FT AGL ERECTED DETAIL AS FLW :
PSN 1: 124008.82N1010020.33E
DIST 580.94M BEYOND THR RWY 36 AND 166.93M RIGHT SIDE OF RCL
PSN 2: 123948.66N1010018.55E
DIST 40.83M BFR THR RWY 36 AND 163.36M RIGHT SIDE OF RCL

*VTBDC3302/26 (03 JUL 26)

PALS CAT 1 RWY 18 AND SALS RWY 36 U/S DUE TO MAINT

VTBDC3240/26 (03 JUL 26)

OBST MOBILE CRANE HGT 98.425FT AGL ERECTED DETAIL AS FLW:
PSN 1: 123937.98N1010027.35E
DIST 346.47M BFR THR RWY 36 AND 455.00M RIGHT SIDE OF RCL
PSN 2: 124005.68N1010029.64E
DIST 507.53M BEYOND THR RWY 36 AND 454.95M RIGHT SIDE
OF RCL

*VTBDC2844/26 (07 JUN 26)

AD CATEGORY FOR FIRE FIGHTING AND RESCUE SERVICES
DOWNGRADED TO CAT 9.

VTBDC2193/26 (07 JUN 26)

TWY EDGE LGT U/S DUE TO MAINT DETAIL AS FLW:
-TWY B
-TWY E BTN TWY B AND TWY F

VTBDC0333/23 (06 APR 24)

"IAC-ICAO-NDB RWY 36 CHANGED AS FLW:
-OCA/H : STRAIGHT-IN APPROACH
: READ 790(766)FT INSTEAD OF 750(726)FT
-OCA/H : CIRCLING APPROACH CAT A, B
: READ 1200(1141)FT INSTEAD OF 750(726)FT, 1190(1166)FT
-OCA/H : CIRCLING APPROACH CAT C, D
: READ 1450(1391)FT INSTEAD OF 1290(1266)FT, 1445(1421)FT
REF AIP VTBU AD 2.24, AD 2-VTBU-8-1"

VTCC / CNX

** c3928/26 ** *VTBDC3928/26 (16 JUL 26)

DAILY 1800-2300
RWY 18/36 CLSD DUE TO WIP

// (COM-INFO)// THA 00444/15 (03 JUL 26)

VTCC:--REF AIP SUP A19/25:
1 INTRODUCTION
With effect from 17 April 2025 at 1000 UTC,
the purpose of this AIP Supplement is to inform all concerned regarding the Aircraft stand
number 1 closed at Chiang Mai International Airport.
2 DETAILS
Aircraft stand number 1 closed for improvements to enhance aircraft parking compatibility.

VTBDC3664/26 (03 JUL 26)

07 14 20-30 1800-2300
TWY P BTN TWY A AND TWY E CLSD DUE TO WIP

VTBDC3490/26 (03 JUL 26)

RVR RWY 36 U/S

VTBDC3385/26 (03 JUL 26)

ACFT STAND NR 5 CLSD DUE TO WIP

VTBDC3386/26 (03 JUL 26)

ACFT STAND NR 6 CLSD DUE TO WIP

VTBDC3333/26 (03 JUL 26)

VISUAL DOCKING GUIDANCE SYSTEM (VDGS) ACFT STAND NR 3 U/S

VTBDC3306/26 (03 JUL 26)

VISUAL DOCKING GUIDANCE SYSTEM (VDGS)
ACFT STAND NR 7 AND NR 8 U/S

VTBDC2952/26 (07 JUN 26)

TRIGGER NOTAM-PERM AIRAC AIP AMDT 07/26 WEF 09 JUL 2026.
AD 2-VTCC-1 AD 2.10 AD OBST

VTBDJ4315/26 (07 JUN 26)

TEMPO RESTRICTED AREA ACT RADIUS 0.5NM CENTRE 184626N0985806E
(EXCLUDING LDG AND TKOF RWY 18/36)
F) GND
G) 3000FT AGL

VYYY / RGN

VYYYA0104/26 (17 JUN 26)

NEW ATM CENTER GHOSTING OPERATION CONTINUES. NO IMPACT TO ATS.
24 MAY 26 23:59 UNTIL 24 JUL 26 23:59 ESTIMATED

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 49/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

VGHS / DAC

VGHSA0230/26 (15 JUL 26)

NIL AIRAC AIP AMDT HAS BEEN ISSUED FOR AIRAC EFFECTIVE DATE ON
06 AUG 2026

**** A0176/26 ****

*VGHSA0176/26 (23 JUN 26)

THU SUN 2100-2230
RWY SHALL BE REMAIN CLSD DUE TO AGLS AND RWY SFC
MAINT WORK
01 JUL 26 21:00 UNTIL 30 SEP 26 22:30 ESTIMATED

VGHSA0165/26 (06 JUN 26)

CONST WORK OF BOX CULVERT WHICH DIST IS 376FT WEST SIDE OF THE RWY
CENTRE LINE AND 3460FT FM THR RWY-14 (TOWARDS RWY-32) IS IN
PROGRESS. ALL PILOTS ARE ADZ TO EXER CTN WHILE TK-OFF AND LDG.

VGHSA0149/26 (25 MAY 26)

"REF AIP BANGLADESH PAGE GEN 0.4-1,DATED 25
DEC 2025,PART 1(GEN) PLEASE READ GEN 4.1-1,DATE 23 JUN
2016 INSTEAD OF GEN 4.1-1 DATE 25 DEC 2025 AND REF PAGE
0.4-2,DATE 25 DEC 2025 PART2(ENR) PLEASE READ ENR 4.1-1
DATE 25 DEC 2025 INSTEAD OF ENR 4.1-1 DATE 02 OCT 2025.
PLEASE MAKE HAND CORRECTION BY INSERTING THE EFFECTIVE INFORMATION
OF MENTIONED PAGES OF AIP BANGLADESH."

VGHSA0124/26 (16 MAY 26)

SPORADIC LASER ILLUMINATION MAY TAKE PLACE FROM UNKNOWN SOURCES OF
NEARBY POPULATED AREA OF THE AIRFIELD. ALL PILOTS ARE REQUESTED TO
EXER CTN DRG THE DEFFERENT APPROACH PHASES AND INITIAL CLIMBING
PHASE WITHIN 12NM DAC DVOR
04 MAY 26 09:30 UNTIL 04 AUG 26 23:59 ESTIMATED

VGHSA0123/26 (16 MAY 26)

DME FREQ 1161MHZ IDENT 'DAC' WILL REMAIN ON TEST OPERATION
DUE TO NEW DME INSTL
04 MAY 26 09:25 UNTIL 01 AUG 26 10:00 ESTIMATED

VGHSA0122/26 (16 MAY 26)

DVOR FREQ 112.7MHZ IDENT 'DAC' WILL REMAIN ON TEST OPERATION
DUE TO NEW DVOR INSTL
04 MAY 26 09:25 UNTIL 01 AUG 26 10:00 ESTIMATED

VGHSA0121/26 (16 MAY 26)

INSTRUMENT LANDING SYSTEM(ILS) FOR RWY-14 FREQ 109.5MHZ
IDENT 'IDA' IS NORMAL IN OPR FOR CAT-I ONLY WITH
MET MINIMA VIS 1000M OR RVR 700M
03 MAY 26 12:10 UNTIL 31 JUL 26 23:59 ESTIMATED

VGHSA0118/26 (02 MAY 26)

"REF AIP BANGLADESH PAGE VGHS AD 2-8,DATED 16 APR
2026,PARA AD 2.18
(1) ROW 03,COLUMN 4,ACC HOURS OF OPERATION PLEASE READ AS,
FM 1600 TO 0200 UTC (NEXT DAY) INSTEAD OF 1400 TO 0200 UTC
(NEXT DAY) AND ROW 04,COLUMN 4,ACC(UPPER)HOURS OF OPERATION
PLEASE READ AS, FM 0200 TO 1600 UTC INSTEAD OF H24.
(2) ROW 04,COLUMN 4,ACC(UPPER) FREQ PLEASE READ SRY 123.775MHZ
INSTEAD OF SRY 129.700MHZ.
(3) ROW 05,COLUMN 4,ACC(LOWER) FREQ PLEASE READ SRY 120.750MHZ
INSTEAD OF 130.700MHZ.
(4) ROW 06,COLUMN 4, DHAKA TWR AERODROME AND APPROACH CONTROL
(NON-RADAR) FREQ PLEASE READ SRY 118.925MHZ INSTEAD OF SRY
119.300MHZ.
(5) ROW 08,COLUMN 4, SURFACE MOVEMENT CONTROL DHAKA GROUND FREQ
PLEASE READ 121.675MHZ AS SRY 121.675MHZ FREQ.
PLEASE MAKE HAND CORRECTION BY INSERTING THE EFFECTIVE INFORMATION
OF MENTIONED PAGES OF AIP BANGLADESH"

VGHSA0388/25 (05 APR 26)

"PORTION OF TWY 'C' FROM TWY 'N', AND TWY 'S' INTERSECTION TO APN,
TWY 'F' AND TWY 'E' WILL BE RENAMED AS TWY 'T7', TWY 'T9' AND
TWY 'T10' RESPECTIVELY"

VGHSA0299/25 (05 APR 26)

"REF AIP BANGLADESH PAGE VGHS AD 2-1 DATED 11 JULY 2024, PARA 2.2,SERIAL NO 3 AND AERODROME CHART-ICAO PAGE VGHS AD 2-15 DATED 11 JULY 2024.PLEASE READ AERODROME ELEV AS 26 FEET INSTEAD OF 27 FEET. PLEASE MAKE HAND CORRECTION BY INSERTING THE EFFECTIVE INFORMATION OF MENTIONED PAGES OF AIP BANGLADESH"

VGHSA0261/25 (05 APR 26)

"REF IS MADE TO THE AIP SUP 03/2025 DATED 10 JUL 2025,PAGE ATTACHMENT B5.2,TABLE RNAV IKUGO 1B AND RNAV IBANU 1B,SL NO 03,COLUMN NO 09 AND PAGE ATTACHMENT B6.2,TABLE RNAV BELKU 1E,SL NO 02,COLUMN NO 09.PLEASE INSERT SPEED LIMIT '-250'.PLEASE MAKEHAND CORRECTION BY INSERTING INFORMATION IN THE MENTIONED AIP SUPP PAGE"

VGHSA0231/25 (05 APR 26)

"REF IS MADE TO THE AIP SUP 03/2025 DATED 10 JUL 2025, REGARDING THE MSA DEPICTED IN PLAN VIEW FOR ALL RNAV SID AND STAR CHART RWY 14. PLEASE READ 'MSA 25NM ARP'INSTEAD OF 'MSA 25NM DAC ARP' AND 'MSA 25NM DAC'. PLEASE MAKE HAND CORRECTION BY INSERTING THE INFORMATION IN MENTIONED AIP SUPPLEMENT"

VGHSA0232/25 (05 APR 26)

"REF IS MADE TO THE AIP SUP 03/2025 DATED 10 JUL 2025, ATTACHMENT-A 4.2, CODING TABLE OF VGHS RNAV SID IBANU IC, SL NO 01 AND SL 02. PLEASE DELETE THE SPEED LIMIT ON THE CA LEG AND CF LEG AT HS001. THERE WILL BE NO SPEED RESTRICTION. PLEASE MAKE HAND CORRECTION BY INSERTING THE INFORMATION IN MENTIONED AIP SUPPLEMENT"

VGHSA0227/25 (05 APR 26)

"REF AIP SUP 04/25 DATED 10 JUL 2025, APPENDIX-A. PLEASE READ CHART NAMING AS 'ILS Z RWY 14' INSTEAD OF 'VOR-DME ILS (CAT-II) RWY 14'. THIS PROCEDURE IS A STANDALONE PROCEDURE. PLEASE MAKE HAND CORRECTION BY INSERTING THE INFORMATION IN MENTIONED AIP SUPPLEMENT"

VECC / CCU

VECCA1466/26 (10 JUL 26)

"OPPORTUNITY BASIS TRIAL OPS OF SMC(S) AND SMC(N) INPR UNIT PROVIDING SER:KOLKATA GND
FREQ OF SMC(S): 121.900MHZ AND SMC(N): 121.725MHZ
UNLESS OTHERWISE SPECIFIED BY TWR, AFTER VACATING RWY, ARR ACFT LDG ON RWY 19L/19R SHALL CTC GND ON FREQ 121.900MHZ AND ARR ACFT LDG ON RWY 01R/01L SHALL CTC GND ON FREQ 121.725MHZ.
WHEN RELEASED BY CLR DELIVERY, DEP ACFT FM APN 2 AND 3 SHALL CTC GND ON FREQ 121.900MHZ AND DEP ACFT FM APN 1 AND 4 SHALL CTC GND ON FREQ 121.725MHZ."

*VECCA1382/26 (05 JUL 26)

MON WED FRI SUN 0530-1030
RWY 19L/01R NOT AVBL FOR OPS DUE MAINT.WIP WHEN VIS 1200M AND ABV.
RMK:
1.TWY L AND JUNCTION OF RWY 01R WITH TWY C AVBL FOR OPS.
IN CASE OF URGENT RQMNTS 30MIN PN FOR AVBL OF RWY 19L/01R.PILOTS TO EXER CTN DUE MEN AND MATERIAL CONFINED TO WORKSITE.

VIDPG0734/26 (23 JUN 26)

REFER AIP SUP 27/2026 DATED 05 FEB 2026 REGARDING PROC ILS OR LOC RWY 19L-KOLKATA AIRPORT. IN FINAL APP SEGMENT OF LOC ONLY PROC SDF AND OCA(H) WITH SDF WITHDRAWN TEMPO.
17 JUN 26 06:57 UNTIL 16 SEP 26 23:59 ESTIMATED

VIDPG0732/26 (23 JUN 26)

REF AIP SUP 28/2026 REGARDING VOR RWY 01L. THE OCA(H) WITH SDF AMENDED AS 450(430)FT IN PLACE OF 440(420)FT.
AMEND ACCORDINGLY.
17 JUN 26 06:51 UNTIL 16 SEP 26 23:59 ESTIMATED

VIDPG0733/26 (23 JUN 26)

REFER AIP SUP 196/2025 REGARDING ILS OR LOC RWY 01R PROC OF KOLKATA.

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 51/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

WITH SDF OCA(H) IS AMENDED AS 480 (460)FT TEMPORARILY.
17 JUN 26 06:54 UNTIL 16 SEP 26 23:59 ESTIMATED

VIDPG0719/26 (23 JUN 26)

KOLKATA URP SECTOR (UPPER RAIPUR) VHF BACKUP FREQUENCY 134.375MHZ
AVBL.
INSERT FLW DETAILS IN VECC AD 2.18 OF EAIP INDIA.
1. SERVICE DESIGNATION: ACC
2. CALL SIGN: KOLKATA RADAR
3. CH/FREQUENCY: 134.375MHZ
4. SATVOICE NR: NIL
5. LOGON ADDRESS: NIL
6. HR OF OPS: H24
7. RMK: 1-UPPER RAIPUR
2-BACKUP FREQUENCY

VIDPG0674/26 (23 JUN 26)

"ILS RWY 19R IDENT IOKL (LOC 111.300MHZ, GP 332.300MHZ, DME IOKL
CH50X) NOT AVBL DUE DISPLACEMENT OF THRESHOLD."
02 JUN 26 10:22 UNTIL 29 AUG 26 23:59 ESTIMATED

VIDPG0634/26 (23 JUN 26)

REFER AIP SUP 201/2025 DATED 16 OCT 2025 REGARDING PROC VOR RWY
01R-KOLKATA AIRPORT. IN FINAL APP SEGMENT SDF AND OCA(H) WITH SDF
WITHDRAWN TEMPO.
27 MAY 26 13:06 UNTIL 28 AUG 26 23:59 ESTIMATED

VIDPG0631/26 (23 JUN 26)

REF AIP SUP 198/2025 REGARDING INSTRUMENT APPROACH CHART - ILS OR
LOC RWY 19R NETAJI SUBHASH CHANDRA BOSE INTERNATIONAL AIRPORT
KOLKATA (VECC). PROC ILS OR LOC RWY 19R TEMPO WITHDRAWN DUE TEMPO
DISPLACEMENT OF RWY 19R THR.
27 MAY 26 12:05 UNTIL 04 SEP 26 23:59 ESTIMATED

VECCA0888/26 (23 JUN 26)

RWY 19R AVBL FOR OPS WITH VOR Y APCH PROC ONLY.RMK:ALS OF RWY 19R
NOT AVBL.

*VECCA0877/26 (17 MAY 26)

"PORTION OF RWY 19R/01L FM BEGINNING OF RWY 19R TO 130M SOUTH OF IT
S
INT WITH TWY A NOT AVBL FOR OPS.
RMK :TWY Q1,TWY Q2,TWY K,RWY 19R-N HOLDING POINT AND PORTION OF TWY
A BTN RWY 19R/01L AND 19L/01R NOT AVBL FOR OPS.
ACFT LDG RWY 01R VACATE ONLY VIA TWY B OR TWY P."

VECCA0852/26 (05 MAY 26)

"TORA,TODA FOR RWY 01L REDUCED TO 2404M AND LDA FOR RWY 01L
REDUCED TO 1966M.RWY 19R THR DISPLACED 867M.RWY 19R THR LAT
223928.48426N, LONG 0882645.86415E, TOP ELEV:19.08872FT, ELLIPSOID
HT(MS)167.155517FT,
TORA,TODA AND LDA FOR RWY 19R REDUCED TO 2404M.
RMK:1.GRADED RESA DIMENSION OF RWY 01L IS 90M*90M
2.RWY 19R/01L AVBL FOR OPS UPTO CODE C ACFT ONLY"

VIDPG0536/26 (05 MAY 26)

REF AIP SUP 203/2025 REGARDING VOR RWY 19R (CAT A/B/C) PROC.
CIRCLING PROC AND CIRCLING MINIMA WITHDRAWN. EAIP INDIA AMENDED
ACCORDINGLY.

VIDPG0534/26 (05 MAY 26)

REF AIP SUP 201/2025 REGARDING VOR RWY 01R (CAT A/B/C) PROC.
CIRCLING PROC AND CIRCLING MINIMA WITHDRAWN. EAIP INDIA AMENDED
ACCORDINGLY.

VIDPG0535/26 (05 MAY 26)

REF AIP SUP 202/2025 REGARDING VOR RWY 19L (CAT A/B/C) PROC.
CIRCLING PROC AND CIRCLING MINIMA WITHDRAWN. EAIP INDIA AMENDED
ACCORDINGLY.

VIDPG0532/26 (05 MAY 26)

REF AIP SUP 196/2025 REGARDING ILS OR LOC RWY 01R PROC. CIRCLING
PROC AND CIRCLING MINIMA WITHDRAWN. EAIP INDIA AMENDED ACCORDINGLY.

VIDPG0533/26 (05 MAY 26)

REF AIP SUP 198/2025 REGARDING ILS OR LOC RWY 19R PROC. CIRCLING PROC AND CIRCLING MINIMA WITHDRAWN. EAIP INDIA AMENDED ACCORDINGLY.

VIDPG0168/26 (21 FEB 26)

"REF EAIP INDIA PAGE AD 2 VECC 3-903 DATED 16 MAY 2024 REGARDING RNP Y RWY 01R PROC. FLW AMENDMENTS ARE MADE:
1. IN PROFILE VIEW, MOCA OF THE SEGMENT FAF-SDF IS 670FT
2. IN PROFILE VIEW, OCA(H) - 470(450) FT IS APPLICABLE ONLY FOR SEGMENT SDF-MAPT. AMEND AIP ACCORDINGLY."

VIDPG0167/26 (21 FEB 26)

"REF EAIP INDIA PAGE AD 2 VECC 3-901 DATED 16 MAY 2024 REGARDING RNP Y RWY 01L PROC-KOLKATA AIRPORT. FLW AMENDMENTS ARE MADE:
1. IN PROFILE VIEW, MOCA OF THE SEGMENT FAF-SDF IS 670FT
2. IN PROFILE VIEW, OCA(H) - 440(420) FT IS APPLICABLE ONLY FOR SEGMENT SDF-MAPT. AMEND AIP ACCORDINGLY."

VIDPG1421/25 (21 FEB 26)

"REF AIP SUP 197/2025 REGARDING ILS RWY 01R CAT II AND III PROC OF NSCBI AP KOLKATA. FLW AMEND ARE MADE:
I) ON R-198(CEA), TEXT IAF IS INSERTED AT 16D(CEA).
II) ON R-198(CEA), IAF AT 20D(CEA) IS DELETED."

VIDPG1422/25 (21 FEB 26)

REF AIP SUP 198/2025 REGARDING ILS OR LOC RWY 19R PROC OF NSCBI AP KOLKATA. ON R-345 (CEA) TEXT 18D IS REPLACE BY 15D.

VIDPG1420/25 (21 FEB 26)

REF AIP SUP 196/2025 REGARDING ILS OR LOC RWY 01R PROC OF NSCBI AP KOLKATA. FLW AMD ARE MADE:
I) RDH IS AMENDED AS 53FT
II) IN PROFILE VIEW AND IN DISTANCE-ALTITUDE TABLE THE ALTITUDE AT 4D IS AMENDED AS 1290FT.
III) TEXT 332DEG ON INBOUND LEG OF PROC TURN IS AMENDED AS 322DEG.

VANP / NAG

VABBA1013/26 (08 JUL 26)

PORTION OF TWY C1 BEYOND 400M FM INT OF RWY 14/32
TILL END OF TWY C2 IS RESTRICTED TO TOWING OF ACFT ONLY

VIDPG0720/26 (15 JUN 26)

REFER EAIP INDIA PAGE AD 2 VANP 2-201 DATED 27 NOV 2025 REGARDING VOR RWY 14. FLW AMENDMENTS ARE MADE IN FINAL APCH SEGMENT.
1. SDF 2 (3.3 D) AND OCA(H) WITH SDF 2 (3.3 D) WITHDRAWN TEMPO.
2. OCA(H) WITH SDF 1 (4.5 D) AMENDED AS 1590(553).

*VABBA0817/26 (30 MAY 26)

0645-0845 EXC SAT SUN
RWY 14/32 NOT AVBL FOR OPS DUE MAINT WORK

VABBA0632/26 (19 APR 26)

19 APR 2026 03:43-17 JUL 2026 18:30
ALL ACFT AFTER LDG SHALL MAKE 180 DEG BACKTRACK
ON TURN PAD AT END OF RWY 14/32 ONLY.

VOHS / HYD

VIDPG0841/26 (16 JUL 26)

REF EAIP INDIA PAGES AD 2 VOHS 3-907 DATED 17 APR 2025 REGARDING RNP Y RWY 09R AND AD 2 VOHS 3-908 DATED 17 APR 2025 REGARDING TABULAR DESCRIPTION OF RNP Y RWY 09R OF SHAMSHABAD AIRPORT. FLW AMENDMENTS ARE MADE:
I. THR ELEV RWY 09R IS AMENDED AS 1970FT
II. OCA(H) FOR LNAV/VNAV IS AMENDED AS 2420(450)
III.OCA(H) FOR LNAV IS AMENDED AS 2510 (540)
IV. ALTITUDE AT WAYPOINT IDENTIFIER RW09R IS AMENDED AS (A)2020 AMEND EAIP ACCORDINGLY.

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 53/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

VOMMA2175/26 (16 JUL 26)

15 JUL 2026 04:30-18 JUL 2026 12:30
ACFT PRKG STANDS 67 TO 69 NOT AVBL FOR OPS

VOMMA2176/26 (16 JUL 26)

15 JUL 2026 04:30-18 JUL 2026 12:30
PORTION OF TWY M2 ABM STANDS 67 TO 69 NOT AVBL FOR OPS.
ACFT ON STAND 66 TO DEEP PUSHBACK ON TO TWY M3 AND PULL
FORWARD FACING WEST ABM TEMPO TUG DISCONNECT POINT LOCATED
WEST OF STAND 66 ON TWY M2 FOR ENG START.PILOT TO EXER CTN

VIDPG0833/26 (16 JUL 26)

"REFER AIP SUPPLEMENT NR 14/2010 REGARDING RNAV-1 SIDS AND STARS
RGI AIRPORT, SHAMSHABAD (VOHS).
FOLLOWING AMENDMENT IS MADE IN VIRKO 5 AND VIRKO 7 SID.
SEGMENT VIRKO - TRACK 090.2 DEG MAG (089 DEG TRUE) / 121.4 NM -
AKSAN IS AMENDED AS VIRKO - TRACK 091 DEG MAG (089.8 DEG TRUE) /
110.3 NM - VENGU (COORDINATES 172946N 0815924E).
AMEND ACCORDINGLY."

VIDPG0834/26 (16 JUL 26)

"REFER AIP SUPPLEMENT NR 14/2010 REGARDING RNAV-1 SIDS AND STARS
RGI AIRPORT, SHAMSHABAD (VOHS). FOLLOWING AMENDMENTS ARE MADE:
1. RNAV SIDS RWY27 ARE REDESIGNATED AS RNAV SIDS RWY27L.
2. RNAV SIDS RWY09 ARE REDESIGNATED AS RNAV SIDS RWY09R.
3. RNAV STARS RWY27 ARE REDESIGNATED AS RNAV STARS RWY 27L/27R.
4. RNAV STARS RWY09 ARE REDESIGNATED AS RNAV STARS RWY 09L/09R.
AMEND ACCORDINGLY."

VIDPG0766/26 (16 JUL 26)

REF EAIP INDIA PAGE AD VOHS 2-109 DATED 17 APR 2025 REGARDING ILS
OR
LOC RWY 27L PROC OF SHAMSHABAD (VOHS) AP. ILS OR LOC RWY 27L PROC
WITHDRAWN.

VOMMA2081/26 (16 JUL 26)

"VISUAL DCKG GUIDANCE SYSTEM FOR STANDS 44,45,46,47,48
NOT AVBL FOR OPS.PILOTS TO FLW MARSHALLER FOR PRKG GUIDANCE"

VIDPG0763/26 (16 JUL 26)

"ILS RWY 27L IDENT ISAM (LOC 110.900MHZ, GP 330.800MHZ, DME ISAM
CH46X) NOT AVBL DUE EQPT REPLACEMENT."
02 JUL 26 11:21 UNTIL 02 OCT 26 23:59 ESTIMATED

// (COM INFO) //

THA 00173/26 (30 JUN 26)

COM INFO:--(NEW)+++ Whenever potable water is uplifted at HYD, pilot must report
potable water uplifted in technical logbook to inform maintenance to disinfect potable water
tank.
(ISSUED 30JUN26/OP/31DEC26/2359)

VOMMA2052/26 (16 JUL 26)

0000-1730 2330-2359
REF EAIP INDIA VOHS AD 2.20 LOCAL AD REGULATIONS
PARA 5. AP COLLABORATIVE DECISION MAKING (ACDM) WILL
BE IN PLACE. ACFT OPR TO UPDATE TARGET OFF BLOCK TIME (TOBT)
AND ADHERE TO TARGET START UP APPROVAL TIME (TSAT)

VOMMA2045/26 (16 JUL 26)

RWY09L IS NON PRECISION DUE WIP
ALONG THE DRAIN IN BASIC STRIP

VOMMA2014/26 (16 JUL 26)

REF E-AIP INDIA VOHS AD 2.20 LOCAL AD REGULATIONS PARA 4
SUB PARA 4.2. TWY B1 NOT AVBL AS AN ALTN ISOLATION PRKG
PSN DUE WIP

VOMMA2013/26 (16 JUL 26)

TWY B1 AVBL UPTO CODE C OPS UNDER TOWING AND
FLW ME GUIDANCE WITH ONE HOUR MNM PRIOR NOTICE

VOMMA2012/26 (16 JUL 26)

WIP AT DIST OF 110M NORTH OF RWY 09L/27R CL BTN TWY B1

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 54/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

AND TWY B2. MAX EQPT HGT WILL BE 2.5M. PILOTS TO EXER CTN

VOMMA1830/26 (16 JUL 26)

0300-0500 0730-0830 1030-1230 1330-1830
BIFURCATION OF APP INTO APP DEP APP ARR SECT.
RTF CS FREQ HYDERABAD ARR 125.550MHZ
HYDERABAD DEP 120.250MHZ

VOMMA1829/26 (16 JUL 26)

0000-1830
CLR DELIVERY WITH CS SHAMSHABAD AVBL ON FREQ 121.625MHZ.
REMAINING TIME CTC SMC ON 121.850MHZ FOR CLR DELIVERY.

VOMMA1821/26 (16 JUL 26)

0200-0530 0730-0830 1230-1530 1630-1830
ARR ACFT TO EXP HLDG OR DLA DUE CONGESTION

VOMMA1674/26 (16 JUL 26)

GRASS CUTTING AND PESTICIDE SPRAYING WIP ON BOTH SIDES
OF RWY 09R/27L SHOULDERS AT A DIST OF 107M FM RWY CL.
PILOTS TO EXER CTN

VOMMA0935/26 (16 JUL 26)

REF EAIP INDIA VOHS AD 2.1 SUB PARA 2.24 CHARTS RELATED TO AN
AERODROME SNO.23 FOR RWY 27R READ TORA FOR TWY B2 INTERSECTION AS
3030M

VIDPG0075/26 (16 JUL 26)

REF EAIP INDIA PAGE AD 2 VOHS 2-205 DATED 17 APR 2025 REGARDING
VOR RWY 27L OF SHAMSHABAD AIRPORT:
THE CIRCLING OCA(H) IS DELETED FROM IAP CHART.
AMEND EAIP ACCORDINGLY.

VIDPG0074/26 (16 JUL 26)

REF EAIP INDIA PAGE AD 2 VOHS 2-203 DATED 17 APR 2025 REGARDING
VOR RWY 09R OF SHAMSHABAD AIRPORT:
THE CIRCLING OCA(H) IS DELETED FROM IAP CHART.
AMEND EAIP ACCORDINGLY.

VIDPG0076/26 (16 JUL 26)

REF EAIP INDIA PAGE AD 2 VOHS 2-207 DATED 17 APR 2025 REGARDING
VOR RWY 27R OF SHAMSHABAD AIRPORT:
THE CIRCLING OCA(H) IS DELETED FROM IAP CHART.
AMEND EAIP ACCORDINGLY.

VIDPG0073/26 (16 JUL 26)

REF EAIP INDIA PAGE AD 2 VOHS 2-201 DATED 17 APR 2025 REGARDING
VOR RWY 09L OF SHAMSHABAD AIRPORT:
THE CIRCLING OCA(H) IS DELETED FROM IAP CHART.
AMEND EAIP ACCORDINGLY.

VIDPG0071/26 (16 JUL 26)

REF EAIP INDIA PAGE AD 2 VOHS 2-107 DATED 17 APR 2025
REGARDING ILS OR LOC RWY 09R CAT II OF SHAMSHABAD AIRPORT :
THE CIRCLING OCA(H) IS DELETED FROM IAP CHART.
AMEND EAIP ACCORDINGLY.

VIDP / DEL

VIDPA1587/26 (15 JUL 26)

15 JUL 2026 19:53-18 JUL 2026 18:30
PORTION OF TWY D BTN TWY D3 AND TWY D4 NOT AVBL FOR OPS DUE CIV
WORK.
JUNCTION OF TWY D3 AND TWY D4 WITH TWY D AVBL FOR OPS.
TWY G1 NOT AVBL FOR OPS DUE TRAFFIC SCENARIO.

*VIDPA1420/26 (30 JUN 26)

JUL 01 06 09 13 16 20 23 27 30 1830-2330
RWY 11L/29R NOT AVBL FOR OPS DUE MAINT.

VIDPA1419/26 (30 JUN 26)

HIGH POWER ENGINE RUN-UP BAY 800 NOT AVBL FOR OPS.

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 55/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

***VIDPA1416/26 (30 JUN 26)**

05 07 11 14 18 21 25 28 1830-2330
RWY 10/28 NOT AVBL FOR OPS DUE MAINT.

***VIDPA1415/26 (30 JUN 26)**

02 03 04 08 10 12 15 17 19 22 24 26 29 31 1830-2330
RWY 09/27 NOT AVBL FOR OPS DUE MAINT.

***VIDPA1405/26 (29 JUN 26)**

"RWY 11R/29L NOT AVBL FOR OPS.
DURING THIS PERIOD FLW RESTRICTIONS SHALL APPLY:
1. PORTION OF TWY Z WEST OF TWY S6 NOT AVBL FOR OPS.
2. TWY S1, S2, S5, T4, T5, T6, T7, Y1, Y2, Y4, Y5, Y6, Y7, Y8, Z2,
Z3, Z4, Z5, Z6 AND Z7 NOT AVBL FOR OPS.
3. TWY S6, S7 AND S8 AVBL FOR OPS.
4. TWY CROSSINGS P6-S6, P7-S7 AND P8-S8 AVBL FOR OPS."

VIDPA1406/26 (29 JUN 26)

NOISE ABATEMENT PROCEDURES NOT ADHERED DUE TO REHABILITATION AND
ILS REPLACEMENT WORK AT RWY 11R/29L.

VIDPA1364/26 (23 JUN 26)

PORTION OF TWY C BTN TWY LINK 2 AND TWY LINK 3 NOT AVBL FOR OPS.
JUNCTION OF TWY LINK 2 AND TWY LINK 3 WITH TWY A AND TWY C AVBL
FOR OPS.
LEFT TURN VIA LINK 2 ON TWY C FROM APRON 32 NOT AVBL FOR OPS.
RIGHT TURN ON TWY C VIA LINK 3 FROM APRON 33A NOT AVBL FOR OPS.

VIDPA1277/26 (12 JUN 26)

"REFER E-AIP INDIA VIDP AD 2.22 FLIGHT PROCEDURES PARA ''I'' RADIO
COMMUNICATION FAILURE PROCEDURE, AMEND THE FOLLOWING SUB-PARAS AS
BELOW:

SUBPARA 3.1: IN CASE OF ARRIVING ACFT, WHEN RWY FOR LANDING
HAS ALREADY BEEN ADVISED TO THE ACFT BY ATC, SUCH RWY SHALL BE
CONSIDERED AS ASSIGNED RWY, EXCEPT AS GIVEN IN PARA 3.3 BELOW. IN
CASE ARRIVING ACFT HAS NOT BEEN ADVISED ANY RWY, RWY 28 SHALL BE
CONSIDERED AS ASSIGNED RWY FOR SUCH ARRIVAL. DURING THE NOTIFIED
PERIODS OF MAINTENANCE/CLOSURE OF RWY 28, RWY 29L SHALL BE
CONSIDERED THE PRIMARY ASSIGNED RWY, AND RWY 29R SHALL BE
CONSIDERED THE SECONDARY ASSIGNED RWY.

SUBPARA 3.7: IRRESPECTIVE OF VISIBILITY/WEATHER CONDITIONS, RWY
AND APPROACH LIGHTS IN ''SWITCHED OFF'' POSITION SHALL INDICATE NON-
AVAILABILITY OF SUCH RWY FOR ACFT EXPERIENCING RCF. IN SUCH
CASES, PRIMARY ALTERNATE RWY, AND IF PRIMARY ALTERNATE RWY IS NOT
AVAILABLE, THE SECONDARY ALTERNATE RWY, AS INDICATED BELOW, SHALL
BE MADE AVAILABLE FOR SUCH ACFT:

FOR RWY 28, THE PRIMARY ALTERNATE RWY SHALL BE RWY 29L AND THE
SECONDARY ALTERNATE RWY SHALL BE RWY 29R.

FOR RWY 29L, THE PRIMARY ALTERNATE RWY SHALL BE RWY 28 AND THE
SECONDARY ALTERNATE RWY SHALL BE RWY 29R.

FOR RWY 29R, THE PRIMARY ALTERNATE RWY SHALL BE RWY 28 AND THE
SECONDARY ALTERNATE RWY SHALL BE RWY 29L.

FOR RWY 10, THE PRIMARY ALTERNATE RWY SHALL BE RWY 11R AND THE
SECONDARY ALTERNATE RWY SHALL BE RWY 11L.

FOR RWY 11R, THE PRIMARY ALTERNATE RWY SHALL BE RWY 10 AND THE
SECONDARY ALTERNATE RWY SHALL BE RWY 11L.

FOR RWY 11L, THE PRIMARY ALTERNATE RWY SHALL BE RWY 10 AND THE
SECONDARY

ALTERNATE RWY SHALL BE RWY 11R.

SUBPARA 4.2.1. CONTINUE ON ATS RTE, (RE-JOIN ATS RTE IF GIVEN
HEADING OR FLYING OFFSET), MAINTAINING/DESCENDING TO CLEARED FLIGHT
LEVEL OR FL 80 WHICHEVER IS HIGHER. AT 40 MILES TO ''DPN VOR'' TAKE
A TURN (AVOIDING VIP 89) TO PROCEED DIRECT TO ''SKA'' VOR. IF
HIGHER, DESCEND TO FL 80 IN ''SKA'' HOLD.

SUBPARA 4.2.2. IF RCF TAKES PLACE WITHIN 40 NM OF ''DPN VOR'',
CONTINUE TO ''DPN VOR'' AND AT 10 MILES TO ''DPN VOR'' TAKE A TURN
(AVOIDING VIP 89) TO PROCEED DIRECT TO ''SKA'' VOR MAINTAINING LAST
ASSIGNED LEVEL OR FL 80 WHICHEVER IS HIGHER. IF BELOW FL 80, CLIMB
AND REACH FL 80 BEFORE CROSSING 25 NM OUTBOUND FROM ''DPN VOR''. IF
HIGHER, DESCEND TO FL 80 IN ''SKA'' HOLD.

SUBPARA 4.2.3. LEAVE ''SKA'' AT FL 80 TO CARRY OUT PUBLISHED ILS/VOR
DME ARC APPROACH PROCEDURE FOR ASSIGNED RWY. MAINTAIN FL080 UNTIL
20 DME DPN VOR.

SUBPARA 4.3. ARRIVING ACFT BEING RADAR VECTORED
ACFT BEING RADAR VECTORED FOR APPROACH, ON EXPERIENCING RCF, SHALL
MAINTAIN LAST ASSIGNED LEVEL AND HEADING FOR 3 MINUTES AFTER

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 56/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

DETECTING RCF OR SELECTING MODE A/C 7600, WHICHEVER IS LATER, AND THEN TAKE A CONVENIENT TURN (AVOIDING VIP 89) TO PROCEED DIRECT TO 'SKA' CLIMBING / MAINTAINING LAST ASSIGNED LEVEL, OR FL 80 WHICHEVER IS HIGHER. IF BELOW FL 80, CLIMB AND REACH FL 80 BEFORE CROSSING 25NM OUTBOUND FROM 'DPN VOR'. IF HIGHER, DESCEND TO FL 80 IN 'SKA' HOLD
4.3.1. LEAVE 'SKA' VOR AT FL80 TO CARRY OUT PUBLISHED ILS/VOR DME ARC APPROACH PROCEDURE FOR ASSIGNED RWY. MAINTAIN FL080 UNTIL 20 DME DPN VOR.
SUBPARA 5.1. DEPARTURE INTENDING TO CONTINUE TO DESTINATION

ANY DEPARTING ACFT EXPERIENCING RCF AND INTENDING TO CONTINUE TO ITS FILED PLAN DESTINATION SHALL:

5.1.1. CONTINUE ON ASSIGNED SID OR HEADING CLIMBING TO OR MAINTAINING CLEARED LEVEL OR FL80, WHICHEVER IS HIGHER.
5.1.2. THREE MINUTES AFTER SETTING MODE A/C CODE 7600 OR REACHING FL80 OR CLEARED FLIGHT LEVEL (IF HIGHER THAN FL80) WHICHEVER IS LATER:
I. IF FOLLOWING 'SID', CONTINUE ON SID TO JOIN ATS RTE AND CLIMB TO FILED FLIGHT LEVEL AND CONTINUE AS PER THE FILED FLIGHT PLAN.
II. IF FOLLOWING RADAR HEADING, TURN (AVOIDING VIP 89) TO JOIN ATS RTE BY SHORTEST RTE MAINTAINING CLEARED FLIGHT LEVEL / FL80 AS PER PARA 5.1.1. AFTER JOINING ATS RTE, CLIMB TO FILED FLIGHT LEVEL AND CONTINUE AS PER THE FILED FLIGHT PLAN. DEPARTURE FOLLOWING ATS RTE V18 AND G452/L760 SHALL PASS FL160 OR ABOVE BY 50 NM DPN AND ACFT FILED FLIGHT LEVEL BELOW FL150 SHALL CONTACT JEWAR APPROACH ON FREQ 120.825 MHZ, 122.175 MHZ AND JEWAR TWR ON FREQ 118.675 MHZ, 119.125 MHZ AFTER ASCERTAING THAT ACFT IS RCF WITH DELHI ATC.
SUBPARA 5.2 DEPARTURE INTENDING TO LAND BACK AT DELHI:
ANY DEPARTING ACFT EXPERIENCING RCF AFTER DEPARTURE AND INTENDING TO LAND BACK AT IGI AIRPORT SHALL
5.2.1 CONTINUE ON ASSIGNED SID OR HEADING CLIMBING TO OR MAINTAINING CLEARED LEVEL OR FL80, WHICHEVER IS HIGHER.
5.2.2 THREE MINUTES AFTER SETTING MODE A/C CODE 7600 OR REACHING FL80 OR CLEARED FLIGHT LEVEL (IF HIGHER THAN FL80) WHICHEVER IS LATER, TAKE A TURN (AVOIDING VIP 89) TO PROCEED DIRECT TO 'SKA' VOR.
5.2.3 IF HIGHER, DESCEND TO FL80 IN 'SKA' HOLD.
5.2.4 IF REQUIRED, JETTISON FUEL WHILE IN 'SKA' HOLD, TAKING ALL NECESSARY PRECAUTIONS.
5.2.5 LEAVE 'SKA' VOR AT FL80 TO CARRY OUT PUBLISHED ILS/VOR DME ARC APPROACH PROCEDURE FOR ASSIGNED RWY. MAINTAIN FL080 UNTIL 20 DME DPN VOR.
NOTE :-
1. IN CASE OF NON-AVAILABILITY OF SKA VOR ACFT REQUIRED TO HOLD AT SKA VOR MAY HOLD AT FOLLOWING FIX/WAY POINT:
A. R186/43 D (116.1 DPN)
B. 275054N0770030E
AMEND E-AIP ACCORDINGLY."

VIDPA1235/26 (09 JUN 26)

"LINK A3 AVBL FOR SFC MOV BY DAY ONLY. LINK FIT FOR ACFT WITH MAX WING SPAN 35M. ACFT TO CTC SMC, AIRFORCE GND ON 121.200MHZ BEFORE LANDING, TO COOR VACATION ON A3."
09 JUN 26 06:24 UNTIL 08 SEP 26 23:59 ESTIMATED

VIDPA1233/26 (08 JUN 26)

TXL F6 NOT AVBL FOR OPS. DRG THIS PERIOD ACFT OPS FM STAND 170 TO 178 SHALL BE WITH ASSISTANCE OF FLW ME ONLY.

VIDPA1121/26 (22 MAY 26)

TWY T4 AND TWY S2 NOT AVBL FOR OPS.

VIDPA1015/26 (08 MAY 26)

PORTION OF TWY M BTN TWY A AND TWY LINK 30 DOWNGRADED FOR ACFT UPTO CODE LETTER C. PORTION OF TWY LINK 30 BTN TWY K AND TWY M DOWNGRADED FOR ACFT UPTO CODE LETTER D.

VIDPA0846/26 (17 APR 26)

REF EAIP INDIA VIDP AD 2.20 LOCAL AERODROME REGULATIONS.
INSERT BLW TEXT IN NOTE OF PARA 5 DETAILS OF ENGINE RUN UP AT HIGH POWER.
TWY R7 NOT AVBL FOR OPS WHILE ACFT IS BEING REPOSITIONED AT STAND 803 FOR HIGH POWER RUN-UP.
AMEND EAIP ACCORDINGLY.

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 57/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

VIDPG0458/26 (02 APR 26)

REF EAIP PAGE AD 2 VIDP 2-117 DATED 27 NOV 2025 REGARDING ILS OR
LOC RWY 29L OF DELHI (VIDP) AIRPORT. ILS OR LOC RWY 29L PROCEDURE
WITHDRAWN TEMPO DUE EQPT REPLACEMENT.
14 MAY 26 00:00 UNTIL 12 AUG 26 23:59 ESTIMATED

VIDPG0459/26 (02 APR 26)

REF EAIP PAGE AD 2 VIDP 2-115 DATED 27 NOV 2025 REGARDING ILS RWY
29L CAT (ROMAN) II AND (ROMAN) III OF DELHI (VIDP) AIRPORT. ILS RWY
29L CAT II AND III PROCEDURE WITHDRAWN TEMPO DUE EQPT REPLACEMENT.
14 MAY 26 00:00 UNTIL 12 AUG 26 23:59 ESTIMATED

VIDPG0457/26 (02 APR 26)

"CAT (ROMAN) III ILS RWY 29L IDENT IDGM (LOC 110.900MHZ, GP
330.800MHZ,DME IDGM CH46X) NOT AVBL DUE EQUIPMENT REPLACEMENT."
14 MAY 26 00:00 UNTIL 11 AUG 26 23:59 ESTIMATED

VIDPG0456/26 (02 APR 26)

"CAT (ROMAN) III ILS RWY 11R IDENT IDMR (LOC 111.300MHZ, GP
332.300MHZ,DME IDMR CH50X) NOT AVBL DUE EQUIPMENT REPLACEMENT."
14 MAY 26 00:00 UNTIL 11 AUG 26 23:59 ESTIMATED

VIDPG0450/26 (02 APR 26)

REF EAIP PAGE AD 2 VIDP 2-131 DATED 27 NOV 2025 REGARDING ILS RWY
11R CAT (ROMAN) II AND (ROMAN) III OF DELHI (VIDP) AIRPORT. ILS RWY
11R CAT II AND III PROCEDURE WITHDRAWN TEMPO DUE EQPT REPLACEMENT.
14 MAY 26 00:00 UNTIL 12 AUG 26 23:59 ESTIMATED

VIDPG0449/26 (02 APR 26)

REF EAIP PAGE AD 2 VIDP 2-129 DATED 27 NOV 2025 REGARDING ILS OR
LOC RWY 11R OF DELHI (VIDP) AIRPORT. ILS OR LOC RWY 11R PROCEDURE
WITHDRAWN TEMPO DUE EQPT REPLACEMENT.
14 MAY 26 00:00 UNTIL 12 AUG 26 23:59 ESTIMATED

VIDPA0525/26 (05 MAR 26)

REFER PARA VIDP AD 2.20 LOCAL AD REGULATIONS IN E-AIP INDIA.
INSERT THE FOLLOWING TEXT IN SUBPARA 1. AP REGULATIONS :
ENGINE POWER MORE THAN IDLE THRUST IS NOT PERMITTED DURING
PUSHBACK AND TAXIING IN THE APRON.

VIDPG0298/26 (05 MAR 26)

REFER EAIP INDIA AD 2.24 OF VIDP THE FLW AMENDMENTS ARE
MADE IN IAP CHART OF VOR RWY 28- PAGE AD 2 VIDP 2-209 DATED 27 NOV
2025.
1) VISUAL CIRCLING MINIMA DELETED FROM AOM BOX.
2) VISUAL CIRCLING DEPICTION DELETED FROM PLAN VIEW.
AMEND ACCORDINGLY.

VIDPG0299/26 (05 MAR 26)

REFER EAIP INDIA AD 2.24 OF VIDP THE FLW AMENDMENT IS
MADE IN IAP CHART OF VOR RWY 11R- PAGE AD 2 VIDP 2-211 DATED 08 AUG
2024.
VISUAL CIRCLING MINIMA DELETED FROM AOM BOX. AMEND ACCORDINGLY.

VIDPG0300/26 (05 MAR 26)

REFER EAIP INDIA AD 2.24 OF VIDP THE FLW AMENDMENT IS
MADE IN IAP CHART OF VOR RWY 29L- PAGE AD 2 VIDP 2-213 DATED 02 NOV
2023.
VISUAL CIRCLING MINIMA DELETED FROM AOM BOX. AMEND ACCORDINGLY.

VIDPG0292/26 (05 MAR 26)

REFER EAIP INDIA AD 2.24 OF VIDP THE FOLLOWING AMDT ARE MADE IN
IAP CHART OF ILS OR LOC RWY 29R- PAGE AD 2 VIDP 2-127 DATED 16 MAY
2024.
1) VISUAL CIRCLING MINIMA DELETED FROM AOM BOX.
2) VISUAL CIRCLING DEPICTION DELETED FROM PLAN VIEW.
AMEND ACCORDINGLY.

VIDPG0297/26 (05 MAR 26)

REFER EAIP INDIA AD 2.24 OF VIDP? THE FOLLOWING AMDT ARE MADE IN
IAP CHART OF VOR RWY 10- PAGE AD 2 VIDP 2-207 DATED 27 NOV 2025.
1) VISUAL CIRCLING MINIMA DELETED FROM AOM BOX.
2) VISUAL CIRCLING DEPICTION DELETED FROM PLAN VIEW.

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 ELL 0615+

Page 58/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

AMEND ACCORDINGLY.

VIDPG0296/26 (05 MAR 26)

REFER EAIP INDIA AD 2.24 OF VIDP? THE FOLLOWING AMDT ARE MADE IN IAP CHART OF ILS OR LOC RWY 09- PAGE AD 2 VIDP 2-141 DATED 17 APR 2025.

- 1) VISUAL CIRCLING MINIMA DELETED FROM AOM BOX.
 - 2) VISUAL CIRCLING DEPICTION DELETED FROM PLAN VIEW.
- AMEND ACCORDINGLY.

VIDPG0294/26 (05 MAR 26)

REFER EAIP INDIA AD 2.24 OF VIDP? THE FOLLOWING AMDT ARE MADE IN IAP CHART OF ILS OR LOC RWY 27- PAGE AD 2 VIDP 2-133 DATED 08 AUG 2024.

- 1) VISUAL CIRCLING MINIMA DELETED FROM AOM BOX.
 - 2) VISUAL CIRCLING DEPICTION DELETED FROM PLAN VIEW.
- AMEND ACCORDINGLY.

VIDPG0291/26 (05 MAR 26)

REFER EAIP INDIA AD 2.24 OF VIDP THE FOLLOWING AMDT ARE MADE IN IAP CHART OF ILS OR LOC RWY 29L- PAGE AD 2 VIDP 2-117 DATED 27 NOV 2025.

- 1) VISUAL CIRCLING MINIMA DELETED FROM AOM BOX.
 - 2) VISUAL CIRCLING DEPICTION DELETED FROM PLAN VIEW.
- AMEND ACCORDINGLY.

VIDPG0295/26 (05 MAR 26)

REFER EAIP INDIA AD 2.24 OF VIDP THE FOLLOWING AMDT ARE MADE IN IAP CHART OF ILS OR LOC RWY 11L- PAGE AD 2 VIDP 2-135 DATED 17 APR 2025.

- 1) VISUAL CIRCLING MINIMA DELETED FROM AOM BOX.
 - 2) VISUAL CIRCLING DEPICTION DELETED FROM PLAN VIEW.
- AMEND ACCORDINGLY.

VIDPG0293/26 (05 MAR 26)

REFER EAIP INDIA AD 2.24 OF VIDP THE FOLLOWING AMDT ARE MADE IN IAP CHART OF ILS OR LOC RWY 11R- PAGE AD 2 VIDP 2-129 DATED 27 NOV 2025.

- 1) VISUAL CIRCLING MINIMA DELETED FROM AOM BOX.
 - 2) VISUAL CIRCLING DEPICTION DELETED FROM PLAN VIEW.
- AMEND ACCORDINGLY.

VIDPG0112/26 (21 FEB 26)

REFER AIP SUPPLEMENT 192/2025 DATED 18 SEP 2025 REGARDING RNAV1(GNSS) SIDS AND STARS INDIRA GANDHI INTERNATIONAL AIRPORT DELHI- VIDP. THE FOLLOWING AMEDEMMENTS ARE MADE

1. ON THE STAR CHART AT PAGE NR 35 AT WAYPOINT DP507 AMEND ALTITUDE RESTRICTION FL140 OR ABOVE IN PLACE OF FL140 OR BELOW.
 2. ON PAGE NR 36 IN TABULAR DESCRIPTION OF STAR BAVOX - 7E/7F/7G/7H ALTITUDE RESTRICTION AT SERIAL NO 40 IS AMENDED AS FL140 OR ABOVE IN PLACE OF FL140 OR BELOW.
 3. ON PAGE NR 36 IN TABULAR DESCRIPTION OF STAR POSIG - 7E/7F/7G/7H ALTITUDE RESTRICTION AT SERIAL NO 30 IS AMENDED AS FL140 OR ABOVE IN PLACE OF FL140 OR BELOW.
- AMEND AIP SUPPLEMENT ACCORDINGLY.

VIDPG1135/25 (18 JAN 26)

"REF AIP SUP 194/2025 REGARDING IAP CHART - ILS OR LOC RWY 10, CAT (ROMAN) II AND III. PROC AVBL FOR CAT I APCH WIE."

VIDPG1136/25 (18 JAN 26)

"REF AIP SUP 195/2025 REGARDING IAP CHART - ILS OR LOC RWY 28, CAT (ROMAN) II AND III. PROC AVBL FOR CAT I APCH WIE."

VIDPG1116/25 (18 JAN 26)

REFER AIP SUPPLEMENT 192/2025 DATED 18 SEP 2025 REGARDING RNAV1(GNSS) SIDS AND STARS INDIRA GANDHI INTERNATIONAL AIRPORT DELHI-VIDP. THE FOLLOWING AMEDEMMENTS ARE MADE:

1. ON THE STAR CHART AT PAGE NR 32 AT WAYPOINT DP941 AMEND ALTITUDE RESTRICTION FL100 OR BELOW IN PLACE OF FL120 OR ABOVE.
2. ON PAGE NR 33 IN TABULAR DESCRIPTION OF STAR ATRIN-7E/7F/7G/7H ALTITUDE RESTRICTION AT SERIAL NR 30 IS AMENDED AS FL100 OR BELOW IN PLACE OF FL120 OR ABOVE.
3. ON PAGE NR 33 IN TABULAR DESCRIPTION OF STAR BUBNU-7E/7F/7G/7H ALTITUDE RESTRICTION AT SERIAL NR 50 IS AMENDED AS FL100 OR BELOW IN PLACE OF FL120 OR ABOVE.

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 59/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

4. ON PAGE NR 33 IN TABULAR DESCRIPTION OF STAR
LKA-7E/7F/7G/7H ALTITUDE RESTRICTION AT SERIAL NR 30 IS
AMENDED AS FL100 OR BELOW IN PLACE OF FL120 OR ABOVE.
5. ON PAGE NR 34 IN TABULAR DESCRIPTION OF STAR
UKASO-7E/7F/7G/7H ALTITUDE RESTRICTION AT SERIAL NR 30 IS
AMENDED AS FL100 OR BELOW IN PLACE OF FL120 OR ABOVE.
AMEND AIP SUPPLEMENT ACCORDINGLY.

VIDPG1058/24 (05 NOV 24)

"REFER E-AIP INDIA PAGE NR AD2 VIDP3-139 DT 13 JUNE 2024.
FOLLOWING AMENDMENT IS MADE
1. IN CHART OF SID OROTI6C AND SURAM 6C RWY 29R,
DEPICTION OF TRACK TO MUNUV AS 246DEG IS DELETED.
AMEND THE E-AIP ACCORDINGLY."

VIDPA1036/22 (06 NOV 23)

PORTION OF TWY N BTN TWY CW1 AND TWY LINK 34 COMPATIBLE FOR UP TO
CODE LETTER F ACFT RESTRICTED UPTO MAX WINGSPAN 73.30 M.
AMEND TWY COMPATIBILITY CHART OF E-AIP INDIA ACCORDINGLY.

VABB / BOM

VABBA1053/26 (14 JUL 26)

ACFT SHALL NOT HOLD ON ANY TWY LINKS DRG TAX.
IN CASE UNABLE DUE EXIGENCY ACFT SHALL INFORM CONTROLLER
IMMEDIATELY
PILOTS TO EXER CTN WHILE TAX ON TWY LINKS C1 AND C4
TO XNG ON TWY Y1 AND TWY B1 AND VICE VERSA.

VIDPG0771/26 (06 JUL 26)

REF AIP INDIA PAGE AD 2 VABB 3-905 (31 DEC 2020) REGARDING RNP Y
RWY
14 PROC OF MUMBAI AIRPORT. THE PROC IS TEMPO WITHDRAWN DUE VISUAL
SEGMENT SURFACE (VSS) INFRINGEMENT.
06 JUL 26 06:40 UNTIL 05 OCT 26 23:59 ESTIMATED

VABBA0923/26 (29 JUN 26)

SECN TWY U BTN STAND C29 UPTO JUNCTION OF TWY N NOT
AVBL FOR OPS DUE CIV WIP

VABBA0886/26 (19 JUN 26)

DRISHTI SYSTEM RVR AT METPARK-09 TDZ U/S.

VABBA0883/26 (18 JUN 26)

REFER EAIP INDIA VABB AD 2.23 ADDN INFO.I.
ACFT PRKG STAND DETAILS PCR FOR STAND G5R IS 1696/R/D/W/T.
AMEND EAIP ACCORDINGLY

VABBA0874/26 (15 JUN 26)

REFER EAIP INDIA VABB AD 2.23 ADDN INFO.II. TAXIWAYS
PCR FOR TXL L IS 1765/R/C/W/T.
AMEND EAIP ACCORDINGLY

VABBA0872/26 (15 JUN 26)

REFER EAIP INDIA VABB AD 2.23 ADDN INFO.I. ACFT PRKG
STAND DETAILS PCR FOR STAND A11 IS 1765/R/C/W/T.
AMEND EAIP ACCORDINGLY

VABBA0867/26 (12 JUN 26)

0501-0759 1430-2100
CONCENTRATION OF BIRDS IN AND AROUND VCY OF AD.
BIRDS WITH WT BTN 500 GRAMS TO 1.25KG AND
1KG TO 2KG. MAX SIZE OF FLOCK OF BIRDS UPTO
50 BIRDS.PILOTS TO EXER CTN DRG LDG/TKOF AND TAX

VIDPG0624/26 (25 MAY 26)

REF AIP SUP 180/2025 REGARDING RNP Y RWY 32.
1. IN FINAL APPROACH SEGMENT SDF (2.5 NM) AND SDF (3.6 NM) ARE
WITHDRAWN TEMPO.
2. LNAV OCA(H) AMENDED AS 1270(1245) TEMPO.
25 MAY 26 05:00 UNTIL 24 AUG 26 23:59 ESTIMATED

VABBA0714/26 (08 MAY 26)

TWY M STOP BAR LGT FOR RWY 14/32 U/S.

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 60/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

PILOTS TO EXER CTN

VIDPG0354/26 (16 MAR 26)

"REF AIP SUPPLEMENT 38/2026 REGARDING INSTRUMENT APPROACH CHART -
ILS OR LOC Z RWY 27 OF VABB. IN PLAN VIEW THE BELOW TEXT IS
INSERTED?
RADAR VECTORED AIRCRAFT ESTABLISHED ON LLZ RWY 27, WHEN CLEARED FOR
APPROACH, TO DESCENT BELOW 3800FT ONLY WITHIN 13.8D (ISCZ)
AMEND ACCORDINGLY."

// (COM-INFO)//

THA 00260/12 (22 FEB 26)

COM INFO:--RWY Restriction:
1) RWY 09/27 CLSD for MAINT: MON 0830-1015, THU 0815-1015
RWY 14/32 CLSD for MAINT: WED 0545-0745.
RWY restored within 30min PN.
2) RWYs 09/27 and 14/32 CLSD daily 2150-2230, EXC FRI, due to periodic MAINT. In case of
emergency RWY restored within 10min.
(REF AOI VABB 1-10)

VIDPG0181/25 (22 FEB 26)

REF EAIP AD 2 VABB 3-905 31 DEC 2020 REGARDING RNP Y RWY 14
PROC -MUMBAI:
IN PROFILE VIEW TRANSITION ALT IS AMENDED AS 6000FT.
AMEND ACCORDINGLY.

VIDPG0183/25 (22 FEB 26)

"REF AIP SUP 84/2020 REGARDING SID AND STAR OF MUMBAI AP, MSA IS
AMENDED ON CHARTS ON PAGE 5, PAGE 6, PAGE 7, PAGE 8, PAGE 9, PAGE
10, PAGE 11, PAGE 12, PAGE 13, PAGE 30, PAGE 31, PAGE 32, PAGE 33,
PAGE 34, PAGE 35, PAGE 36, PAGE 37 AND PAGE 38 AS BELOW:IN PROFILE VIEW TRANSITION ALT IS
AMENDED AS 6000FT.
AMEND ACCORDINGLY."

VIDPG0171/25 (22 FEB 26)

REFER EAIP AD 2 VABB 3-905 31 DEC 2020
REGARDING RNP Y RWY 14 PROCEDURE -MUMBAI :
1. MSA IS AMENDED AS FLW:
A. 200 DEG (M)-330 DEG (M) CLOCKWISE - 0NM TO 25NM FM MUMBAI ARP -
MSA 2600FT.
B. 330 DEG (M)-200 DEG (M) CLOCKWISE - 0NM TO 12NM FM MUMBAI ARP -
MSA 2800FT.
C. 330 DEG (M)-200 DEG (M) CLOCKWISE - 12NM TO 25NM FM MUMBAI ARP
- MSA 3800FT.
AMEND ACCORDINGLY.

VIDPG0172/25 (22 FEB 26)

"REFER AIP SUP 84/2020 REGARDING SID AND STAR OF MUMBAI
AIRPORT, MSA IS AMENDED ON CHARTS ON PAGE 5, PAGE 6, PAGE 7, PAGE 8,
PAGE 9, PAGE 10, PAGE 11, PAGE 12, PAGE 13, PAGE 30, PAGE 31, PAGE
32, PAGE 33, PAGE 34, PAGE 35, PAGE 36, PAGE 37 AND PAGE 38 ASBELOW:
1. MSA IS AMENDED AS FLW:
A. 200 DEG (M)-330 DEG (M) CLOCKWISE - 0NM TO 25NM FM MUMBAI ARP -
MSA 2600FT.
B. 330 DEG (M)-200 DEG (M) CLOCKWISE - 0NM TO 12NM FM MUMBAI ARP -
MSA 2800FT.
C. 330 DEG (M)-200 DEG (M) CLOCKWISE - 12NM TO 25NM FM MUMBAI ARP
- MSA 3800FT.
AMEND ACCORDINGLY."

VAAH / AMD

VABBA0973/26 (03 JUL 26)

GND PENETRETING RADAR(GPR) SURVEY WIP ON EITHER
SIDE OF RWY BEYOND 70M FM RCL. MAX HGT OF
MOVABLE EQPT/MACHINERY LIMITED TO 3.5M AGL.
PILOTS TO EXER CTN

VABBA0953/26 (01 JUL 26)

"WIP IN FLW AREAS:
1) TAXIWAY M AND PORTION OF TWY K FROM RUNWAY EDGE
TO TWY M CLSD DUE WIP.
2) AN ALTN ISOL ACFT PRKG PSN IS PROVIDED ON TWY P
BTN TWY D AND TWY R4. REFER EAIP INDIA VAAH AD 2.8.6.5.
3) DRAIN WIP NORTH OF TWY P, BEYOND 35M FM TWY P
CENTRELINE, BTN TWY B AND TWY R4. PERSONNEL AND
MOVABLE MACHINERY UP TO 3M HGT WILL BE SHIFTED BEYOND

43.5M DRG CODE E OPS.
4) WIP AT 15M FM TWY L5. PILOTS TO EXER CTN"

VABBA0686/26 (02 MAY 26)

"ADVANCE VISUAL DOCKING GUIDANCE SYSTEM (AVDGS) NOT AVBL FOR STAND
36L, 36 AND 36R. PILOT TO EXER CTN FLW MARSHALLER GUIDANCE"

VABBA0681/26 (30 APR 26)

ARRIVALS AFTER VACATING THE RWY.CTC AHMEDABAD GND
121.675MHZ IF UNA CTC 118.100MHZ.
AMEND EAIP INDIA VAAH AD 2.22 (FLT PROCEDURES) ACCORDINGLY

VABBA0675/26 (30 APR 26)

REF EAIP INDIA AD 2 VAAH 2.14.4 APCH AND RWY LGT. AMEND
MEHT VALUE OF RWY 05 AND 23 AS FLW:
RWY 05 - 66.58FT
RWY 23 - 68.20FT

// (COM-INFO) //

*THA 00320/17 (14 FEB 25)

COM INFO:--RWY MAINT: every WED 0530-0930. (REF AOI VAAH 1-10)

OPLA / LHE

OPKCA0393/26 (01 JUL 26)

"ACFT PRKG BAYS 09,10 AND 11 CLSD DUE CIVIL WIP.
FLW ARRANGEMENTS MADE DRG NOTAM PERIOD.
- PROLONGED PRKG UNDER NO CIRCUMSTANCES BE PERMITTED.
- OPLA NOT BE DESIGNATED AS AN ALTN"

OPKCA0392/26 (01 JUL 26)

THE AIRSPACE CLASSIFICATION OF LAHORE CONTROL ZONE
IS REDESIGNATED AS CLASS C. AMEND AIP PAKISTAN
PAGE AD 2 OPLA-12 PARA OPLA 2.17 SUB PARA 3

OPKCA0389/26 (30 JUN 26)

IN VIEW OF MONSOON SEASON. HVY BIRD ACTIVITY AROUND
AIRFIELD BELOW 3000 FT IS OBSERVED. PILOTS ARE ADVISED
TO EXER CTN WHILE APCH AND TKOF PHASE. AIRLINES TO
CARRY ADEQUATE FUEL FOR ANTICIPATED HOLDING ON GROUND
AND IN AIR

*OPKCA0388/26 (30 JUN 26)

0001-0300
RWY 36R/18L AND 36L/18R CLSD DUE HVY BIRD ACT
PERSIST ON AND AROUND AIRFIELD. IN CASE OF EMERG
LDG RWY AVBL AT DISCRETION OF PILOT

// (COM INFO) //

THA 00175/26 (30 JUN 26)

COM INFO:--(NEW)+++ Whenever potable water is uplifted at LHE, pilot must report
potable water uplifted in technical logbook to inform maintenance to disinfect potable water
tank.
(ISSUED 30JUN26/OP/31DEC26/2359)

OPKCA0898/22 (28 NOV 23)

HOTEL TAXI TRACK IS OPERATIONAL.
FOLLOWING INFORMATIONS ARE AS UNDER:

----- REHABILITATED PORTION OF TWY H -----	----- NORMAL PORTION OF TWY H -----
REHABILITATED PORTIONOF TWY H AFTER NORMAL PORTION HAS DIMENSIONS AS GIVEN BELOW -----	NORMAL PORTION OF TWY H FM THE EDGE OF RWY 36L/18R HAS DIMENSIONS AS GIVEN BELW -----
LENGTH 1758 FEET -----	LENGTH 810 FEET -----
WIDTH 75.5 FEET -----	WIDTH 75.5 FEET -----
PCN 49/F/C/X/T -----	PCN 10/F/D/Y/T (AS ALREADY MENTIONED IN AIP) -----
A. TWY EDGE LGT AVBL. B. DAY AND NGT OPERATION IS AVBL FOR COMPATIBLE ACFT. C. TWY EDGE MARKING AVBL.	

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 62/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

OPKC / KHI

// (COM-INFO)//

THA 00696/15 (04 MAR 26)

COM INFO:--PLS contact SHAHEEN Operation on 131.2
to provide ETA prior landing. (ISSUE 02JUL25/REF Email KHIKP04JUN25/UFN)

OMDB / DXB

OMAEA2320/26 (16 JUL 26)

0300-1500

"DUE TO CRANES ACTIVITIES WI OMDB AD,
SID RWY 12L MNM TURN ALTITUDE 490 FT AMSL AND MNM OBSTACLE CLIMB
GRADIENT 3.4 (206 FT PER NM) UP TO 500 FT AMSL, REF OMDB 2-41.
OMNIDIRECTIONAL SID RWY 12L MNM OBSTACLE CLIMB GRADIENT 3.4 (206 FT
PER NM) UP TO 500 FT AMSL, REF OMDB 2-48.
LNAV/VNAV RWY 30R TO READ AS CAT A 380(347), CAT B 390(357), CAT C
400(367), CAT D/DL 410 (377) REF CHART OMDB AD 2-70.
LNAV/VNAV RWY 30L TO READ AS CAT A 380(320), CAT B 390(330) CAT C
400(340), CAT D/DL 410 (350) REF CHART OMDB AD 2-71."

*OMAEA2283/26 (09 JUL 26)

10 16 17 21 23 30 31 1100-1400
RWY 12L/30R CLSD.

*OMAEA2272/26 (09 JUL 26)

09 14 15 22 24 28 29 1100-1400
RWY 12R/30L CLSD.

OMAEA2179/26 (26 JUN 26)

"SECN OF TXL J BEHIND ACFT STANDS B8 AND B9 CLSD.
SECN OF TXL U BEHIND ACFT STAND B8 AND ACFT STAND B9 TEMPO RELOCATED
TO THE NORTH TO ALLOW CODE F ACFT MOVEMENTS. THE CENTERLINE FOR THIS
SECN WILL NOT HAVE CENTERLINE LIGHTS BUT WILL BE INSTL WITH GREEN
REFLECTORS.
SECN OF CROSSOVER TWY U1 LINKING TO THE TEMPO SECN OF TXL U WILL NOT
HAVE CENTERLINE LIGHTS BUT WILL BE INSTL WITH GREEN REFLECTORS.
CROSSOVER TWY U2 RELOCATED TEMPO TO THE EAST BTN ACFT STANDS B10 AND
B12 LINKING TEMPO SECN OF TXL U. THE CENTERLINE FOR TEMPO CROSSOVER
TWY U2 WILL NOT HAVE CENTERLINE LIGHTS BUT WILL BE INSTL WITH GREEN
REFLECTORS.
CROSSOVER TWY U3 CLSD.
CROSSOVERS TWY U1 AND TWY U2 WILL BE CODE F COMPATIBLE.
TEMPO TWY SECTIONS WILL BE AVBL FOR UNRESTRICTED MOVEMENTS UP TO CODE
F IN CAT I CONDITIONS.
IN CAT II/III CONDITIONS MOVEMENTS MAY BE ALLOWED UNDER FOLLOW-ME
GUIDANCE.
EXISTING SECTIONS OF TXL U ARE COMPATIBLE FOR CODE E AND BELOW ONLY.
THEREFORE, CODE F ACFT MOVING ON THE TEMPO RELOCATED SECN OF TXL U
MUST BE VIGILANT NOT TO CONT STRAIGHT ON THE CODE E TXL U SECTIONS.
REF AIP SUP 20/2026 AREA M27 PHASE 1A."

OMAEA2175/26 (26 JUN 26)

"SECN OF TWY M BETWEEN TWY M13A AND TWY M15A CLSD.
TWY M14A, TWY M14B AND TWY M15 CLSD.
TWY M15A WEST LINK ONTO TWY M CLSD.
TWY M15B WEST LINK ONTO TWY M CLSD.
TWY M13A EAST LINK ONTO TWY M CLSD.
TWY M13B EAST LINK ONTO TWY M CLSD.
REF AIP SUP 20/2026 AREA C11 PHASE 1C AND AREA C11 PHASE 1D."

*OMAEA2162/26 (25 JUN 26)

08 22 2130-2215
RWY 12R/30L CLSD.

*OMAEA2160/26 (25 JUN 26)

05 12 19 26 1130-1300
RWY 12R/30L CLSD.

*OMAEA2161/26 (25 JUN 26)

16 30 2130-2215
RWY 12L/30R CLSD.

OMAEA2120/26 (19 JUN 26)

18 JUL 2026 14:30-18 JUL 2026 18:30
SECN OF TXL P BTN ACFT STANDS E18 AND E22 CLSD.
TWY P4 CLSD.

OOMS / MCT

*OOMSA0417/26 (15 JUL 26)

LANDING AND TAKEOFF LIMITED TO FLW RUNWAY ONLY:
RWY 08R/26L: FROM 0400 TO 1600 UTC
RWY 08L/26R: FROM 1600 TO 0400 UTC
LAST PUSHBACK 20 MIN PRIOR RWY SWITCHOVER

OOMSA0328/26 (25 MAY 26)

"-REF AIRAC AIP 03/25, USE OF PUBLISHED STARS RWY 08L/26R AND RWY 08R/26L TEMPORARILY SUSPENDED. ALL ARRIVING TRAFFIC CAN EXPECT RADAR VECTORS TO THE APPROPRIATE IAP FOR FLIGHT PLANNING PURPOSES, ALL ARRIVING TRAFFIC TO OOMS SHALL FILE FLIGHT PLAN ROUTE TO MCT DVOR."

OOMSA0246/26 (02 MAY 26)

OOMS RWY 08L/26R ILS CAT II OPERATIONS SUSPENDED UNTIL FURTHER NOTICE.
23 APR 26 09:53 UNTIL 21 JUL 26 10:00 ESTIMATED

OITR / OMH

OIIIA1373/26 (28 JUN 26)

OITR AMD (AIR MOVE DISPLAY) U/S
28 JUN 26 08:59 UNTIL 26 SEP 26 09:00 ESTIMATED

OIIIA1312/26 (22 JUN 26)

"ALL AIRCRAFT (IFR AND VFR) DEPARTING FM/ARRIVING TO UROMIYEH AD SHALL BE EQUIPPED WITH SSR TRANSPONDER MODE S WITH ADS-B CAPABILITY OR ADS-B WITH DEDICATED 1090 MHZ ADS-B OUT CAPABILITY, EXC FOR THOSE FLT ENGAGED IN HOSP OPERATION."
22 JUN 26 11:43 UNTIL 19 SEP 26 08:30 ESTIMATED

// (COM-INFO) //

THA 00145/24 (10 SEP 24)

COM INFO: -- ATS HOURS 0330-1830, OTHER TIME O/R (LIDO AOI) (PC-INFO)

OIII / THR

OIIIA1555/26 (15 JUL 26)

"REF AIP PAGE AD 2-19 OIII, ITEM 2.21
NOISE ABATEMENT PROCEDURES NR 3,
CURFEW RESTRICTION AT MEHRABAD AD
IS TEMPO SUSPENDED."
15 JUL 26 08:10 UNTIL 15 AUG 26 20:30 ESTIMATED

OIIIA1543/26 (14 JUL 26)

"REF AIP PAGE AD 2 OIII IAC 1-1 AND IAC 1-1-1,
- INSTRUMENT APPROACH PROCEDURE
TEHRAN/MEHRABAD
ILS Z OR LOC Z RWY 29L
CAT A/B/C/D , AND
- INSTRUMENT APPROACH PROCEDURE TABULAR DESCRIPTION
TEHRAN/MEHRABAD
ILS Z RWY 29L
CAT A/B/C/D,
SUSPENDED."
14 JUL 26 07:48 UNTIL 12 OCT 26 20:30 ESTIMATED

OIIIA1488/26 (08 JUL 26)

"TO ENSURE COMPLIANCE WITH ALLOCATED SLOTS AT OIII, CHANGES TO FILED FLIGHT PLANS SHALL BE MADE ONLY BY SUBMITTING A NEW FLIGHT PLAN (FPL). ACCORDINGLY, DLA (DELAY) AND CHG (CHANGE) MESSAGES FOR ALL IFR ARRIVAL AND DEPARTURE FLIGHTS TO/FROM OIII ARE NOT ACCEPTED."
08 JUL 26 12:10 UNTIL 08 SEP 26 12:10 ESTIMATED

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 64/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

OIIIA1424/26 (30 JUN 26)

"REF AIP PAGE ENR 1.6-1, TEHRAN TMA MSSR RADAR U/S AND
APCH RADAR SER IN TEHRAN TMA NOT AVBL."
30 JUN 26 06:32 UNTIL 22 SEP 26 08:30 ESTIMATED

OIIIA0958/26 (12 MAY 26)

"ILS (LOC, GP, DME) RWY 29R ITRN CH44X U/S AND SUBSEQUENTLY
REQUIRED FLTCK"
12 MAY 26 08:45 UNTIL 10 AUG 26 23:59 ESTIMATED

OIIIA0830/26 (27 APR 26)

"TWO HOLES EXIST ON TWY A BTN TWY A3 AND A4 :
2M NORTH OF TWY CL, LEN: 50 CM , WID: 20 CM , DPT: 08 CM
1M NORTH OF TWY CL, LEN: 30 CM , WID: 30 CM , DPT: 05 CM."
27 APR 26 07:08 UNTIL 26 JUL 26 12:00 ESTIMATED

OIIIA0829/26 (27 APR 26)

"A HOLE EXISTS ON 1.5M RIGHT SIDE OF CL TWY A, BFR TWY A1
WITH FLW SPECIFICATIONS:
LEN:50 CM, WID:15 CM, DPT:10 CM"
27 APR 26 07:05 UNTIL 26 JUL 26 12:00 ESTIMATED

OIIIA0828/26 (27 APR 26)

"A HOLE EXISTS ON SOUTH OF RCL 11L/29R BTN TWY A3 AND TWY A4,
WITH FLW SPECIFICATION:
DIST FM RCL: 1 M,
LEN: 30 CM, WID: 20 CM, DPT: 5 CM"
27 APR 26 06:59 UNTIL 26 JUL 26 12:00 ESTIMATED

OIIIA0822/26 (26 APR 26)

"A HOLE EXISTS ON 1 M RIGHT SIDE OF CL TWY A
BTN TWY A3 AND A4 BFR STAND NR 308
WITH FLW SPECIFICATIONS:
LEN:30 CM, WID:30 CM, DPT:7 CM"
26 APR 26 16:48 UNTIL 26 JUL 26 16:46 ESTIMATED

OIIIA0821/26 (26 APR 26)

"A HOLE EXISTS ON SOUTH OF RCL 11L/29R AT INT TWY A3
WITH FLW SPECIFICATION:
-DIST FM RCL: 1 M,
LEN: 40 CM, WID: 10 CM, DPT: 10 CM"
26 APR 26 16:33 UNTIL 26 JUL 26 16:30 ESTIMATED

OIIIA0820/26 (26 APR 26)

"A HOLE EXISTS ON CL TWY A1 WITH FLW SPECIFICATIONS:
LEN:20CM, WID:5CM, DPT:4CM"
26 APR 26 16:29 UNTIL 25 JUL 26 16:30 ESTIMATED

OIIIA0819/26 (26 APR 26)

"REF AIP PAGE AD 2-10 OIII ITEM 2.18,
MEHRABAD CLEARANCE DELIVERY NOT OPR."
26 APR 26 10:25 UNTIL 26 JUL 26 10:00 ESTIMATED

OIIIA0818/26 (26 APR 26)

"REF AIP AD 2.20 ITEM 6-1-5, TWY A3, A4 AND A5 OPN
AND ONLY AVBL FOR EMERG EXIT."
26 APR 26 10:23 UNTIL 26 JUL 26 10:00 ESTIMATED

OIZH / ZAH
N I L

OIIE / IKA

OIIIA1170/26 (08 JUN 26)

TWY R6 CLSD.
08 JUN 26 09:20 UNTIL 06 SEP 26 15:30 ESTIMATED

OIIIA1052/26 (25 MAY 26)

"REF NOTAM A0983/26, PILOT MUST BE READY TO USE
DVOR/DME TRN FREQ 115.300 MHZ CH 100X IN CASE INSTRUCTED BY
MEHRABAD ATC."
25 MAY 26 09:13 UNTIL 15 AUG 26 06:00 ESTIMATED

OIIIA0990/26 (17 MAY 26)

ACFT DOCKING GUIDANCE SYSTEM STANDS
NR 104R AND 116R U/S.
17 MAY 26 14:08 UNTIL 15 AUG 26 15:30 ESTIMATED

OIIIA0991/26 (17 MAY 26)

TWY R5 AND TWY B BTN TWY R4 AND TWY R5 CLSD DUE TO WIP.
17 MAY 26 14:14 UNTIL 15 AUG 26 15:30 ESTIMATED

OIIIA0983/26 (16 MAY 26)

"DVOR/DME IKA FREQ 114.300 MHZ CH 90X U/S AND
SUBSEQUENTLY REQUIRED FLTCK.
ALSO ALL SID, STAR AND IAP BASE ON MENTIONED SYSTEM
TEMPORARILY SUSPENDED."
16 MAY 26 11:33 UNTIL 15 AUG 26 06:00 ESTIMATED

OIIIA0965/26 (12 MAY 26)

PAPI RWY 29R U/S AND SUBSEQUENTLY REQUIRED FLTCK
12 MAY 26 08:53 UNTIL 10 AUG 26 23:59 ESTIMATED

OITT / TBZ

OIIIA1462/26 (04 JUL 26)

ISOL ACFT PSN OCCUPIED BY DISABLED ACFT AND
TWY M CONSIDERED AS ISOL AREA.
04 JUL 26 09:43 UNTIL 10 SEP 26 10:00 ESTIMATED

OIIIA1378/26 (28 JUN 26)

"ILS(LOC,GP,DME) RWY 30R ITBZ CH36X NOT OPR DUE TO PWR"
28 JUN 26 10:32 UNTIL 30 JUL 26 10:30 ESTIMATED

*OIIIA1377/26 (28 JUN 26)

RWY 12L/30R CLSD DUE TO CONST WORK.
28 JUN 26 10:30 UNTIL 30 JUL 26 10:00 ESTIMATED

OIIIA1376/26 (28 JUN 26)

"TWY D, E AND F CLSD DUE TO CONST WORK."
28 JUN 26 10:13 UNTIL 30 JUL 26 10:00 ESTIMATED

UZTT / TAS

UZTTD1214/26 (11 JUL 26)

STAND H-44 USE ONLY FOR TAXIING ACFT.

UZTTD1210/26 (10 JUL 26)

"RWY 08R/26L: 180 DEG TURN IS PROHIBITED, EXCEPT TURN AT
RWY 08R/26L WITH CROSSING TWY-7 AND TURN PAD, FOR VIP FLIGHTS,
CHECK FLIGHT AND ACFT MTOW OF 24 TONS AND LESS."

UZTTD1207/26 (09 JUL 26)

"TAXIING INTO/OUT ACFT TO STANDS H48, H49, H50, H51,H52,
H53, H54, H55, H56, H57 USE BY TOWING FROM START-UP POINT N11.
MOVEMENT ACFT WITH TURNED OFF ENGINES.
START-UP ENGINES ON START-UP POINT N11."

ETOQV0542/26 (08 JUL 26)

[US DOD PROCEDURAL NOTAM] INSTRUMENT APPROACH PROCEDURE CHANGED ILS C OR LOC C RWY 26R,
MINIMUMS S-LOC 26R 1930/1600M 513 (600-1600M).

UZTTD1147/26 (01 JUL 26)

STAND C-41 CLSD.

UZTTD1134/26 (30 JUN 26)

TAXIING ACFT FROM TWY-2 TO TWY-B AVLB WITH MAX ACFT WINGSPAN
60.60M THE WHITE DASHED LINE TO STAND B2 FOLLOW FOLLOW-ME CAR
IF STAND B8A IS NOT OCCUPIED.

UZTTD1133/26 (30 JUN 26)

"AT ACFT STANDS F94, F94A, F95, F96, F97, F97A:
ENGINE START-UP ONLY AT MTWY. TAXI IN AND TAXI OUT OF ACFT BY TOWING
ONLY."

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 66/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

UZTTD1132/26 (30 JUN 26)

"TAXIING INTO AND TAXIING OUT ACFT TO/FROM STANDS D23, D24, D25
USE BY TOWING."

UZTTD1130/26 (30 JUN 26)

"RWY 08L/26R: 180 DEG TURN IS PROHIBITED, EXCEPT TURN PAD
(08L/26R) FOR VIP FLIGHTS,CHECK FLIGHT I ACFT MTOW OF 24 TONS
AND LESS."

UZTTD1128/26 (30 JUN 26)

AIRCRAFT CREWS EXPECT DLA ON ARR AND DEP DUE TO CONSTRUCTION
WORKS AT THE AERODROME.

UZTTD1127/26 (30 JUN 26)

TAXIING ON TWY-B TO TWY-2 AND BACK AVLB WITH MAX ACFT WINGSPAN
MORE 48.06M UP TO INCLUDING 64.8M ALONG THE YELLOW DASHED LINE
FOLLOW FOLLOW-ME CAR IF STAND B8A IS NOT OCCUPIED.

UZTTD1126/26 (30 JUN 26)

TAXIING ON TWY-B TO TWY-1 AND BACK AVLB WITH MAX ACFT WINGSPAN
MORE 48.06M UP TO INCLUDING 64.8M ALONG THE YELLOW DASHED LINE
FOLLOW FOLLOW-ME CAR.

UZTTD1125/26 (30 JUN 26)

START-UP POINT N17 REPLACED ON ABEAM STAND E1.

UZTTD1124/26 (30 JUN 26)

"TAXIING INTO ACFT TO STAND B7 BY OWN POWER FOLLOW FOLLOW-ME CAR,
TAXIING OUT BACK BY TOWING TO TWY-H."

UZTTD1123/26 (30 JUN 26)

TEMPORARY STAND ESTABLISHED:
STAND B7 COORDINATES N411543.76 E0691609.60
MAX ACFT WINGSPAN 36M.
MAX ACFT LENGTH 46M.
PCN-47/F/B/X/T.

UZTTD1120/26 (30 JUN 26)

"SEGMENT TWY-B ABEAM STAND B-16, B-17 CLSD."

UZTTD1119/26 (30 JUN 26)

"STAND B-3 IS AVLB FOR ACFT WITH WINGSPAN NO MORE THAN 36M, LENGHT
NO MORE THAN 45M."

UZTTD1121/26 (30 JUN 26)

"TAXIING INTO ACFT TO STAND B-16, B-17 BY OWN POWER,
TAXIING OUT BACK BY TOWING."

UZTTD0978/26 (29 MAY 26)

"STANDS E69, E70 ARE AVLB FOR ACFTS WITH WING SPAN
NO MORE THAN 34,1M AND LENGTH NO MORE THAN 44,6M."

UZTTD0977/26 (29 MAY 26)

TWY-H FROM ABEAM STAND E1 TO ABEAM STAND B-7 CLSD.

UZTTD0975/26 (29 MAY 26)

"STAND E71 IS AVLB FOR ACFT WITH WINGSPAN NO MORE THAN 34.1M,
LENGTH
NO MORE THAN 37.57M, ONLY IF STAND E70A IS OCCUPIED BY ACFT WITH
WINGSPAN NO MORE THEN 60.3M LENGTH NO MORE THEN 63.7M."

UZTTD0973/26 (29 MAY 26)

TAXIING ACFT TO ABEAM STAND E1 AVLB WITH MAX ACFT WINGSPAN
36M AND LESS ALONG THE YELLOW DASHED LINE FOLLOW FOLLOW-ME CAR.

UZTTD0972/26 (29 MAY 26)

"TAXIING INTO ACFT TO STAND B15 BY OWN POWER,
TAXIING OUT ACFT BACK BY TOWING ON MAIN TWY OR TOWING FORWARD
ON START-UP POINT N3."

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 67/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

UZTTD0904/26 (14 MAY 26)

"SID DVOR/DME RWY 08L/R PUBLISHED IN CHART SID DVOR/DME RWY 26R/L, RWY 08L/R (AIP UZTT AD2.24-4.15) TO BE ASSIGNED IN CASE OF GNSS FAILURE OR LOSS.
UNDER NORMAL CONDITIONS RNAV (GNSS) SID SHALL BE USED.
REF: AIP UZTT AD2.24-4.15 AIRAC AMDT 03/26 EFFECTIV DATE 14 MAY 2026."

UZTTD0864/26 (07 MAY 26)

"ON PAGE AD2.UZTT-7, ADD THE FOLLOWING VALUES TO TABLE 2.13 DECLARED DISTANCES:
RWY 08L:
TWY1: TORA 3750M, TODA 3900M, ASDA 3750M
RWY 26R:
TWY5: TORA 3750M, TODA 3900M, ASDA 3750M
TWY3: TORA 1200M, TODA 1350M, ASDA 1200M
RWY 08R:
TWY7: TORA 3555M, TODA 3705M, ASDA 3555M
RWY 26L:
TWY13: TORA 1300M, TODA 1450M, ASDA 1300M
TWY14: TODA 2500M INSTEAD OF 2350M.
REF: AIP AD2. UZTT-7 AIRAC AMDT 05/25
EFFECTIV DATE 02 OCT 2025."

UZTTD0863/26 (07 MAY 26)

"ON PAGE UZTT AD2.24-1.0-1, MAKE THE FOLLOWING CORRECTIONS IN THE DECLARED DISTANCES TABLE:
RWY 08L: TWY1 INSTEAD OF THR1:
RWY 26R: TWY5 INSTEAD OF THR5:
RWY 08R: TWY7 INSTEAD OF THR7:
REF: AIP UZTT AD2.24-1.0-1 AIRAC AMDT 03/26
EFFECTIV DATE 14 MAY 2026."

UZTTD0360/26 (17 FEB 26)

"EFFECTIVE FROM 17 FEBRUARY 2026 ON A PERMANENT BASIS, ALL BUSINESS AVIATION OPERATORS PLANNING TO PERFORM CHARTER FLIGHTS TO THE CITY OF TASHKENT (REPUBLIC OF UZBEKISTAN) SHALL INDICATE TASHKENT-VOSTOCHNY AD(HUMO)-UZTP AS THE DESTINATION AD IN FLIGHT APPLICATIONS AND IN FLIGHT PLANS INSTEAD OF TASHKENT- I.KAROMOV- UZTT."

UZTTD1039/25 (29 OCT 25)

"D-ATIS SYSTEM AVBL VIA CH SITA.
REF.AIP GEN 3.5,AD2.UZTT-6."

UZTTD1020/25 (29 OCT 25)

CPDLC AVBL VIA CH SITA.
REF.AIP ENR 1.6.

UZSS / SKD

UZTTD0820/26 (28 APR 26)

"CLOSED RWY REMAINS SOUTH OF RWY 09/27.AVERAGE DISTANCE BETWEEN ACTIVE AND CLOSED RWY CENTERLINES IS 110 METERS.
PILOTS MUST EXERCISE CAUTION TO AVOID RWY CONFUSING.
REF:AIP AD2.UZSS-11,UZSS-12,UZSS-27,UZSS-28,UZSS-29,UZSS-30,UZSS-31,UZSS-32."
28 APR 26 11:57 UNTIL 27 JUL 26 18:59 ESTIMATED

UZTTD0819/26 (28 APR 26)

"TAXIING ACFT TO STANDS 12-13 BEHIND FOLLOW FOLLOW-ME CAR, WITH EXCEPTION ACFT WITH WINGSPAN OF 36,0 METERS OR MORE."
28 APR 26 11:53 UNTIL 27 JUL 26 18:59 ESTIMATED

UZTTD0817/26 (28 APR 26)

STANDS FOR ACFT CAT A-B-C AND MODIFICATIONS 12-24 (TAX INTO NOSE TO NORTH AND TAX OUT OF UNDER ENGINES POWER BY ASSISTANCE OF FOLLOW-ME CAR.
28 APR 26 11:39 UNTIL 27 JUL 26 18:59 ESTIMATED

UZTTD1035/25 (02 OCT 25)

"D-ATIS SYSTEM AVBL VIA CH SITA.
REF.AIP GEN 3.5,AD2.UZSS-10."

UZTTD1021/25 (02 OCT 25)

CPDLC AVBL VIA CH SITA.
REF.AIP ENR 1.6.

UTDD / DYU

UTDAA0043/26 (01 JUN 26)

"CHART SID PUGUS 1A RENAMED INTO SID SX 1A.
REF AIP AD.2 UTDD-79,80."

UTDAA0047/26 (01 JUN 26)

"CHART STAR PUGUS 1E RENAMED INTO STAR SX 1E.
REF AIP AD.2 UTDD-129,130."

UTDAA0049/26 (01 JUN 26)

"CHART STAR PUGUS 1N RENAMED INTO STAR SX 1N.
REF AIP AD.2 UTDD-145,146."

UTDAA0045/26 (01 JUN 26)

"CHART SID PUGUS 1J RENAMED INTO SID SX 1J
REF AD.2 UTDD-101,102."

UTDAA0039/26 (05 MAY 26)

"STANDS B1, B1W CLSD."

UTAK / KRW

*UUUUU00263/26 (15 JUL 26)

RWY 16L/34R CLSD.

UUUUU00231/26 (15 JUN 26)

NDB 34R WZ 911 KHZ U/S DUE TO REPAIR WIP.

UTAA / ASB

UUUUU00259/26 (04 JUL 26)

"STANDS 113, 113A CLSD."

UBBB / GYD

UBBUA00212/26 (16 JUL 26)

ACFT STAND C7 CLOSED DUE TO CONSTRUCTION WORKS

UBBUA00211/26 (15 JUL 26)

"TWY E,E2,D,G,P CENTRE LINE LIGHTS U/S."

UBBUA00206/26 (07 JUL 26)

"RWY ENTRANCE LIGHTS AT INTERSECTION TWY H, TWY H2, TWY H4 AND TWY
S WITH RWY 17/35 U/S"

UBBUA00201/26 (29 JUN 26)

PORTION OF TWY M1 BEHIND STAND F1 CLSD DUE TO CONSTRUCTION WORKS.

UBBUA00190/26 (01 JUN 26)

VALIDITY OF AD CERTIFICATION CHANGED TO 01.06.2026-31.05.2029
REF AIP AD 1.5

UBBUA00137/26 (28 MAY 26)

"TRIGGER NOTAM PERM AIRAC AIP AMDT 03/2026 WEF 09 JUL 2026
UBBB AD 2.24.10-19, UBBB AD 2.24.10-23, UBBB AD 2.24.10-27, UBBB AD
2.24.10-31 CHARTS UPDATED."

UBBUA00136/26 (28 MAY 26)

"TRIGGER NOTAM PERM AIRAC AIP AMDT 03/2026 WEF 09 JUL 2026
UBBB AD 2.24.10-13, UBBB AD 2.24.10-15 CHARTS UPDATED."

UBBUA00134/26 (28 MAY 26)

"TRIGGER NOTAM PERM AIRAC AIP AMDT 03/2026 WEF 09 JUL 2026
UBBB AD 2.24.9-3, UBBB AD 2.24.9-7, UBBB AD 2.24.9-11, UBBB AD

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 ELL 0615+

Page 69/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

2.24.9-15 CHARTS UPDATED."

UBBUA0135/26 (28 MAY 26)

"TRIGGER NOTAM PERM AIRAC AIP AMDT 03/2026 WEF 09 JUL 2026
UBBB AD 2.24.10-1, UBBB AD 2.24.10-3, UBBB AD 2.24.10-5, UBBB AD
2.24.10-9 CHARTS UPDATED."

UBBUA0133/26 (28 MAY 26)

"TRIGGER NOTAM PERM AIRAC AIP AMDT 03/2026 WEF 09 JUL 2026
UBBB AD 2.24.7-3, UBBB AD 2.24.7-7, UBBB AD 2.24.7-11, UBBB AD
2.24.7-15 CHARTS UPDATED."

UBBUA0132/26 (28 MAY 26)

"TRIGGER NOTAM PERM AIRAC AIP AMDT 03/2026 WEF 09 JUL 2026
UBBB AD 2.8, UBBB AD 2.10, UBBB AD 2.12, UBBB AD 2.18 TABLES UPDATED.
UBBB AD 2.24.1-1, UBBB AD 2.24.3-1, UBBB AD 2.24.3-3 CHARTS UPDATED."

UBBUA0108/26 (24 APR 26)

SURFACE MOVEMENT RADAR U/S.

UGTB / TBS
N I L

UDYZ / EVN

UDDDA0108/26 (08 JUL 26)

FROM 09 JULY 2026 AT 11:00 UTC ZVARTNOTS AIRPORTS RUNWAY WILL
OPERATE WITH A NORMAL THRESHOLD
RUNWAY EDGE LIGHTS (RL) WILL BE AVAILABLE
RUNWAY 08 THRESHOLD LIGHTS AND RUNWAY ENTRANCE LIGHTS WILL BE
AVAILABLE
THE PRECISION APPROACH PATH INDICATOR (PAPI) 08 WILL BE AVAILABLE
THE SIMPLE APPROACH LIGHTING SYSTEM 08 WILL BE AVAILABLE
THE RUNWAY CENTERLINE LIGHTS AND TOUCHDOWN ZONE LIGHTS WILL NOT BE
AVAILABLE
CAT I AND CAT II WILL BE OUT OF SERVICE
TAXIWAY A AND THE PORTION OF THE MAIN TWY FROM APRON 1 TO TWY A
WILL NOT BE OPERABLE

UDDDA0090/26 (25 JUN 26)

FOR UDYZ IAC RWY 08/26:

IN CASE OF COMMUNICATION FAILURE DURING RADAR VECTORING PROCEED TO
OKUDA AT LAST CLEARED ALTITUDE BUT NOT BELOW 7000 FT

REF AIP ARMENIA
UDYZ AD 2.2-13
UDYZ AD 2.2-41
UDYZ AD 2.2-43
UDYZ AD 2.2-47
UDYZ AD 2.2-53
UDYZ AD 2.2-57
UDYZ AD 2.2-59

UDDDA0081/26 (15 MAY 26)

"TRIGGER NOTAM - PERM AIRAC AIP AMDT 02/26 WEF 09 JUL 2026
UDYZ - NEW SIDS, STARS AND NEW HOLDING PATTERN"

LTCC / DIY

LTAAJ2676/26 (26 JUN 26)

ILS IDBN RWY 34R U/S

LTAAJ2290/26 (04 JUN 26)

"TWY H2, TWY J, TWY W, TWY K OPN TO CIV TFC.
-ADVISE ATC INSTRUCTIONS.-"

*LTAAJ2268/26 (04 JUN 26)

RWY 16L/34R CLSD TO ALL TFC DUE TO RWY MAINT

*LTAAD1283/26 (04 JUN 26)

RWY 16L/34R CLSD TO TFC DUE TO RWY RENOVATION WORKS.

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 70/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

LTAAJ2178/26 (26 MAY 26)

RWY 16R APPROACH PAPI ANGLE IS 3.5 DEGREE

LTAAD1221/26 (26 MAY 26)

RWY 16R APPROACH PAPI ANGLE IS 3.5 DEGREE

LTAAJ2170/26 (25 MAY 26)

RWY END IDENTIFIER LIGHTS RWY 34L U/S.
RWY END IDENTIFIER LIGHTS RWY 16R U/S.

LTAAD1219/26 (25 MAY 26)

RWY END IDENTIFIER LIGHTS RWY 34L U/S.
RWY END IDENTIFIER LIGHTS RWY 16R U/S.

LTAAD1220/26 (25 MAY 26)

MIL-S POOL CLSD.

LTAAJ1838/26 (30 APR 26)

ASR UNRELIABLE BTN RADIALS 201-255 AND BTN 9-22NM AT ALL ALTITUDE.

LTAAD1007/26 (30 APR 26)

AIRFIELD SURVEILLANCE RADAR (ASR) UNRELIABLE BTN RADIALS 201-255
AND BTN 9-22NM RADIUS AT ALL ALTITUDES.

LTAAJ1810/26 (28 APR 26)

"TWYS H1, K1, F1, E1, D1, C1, B1 AND MIL-D2 CLSD TO CIV TFC.
-DUE TO MAINT-"

*LTAAJ1809/26 (28 APR 26)

RWY 16L/34R APCH LIGHTING SYSTEM AND RWY LIGHTS U/S.

*LTAAD0958/26 (28 APR 26)

RWY 16L/34R APCH LIGHTING SYSTEM AND RWY LIGHTS U/S.

LTAAD0959/26 (28 APR 26)

"TWYS C1, H1, MIL F, MIL G, MIL H CLSD TO TFC."
28 APR 26 06:54 UNTIL 28 JUL 26 14:00 ESTIMATED

LTAR / VAS

LTAAJ2589/26 (23 JUN 26)

"MOBILE VEHICLE PRESENCE EAST OF RWY 01/19 , 180M DISTANCE TO CL .
-DUE TO NEW RWY CONSTRUCTION WORK-
-ADVISE TOWER INSTRUCTIONS-"

LTAC / ESB

LTAAJ2967/26 (16 JUL 26)

"TWY A SURFACE IS CONCRETE BTN COORDINATES 400815.27N0330031.10E
AND 400823.06N0330038.54E

PCN: 138 R/A/W/T, PCR: 1240 R/A/W/T
BE CAUTIOUS UNTIL AIP/AIRAC DATA PUBLISHED.
ADVISE TWR INSTRUCTIONS."

LTAAJ2968/26 (16 JUL 26)

"DE-ICING PRKG PSN ON APRON 1 LCA IN LINE WITH THE ACFT STANDS
101, 102 AND 103 DESIGNATED AS DE-1 AND DE-2, RENAMED AS DP-1 AND
DP-2.
-BE CAUTIOUS UNTIL AIP/AIRAC DATA PUBLISHED-
-ADVISE TWR INSTRUCTIONS-"

LTAAJ2954/26 (16 JUL 26)

NDB ANK 356KHZ U/S DUE TO FLTCK.

LTAAJ2837/26 (08 JUL 26)

ATIS (AUTOMATIC TERMINAL INFORMATION SERVICE) 129.200MHZ (DEP)
U/S.
ATIS (ARR) AND ATIS (DEP) BROADCASTS ARE PROVIDED ON 123.600MHZ.

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 71/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

LTAAJ2832/26 (08 JUL 26)

"ANKARA ESENBOGA AD:

STAR-2 (RWY 21R/C),
STAR-8 (RWY 03R),
STAR-9 (RWY 21L),
IAC-1 (NDB Z RWY 03C),
IAC-7 (NDB Z RWY 03L),
IAC-23 (ILS Z CAT I OR LOC Z RWY 21L),
IAC-25 (ILS X CAT II RWY 03R),
IAC-26 (ILS Y CAT II RWY 21L),
IAC-27 (ILS W CAT I RWY 03R),
IAC-29 (ILS V CAT II RWY03R) PROCEDURES ARE SUSPENDED.

REF AIP AD 2 LTAC STAR-2, STAR-8, STAR-9, IAC-1, IAC-7, IAC-23,
IAC-25, IAC-26, IAC-27, IAC-29"
08 JUL 26 07:15 UNTIL 08 OCT 26 07:15 ESTIMATED

LTAAJ2808/26 (06 JUL 26)

"ACFT STANDS 208, 209, 210, 211, 212, 213, 214 AND 215 ON APRON 2
SHALL BE USED BY ACFT WITH MAXIMUM WINGSPAN OF 36 METERS.
PILOTS MUST BE CAUTIOUS UNTIL AIP DATA PUBLISHED.
ADVISE TWR INSTRUCTIONS.
SEE NOTAM: J2510/26"

LTAAJ2659/26 (26 JUN 26)

ILS GP 330.8MHZ RWY 03R U/S.

LTAAJ2510/26 (18 JUN 26)

"APRON 2 ACFT STANDS 1A, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
AND 14 RENAMED AS 201, 202, 203, 204, 205, 206, 207, 208, 209, 210,
211, 212, 213, 214 AND 215 RESPECTIVELY.
-DUE TO IMPLEMENTATION WORKS-
-BE CAUTIOUS UNTIL AIP DATA PUBLISHED-
-ADVISE TWR INSTRUCTIONS-"

LTAAA2380/26 (04 JUN 26)

"TRIGGER NOTAM-PERM AIRAC AIP AMDT 07/26 WEF 09 JUL 2026
CHANGES OF LTAC AD 2.18 ATS COMMUNICATION FACILITIES, AD 2.22 FLIGHT
PROCEDURES,AD 2 LTAC SID-1, SID-2, SID-3, SID-4, SID-5, SID-6,
SID-7, SID-8, STAR-5, STAR-6, STAR-7, MRVC"

LTAAA2303/26 (02 JUN 26)

ANKARA ESENBOGA AD:
PLEASE ADD THE FOLLOWING INFORMATION UNDER THE HEADING 'CAT II/III
AND LVTO OPERATIONS' IN SECTION AD 2.22

RWY 03R LVTO HOLDING POSITION:
M1 TAXIWAY CAT II/III HOLDING POSITION:
400604.39N-0325918.62E

RWY 21L LVTO HOLDING POSITION:
M8 TAXIWAY CAT II/III HOLDING POSITION:
400741.73N-0330051.37E

REF AIP LTAC AD 2.22

LTAAA2300/26 (02 JUN 26)

"ANKARA ESENBOGA AERODROME
PLEASE ADD THE FOLLOWING INFORMATION UNDER THE HEADING 'DE-ICING
ANTI-ICING PROCEDURES' IN SECTION AD 2.20
'FOR THE ALTERNATIVE TAXIWAY CENTERLINE DESIGNATED AS THE 'BLUE
LINE' IN DE-ICING AREAS 1 AND 2, SEE AD 2 LTAC ADC.'

THE UPDATED AD 2 LTAC ADC HAS BEEN PUBLISHED ON THE FOLLOWING
WEBPAGE AND WILL BE INCORPORATED INTO THE AIP VIA AIRAC ON AUGUST 6,
2026.

[HTTPS://WWW.DHMI.GOV.TR/SAYFALAR/SSD/MAIN.ASPX](https://www.dhmi.gov.tr/sayfalar/ssd/main.aspx)"

LTAAJ1753/26 (24 APR 26)

"DCL (DEPARTURE CLEARANCE) SYSTEM AVBL ON TEST. AIRCRAFT WITH THE
CAPABILITY SHALL TAKE ATC CLEARANCE FROM DCL SYSTEM, OTHERWISE MUST
CONTACT THE DELIVERY FREQ BROADCAST ON AUTOMATIC TERMINAL
INFORMATION SERVICE (ATIS) WITH THE REASON FOR 'REJECTION'."

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 72/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

LTFM / IST

LTAAB2614/26 (10 JUL 26)

TWY G1 BTN TWY H AND TWY G1D SHALL BE USED BY ACFT UP TO
CATEGORY C(A B C). MAX WINGSPAN 36M

LTAAB2522/26 (10 JUL 26)

TWY T1 AND TWY T12 CLSD TO TFC

LTAAB2460/26 (10 JUL 26)

"ISTANBUL AD,

ALL PILOTS WHO OPERATES ON ISTANBUL AIRPORT (LTFM) MUST BE INFORMED
ABOUT THE CONTENT OF THE 'TRO AWARENESS LEAFLET' ANNOUNCED ON THE
DHMI GENERAL DIRECTORATE WEBSITE VIA THE
HTTPS://WWW.DHMI.GOV.TR/SAYFALAR/SSD/ANASAYFA.ASPX LINK BEFORE THE
FLIGHT AND MUST OPERATE ACCORDINGLY."
16 JUN 26 08:45 UNTIL 16 SEP 26 08:45 ESTIMATED

LTAAB2017/26 (07 JUN 26)

"BIRD CONCENTRATION INFORMATION FOR ALL RWYS AND APPROACH SURFACES
AS FOLLOWS:
AT THE BEGINNING OF RWYS: 0-200M THE MOST DENSE
AT APPROACH SURFACES : 0-200M THE MOST DENSE, 200-400M DENSE,
400-1000M LOW DENSE
DENSITY LEVEL: 5
LOW ALTITUDE : SFC
HIGH ALTITUDE: 3000FT

1. IT IS LIKELY TO ENCOUNTER WITH GROUPS OF SEAGULL(670-1150G)
AT BEGINNING OF RWYS AND APPROACH SURFACE, ESPECIALLY ON SUNRISE
SUNSET HOURS AND PARTIALLY DURING THE DAY.

2. IT IS LIKELY TO ENCOUNTER WITH BIG GROUPS OF
STORK(2275-4400G),FALCON(130-1600G), HAWK(420-1180GR) AND
EAGLE(1000-2200G) MOVING FROM EAST-SOUTHEAST TO WEST-NORTHWEST
DIRECTION.

3. IT IS LIKELY TO ENCOUNTER WITH SMALL GROUPS OF
PIGEON(240-380G),JACKDAW(220-270G), STARLING(55-100G), SWALLOW
BIRD(14-20G), SWIFT BIRD(38-100G) AND LITTLE SONG BIRD(15-30G)."

*LTAAB1707/26 (10 JUL 26)

RWY 16L/34R CLSD TO LANDING TFC DUE TO CONST.

*LTAAB1708/26 (10 JUL 26)

RWY 17R/35L CLSD TO LANDING TFC DUE TO CONST A-B HANGAR.

LHBP / BUD

LHBPA4773/26 (14 JUL 26)

COMPASS CHECK POINT CLOSED DUE TO AIRCRAFT PARKING.
COMPASS CHECKS CAN BE MANAGED AT B5 HOLDING BAY.

LHBPA4617/26 (09 JUL 26)

THE COORDINATES OF PSN 45A IS 472604.25N 0191549.82E.
REFERRING TO NON-AIRAC AIP SUP 004/2026.
09 JUL 26 15:00 UNTIL 03 SEP 26 23:59 ESTIMATED

LHBPA4616/26 (09 JUL 26)

THE COORDINATES OF PSN R280 IS 472600.01N 0191559.42E.
REFERRING TO NON-AIRAC AIP SUP 004/2026.
09 JUL 26 15:00 UNTIL 03 SEP 26 23:59 ESTIMATED

LHBPA3951/26 (16 JUN 26)

THE PCN VALUE OF CONC PORTION OF TAXILANE G BEHIND STAND
R115-R117
CHANGED TO 106 R/A/W/T. REF AIP LHBP AD 2.8.

LHBPA3950/26 (16 JUN 26)

THE PCN VALUE OF ASPH PORTION OF TAXILANE G BEHIND STAND
R111-R114
CHANGED TO 51 R/B/W/T. REF AIP LHBP AD 2.8.

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 73/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

LHBPA2634/26 (30 APR 26)

"DEPARTURE PLANNING INFORMATION MSG (A-DPI AND C-DPI) PROVIDED TO EUROCONTROL NETWORK MANAGER OPERATIONS CENTER (NMOC).
1.1. ADS-B DATA REQUIRED.
1.1.1. FOR ADS-B DATA USED BY THE AD OPERATOR AND EUROCONTROL, PILOTS OF AIRCRAFT EQUIPPED WITH MODE S AND ADS-B FUNCTIONALITY MUST BE USED, WHEN OPERATING ON THE GROUND:
A) SELECT AUTOMATIC MODE AND THE ASSIGNED MODE A, OR
B) IF AUTOMATIC MODE IS NOT AVAILABLE, SELECT ON AND THE ASSIGNED MODE A
- FROM THE REQUEST OF PUSH-BACK.
- AFTER LANDING, UNTIL THE AIRCRAFT HAS STOPPED ON STAND.
- WHEN THE AIRCRAFT IS FULLY PARKED, THE PILOT SHALL SELECT STAND BY.1.1.2. WHEN THE AIRCRAFT IS CAPABLE OF COMMUNICATING ITS IDENTIFICATION (I.E. THE CALLSIGN USED IN FLIGHT), THIS MUST BE ENTERED (VIA THE FMS OR TRANSPONDER CONTROL PANEL) AT THE TIME OF THE PUSH-BACK REQUEST.
1.1.3. THE CREW MUST USE THE FORMAT DEFINED BY ICAO TO ENTER THE AIRCRAFT IDENTIFICATION.
1.1.4. IN ORDER NOT TO COMPROMISE THE PERFORMANCE OF SYSTEMS BASED ON SSR FREQUENCIES (INCLUDING AIRBORNE TCAS AND SSR RADARS), TCAS SHOULD NOT BE SELECTED BEFORE RECEIVING CLEARANCE TO LINE UP, AND SHOULD BE DESELECTED AFTER VACATING THE RUNWAY.)"
04 MAY 26 08:00 UNTIL 04 AUG 26 23:59 ESTIMATED

LROP / OTP

LRBBA3852/26 (09 JUL 26)

ACFT WITH WINGSPAN GREATER THAN 65M ARE NOT ALLOWED TO OPERATE WITHOUT A SIGNED AGREEMENT BETWEEN AIRLINE AND AIRPORT AUTHORITY

LRBBA3798/26 (07 JUL 26)

"ACFT STANDS 201-202 AVBL FOR MIL ACFT ONLY. MARSHALLING, PARKING AND ACFT MANOEUVERING TO BE CARRIED OUT BY MIL PERSONNEL"

LRBBA3779/26 (06 JUL 26)

"GROUND STAY MORE THAN 3 HOURS FOR ALL NONSCHEDULED FLIGHTS IS NOT PERMITTED. NO PARKING SPACE AVBL FOR LONG TERM PARKING, NO ACFT STORAGE AVBL. EXCEPT STATE/MIL ACFT AND ACFT PARKED ON APRON 3 GENERAL AVIATION TERMINAL."

LRBBA3637/26 (30 JUN 26)

DVOR/DME STJ 113.200MHZ/CH 79X U/S
30 JUN 26 04:49 UNTIL 31 JUL 26 23:00 ESTIMATED

*LRBBA3484/26 (23 JUN 26)

EVERY TUE 0730-0930
RWY 08L/26R CLSD

LRBBA3400/26 (19 JUN 26)

ON LROP THE FOLLOWING TIMES ARE CURRENTLY CONSIDERED AS RUSH HOURS:
0300-0600 / 0900-1200 / 1500-1800.
EXPECT RAMP CONGESTION AND DELAY.

LRBBA3267/26 (13 JUN 26)

BACKTRACK ON RWY 08R/26L IS PERMITTED ONLY AT 26L THR TURN PAD

LRBBA2970/26 (29 MAY 26)

TWY G CL LGTS LEAD IN/LEAD OUT TO/FROM RWY 08R U/S

*LRBBA2701/26 (19 MAY 26)

EVERY THU 0600-0800
RWY 08R/26L CLSD

LRBBA2416/26 (08 MAY 26)

"ADVANCED TWR PROCEDURES IN FORCE:
DUE TO THE INFORMATION EXCHANGE FOR DEPARTURE FLIGHTS USING EUROPEAN STANDARD FOR A-CDM AIRPORTS, LROP WILL SEND A-DPI MESSAGES TO NMOC REPORTING TTOT IN ORDER TO IMPROVE TAKE-OFF TIME ESTIMATES. THE FPL OF ACFT THAT FOR ANY REASON RETURNS TO STAND AFTER EOBT WILL BE SUSPENDED IN THE ATM NETWORK WITH A C-DPI MESSAGE. THE AIRCRAFT OPERATOR WILL RECIEVE A FLS MESSAGE

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 74/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

WITH REASON-SUSPENDED BY DEPARTURE AIRPORT- TO REVOKE THE
SUSPENSION, OPERATORS SHALL UPDATE EOBT WITH A DLA OR CHG
MESSAGE.

ACRONYMS:

A-CDM (AIRPORT COLLABORATIVE DECISION MAKING)
A-DPI (ATC DEPARTUR PLANNING INFORMATION)
ATFCM (AIR TRAFFIC FLOW CAPACITY MANAGEMENT)
C-DPI (CANCEL DEPARTURE PLANNING INFORMATION)
FLS (FLIGHT SUSPENSION)
NMOC (NETWORK MANAGER OPERATIONS CENTER)
TTOT (TARGET TAKE-OFF TIME)."

11 MAY 26 00:00 UNTIL 10 AUG 26 23:59 ESTIMATED

LRBBA2376/26 (07 MAY 26)

"SAFEGATE STANDS 103, 104, 107, 110,113 AND 114 U/S"

LRBBA2275/26 (02 MAY 26)

"DUE TO RESTRICTED AIRPORT CAPACITY, PRIOR PERMISSION REQUIRED
(PPR)

FROM AD OPERATOR IS MANDATORY FOR ALL NON-SCHEDULED FLIGHTS"

LRBBA2227/26 (29 APR 26)

NO ACFT PARKING POSITIONS AVBL BTN 1800-0500 FOR ALL NONSCHEDULED
FLIGHTS/DIVERTED FLIGHTS EXCEPT STATE/MIL ACFT AND
ACFT PARKED ON APRON 3 GENERAL AVIATION TERMINAL

LRBBA2225/26 (29 APR 26)

"DUE TO LIMITED PARKING STANDS AVBL, NONSCHEDULED FLIGHTS,
NONSCHEDULED CARGO FLIGHTS, NONSCHEDULED CARGO FLIGHTS CARRYING
MIL ARMY/MUNITIONS, WITHOUT PPR FM AD ADMINISTRATION WITH MIN 72
HR AT E-MAIL 'OPS AT CNAB.RO', NO PRKG STAND WILL BE ALLOCATED
AND NO HANDLING WILL BE PERMITTED.
EXCEPT STATE/MIL ACFT AND ACFT PARKED ON APRON 3
GENERAL AVIATION TERMINAL"

LRBBA2226/26 (29 APR 26)

"DUE TO LIMITED PARKING STANDS AVBL FOR NONSCHEDULED FLIGHTS,
BFR FILLING A FLT PLAN WITH LROP AS A DESTINATION/ALTERNATE,
MIN 72 HR PPR MUST BE OBTAINED FM AD ADMINISTRATION AT E-MAIL
'OPS AT CNAB.RO', EXCEPT STATE/MIL ACFT AND ACFT PARKED ON APRON 3
GENERAL AVIATION TERMINAL"

LRBBA2027/26 (19 APR 26)

TWY C1 CLSD ABEAM STANDS 204-206

LRBBA2026/26 (19 APR 26)

"ACFT STANDS 204, 205 AND 206 EXIT ONLY WITH PUSHBACK DUE TO
TWY C1 CLSD ABEAM STANDS 204-206 FOR ACFT STORAGE FACILITY."

LSZH / ZRH

*LSSNA0568/26 (17 JUL 26)

17 JUL 2026 21:30-19 JUL 2026 04:00
2130-0400
AD CLSD TO IFR TFC EXC REGA HOSP FLT AND OAT (OPR AIR TFC)
SWISS AIR FORCE. ACTUAL CLOSURE BCST ON ATIS.

LSSNA0560/26 (15 JUL 26)

"TWY E BTN TWY E9 AND ABM STAND D15 NO CL LGT PROVIDED.
TAX ON TEMPO MARKED TWY CL.
FOR ACFT CODE E SPECIAL RQMNTS WITH FLW ME FOR TAX.
REF AIP SUP 004/2026, AREA II."

LSSNA0559/26 (14 JUL 26)

CONST WIP AT HLP WEST. LOOSE MATERIAL MAY CAUSE DUST AND BROWNOUT
COND DRG ARR/DEP.

LSSNA0555/26 (14 JUL 26)

"ACFT STAND A44 AND B31 RESTRICTED TO CODE C ACFT.
REF AIP SUP 006/25, PHASE I."

LSSNA0556/26 (14 JUL 26)

"TWY N EAST OF ACFT STAND B35 RESTRICTED TO CODE C ACFT.
REF AIP SUP 006/25, PHASE I."

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 75/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

LSSNA0551/26 (14 JUL 26)

TWY E CLSD BTN TWY F AND LINK 6 DUE TO WIP. AREA MARKED AND LGTD.
14 JUL 26 05:19 UNTIL 16 OCT 26 04:00 ESTIMATED

LSSNA0553/26 (14 JUL 26)

TWY LINK 7 CLSD DUE TO WIP. AREA MARKED AND LGTD.
14 JUL 26 05:19 UNTIL 16 OCT 26 04:00 ESTIMATED

LSSNA0552/26 (14 JUL 26)

TWY E4 CLSD DUE TO WIP. AREA MARKED AND LGTD.
14 JUL 26 05:19 UNTIL 16 OCT 26 04:00 ESTIMATED

// (COM-INFO) //

THA 00046/23 (10 JUL 26)

COM INFO:--The correct VHF frequency to contact
Swissport OCC at ZRH is 131.655
(ISSUED 01JUN26/REF EMAIL SMT ZRH/UFN)

--TG970; SUMMER SKED STA 0550Z /NOT APPLY ISTREAM PROCEDURE.
(ISSUED 28MAR23/REF TO EMAIL BKKOC/UFN)

A0365/26

LSSNA0365/26 (10 JUL 26)

"AD NOT TO BE PLANNED AS ALTN FOR ACFT CODE D, E AND F DUE TO
PRKG CONGESTION EXC HOME BASED CARRIERS."

I-STREAM PROC##

THA 00206/19 (10 JUL 26)

LSZH:--AFTER TOP OF CLIMB, PLEASE SEND ETO IAF
(THE LAST WAYPOINT OF THE ATC FLIGHT PLAN) TO BKKOP TO COMPLY WITH
LSZH I-STREAM PROCEDURE.
(ISSUED 29OCT25/BKKOC/UFN)

LSSNA0549/26 (10 JUL 26)

"SID RWY 16 - STRAIGHT AHEAD AND TURN:
SAT 2S PDG CHANGED TO 6.6 PCT TO 5000FT.
REF AIP LSZH AD 2.22, 1.1.6."

LSSNA0500/26 (10 JUL 26)

17 JUL 2026 21:30-18 JUL 2026 03:00
RWY 16 ILS IZH 110.500 AND RWY 34 ILS IZS 110.750 U/S DUE TO
MAINT AFT LAST SKED FLT.
RWY 16 ILS IZH 110.500 AVBL O/R WI 10 MIN.

LSSNA0472/26 (10 JUL 26)

TWY P CL LGT MIS.

LSSNA0471/26 (10 JUL 26)

DE-ICING PAD F BTN TWY E AND LINK 6 CL LGT AND APN STOP BARS MIS.

LSSNA0473/26 (10 JUL 26)

TWY B EAST OF TWY K AND TWY Z CL LGT MIS.

LSSNA0470/26 (10 JUL 26)

IAC LOC RWY 28:
MISSED APCH: MNM CLIMB GRADIENT 4.5 PCT UP TO 5900FT DUE TO ASP
RESTRICTIONS CANCELLED.
ALL OTHER MISSED APCH INSTRUCTIONS REMAIN UNCHANGED.
REF AIP LSZH AD 2.24.10.3-5.

LSSNA0468/26 (10 JUL 26)

TWY INNER RESTRICTED TO CODE C ACFT. USE MNM PWR ONLY.
23 JUN 26 03:00 UNTIL 23 SEP 26 23:59 ESTIMATED

LSSNA0467/26 (10 JUL 26)

TWY J SOUTH OF TWY A RESTRICTED TO CODE C ACFT.
23 JUN 26 03:00 UNTIL 23 SEP 26 23:59 ESTIMATED

LSSNA0466/26 (10 JUL 26)

"ACFT STANDS H11, H12, H13 AND H14 CLSD DUE TO WIP.
REF AIP SUP 001/2026 PHASE I."

LSSNA0465/26 (10 JUL 26)

TWY INNER BTN TWY J AND TWY A NO SINGLE ENG OPS AVBL FOR

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 76/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

MULTIENGINE ACFT.

LSSNA0469/26 (10 JUL 26)

TWY K BTN TWY A AND TWY INNER CLSD DUE TO WIP.
REF AIP SUP 001/2026 PHASE I.

LSSNA0464/26 (10 JUL 26)

TWY INNER BTN TWY J AND TWY A NO CL LGT PROVIDED. TAX WITH CTN.
REF AIP SUP 001/2026 PHASE I.

LSSNA0431/26 (10 JUL 26)

"IAC ILS RWY 14, IAC LOC RWY 14 AND IAC RNP RWY 14:
MISSED APCH: PUBLISHED MNM CLIMB GRADIENT DUE TO ASP RESTRICTIONS
CANCELLED.
ALL OTHER MISSED APCH INSTRUCTIONS REMAIN UNCHANGED.
REF AIP LSZH AD 2.24.10.1-3, LSZH AD 2.24.10.1-5 AND
LSZH AD 2.24.10.1-9."

LSSNA0432/26 (10 JUL 26)

IAC ILS RWY 16 AND IAC LOC RWY 16:
MISSED APCH: PUBLISHED MNM CLIMB GRADIENT DUE TO ASP RESTRICTIONS
CANCELLED.
ALL OTHER MISSED APCH INSTRUCTIONS REMAIN UNCHANGED.
REF AIP LSZH AD 2.24.10.2-3 AND LSZH AD 2.24.10.2-5.

LSSNA0430/26 (10 JUL 26)

IAC RNP RWY 28:
LNAV MISSED APCH: MNM CLIMB GRADIENT 4.8 PCT UP TO 6000 DUE TO ASP
RESTRICTIONS CANCELLED.
LNAV/VNAV MISSED APCH: MNM CLIMB GRADIENT 4.3 PCT UP TO 6100 DUE TO
ASP RESTRICTIONS CANCELLED.
LPV MISSED APCH: MNM CLIMB GRADIENT 4.5 PCT UP TO 6000 DUE TO ASP
RESTRICTIONS CANCELLED.
ALL OTHER MISSED APCH INSTRUCTIONS REMAIN UNCHANGED.
REF AIP LSZH AD 2.24.10.3-7.

LSSNA0388/26 (01 JUN 26)

SID RWY 28 - RNAV 5:
DEGES 3W PDG CHANGED TO 6.6 PCT TO 2200 FT.
REF AIP LSZH AD 2.22 1.1.3.

*LSSNA0376/26 (01 JUN 26)

"SUN-THU 2100-2359, MON-FRI 0000-0400"
RWY 10/28 CLSD AFT LAST SKED FLT. ACTUAL CLOSURE BCST ON ATIS.

*LSSNA0375/26 (01 JUN 26)

"SUN-THU 2100-2359, MON-FRI 0000-0400"
RWY 16/34 CLSD AFT LAST SKED FLT. ACTUAL CLOSURE BCST ON ATIS.

LSSNA0345/26 (16 MAY 26)

TWY E BTN TWY E7 AND TWY E8 WIP. TAX ON TEMPO MARKED CL.
NO CL LGT PROVIDED. TAX WITH CTN.
REF AIP SUP 004/2026 AREA I.

LSSNA0344/26 (16 MAY 26)

TEMPO TWY E RESTRICTED TO CODE E ONLY. MAX WING SPAN 65M.
REF AIP SUP 004/2026 AREA I.

LSSNA0165/26 (26 MAR 26)

REF AIP SUP 003/26:
RWY 28 ILS GP 333.050 U/S DUE TO RPLC.
IAC ILS RWY 28 (LSZH AD 2.24.10.3-3) CANCELLED.

LSSNA0041/26 (28 JAN 26)

"SID RWY 16 - RNAV 5:
VEBIT 4S PDG CHANGED TO 5.3 PCT TO 2100FT.
REF AIP LSZH 2.22, 1.1.2."

LSSNA0368/22 (09 NOV 23)

"SID RWY 16 VEBIT 1T NOT AVBL FOR BOEING 777 ACFT.
IN CASE SID RWY 16 VEBIT 4S ALSO NOT AVBL, BOEING 777 DEP ON
RWY 16 SHALL REFILE FPL VIA EXIT FIX DEGES."

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 77/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

LOWW / VIE

LOWWA1553/26 (16 JUL 26)

REF AIP LOWW AD 2 MAP 2-1
PRKG PSN E42 DIMENSION CHANGE
NEW MAX WINGSPAN 35.99M
NEW MAX LENGTH 52.00M
PRKG PSN E43 DIMENSION CHANGE
NEW MAX LENGTH 53.00M
PRKG PSN E44 DIMENSION CHANGE
NEW MAX LENGTH 53.00M
PRKG PSN E45 DIMENSION CHANGE
NEW MAX LENGTH 53.00M

LOWWA1111/26 (06 JUN 26)

"LPV MINIMA SHALL BE RAISED TO THE RESPECTIVE LNAV/VNAV MINIMA.
RNP RWY 11, REF AIP AUSTRIA, LOWW AD 2 MAP 13-2-1
RNP RWY 29, REF AIP AUSTRIA, LOWW AD 2 MAP 13-2-2
RNP Z RWY 16, REF AIP AUSTRIA, LOWW AD 2 MAP 13-2-3
RNP RWY 34, REF AIP AUSTRIA, LOWW AD 2 MAP 13-2-4
NOTE: DUE TO ICAO ELECTRONIC BULLETIN 2026/13"
13 MAY 26 14:02 UNTIL 05 AUG 26 23:59 ESTIMATED

LOWWA0941/26 (06 JUN 26)

"REF AIP AUSTRIA, LOWW AD 2.22, ITEM 2.2
THE FOLLOWING TIMES ARE CURRENTLY CONSIDERED IN LOWW AS ARRIVAL RUSH
HOURS: 0600-0700 UTC, 0900-1030 UTC, 1330-1500 UTC"

LZIB / BTS

LZIBA1280/26 (16 JUN 26)

"CIVIL FLIGHTS OF UNMANNED AIRCRAFT PROHIBITED IN STEFANIK CTR:
CIRCLE RADIUS 3KM CENTRED ON 481012N 0171246E (ARP OF BRATISLAVA
M. R. STEFANIK AIRPORT) FROM GND TO 500M AGL.
DETAILS AVAILABLE ON [HTTPS://WWW.MINDOP.SK/CIVILNE-LETECTVO/GEOZONY](https://www.mindop.sk/civilne-letectvo/geozony)
(TYPE IN SMALL LETTERS).
PENETRATION IS ALLOWED FOR HUMAN LIFE RESCUE FLIGHTS, AIR AMBULANCE
FLIGHTS AND SAR FLIGHTS."
16 JUN 26 08:00 UNTIL 16 SEP 26 22:00 ESTIMATED

LZIBA1112/26 (06 JUN 26)

"TRIGGER NOTAM - PERM AIRAC AIP AMDT NR 07/26 WEF 09 JUL 2026:
LZIB AD 2.19, AD 2-LZIB-2-1, AD 2-LZIB-8-5 - ILS MM RWY 22
NAVIGATION AID CANCELLED."

LZIBA1052/26 (06 JUN 26)

"LPV MINIMA SHALL BE RAISED TO THE RESPECTIVE LNAV/VNAV MINIMA.
RNP RWY 22 ASC 2,5 PERCENT, REF PAGE AD 2-LZIB-7-5,
RNP RWY 31 ASC 2,5 PERCENT, REF PAGE AD 2-LZIB-7-17,
RNP RWY 31 ASC 4,0 PERCENT, REF PAGE AD 2-LZIB-7-17.
IN ACCORDANCE WITH ICAO ELECTRONIC BULLETIN 2026/13."
21 MAY 26 14:23 UNTIL 21 AUG 26 23:59 ESTIMATED

LKPR / PRG

LKPRA1069/26 (16 JUL 26)

TWY A BTN TWY A1 AND TWY T CLSD. WIP. DAY AND NIGHT MARKING.

LKPRA0990/26 (02 JUL 26)

TWY T - CENTRE LINE LGT U/S.

LKPRA0973/26 (30 JUN 26)

STAND 15 - VDGS U/S

LKPRA0966/26 (29 JUN 26)

VDGS ON STAND 7 U/S.

LKPRA0959/26 (29 JUN 26)

STAND 22A - VDGS U/S.
29 JUN 26 07:07 UNTIL 29 SEP 26 22:00 ESTIMATED

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 78/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

LKPRA0890/26 (22 JUN 26)

VDGS ON STAND 20 U/S.

LKPRA0713/26 (28 MAY 26)

TRIGGER NOTAM PERM AIP AIRAC AMDT 5/26 WEF 9 JUL 2026 CONTAINS:
PRAHA/RUZYNE (LKPR) - GENERAL APPLICATION OF 3 NM MINIMUM RADAR
SEPARATION WITHIN FIR PRAHA AT OR BELOW FL285.

LKPRA0649/26 (20 MAY 26)

STAND 17 - VDGS U/S.

*LKPRA0407/26 (12 APR 26)

"RWY 06/24 CLSD, REF AIP SUP 1/26 , VFR SUP 1/26"

EPWA / WAW

EPWWA1700/26 (19 JUN 26)

POLISH AIR NAVIGATION SERVICES AGENCY PUBLISHES ON WEBSITE
PANSA.PL/RCO/ INFORMATION ABOUT MEAN REAL ARRIVAL DISTANCES TO EPWA
AIRPORT FOR EACH STAR PROCEDURE. THE DATA CAN BE USED AS A REFERENCE
FLIGHT DISTANCE FOR FUEL PLANNING.

EPWWA1617/26 (12 JUN 26)

"TWY E4, TWY E3, TWY N3 AND SEGMENT OF TWY E2 BTN TWY R AND TWY E4
AVBL FOR ACFT WITH WINGSPAN BELOW 36M."
12 JUN 26 11:38 UNTIL 11 SEP 26 23:59 ESTIMATED

EPWWA1409/26 (28 MAY 26)

REF AIP IFR AD 2 EPWA 1-50 - CHANGE OF INFORMATION IN POINTS:
SHOULD BE:
7.1.2.1. LVP OPERATIONS WILL BE COMMENCED WHEN RVR TDZ ARR RWY FALLS
BELOW 800M AND/OR ANY OF THE RVR FALLS BELOW 550 M AND/OR THE CLOUD
CEILING FALLS TO OR BELOW 300 FT.
7.1.2.2. LVP WILL BE TERMINATED WHEN RVR TDZ ARR RWY INCREASE TO
800M OR MORE AND/OR ALL OF THE RVR INCREASE TO 550 M OR MORE AND THE
CLOUD CEILING REACHES 300 FT OR MORE AND A CONTINUING IMPROVEMENT IS
ANTICIPATED.
INSTEAD OF:
7.1.2.1. LVP OPERATIONS WILL BE COMMENCED WHEN ANY OF THE RVR FALLS
BELOW 550 M AND/OR THE CLOUD CEILING FALLS BELOW 200 FT.
7.1.2.2. LVP WILL BE TERMINATED WHEN ALL OF THE RVR INCREASE OVER
550 M AND THE CLOUD CEILING REACHES 200 FT OR MORE AND A CONTINUING
IMPROVEMENT IS ANTICIPATED.
28 MAY 26 09:38 UNTIL 28 AUG 26 23:59 ESTIMATED

EPWWA1402/26 (28 MAY 26)

TRIGGER NOTAM - AIRAC SUP 111/26 (AD 2 EPWA) WEF 09 JUL 2026 TILL
06 AUG 2026 EST.
- TEMPORARY AERONAUTICAL OBSTACLES IN THE VICINITY OF CHOPINA W
WARSZAWIE (EPWA) AERODROME.

EPWWA1398/26 (28 MAY 26)

TRIGGER NOTAM - AIRAC SUP 113/26 (AD 2 EPWA) WEF 09 JUL 2026 TILL
31 DEC 2027 EST.
- AIRPORT COLLABORATIVE DECISION MAKING (A-CDM) PROCEDURES AT
LOTNISKO CHOPINA W WARSZAWIE (EPWA) AERODROME.

EDDM / MUC

EDDZA3385/26 (08 JUL 26)

"ILS RWY 08R DOWNGRADED TO CAT I, LEVEL 2 (ICAO CLASSIFICATION
I/E/2)."
06 JUL 26 05:30 UNTIL 31 JUL 26 23:59 ESTIMATED

EDDZA3304/26 (08 JUL 26)

MSA BASED ON MNW NDB RAISED TO 4000FT MSL.
INFORMATION WILL BE PUBLISHED PERM IN AIP EFF 29.10.2026.
13 JUL 26 00:00 UNTIL 13 OCT 26 23:29 ESTIMATED

EDDZA3230/26 (08 JUL 26)

TWY A14 CLSD. TWY M CLSD BTN TWY A13 AND TWY A15.

EDDZA3226/26 (08 JUL 26)

"INCREASED RISK OF PITOT TUBE CONTAMINATION DUE TO INSECT ACTIVITIES. TAKE APPROPRIATE MEASURES, ESPECIALLY FOR LONGER GROUND TIMES."

EDDZA3102/26 (08 JUL 26)

TWY N3 CLSD.

EDDZA2968/26 (08 JUL 26)

ILS RWY 26L U/S.
08 JUN 26 07:00 UNTIL 31 AUG 26 23:59 ESTIMATED

EDDZA2802/26 (08 JUL 26)

RWY 26L WIP WI LOC AND GP SAFETY ZONES.

EDDZA2752/26 (08 JUL 26)

TXL E2 CLSD BTN ACFT STAND 254 AND 256.

EDDZA2753/26 (08 JUL 26)

TXL CENTER2 LTD TO ACFT ICAO CODE LETTER C BTN ACFT STAND 254 AND 256.

EDDZA2517/26 (08 JUL 26)

CHANGES TO APCH DUE TO RENEWAL OF ILS RWY 26L (IMSW):
RWY 26L: ILS AND LOC APCH TEMPO SUSPENDED.
RNP APPROACH AVAILABLE ONLY.
DURING PARALLEL OPERATIONS (ANOUNCED ON ATIS) LNAV NOT AUTHORIZED
LNAV/VNAV OR LPV TO BE USED ONLY. IF UNABLE INFORM ATC ON INITIAL CONTACT.

EDDZA2502/26 (08 JUL 26)

"LPV APCH REOP. OCA(H) VALUES RAISED AS FOLLOWS:
LPV RWY08L: A 1748 (317), B 1793 (326), C 1802 (335), D 1868 (401)FT.
LPV RWY08R: A 1909 (423), B 1917 (431), C 1925 (439), D 1934 (448)FT.
LPV RWY26L: A 1785 (315), B 1794 (324), C 1803 (333), D 1888 (418)FT.
LPV RWY26R: A 1908 (459), B 1917 (468), C 1925 (476), D 1933 (484)FT.
DUE TO INADEQUATE PROTECTION PROVIDED IN THE MISSED APPROACH SEGMENT
FOR SOME NAVIGATION SYSTEMS AUTHORISED FOR LPV OPERATIONS."
19 MAY 26 07:48 UNTIL 18 AUG 26 23:59 ESTIMATED

EDDZA2235/26 (08 JUL 26)

"THE FLW CHANGES OCCUR TO ALL MISSED APCH PROC RWY 08R DUE TO AIRSPACE STRUCTURE:
CLIMB WITH 3.8 PERCENT (231FT/NM) UNTIL PASSING 2800. IF UNABLE
ADVISE MUNICH RADAR DURING INTIAL CONTACT. CHANGES ARE PERMANENT.
REF AIP AD2 EDDM 4-2-2 AND 4-4-2 EFF BOTH 28 NOV 2024, 4-6-5 DATED
02 OCT 2025."
12 MAY 26 00:00 UNTIL 12 AUG 26 23:59 ESTIMATED

EDDZA6255/25 (28 JAN 26)

"CHANGES TO SID DUE TO COVERAGE OF WLD DVOR/DME: RWY 26R: GIVMI 1N:
AMEND ON HEADING 299 DEG TO INTERCEPT R119 WLD, ON R119 WLD TO READ
ON TRACK 299 DEG. CLIMB WITH 4.9 PER CENT (300 FT/NM) UNTIL PASSING
3700. AFTER PASSING 3700 BRNAV EQUIPMENT NECESSARY. REF AIP AD 2
EDDM 5-7-37 EFF 23 MAY 2019, 5-7-41 DATED 02 OCT 2025."

EDDZA6227/25 (28 JAN 26)

"MUENCHEN ILS DME (IMNE) CH32X/109.5MHZ ASSOCIATED WITH ILS RWY
08L LOC COVERAGE UP TO 17NM IN SECTOR 33DEG (LEFT) TO 35DEG (RIGHT)
IN RELATION TO RCL AND DISTANCE TO LOC, MNM INTERCEPTION ALT IN THIS
AREA 3500FT AMSL."

EDDF / FRA

EDDZA3671/26 (17 JUL 26)

TWY L20 LTD TO MAX ACFT TYPE CODE C.

EDDZA3662/26 (16 JUL 26)

16 JUL 2026 21:00-18 JUL 2026 03:00
DAILY 2100-0300
"TWY M CLSD BTN TWY M23 AND TWY M27.
TWY M23, TWY M25 AND TWY M30 CLSD."

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 80/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

EDDZA3654/26 (16 JUL 26)

RWY 25R TDZ SURFACE FRICTION CHARACTERISTICS DEGRADED.
RWY MAY BE SLIPPERY WHEN WET IN TDZ AREA.

EDDZA3643/26 (15 JUL 26)

"ILS RWY 07C DOWNGRADED TO CAT I. OPPOSITE LOC RADIATING ADDN, ILS
INTERFERENCE BLW DH POSS, ILS NOT USEABLE FOR AUTOLAND (ICAO
CLASSIFICATION I/E/1)."

EDDZA3642/26 (15 JUL 26)

ILS RWY 25C DOWNGRADED TO CAT I. ILS NOT USABLE FOR AUTOLAND
(ICAO CLASSIFICATION I/E/1).

*EDDZA3601/26 (13 JUL 26)

13 JUL 2026 21:00-18 JUL 2026 02:45
DAILY 2100-0245
RWY 07L/25R CLSD.

*EDDZA3603/26 (13 JUL 26)

13 JUL 2026 21:00-18 JUL 2026 03:00
DAILY 2100-0300
RWY 18 CLSD.

*EDDZA3602/26 (13 JUL 26)

13 JUL 2026 21:00-18 JUL 2026 03:00
DAILY 2100-0300
RWY 07R/25L CLSD.

// (COM-INFO)//

THA 00081/15 (08 JUL 26)

COM INFO:--EDDF NIGHT RESTRICTION 2300-0500LT (OP-INFO/UFN)

EDDZA3386/26 (08 JUL 26)

"SID CHANGED DUE TO FRD DME PSN AT 500147N 0083406E:
MARUN 8M, OBOKA 3M AND TOBAK 8M:
AMEND 1.0 DME FRD TO READ 2.1 DME FRD.
AMEND 6.9 DME FRD TO READ 7.2 DME FRD.
MARUN 6H, OBOKA 3H AND TOBAK 6H:
AMEND 1.2 DME FRD TO READ 2.2 DME FRD.
AMEND 6.9 DME FRD TO READ 7.2 DME FRD.
FKS 2C:
AMEND 6.9 DME FRD TO READ 6.0 DME FRD.
FKS 2Q:
AMEND 0.5 DME FRD TO READ 1.5 DME FRD.
REF AD 2 EDDF 5-7-11, 5-7-13, 5-7-132 AND 5-7-133 ALL DATED
10 JUL 2025, 5-7-36, 5-7-37 BOTH EFFECTIVE 10 JUL 2025."

EDDZA3387/26 (08 JUL 26)

"ILS APCH CHANGED DUE TO FRD DME PSN AT 500147N 0083406E.
ILS Z CAT II/III RWY 07L
AMEND 19.2 DME FRD TO READ 20.3 DME FRD.
AMEND 16.0 DME FRD TO READ 17.1 DME FRD.
AMEND 5.4 DME FRD TO READ 6.5 DME FRD.
ILS Z CAT II/III RWY 07C
AMEND 14.7 DME FRD TO READ 15.7 DME FRD.
AMEND 11.5 DME FRD TO READ 12.5 DME FRD.
AMEND 4.1 DME FRD TO READ 5.1 DME FRD.
ILS CAT II/III RWY 07R
AMEND 14.9 DME FRD TO READ 15.9 DME FRD.
AMEND 11.7 DME FRD TO READ 12.7 DME FRD.
AMEND 4.2 DME FRD TO READ 5.2 DME FRD.
ILS CAT II/III RWY 25L
AMEND 16.3 DME FRD TO READ 15.4 DME FRD.
AMEND 13.2 DME FRD TO READ 12.2 DME FRD.
AMEND 5.8 DME FRD TO READ 4.8 DME FRD.
ILS Z CAT II/III RWY 25C
AMEND 16.5 DME FRD TO READ 15.5 DME FRD.
AMEND 13.3 DME FRD TO READ 12.3 DME FRD.
AMEND 5.9 DME FRD TO READ 5.0 DME FRD.
ILS Z CAT II/III RWY 25R
AMEND 17.7 DME FRD TO READ 16.8 DME FRD.
AMEND 14.5 DME FRD TO READ 13.6 DME FRD.
AMEND 4.1 DME FRD TO READ 3.3 DME FRD.
ILS Y RWY 07L
AMEND 19.2 DME FRD TO READ 20.3 DME FRD.
AMEND 15.1 DME FRD TO READ 16.2 DME FRD."

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 81/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

AMEND 5.4 DME FRD TO READ 6.5 DME FRD.
ILS Y RWY 25R
AMEND 17.7 DME FRD TO READ 16.8 DME FRD.
AMEND 13.6 DME FRD TO READ 12.7 DME FRD.
AMEND 4.1 DME FRD TO READ 3.3 DME FRD.
ILS X CAT II/III OR LOC RWY 07C
AMEND 26.7 DME FRD TO READ 27.3 DME FRD.
AMEND 16.5 DME FRD TO READ 17.5 DME FRD.
AMEND 11.5 DME FRD TO READ 12.5 DME FRD.
AMEND 8.0 DME FRD TO READ 9.0 DME FRD.
AMEND 4.1 DME FRD TO READ 5.1 DME FRD.
AMEND 0.2 DME FRD TO READ 1.3 DME FRD.
ILS X CAT II/III OR LOC RWY 25C
AMEND 26.0 DME FRD TO READ 24.8 DME FRD.
AMEND 18.3 DME FRD TO READ 17.3 DME FRD.
AMEND 13.3 DME FRD TO READ 12.3 DME FRD.
AMEND 8.9 DME FRD TO READ 8.0 DME FRD.
AMEND 5.9 DME FRD TO READ 5.0 DME FRD.
AMEND 2.0 DME FRD TO READ 1.2 DME FRD.
REF AD 2 EDDF 4-2-1, 4-2-7 BOTH DATED 30 OCT 2025, 4-2-2 THRU 4-2-6
AND 4-2-8 THRU 4-2-10 ALL EFF 10 JUL 2025."

EDDZA3316/26 (08 JUL 26)

RWY 07C DECLARED DISTANCES FOR INTERSECTION TKOF CHANGED.
NEW DECLARED DISTANCES FOR INTERSECTION TKOF FROM TWY L20:
TORA 3939M - TODA 3939M - ASDA 3939M.
DISREGARD DECLARED DISTANCES FOR INTERSECTION TAKE OFF FROM TWY L20.
REF AIP AD2 EDDF 1-10.

EDDZA3137/26 (08 JUL 26)

RWY 07L/25R CENTRE LINE LIGHTS:
LIGHT EMITTING DIODE (LED) LIGHTS USED IN THE FULL LENGTH OF THE
RWY CENTRELINE.

EDDZA3138/26 (08 JUL 26)

RWY 07L/25R TOUCHDOWN ZONE LIGHTING SYSTEM:
LIGHT EMITTING DIODE (LED) LIGHTS USED.

EDDZA3046/26 (08 JUL 26)

USE OF RWY HLDG PSN T6 NOT PERMITTED FOR AIRCRAFT WITH WINGSPAN
BTN 36M AND 65M (UP TO BUT NOT INCLUDING).

EDDZA3045/26 (08 JUL 26)

ACFT STAND A26 CLSD.

EDDZA3047/26 (08 JUL 26)

TWY W SOUTH OF DP2 CLSD. TWY W9 CLSD.

EDDZA2768/26 (07 JUN 26)

NEW TWY S17 BTN TWY S AND TWY R IN OPERATION.
NEW TWY S19 BTN TWY S AND TWY R IN OPERATION.
NEW TWY S20 IN OPERATION.
NEW TWY S21 BTN TWY S AND TWY R IN OPERATION.
NEW TWY S23 IN OPERATION.

EDDZA2680/26 (07 JUN 26)

"LPV APCH Z RWY 07L SUSPENDED,
LPV APCH Y RWY 07L SUSPENDED,
LPV APCH Z RWY 25R SUSPENDED,
LPV APCH Y RWY 25R SUSPENDED
DUE TO INADEQUATE PROTECTION PROVIDED IN MISSED APCH SEGMENT FOR
SOME NAVIGATION SYSTEMS AUTH FOR LPV OPS."
26 MAY 26 12:50 UNTIL 18 AUG 26 23:59 ESTIMATED

EDDZA2573/26 (07 JUN 26)

NEW ACFT STAND INSTALLED. V333: N 50 1 45.42431 E 8 33 54.04565
NEW ACFT STANDS INSTALLED. V335: N 50 1 47.9537 E 8 33 52.58912
NEW ACFT STAND INSTALLED. V337: N 50 1 50.65133 E 8 33 51.03558
NEW ACFT STAND INSTALLED. V340: N 50 1 50.3976 E 8 33 50.26489.

EDDZA2574/26 (07 JUN 26)

NEW TWY S21 SOUTH OF TWY S INOPERATION.

EDDZA2575/26 (07 JUN 26)

BREAK-AWAY INSTALLED ON TWY S21. REF AIP SUP IFR 03/26.

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 82/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

EDDZA2531/26 (07 JUN 26)

OCA(H) VALUES RAISED AS FOLLOWS:

LPV APCH Z RWY 07C: A 652(324) B 665(337) C 692(364) D 701(373)FT.
LPV APCH Y RWY 07C: A 652(324) B 665(337) C 692(364) D 701(373)FT.
LPV APCH Z RWY 07R: A 652(325) B 665(338) C 673(346) D 715(388)FT.
LPV APCH Y RWY 07R: A 652(325) B 665(338) C 673(346) D 715(388)FT.
LPV APCH Z RWY 25L: A 726(365) B 738(377) C 747(386) D 757(396)FT.
LPV APCH Y RWY 25L: A 729(368) B 742(381) C 750(389) D 760(399)FT.
LPV APCH Z RWY 25C: A 691(328) B 700(337) C 706(343) D 714(351)FT.
LPV APCH Y RWY 25C: A 694(331) B 703(340) C 709(346) D 716(353)FT.
19 MAY 26 13:34 UNTIL 18 AUG 26 23:59 ESTIMATED

EDDZA2193/26 (07 JUN 26)

ACFT STAND A28 CLSD.

EDDZA2178/26 (07 JUN 26)

"DISREGARD TAXI RESTRICTION FOR A346, B773, B779, A35K, B748 AND
A388
ON TWY S8 BTWN TWY S AND ACFT STAND H5. REF AIP AD2 EDDF 2-9 AND EDDF
2-9A."

EDDZA1648/26 (05 APR 26)

NEW TWY S13 WEST OF S11 IN OPERATION. REF AIP SUP IFR 03/26.

EDDZA1647/26 (05 APR 26)

NEW TWY S19 SOUTH OF TWY S IN OPERATION. REF AIP SUP IFR 03/26.

EDDZA1646/26 (05 APR 26)

BREAK-AWAYS 1 AND 2 INSTALLED ON TWY S19. REF AIP SUP IFR 03/26.

EDDZA1644/26 (05 APR 26)

NEW TWY S17 SOUTH OF TWY S IN OPERATION. REF AIP SUP IFR 03/26.

EDDZA1371/26 (05 APR 26)

"ILS RWY 25Y IFWR,
GP COVERAGE UP TO 15NM IN SECTOR -4 DEG (LEFT) TO +1 DEG (RIGHT) IN
RELATION TO RCL AND DISTANCE TO THR,
MNM RECEPTION ALT IN THIS AREA 2800FT AMSL."

EDDZA4054/25 (11 SEP 25)

SURFACE TEST AREAS INSTALLED WITHIN TOUCHDOWN ZONE RWY 07L.
SURFACE TEXTURE AND FRICTION MAY DIFFER SLIGHTLY FROM ADJACENT
PAVEMENT.
NO IMPACT ON RWY USABILITY.

EDDZA2357/25 (18 MAY 25)

BREAK-AWAY AREAS 3 AND 5 INSTALLED ON TWY S13.

EDDS / STR

EDDZA3664/26 (16 JUL 26)

17 JUL 2026 05:00-18 JUL 2026 14:00
TWY V AVBL FOR ACFT UP TO ICAO CODE LETTER D ONLY.

EDDZA3646/26 (15 JUL 26)

18 JUL 2026 04:30-18 JUL 2026 14:00
"APRON SOUTH LIMITED DUE TO CAPACITY, NO ACFT HANDLING POSS."

EDDZA3645/26 (15 JUL 26)

18 JUL 2026 04:30-18 JUL 2026 14:00
TWY V AND TWY W CLSD DUE TO AERODROME EMERGENCY EXERCISE ON APRON
SOUTH.

EDDZA3644/26 (15 JUL 26)

TWY V AVBL FOR ACFT UP TO ICAO CODE LETTER D ONLY.

EDDZA3523/26 (08 JUL 26)

"SID CHANGED DUE TO NAVAID COVERAGE OF LBU VOR/DME:
ROTWE 5B: ADD RMK: CLIMB WITH 4.5PCT (275 FT/NM) UNTIL PASSING 5000.
AFTER PASSING 5000 BRNAV EQPT NECESSARY.
GPS/FMS RNAV OVERLAYS REMAIN UNCHANGED.

REF AIP AD 2 EDDS 5-7-2 EFF 28 NOV 2024, 5-7-3 DATED 10 JUL 2025."
08 JUL 26 13:22 UNTIL 08 OCT 26 12:30 ESTIMATED

EDDZA1597/26 (07 JUN 26)

"LUBURG VOR/DME LBU 109.20MHZ/CH29X, VOR PART USABLE ONLY UP TO
29NM ON R277."

EDDZA1595/26 (07 JUN 26)

MISSED APCH PROC CHANGED DUE TO COVERAGE OF STG DVOR/DME:
ILS OR LOC AND VOR RWY 25: DISREGARD R277 STG. USE R223 LBU ONLY.
REF AIP AD2 EDDS 4-2-1 AND 4-3-1 BOTH DATED 10 JUL 2025.

EDDZA3608/22 (09 NOV 23)

"KARLSRUHE DVOR/DME KRH 115.95/CH106Y DME NOT USABLE:

IN SECTOR 68DEG TO 315DEG CW
0 NM - 10 NM BELOW 4000 FT MSL,
10 NM - 20 NM BELOW 7200 FT MSL,
20 NM - 30 NM BELOW 10600 FT MSL,
30 NM - 40 NM BELOW 14000 FT MSL,
40 NM - 50 NM BELOW 17700 FT MSL,
50NM - 60 NM BELOW 21400 FT MSL,

IN SECTOR 315DEG TO 68DEG CW
0 NM - 10 NM BELOW 2000 FT MSL,
10 NM - 20 NM BELOW 3300 FT MSL,
20 NM - 30 NM BELOW 4700 FT MSL,
30 NM - 40 NM BELOW 6200 FT MSL."

EDDK / CGN

EDDZA3666/26 (16 JUL 26)

"OCA(H) VALUES RAISED:
SRA RWY 13L: ACFT CAT A-D 920 (690)FT.
DUE TO HIGH CRANES 13500M (7.3NM) BFR THR RWY 13L, 1560M SW OF
EXTD RCL, 505738N 0065855E, ELEV 671FT, MARKED AND LGTD."
16 JUL 26 20:59 UNTIL 15 OCT 26 23:59 ESTIMATED

EDDZA3593/26 (13 JUL 26)

"OMNIDIRECTIONAL INSTRUMENT DEP PROC EDDK 1M AND EDDK 1E FOR RWY
13R/31L TEMPO SUSPENDED DUE TO MISSING FLIGHT VALIDATION.
REF AIP PAGES AD 2 EDDK 5-7-1, 5-7-4, 5-7-6 EFFECTIVE 16 APR 2026."
13 JUL 26 09:01 UNTIL 13 OCT 26 08:00 ESTIMATED

EDDZA3592/26 (13 JUL 26)

"ALL RNP APCH PROC RWY 13R/31L TEMPO SUSPENDED DUE TO MISSING
FLIGHT VALIDATION. REF AIP PAGES AD 2 EDDK 4-6-7, 4-6-13 BOTH DATED
14 MAY 2026, 4-6-8, 4-6-9, 4-6-14, 4-6-15 ALL EFFECTIVE 16 APR 2026."
13 JUL 26 09:00 UNTIL 13 OCT 26 08:00 ESTIMATED

EDDZA3567/26 (10 JUL 26)

TWY T CLSD BTN TXL K3 AND TWY B. TAXIING ON APRON V ONLY WITH
MARSHALLER GUIDANCE.
10 JUL 26 10:40 UNTIL 31 AUG 26 23:59 ESTIMATED

EDDZA3566/26 (10 JUL 26)

TWY B CLSD BTN THR 13R AND PRKG PSN A10.
10 JUL 26 10:38 UNTIL 31 AUG 26 23:59 ESTIMATED

EDDZA2728/26 (06 JUN 26)

"NOERVENICH DVORTAC NVO 116.20MHZ/CH109X, DVOR PART NO USABLE
OPERATIONAL COVERAGE IN SECT 070DEG TO 130DEG (CLOCKWISE) UP TO 20NM
AT OR BELOW 3000FT AMSL."
27 MAY 26 15:10 UNTIL 27 AUG 26 15:00 ESTIMATED

EDDZA2678/26 (06 JUN 26)

"LPV APCH REOPERATIVE.
OCA(H) VALUES RAISED:
LPV RWY 06: A 553 (324), B 564 (335), C 591 (362), D 601 (372)FT.
LPV RWY 13L: A 607 (378), B 617 (388), C 624 (395), D 633 (404)FT.
LPV RWY 13R: A 581 (361), B 591 (371), C 598 (378), D 607 (387)FT.
LPV RWY 24: A 721 (450), B 734 (463), C 742 (471), D 752 (481)FT.
LPV RWY 31L: A 655 (397), B 667 (409), C 675 (417), D 685 (427)FT.
LPV RWY 31R: A 651 (351), B 664 (364), C 672 (372), D 682 (382)FT.
DUE TO INADEQUATE PROTECTION PROVIDED IN THE MISSED APCH SEGMENT

FOR SOME NAVIGATION SYSTEMS AUTHORISED FOR LPV OPS."
26 MAY 26 12:34 UNTIL 18 AUG 26 23:59 ESTIMATED

EDDZA1886/26 (30 APR 26)

KOELN-BONN LOCATOR LJ 365.00KHZ OUT OF SERVICE.

EDDZA1660/26 (05 APR 26)

COLA DVOR/DME COL 108.80MHZ/CH25X RADIAL 250 UNUSABLE FROM
0NM - 31NM BELOW 6000FT AMSL.

EDDZA3910/25 (04 OCT 25)

NEW ACFT STANDS INSTALLED:
A25: 505234.79095N 0070710.85488E
A27: 505235.25636N 0070709.11813E
A29: 505235.28775N 0070707.14353E
A31: 505237.18196N 0070706.22441E
A33: 505237.20853N 0070708.26597E
A35: 505237.20688N 0070710.33309E

EDDH / HAM

EDDZA3409/26 (01 JUL 26)

"ON TWY D1 BTN TWY D3 AND CHECKPOINT P, ACFT TYPE A380, B747, A340
TAXIING ONLY WITH INNER ENGINES."

EDDZA3396/26 (30 JUN 26)

"OCA(H) VALUES RAISED:
LOC RWY 05: ACFT CAT A-D 630 (600)FT.
DUE TO HIGH CRANE AT PSN 533505N 0095436E,
ELEV 381FT, MARKED AND LIGHTED."
30 JUN 26 20:44 UNTIL 30 SEP 26 23:59 ESTIMATED

EDDZA3117/26 (17 JUN 26)

DUE TO DISTURBANCES OF ALF DME SIGNAL THE FLW CHANGES TO APCH PROC
OCCUR: ALF DME READINGS ON ILS/LOC RWY 15 FINAL NOT AVBL. ALF DME ON
MISSED APCH AVBL. ALF DME READINGS ON ILS/LOC RWY 23 FINAL NOT AVBL.
ALF DME ON MISSED APCH AVBL.
REF AD 2 EDDH 4-2-2/4-2-3 DATED 20 MAR 2025.

EDDZA2514/26 (19 MAY 26)

"LPV APCH REOP. OCA(H) VALUES RAISED AS FOLLOWS:
LPV RWY 05: A 371 (339), B 380 (348), C 388 (356), D 397 (365)FT.
LPV RWY 15: A 466 (413), B 474 (421), C 482 (429), D 490 (437)FT.
LPV RWY 23: A 341 (298), B 351 (308), C 361 (318), D 391 (348)FT.
LPV RWY 33: A 361 (326), B 371 (336), C 381 (346), D 391 (356)FT.
DUE TO INADEQUATE PROTECTION PROVIDED IN THE MISSED APPROACH SEGMENT
FOR SOME NAVIGATION SYSTEMS AUTHORISED FOR LPV OPERATIONS."
19 MAY 26 10:42 UNTIL 18 AUG 26 23:59 ESTIMATED

LIMC / MXP

LIIAA3634/26 (16 JUL 26)

16 JUL 2026 13:00-18 JUL 2026 03:00
DAILY 1300-0300
"ACFT STANDS 705, 704, AND 703 CLSD DUE TO WIP.
RMK: ICAO SIGNALS PROVIDED.
REF AIP AD 2 LIMC 2-11"

LIIAA3533/26 (12 JUL 26)

ACFT STAND 509 CLOSED DUE TO WIP.
RMK: ICAO SIGNALS PROVIDED.
REF AIP AD 2 LIMC 2-9

LIIAA3116/26 (10 JUL 26)

NIGHT RESTRICTIONS.
NOISE ABATEMENT SCENARIOS WILL BE IN FORCE FM HR 2200 TO 0400
WITHOUT 15 MINUTES TOLERANCE.
REF AIP AD 2 LIMC 1-31

LIIAA2954/26 (10 JUL 26)

"RUNWAY GUARD LIGHTS (RGL) CAT II/III LOCATED ON TWY CA, BE,
BW, EM, EW, DE, DM, F AND WB UNSERVICABLE
REF AIP AD 2 LIMC 2-1"

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 85/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

LIIAA2939/26 (10 JUL 26)

TWY K BTN APN TWY N AND APN TWY T (BOTH INCLUDED)
DOWNGRADED AND AVBL ONLY FOR ACFT WITH WINGSPAN UP TO 68.5M
REF AIP AD 2 LIMC 2-1 AND 2-19

LIIAA2783/26 (10 JUL 26)

INSTRUMENT APPROACH PROCEDURE RNP Z RWY 17R
MINIMA OCA(OCH) LPV FOR STRAIGHT IN APPROACH AS FLW:
CAT A 1150 (386)
CAT B 1162 (398)
CAT C 1170 (406)
CAT D 1181 (417)
DUE TO ICAO ELECTRONIC BULLETIN 2026/13 IMPLEMENTATION
REF AIP AD 2 LIMC 5-45
04 JUN 26 14:15 UNTIL 01 SEP 26 23:59 ESTIMATED

LIIAA2766/26 (10 JUL 26)

INSTRUMENT APPROACH PROCEDURE RNP RWY 35R
MINIMA OCA(OCH) LPV FOR STRAIGHT IN APPROACH AS FLW:
CAT A 1120 (429)
CAT B 1132 (441)
CAT C 1140 (449)
CAT D 1151 (460)
DUE TO ICAO ELECTRONIC BULLETIN 2026/13 IMPLEMENTATION
REF AIP AD 2 LIMC 5-21
04 JUN 26 13:24 UNTIL 01 SEP 26 23:59 ESTIMATED

LIIAA2767/26 (10 JUL 26)

INSTRUMENT APPROACH PROCEDURE RNP Y RWY 17R
MINIMA OCA(OCH) LPV FOR STRAIGHT IN APPROACH AS FLW:
CAT A 1150 (386)
CAT B 1162 (398)
CAT C 1170 (406)
CAT D 1181 (417)
DUE TO ICAO ELECTRONIC BULLETIN 2026/13 IMPLEMENTATION
REF AIP AD 2 LIMC 5-49
04 JUN 26 13:25 UNTIL 01 SEP 26 23:59 ESTIMATED

LIIAA2764/26 (10 JUL 26)

INSTRUMENT APPROACH PROCEDURE RNP Y RWY 17L
MINIMA OCA(OCH) LPV FOR STRAIGHT IN APPROACH AS FLW:
CAT A 1124 (379)
CAT B 1135 (390)
CAT C 1147 (402)
CAT D 1158 (413)
DUE TO ICAO ELECTRONIC BULLETIN 2026/13 IMPLEMENTATION
REF AIP AD 2 LIMC 5-41
04 JUN 26 13:09 UNTIL 01 SEP 26 23:59 ESTIMATED

LIIAA2762/26 (10 JUL 26)

INSTRUMENT APPROACH PROCEDURE RNP Z RWY 17L
MINIMA OCA(OCH) LPV FOR STRAIGHT IN APPROACH AS FLW:
CAT A 1124 (379)
CAT B 1135 (390)
CAT C 1147 (402)
CAT D 1158 (413)
DUE TO ICAO ELECTRONIC BULLETIN 2026/13 IMPLEMENTATION
REF AIP AD 2 LIMC 5-37
04 JUN 26 12:45 UNTIL 01 SEP 26 23:59 ESTIMATED

LIIAA2616/26 (10 JUL 26)

TRIGGER NOTAM-PERM AIP AIRAC AMDT 7/26 EFFECTIVE DATE 09 JUL 2026
MILANO/MALPENSA AD
HOLDING BAY - INTERMEDIATE HOLDING POSITION UPDATED.
AIRAC IS POSTED AND AVBL ON WEBSITE WWW.ENAV.IT

LIIAA2604/26 (10 JUL 26)

"MARSHALLING ASSISTANCE MANDATORY FOR ALL MOV TOWARDS
ACFT STANDS 708, 713, 715 AND 718 DUE TO UNAVAILABILITY OF
VISUAL DOCKING/PARKING GUIDANCE SYSTEM
REF AIP AD 2 LIMC 1-20 AND 2-11"

LIIAA6815/25 (22 JAN 26)

"INSTRUMENT APCH PROCEDURE CHARTS:
- ILS Z RWY35L

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 86/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

- RNP RWY35L
- ILS Z RWY35R
- RNP RWY35R
- ILS OR LOC Z RWY17L
- ILS OR LOC Y RWY17L
- VOR RWY17L
- RNP Z RWY17L
- RNP Y RWY17L
- RNP Z RWY17R
- RNP Y RWY17R

ALL VALUES OF MOCA (MINIMUM OBSTACLE CLEARANCE ALTITUDE) IN PROFILE VIEW SHALL BE RAISED TO THE LOWER ALTITUDE OF THE RELATED SEGMENT OF THE PROCEDURE.

REF AIP AD 2 LIMC 5-3, 5-9, 5-15, 5-21, 5-27, 5-31, 5-33, 5-37, 5-41, 5-45 AND 5-49"

LIIAA6307/22 (13 JUL 24)

"REF AIP AD 2 LIMC 1-9 ITEM 18 'ATS COMMUNICATION FACILITIES' REFERRING TO SERVICE 'TWR' CALL SIGN 'MALPENSA TWR'

FREQUENCY 119.000MHZ CHANGE AS FLW:

- IN COLUMN 3 'FREQUENCY MHZ' TO READ 123.600MHZ INSTEAD OF 119.000MHZ

MODIFY ACCORDINGLY TO THE ABOVE INFORMATIONS CONTENT OF RELEVANT BOXES IN AIP AD 2 LIMC SECTION 1-1 AND FOLLOWING 2, 4, 5 AND 6"

LIIAA3475/22 (13 JUL 24)

REF AIP AD 2 LIMC 1-12 ITEM 20 'LOCAL TRAFFIC REGULATIONS' BOX 2 'APRON' PARAGRAPH 2.1 'ORDERLY MOVEMENT OF AIRCRAFT ON APRONS' INDENT 4 'SERVICES PROVIDED' POINT C) 'FOLLOW-ME ASSISTANCE PROVIDED ON PILOT'S REQUEST AND MANDATORY IN CASE' ADD THE FOLLOWING IN CASE:

- GENERAL AVIATION AIRCRAFT UP TO ICAO CODE B (MAXIMUM WINGSPAN 24 METERS) AND HELICOPTERS ARRIVING AND DEPARTING FROM STANDS 301 TO 320 AND FROM 330 TO 336.

ARR TAXI ROUTE: AFTER TWR INSTRUCTIONS VIA APN TAXIWAY P-K TO INTERMEDIATE HOLDING POSITION (IHP) K9 WHERE FOLLOW-ME CAR WILL BE WAITING.

DEP TAXI ROUTE: AFTER TWR INSTRUCTIONS AND WITH FOLLOW-ME ASSISTANCE VIA APN TAXIWAY N-K TO IHP K8

EBBR / BRU

EBBRA2499/26 (17 JUL 26)

RWY 25R ILS U/S DUE TO MAINT. DO NOT USE. FALSE INDICATIONS POSSIBLE. NO IDENT CODE RADIATED

EBBRA2490/26 (16 JUL 26)

STOP BAR TWY F4 U/S

EBBRG1709/26 (14 JUL 26)

"16 1800-2200, 21 1400-1500"

TEMPO SEGREGATED AREA (TSA) 'BOX BRUSSELS' ESTABLISHED 505051N 0042143E - 505047N 0042203E - 505024N 0042151E - 505026N 0042130E - 505051N 0042143E FOR UAS ACT IN VISUAL LINE OF SIGHT. STATUS OF THE AREA CAN BE CHECKED WITH BRUSSELS TWR

F) GND

G) 700FT AMSL

EBBRA2448/26 (14 JUL 26)

TWY A5 RESTRICTED TO ACFT CODE E

EBBRA2431/26 (12 JUL 26)

"ACFT STAND 400,402,404 HANDLING ONLY ALLOWED BY DAY"

EBBRA2361/26 (10 JUL 26)

"NEW COORDINATES AVAILABLE FOR STANDS 204 505359.44N 0042905.32E, 206R 505400.21N 0042907.39E, 206L 505400.04N 0042908.43E, 208 505401.15N 0042909.01E, 210 505401.00N 0042911.77E."

EBBRD0360/26 (10 JUL 26)

DAILY 0700-1500

"IAP RNP RWY07L LNAV/VNAV INCREASED OCA CAT A: 456FT, CAT B: 466FT, CAT C: 475FT, CAT D: 485FT.

IAP RNP RWY07L LPV INCREASED OCA CAT A: 456FT, CAT B: 466FT, CAT C: 475FT, CAT D: 485FT"

01 JUL 26 07:00 UNTIL 28 SEP 26 15:00 ESTIMATED

EBBRD0351/26 (10 JUL 26)

IAP VOR RWY 07L NOT AVBL
23 JUN 26 20:42 UNTIL 30 SEP 26 20:00 ESTIMATED

EBBRA2097/26 (10 JUL 26)

22 JUN 2026 03:30-18 JUL 2026 21:00
"TWY OUT-6, B3 AND INT BTN THESE TWY CLSD DUE TO WIP"

EBBRA2098/26 (10 JUL 26)

22 JUN 2026 03:30-18 JUL 2026 21:00
INT INN-6 WITH OUT-7 AND INT OUT-7 WITH B1 RESTRICTED TO ACFT
WITH WINGSPAN SMALLER THAN 68.6M

EBBRD0246/26 (06 JUN 26)

DAILY 1500-0700
"IAP RNP RWY07L LPV INCREASED OCA CAT A: 428FT, CAT B: 438FT, CAT
C: 447FT, CAT D: 457FT"

EBBRD0245/26 (06 JUN 26)

DAILY 1500-0700
"IAP RNP RWY07L LNAV/VNAV INCREASED OCA CAT A: 428FT, CAT B:
438FT, CAT C: 447FT, CAT D: 457FT"

EBBRA1055/26 (12 APR 26)

"INT BTN TWY OUT-5, OUT-6, INN-5 AND INN-6 CL LIGHTS U/S"

EBLG / LGG

EBBRA2183/26 (26 JUN 26)

18 JUL 2026 06:00-19 JUL 2026 20:00
HANDLING MANDATORY FOR HEL

EBBRA2182/26 (26 JUN 26)

NO TRG FLT

EBBRA2148/26 (24 JUN 26)

RWY 04R/22L SURFACE FRICTION IS 0.5 AT 65KM/H AND 0.45 AT 95KM/H
BTN S2 AND S3
24 JUN 26 10:03 UNTIL 24 SEP 26 10:00 ESTIMATED

ELLX / LUX

EBBRA2488/26 (16 JUL 26)

IDENTS OF RWY 24 LOC ILW 110.700MHZ AND DME ILW CH44X NOT
SYNCHRONIZED
16 JUL 26 13:46 UNTIL 15 OCT 26 23:59 ESTIMATED

EBBRA2476/26 (16 JUL 26)

"RWY 24 LOC ILW 110.700MHZ COVERAGE UP TO 17NM IN SECTOR
035DEG (LEFT) TO 030DEG (RIGHT) IN RELATION TO RCL AND
DISTANCE TO LOC, MNM INTERCEPTION ALT IN THIS AREA
3200FT AMSL. REF ELLX AD 2.19. AIP WILL BE AMENDED ACCORDINGLY"

EBBRA2477/26 (16 JUL 26)

"RWY 24 DME ILW CH44X COVERAGE UP TO 17NM IN SECTOR 016DEG
(LEFT) TO 035DEG (RIGHT) IN RELATION TO RCL AND DISTANCE
TO LOC, MNM INTERCEPTION ALT IN THIS AREA 3200FT AMSL.
REF ELLX AD 2.19. AIP WILL BE AMENDED ACCORDINGLY"

EBBRD0371/26 (26 JUN 26)

DAILY 1730-2100
ATC TWR CONTINGENCY TRAINING CONDUCTED DURING THIS PERIOD ON
CERTAIN DAYS. ACTIVITY ANNOUNCED ON APP FREQUENCY 120.885MHZ FOR
ARRIVING FLIGHTS AND ON DELIVERY FREQUENCY 121.855MHZ FOR DEPARTING
FLIGHTS. ALL STOP BARS SWITCHED ON. LVP SEPARATION APPLIED FOR
ARRIVING TRAFFIC.

EBBRA2003/26 (15 JUN 26)

MON-FRI 0500-1400
"RWY24 WIP IN VCY THR24, PRESENCE OF MEN AND EQUIPMENT."

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 88/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

EBBRA1859/26 (04 JUN 26)

"RWY 06 ILS U/S DUE TO WIP. DISREGARD ALL SIGNALS, FALSE INDICATION POSSIBLE"

EHAM / AMS

EHAMA1644/26 (16 JUL 26)

17 JUL 2026 21:00-19 JUL 2026 04:00
2100-0400
"REF AIP NETHERLANDS PAGE AD 2 EHAM AOC TYPE A RWY 04-22
CRANE ERECTED AT PSN 521644.5N0044526.2E, 2900M BEYOND TORA
RWY 22 AND 180M LEFT OF EXTD RCL, 227FT AMSL, MARKED AND LGTD."

EHAMA1643/26 (16 JUL 26)

CHANGE OF OPERATING MINIMA OCA(OCH) RWY 18C DUE TO CRANE.
LOC ACFT CAT A-DL INCREASED TO 867(877).
LNAV ACFT CAT A-DL INCREASED TO 823(834).
REF AIP AD IAC ILS CAT II AND III OR LOC RWY 18C AND IAC RNP RWY 18C.
16 JUL 26 08:41 UNTIL 26 JUL 26 22:00 ESTIMATED

EHAMA1641/26 (16 JUL 26)

"CHANGE OF CIRCLING MINIMA OCA(OCH) DUE TO CRANE. CAT A AND B
INCREASED TO 916(927), CAT C AND D AND DL INCREASED TO 1014(1025)."
16 JUL 26 08:37 UNTIL 26 JUL 26 22:00 ESTIMATED

EHAMA1634/26 (16 JUL 26)

17 JUL 2026 21:00-19 JUL 2026 04:00
2100-0400
CHANGE OF OPERATING MINIMA OCA(OCH) RWY 04 DUE TO CRANE
LNAV ACFT CAT A-D INCREASED TO 473(484)
REF NETHERLANDS AIP AD 2 EHAM IAC RNP RWY 04.

EHAMA1636/26 (16 JUL 26)

17 JUL 2026 21:00-19 JUL 2026 04:00
2100-0400
CHANGE OF OPERATING MINIMA OCA(OCH) RWY 36R DUE TO CRANE
LNAV/VNAV OPERATING MINIMA CAT A INCREASED TO 305(316)
REF NETHERLANDS AIP AD 2 EHAM IAC RNP RWY 36R.

EHAMA1628/26 (15 JUL 26)

CL LGHTS TWY Z BTN STOPBAR Z1 AND TWY B U/S. MARSHALLER GUIDANCE
REQUIRED IF RVR 350M OR LESS.

EHAMA1585/26 (10 JUL 26)

16 JUL 2026 19:00-18 JUL 2026 01:00
"16 1900-0100, 17 1800-0100"
"LASERSHOW AT AMSTERDAM, PSN 522126N 0045255E."
F) GND
G) UNL

EHAMA1584/26 (10 JUL 26)

17 JUL 2026 18:00-18 JUL 2026 21:59
"17 1800-0100, 18 1800-2159"
"LASERSHOW AT AMSTERDAM, PSN 522026N 0045020E."
F) GND
G) UNL

EHAMA1564/26 (10 JUL 26)

EXTENDED CDM-INFORMATION EXCHANGE BETWEEN EHAM AND EUROCONTROL
NMOC ACTIVE. INFORMATION EXCHANGE INCLUDES PREDICTED DEPARTURE
PLANNING INFORMATION (P-DPI) AND GENERAL ARRIVAL PLANNING
INFORMATION (G-API). NO IMPACT ON CDM-PROCESS AND SAFETY OF FLIGHT
MANOEUVERS.

EHAMA1542/26 (10 JUL 26)

MON-FRI 0500-1500
"CHANGE OF OPERATING MINIMA OCA(OCH) RWY 06 DUE TO CRANE.
LPV ACFT CAT A INCREASED TO 270(281), CAT B INCREASED TO 279(290),
CAT C INCREASED TO 289(300), CAT D-DL INCREASED 299(310).
REF AIP AD 2.EHAM IAC RNP RWY 06."

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 89/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

EHAMA1541/26 (10 JUL 26)

MON-FRI 0500-1500
CHANGE OF OPERATING MINIMA OCA(OCH) RWY 36C DUE TO CRANE.
LOC ACFT CAT A-DL INCREASED TO 384(396).
REF AIP AD 2 EHAM IAC ILS CAT II AND III OR LOC RWY 36C.

EHAMA1543/26 (10 JUL 26)

MON-FRI 0500-1500
"REF AIP NETHERLANDS AD 2.EHAM-AOC-TYPE A RWY 18C-36C.
CRANE ERECTED AT PSN 521700.1N 0044411.0E, 2000M BEYOND TORA RWY 18C
ON EXTD RCL, 138FT AMSL, MARKED AND LGTD."

EHAMA1500/26 (10 JUL 26)

ACFT TOWED BY A YELLOW-COLOURED TOW TRUCK EQUIPPED WITH
ANTI-COLLISION LIGHTS IS UNDER THE PILOTS COMMAND AND REFERRED TO BY
ATC AS TAXITOW. RIGHT-OF-WAY IN ACCORDANCE WITH TAXIING ACFT IS
APPLICABLE.

EHAMA1495/26 (10 JUL 26)

ILS RWY 36C DOWNGRADED TO I/C1/1 (SUPPORTS CAT I OPERATIONS).
29 JUN 26 18:30 UNTIL 26 JUL 26 14:00 ESTIMATED

EHAMA1474/26 (10 JUL 26)

CHANGE OF OPERATING MINIMA OCA(OCH) RWY 27 DUE TO CRANE.
LOC ACFT CAT A-DL INCREASED TO 762(772).
LNAV ACFT CAT A-DL INCREASED TO 631(642).
REF AIP AD 2.EHAM IAC RNP RWY 27 AND AD 2.EHAM IAC LOC RWY 27.

EHAMA1427/26 (10 JUL 26)

"START OF CONSTRUCTION PHASE 26.1. SEVERAL TWYS, ACFT STANDS AND
HOLDING POSITIONS CLSD. FOR DETAILS SEE AIP SUP 30/2025."
29 JUN 26 05:00 UNTIL 29 SEP 26 05:00 ESTIMATED

EHAMA1404/26 (10 JUL 26)

TURN FROM TWY A TO TWY A15 AND TURN FROM TWY A15 TO TWY A
PROHIBITED IF DISTANCE BTN OUTSIDE EDGES OF THE ACFT MAIN GEAR WHEELS
IS 9M OR MORE.
18 JUN 26 11:21 UNTIL 18 SEP 26 10:00 ESTIMATED

EHAMA1379/26 (10 JUL 26)

"TWY CENTRE LINE LIGHTS TWY A4W BTN ACFT STAND B15 AND B27 U/S,
TWY CENTRE LINE LIGHTS TWY A4E BTN ACFT STAND C6 AND C10 U/S,
MARSHALLER GUIDANCE REQUIRED IF RVR 350M OR LESS."
19 JUN 26 07:00 UNTIL 15 SEP 26 12:00 ESTIMATED

EHAMA1330/26 (10 JUL 26)

"CORRECT WPT AM096 COORDINATE ON CHART TO READ 521626.65N
0044022.06E
REF AIP AIRAC AMDT 06/2026 WEF 11 JUN 2026, EHAM AD 2 SID 24 WEST RF."

EHAMA1263/26 (10 JUL 26)

TWY A4W BTN STAND B15 AND STAND B23 CLSD.

EHAMA1201/26 (10 JUL 26)

MON-FRI 0500-1500
"CHANGE OF OPERATING MINIMA OCA(OCH) RWY 22 DUE TO CRANE.
ILS CAT I ACFT CAT A-D INCREASED TO:
CAT A 184 (198), CAT B 196 (210),
CAT C 205 (218), CAT D 215 (228).
REF AIP AD 2 EHAM IAC ILS OR LOC RWY 22."

EHAMA1200/26 (10 JUL 26)

MON-FRI 0500-1500
"CHANGE OF OPERATING MINIMA OCA(OCH) RWY 04 DUE TO CRANE.
RNP LPV CAT A-D INCREASED TO:
CAT A 254 (267), CAT B 267 (280),
CAT C 275 (288), CAT D 285 (298).
REF AIP AD2. EHAM IAC RNP RWY 04."

EHAMA1091/26 (10 JUL 26)

"SIDS RWY 36L BERGI5V, SPY4V AND VOLLA3V CHANGED DUE TO CRANE.
A MINIMUM OF 3.5 PERCENT CLIMB GRADIENT REQUIRED UNTIL LEVKI.

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 90/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

CRANE ERECTED BTN PSN 522245.1N 0044226.1E AND 522247.4N 0044211.7E.
1700M BEYOND TORA RWY 36L AND 410M LEFT OF EXTD RCL, 158FT AMSL,
MARKED AND LGTD."

EHAMA1090/26 (10 JUL 26)

"RWY 36L DEVIATION FROM SID STRICTLY PROHIBITED UP TO 500FT AMSL
DUE TO CRANES BTN PSN 522245.1N0044226.1E AND 522247.4N0044211.7E.
1700M BEYOND TORA RWY 36L AND 410M LEFT OF EXTD RCL, 158FT AMSL,
MARKED AND LGTD."

EHAMA1057/26 (10 JUL 26)

CHANGE OF OPERATING MINIMA OCA (OCH) RWY 04 LPV ACFT
CAT A INCREASED TO 364 (377)
CAT B INCREASED TO 376 (389)
CAT C INCREASED TO 395 (409)
CAT D INCREASED TO 423 (436)
REF AIP NETHERLANDS AD 2 EHAM IAC RNP RWY 04.
07 MAY 26 16:00 UNTIL 06 AUG 26 23:59 ESTIMATED

EHAMA1058/26 (10 JUL 26)

CHANGE OF OPERATING MINIMA OCA (OCH) RWY 24 LPV ACFT
CAT A INCREASED TO 363 (374)
CAT B INCREASED TO 375 (386)
CAT C INCREASED TO 394 (405)
CAT D-DL INCREASED TO 421 (432)
REF AIP NETHERLANDS AD 2 EHAM IAC RNP RWY 24.
07 MAY 26 18:00 UNTIL 06 AUG 26 23:59 ESTIMATED

EHAMA1056/26 (10 JUL 26)

CHANGE OF OPERATING MINIMA OCA (OCH) RWY 09 LPV ACFT
CAT A INCREASED TO 345 (357)
CAT B INCREASED TO 357 (369)
CAT C INCREASED TO 376 (388)
CAT D-DL INCREASED TO 403 (415)
REF AIP NETHERLANDS AD 2 EHAM IAC RNP RWY 09.
07 MAY 26 18:00 UNTIL 06 AUG 26 23:59 ESTIMATED

EHAMA0990/26 (10 JUL 26)

INCREASED BIRD ACTIVITY ON AND AROUND AD. AN INCREASED POTENTIAL
FOR BIRD STRIKES EXISTS FOR ALL INBD AND OUBD ACFT.
30 APR 26 11:03 UNTIL 30 JUL 26 12:00 ESTIMATED

EHAMA3004/25 (31 MAR 26)

TWY A BTN TWY A28 AND TWY A29 ACFT WITH WINGSPAN MORE THAN 69M
MUST BE GUIDED BY MARSHALLER.
17 DEC 25 23:46 UNTIL 31 DEC 26 23:00 ESTIMATED

LFPO / ORY

LFFAA4681/26 (10 JUL 26)

13 JUL 2026 21:30-18 JUL 2026 03:30
2130-0330
FOR A388 AND B748 ACFT : LFPO CANNOT BE CHOSEN AS AN ALTERNATE AD
OR DIVERSION AD CAUSE WIP.

*LFFAA4641/26 (09 JUL 26)

LDG RWY 20 PROHIBITED DUE TO OBST.

LFFAA4534/26 (06 JUL 26)

"ALL ECONOMICAL CLIMB OF TYPE 'OPTICLIMB' MUST BE ANNOUNCED ON
FIRST CONTACT WITH ORLY DEP, THEN ON FIRST CONTACT WITH
PARIS ACC FOR ATC AGREEMENT.
SPEED MUST BE REPORTED DURING THESE CONTACTS."

LFFAA4321/26 (26 JUN 26)

2130-0330
TAXIWAY W1 BTN LR EXCLUDED LP INCLUDED AND TAXIWAY W41 LIMITED TO
ACFT WITH WINGSPAN LESS THAN OR EQUAL TO 36M.

LFFAA3815/26 (18 JUN 26)

AIRAC AIP SUP 085/26 - PROCEDURES SUSPENDED :
- IAC FNA ILS CAT123 RWY25
- IAC FNA LOC RWY25
- IAC FNA RNP RWY25

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 91/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

PROCEDURES IN FORCE : SEE AIRAC AIP SUP 085/26
CONFIRMATION ON ATIS AND ORLY APP 123.875MHZ

LFFAA3805/26 (18 JUN 26)

ILS RWY 24 DOWNGRADED TO I.E.1
REF : AIP AD 2 LFPO.AD 2.19

LFFAA3794/26 (18 JUN 26)

TUE WED THU 1100-1400
RWY 07/25 AND 02/20 SIMULTANEOUS USE POSSIBLE.
CONFIRMATION ON ATIS AND ORLY TWR 118.700MHZ

LFFAA3792/26 (18 JUN 26)

TUE WED THU 1100-1400
HEL TRANSIT OH3-OH2 OH1-OH-IH3 CLOSED DUE TO RWY 02/20 FLIGHT
OPERATIONS.
CONFIRMATION ON ATIS AND ORLY TWR 118.700MHZ

LFFAA3704/26 (18 JUN 26)

IMPLEMENTATION OF A NEW DEPARTURE SEQUENCING SYSTEM (GLD) : THE
DEPARTURE SEQUENCING ALGORITHM AND TSAT CALCULATION ARE MODIFIED.
RULES RELATED TO TOBT/EOBT MANAGEMENT AND SEQUENCE EXIT CONDITIONS
(SEQOUT) ARE UPDATED.
PLEASE REFER TO : WWW.CDMPARIS.NET WEBSITE FOR FURTHER INFORMATION.

LFFAA2740/26 (18 JUN 26)

"TRIGGER NOTAM - AIRAC AIP SUP 085/26.
AD PARIS ORLY (LFPO) : DUE TO THE CLOSURE OF RUNWAY 06/24 FROM
AUGUST 10 TO DECEMBER 17, TEMPORARY APPROACH PROCEDURES ON RUNWAY 25
AND DEPARTURE PROCEDURES ON RUNWAY 20 ARE IMPLEMENTED.
PROCEDURES WILL BE SUSPENDED BY NOTAM.
THIS AIP SUP IS AVBL AT WWW.SIA.AVIATION-CIVILE.GOUV.FR"

LFFAA1905/26 (18 JUN 26)

LNAV-VNAV MINIMA OPS IFR APCH PROC MODIFIED :

- RNP RWY 02 :
CAT DA(H) RVR
A 670(380) 1300
B 680(390) 1400
C 690(400) 1400
D 690(400) 1400
- RNP RWY 06 :
CAT DA(H) RVR
A 660(380) 1000
B 670(390) 1100
C 680(400) 1100
D 690(410) 1200
- RNP RWY 07 :
CAT DA(H) RVR
A 660(380) 1000
B 670(390) 1100
C 680(400) 1100
D 710(430) 1300
- RNP RWY 24 :
CAT DA(H) RVR
A 690(400) 1400
B 700(410) 1500
C 720(430) 1600
D 720(430) 1600
REFERENCE AIP FRANCE :
AD2 LFPO IAC RWY02 FNA RNP
AD2 LFPO IAC RWY06 FNA RNP
AD2 LFPO IAC RWY07 FNA RNP
AD2 LFPO IAC RWY24 FNA RNP

LFFAA1771/26 (18 JUN 26)

CLOSED TAXIWAYS :
- TWY W3 BTN TWY LP INCLUDED AND STAND P12 INCLUDED
- TWY LP
(DUE TO WIP

LFFAA1769/26 (18 JUN 26)

2130-0330
RWY 06/24 USE RESTRICTIONS DUE TO WIP :
- LDA QFU 06=2707 METERS FOR ACFT WITH WINGSPAN GREATER THAN 36
METERS(LAST POSSIBLE EXIT BY TWY W42)

Official Pilot Briefing

THA910 17JUL26 HSTTA B773E VTBS 1745 EGLL 0615+

Page 92/92
Trans ID: 5066710
Creation Time: 17.07.2026 09:24UTC

- RWY PROHIBITED TO AIRCRAFT TYPE A388 AND B748.

THA910 17JUL26/1745 VTBS/EGLL
N I L